Security Composer: the new document look (B134)

Datasec · Monday, 12 Oct 2026 · synthetic data only

> **BLUF.** When a policy has a named target, the worksheet and the change report now take their title from it, in the approved form "<target> for <customer>", in place of the HPSM policy name. And when a policy has more than 12 areas, the policy summary's Main decisions table folds to one row per top-level area, so the summary stays on page 2 and no longer spills onto page 3. QA gate B136 passed it GO WITH NOTES. It is merged to main (PR #73, B134 commit `ed0f531e`; main is now `eddb484b`) but **not yet on the demo**. The demo still runs `7910674f`. Your call: a) approve and deploy, b) deploy with a change you name, or c) hold.

No named target: nothing changes. Every output without a named target is byte-identical to today's (B136 checked 104 of 104 files by sha256). Today's 11-area policy PDF and DOCX are byte-identical too.

(a) Titles with a named target

Fictional example: target "Essential Eight — Maturity Level Two" for customer "Northwind Test Freight Pty Ltd". BEFORE = `7910674f` (today's demo); AFTER = `ed0f531e` (B134, merged).

BEFORE · worksheet title row



Datasec Policy Designer implementation worksheet | Synthetic engagement on real provisional co

DRAFT 612b1ad73798044cfaff2fa1d6623a5bd2a006cdfb233c98976b60d2c471e79d

"Datasec Policy Designer implementation worksheet | **Synthetic engagement on real provisional content** | manifest …"

AFTER · worksheet title row



Datasec Policy Designer implementation worksheet | Essential Eight — Maturity Level Two for N

DRAFT 612b1ad73798044cfaff2fa1d6623a5bd2a006cdfb233c98976b60d2c471e79d

"Datasec Policy Designer implementation worksheet | **Essential Eight — Maturity Level Two for Northwind Test Freight Pty Ltd** | manifest …". The XLSX document title becomes "… for Northwind Test Freight Pty Ltd: implementation worksheet".

BEFORE · change report, page 1 title and footer



Synthetic engagement on real provisional content: change report

Datasec Policy Designer: change report

Datasec Policy Designer | Synthetic engagement on real provisional content: change report
manifest 2e4a7e150fe5f84493a0c6c769d4316b85f3cccd0b468a92cff993aa455b1b43

Page 1 of 1

AFTER · change report, page 1 title and footer



Essential Eight — Maturity Level Two for Northwind Test Freight Pty Ltd: change report

Datasec Policy Designer: change report

Datasec Policy Designer | Essential Eight — Maturity Level Two for Northwind Test Freight Pty Ltd: change report
manifest 2e4a7e150fe5f84493a0c6c769d4316b85f3cccd0b468a92cff993aa455b1b43

Page 1 of 1

Footer, BEFORE: "Datasec Policy Designer | Synthetic engagement on real provisional content: change report". AFTER: "Datasec Policy Designer | Essential Eight — Maturity Level Two for Northwind Test Freight Pty Ltd: change report". The manifest line under it is the same in both.

The subtitle "Datasec Policy Designer: change report" stays the same. The page footer and the DOCX title use the new title too. File names do not change (still held).

(b) Policy summary: Main decisions table with more than 12 areas

Synthetic 24-area policy (12 top-level areas). BEFORE = `7910674f`; AFTER = `ed0f531e`. Pages 2 and 3 of the policy PDF.

BEFORE · page 2



SYNTHETIC CONTENT | NOT SIGNED

Executive summary

Release 1.0.0 of this policy was released on 12 September 2026 (UTC). Approvals recorded: customer approval, approved by Alexandra Constantinopoulos-Whitfield, Head of Information Technology and Security Operations (customer approver). The identifiers, hashes and pins this document can be checked against are in the appendix at the back.

What this policy covers

It sets the HP Security Manager configuration for the printers and multifunction printers of Northwind Test Freight and Logistics (Australia and New Zealand) Pty Ltd that are in scope: 52 controls, made of 55 printer settings, in 24 areas. It applies to 12 device groups with 546 devices in all: Warehouse site 1 multifunction printers, Warehouse site 2 multifunction printers, Warehouse site 3 multifunction printers and 9 more. Frameworks selected: ISO 27001 (2022); Essential Eight (November 2023, maturity level 3); NIST CSF (2.0); SOC 2 (2017 (revised 2022)); HIPAA (Security Rule 2013). A framework named in this document shows where a setting contributes evidence. This policy is not a certification of compliance with any framework.

Main decisions

Area	Settings	High risk	Corrected automatically	Corrected after approval	Reported only
Authentication > Group 1	3	1	0	3	0
Authentication > Group 2	2	2	0	2	0
Device Control > Group 1	3	2	0	3	0
Device Control > Group 2	2	1	0	2	0
Device Discovery > Group 1	3	2	0	3	0
Device Discovery > Group 2	2	1	0	2	0
Fax > Group 1	2	0	0	2	0
Fax > Group 2	2	1	0	2	0
Firmware and Updates > Group 1	2	0	0	2	0
Firmware and Updates > Group 2	2	0	0	2	0
Logging and Monitoring > Group 1	2	0	0	2	0
Logging and Monitoring > Group 2	2	0	0	2	0
Mobile and Cloud Printing > Group 1	2	0	0	2	0
Mobile and Cloud Printing > Group 2	2	1	0	2	0
Network Security > Group 1	3	1	0	3	0
Network Security > Group 2	2	1	0	2	0
Network Services > Group 1	3	2	0	3	0
Network Services > Group 2	2	2	0	2	0
Printing > Group 1	3	2	0	3	0
Printing > Group 2	2	1	0	2	0
Scanning and Sending > Group 1	3	2	0	3	0
Scanning and Sending > Group 2	2	2	0	2	0
Stored Jobs > Group 1	2	0	0	2	0
Stored Jobs > Group 2	2	0	0	2	0
All areas	**55**	**24**	**0**	**55**	**0**

55 settings are corrected only after someone approves the change. For 55 settings, a printer that cannot apply the setting fails its check.

Exceptions in force

12 exceptions to Datasec's recommended settings are part of this policy, each listed under Exceptions. 0 approved, 0 rejected, 12 with no decision recorded.
- 1 setting: set less strictly than Datasec's recommended baseline. Risk: critical. Until 15 January 2027.
- 1 setting: an older protocol or service stays switched on. Risk: high. Until 15 February 2027.
- 1 setting: some printers cannot apply it, and they are left as they are. Risk: medium. Until 15 March 2027.
- 1 setting: left out of the policy. Risk: low. Until 15 April 2027.

Datasec Policy Designer | Synthetic engagement on real provisional content
manifest c42af28f590e12cc32a4720b1f41586ba5287970dbdeac73d6034f241963f20d
Page 2 of 14

24 rows, one per "Area > Group". The page is full.

BEFORE · page 3



SYNTHETIC CONTENT | NOT SIGNED

8 more groups of exceptions are listed under Exceptions.
7 exceptions raised on this version were withdrawn and are not part of this policy.

What you need to do

1. Do not use this document for real printers: it is built from synthetic demo content.
2. Apply this release in HP Security Manager through the Policy Bridge.
3. Treat this copy as unverified: it was produced without its release signature.
4. Enter the 1 local value listed under Local values required on the Policy Bridge; the platform never stores it.
5. Check the 55 settings under Unsupported-controls register: not confirmed as supported on every device group.
6. Keep each exception's compensating control in place and review it before it ends (the first ends 15 January 2027).

Datasec Policy Designer | Synthetic engagement on real provisional content
manifest c42af28f590e12cc32a4720b1f41586ba5287970dbdeac73d6034f241963f20d
Page 3 of 14

The summary runs onto page 3 ("8 more groups…" and all of "What you need to do").

AFTER · page 2



SYNTHETIC CONTENT | NOT SIGNED

Executive summary

Release 1.0.0 of this policy was released on 12 September 2026 (UTC). Approvals recorded: customer approval, approved by Alexandra Constantinopoulos-Whitfield, Head of Information Technology and Security Operations (customer approver). The identifiers, hashes and pins this document can be checked against are in the appendix at the back.

What this policy covers

It sets the HP Security Manager configuration for the printers and multifunction printers of Northwind Test Freight and Logistics (Australia and New Zealand) Pty Ltd that are in scope: 52 controls, made of 55 printer settings, in 24 areas. It applies to 12 device groups with 546 devices in all: Warehouse site 1 multifunction printers, Warehouse site 2 multifunction printers, Warehouse site 3 multifunction printers and 9 more. Frameworks selected: ISO 27001 (2022); Essential Eight (November 2023, maturity level 3); NIST CSF (2.0); SOC 2 (2017 (revised 2022)); HIPAA (Security Rule 2013). A framework named in this document shows where a setting contributes evidence. This policy is not a certification of compliance with any framework.

Main decisions

Area	Settings	High risk	Corrected automatically	Corrected after approval	Reported only
Authentication	5	3	0	5	0
Device Control	5	3	0	5	0
Device Discovery	5	3	0	5	0
Fax	4	1	0	4	0
Firmware and Updates	4	0	0	4	0
Logging and Monitoring	4	0	0	4	0
Mobile and Cloud Printing	4	1	0	4	0
Network Security	5	2	0	5	0
Network Services	5	4	0	5	0
Printing	5	3	0	5	0
Scanning and Sending	5	4	0	5	0
Stored Jobs	4	0	0	4	0
All areas	**55**	**24**	**0**	**55**	**0**

55 settings are corrected only after someone approves the change. For 55 settings, a printer that cannot apply the setting fails its check.

Exceptions in force

12 exceptions to Datasec's recommended settings are part of this policy, each listed under Exceptions. 0 approved, 0 rejected, 12 with no decision recorded.
- 1 setting: set less strictly than Datasec's recommended baseline. Risk: critical. Until 15 January 2027.
- 1 setting: an older protocol or service stays switched on. Risk: high. Until 15 February 2027.
- 1 setting: some printers cannot apply it, and they are left as they are. Risk: medium. Until 15 March 2027.
- 1 setting: left out of the policy. Risk: low. Until 15 April 2027.

8 more groups of exceptions are listed under Exceptions.
7 exceptions raised on this version were withdrawn and are not part of this policy.

What you need to do

1. Do not use this document for real printers: it is built from synthetic demo content.
2. Apply this release in HP Security Manager through the Policy Bridge.
3. Treat this copy as unverified: it was produced without its release signature.
4. Enter the 1 local value listed under Local values required on the Policy Bridge; the platform never stores it.
5. Check the 55 settings under Unsupported-controls register: not confirmed as supported on every device group.
6. Keep each exception's compensating control in place and review it before it ends (the first ends 15 January 2027).

Datasec Policy Designer | Synthetic engagement on real provisional content
manifest c42af28f590e12cc32a4720b1f41586ba5287970dbdeac73d6034f241963f20d
Page 2 of 13

12 rows, one per top-level area, with counts summed, plus "All areas". The whole summary fits on page 2.

AFTER · page 3



SYNTHETIC CONTENT | NOT SIGNED

Scope

Field	Value
Target HPSM version	5.9.0
Baseline profile	datasec_default
Baseline posture	Balanced remediation. Posture cannot be set in this release; it sets remediation defaults only, not target values or unsupported handling.
Default unsupported handling	Fail
Remediation policy (D-023)	Not answered
Crypto preference	best_possible

Device groups

Device group	Model family	Firmware band	Quantity	Installed solutions
Warehouse site 1 multifunction printers	SYNTHETIC	5.x	40	
Warehouse site 2 multifunction printers	SYNTHETIC	5.x	41	
Warehouse site 3 multifunction printers	SYNTHETIC	5.x	42	
Warehouse site 4 multifunction printers	SYNTHETIC	5.x	43	
Warehouse site 5 multifunction printers	SYNTHETIC	5.x	44	
Warehouse site 6 multifunction printers	SYNTHETIC	5.x	45	
Warehouse site 7 multifunction printers	SYNTHETIC	5.x	46	
Warehouse site 8 multifunction printers	SYNTHETIC	5.x	47	
Warehouse site 9 multifunction printers	SYNTHETIC	5.x	48	
Warehouse site 10 multifunction printers	SYNTHETIC	5.x	49	
Warehouse site 11 multifunction printers	SYNTHETIC	5.x	50	
Warehouse site 12 multifunction printers	SYNTHETIC	5.x	51	

Frameworks

Framework	Edition	E8 maturity
ISO 27001	2022	
Essential Eight	November 2023	3
NIST CSF	2.0	
SOC 2	2017 (revised 2022)	
HIPAA	Security Rule 2013	

Scope qualification

This policy sets the HP Security Manager configuration for the printers and multifunction printers in scope, and nothing beyond that boundary. It is not a certification of compliance with any framework: a framework reference shows where a setting contributes evidence.

Customer answers

Datasec Policy Designer | Synthetic engagement on real provisional content
manifest c42af28f590e12cc32a4720b1f41586ba5287970dbdeac73d6034f241963f20d
Page 3 of 13

Page 3 now opens with Scope, as it should.

The same happens at 16 areas (8 top-level rows). With 12 areas or fewer (today's content has 11) the table is unchanged. One thing to look at: the sentence above the table still says "in 24 areas" while the folded table shows 12 rows. Both are true. No note was added, because a note would be new wording, and new wording is your call.

The Minor: a very long title loses the footer's manifest line

If the target name is about 80 characters or more and the customer name is about 200 characters, the change report's footer wraps to 3 lines, and the **"manifest <hash>" line is no longer printed.** Nothing else in the document breaks. The policy PDF has had the same problem since B103. QA logged it as a Minor to fix later (B136-F1, footer line budget). It does not block. Shown at `ed0f531e`:

80-character target, 200-character customer: no manifest line



Datasec Policy Designer | Footer stress test target Footer stress test target Footer stress test target Fo for Customer stress test name Customer stress test name
Customer stress test name Customer stress test name Customer stress test name Customer stress test name Customer stress test name Customer stress te: change
report

Page 1
of 1

36-character target, 200-character customer: manifest line present



Datasec Policy Designer | Essential Eight — Maturity Level Two for Customer stress test name Customer stress test name Customer stress test name Customer stress
test name Customer stress test name Customer stress test name Customer stress test name Customer stress te: change report
manifest eccf20854d9496d5f8a85c21a5f5fa0a6563924d8e0215472284b1ddb65f5b4c

Page 1
of 1

Which commit each image shows

- **BEFORE** images: renderers source at `7910674f`, the current main before the merge and the build on the demo today.
- **AFTER** images and the Minor's footer images: `ed0f531e`, the B134 head. It was merged as PR #73 (`de95b413`), and main is now `eddb484b` (#73 plus B135's #74). B136 confirmed that merging B134 on its own gives the same tree as its head. B135 changes no look.

Sources (read-only)

- B134 STATUS, "NEW LOOK FOR KAM": `_wt_b134rec/1_Project_Definition/Briefs/2026-10-12_B134_STATUS.md`. Renders: …`/2026-10-12_B134_evidence/renders/({base,head}_worksheet_named.xlsx.png`, `{base,head}_change-report_named_p1-1.png`, `{base,head}_policy_24areas_p-0{2,3}.png`, `titles_base_vs_head.txt`).
- Gate B136 STATUS: `_wt_b136rec/1_Project_Definition/Briefs/2026-10-12_B136_STATUS.md`, overall GO WITH NOTES. Footer renders: …`/2026-10-12_B136_evidence/subject1/renders/head_change-report_target{80,36}_customer200_footer_crop-1.png`.
- All names and content in the images are fictional or synthetic. No customer data is used.