

Report 'default'

## Table Of Contents

Report for Table	1
Table(s) of Model "CompactedFinalSqlServer2019"	6
Column(s) of Table "Country"	6
Default Constraint Usage(s) of Column "CountryId"	6
Default Constraint Usage(s) of Column "ISO3"	6
Default Constraint Usage(s) of Column "CountryName"	6
Default Constraint Usage(s) of Column "ISO2"	6
Default Constraint Usage(s) of Column "SalesRegion"	6
Default Constraint Usage(s) of Column "SysStartTime"	6
Default Constraint Usage(s) of Column "SysEndTime"	6
Default Constraint Usage(s) of Column "Note"	7
Default Constraint Usage(s) of Column "TransactionNumber"	7
Default Constraint Usage(s) of Column "FireAuditTrigger"	7
Column(s) of Table "Customer"	7
Default Constraint Usage(s) of Column "CustomerId"	7
Default Constraint Usage(s) of Column "FirstName"	7
Default Constraint Usage(s) of Column "LastName"	7
Default Constraint Usage(s) of Column "Address1"	7
Default Constraint Usage(s) of Column "Address2"	7
Default Constraint Usage(s) of Column "City"	8
Default Constraint Usage(s) of Column "PostalCode"	8
Default Constraint Usage(s) of Column "IsReseller"	8
Default Constraint Usage(s) of Column "IsCreditRisk"	8
Default Constraint Usage(s) of Column "SysStartTime"	8
Default Constraint Usage(s) of Column "SysEndTime"	8
Default Constraint Usage(s) of Column "Note"	8
Default Constraint Usage(s) of Column "TransactionNumber"	9
Default Constraint Usage(s) of Column "FireAuditTrigger"	9
Column(s) of Table "DeliveryCharge"	9
Default Constraint Usage(s) of Column "DeliveryChargedId"	9
Default Constraint Usage(s) of Column "PackingSymbol"	9
Default Constraint Usage(s) of Column "ChargeAmount"	9
Default Constraint Usage(s) of Column "SysStartTime"	9
Default Constraint Usage(s) of Column "SysEndTime"	9
Default Constraint Usage(s) of Column "Note"	9
Default Constraint Usage(s) of Column "TransactionNumber"	10
Default Constraint Usage(s) of Column "FireAuditTrigger"	10
Column(s) of Table "Department"	10
Default Constraint Usage(s) of Column "DepartmentId"	10
Default Constraint Usage(s) of Column "DepartmentName"	10
Default Constraint Usage(s) of Column "SysStartTime"	10
Default Constraint Usage(s) of Column "SysEndTime"	10
Default Constraint Usage(s) of Column "Note"	10
Default Constraint Usage(s) of Column "TransactionNumber"	11
Default Constraint Usage(s) of Column "FireAuditTrigger"	11
Column(s) of Table "ManufacturerModel"	11
Default Constraint Usage(s) of Column "ManufacturerModelId"	11
Default Constraint Usage(s) of Column "ModelName"	11
Default Constraint Usage(s) of Column "Variant"	11
Default Constraint Usage(s) of Column "SysStartTime"	11
Default Constraint Usage(s) of Column "SysEndTime"	11
Default Constraint Usage(s) of Column "Note"	11
Default Constraint Usage(s) of Column "TransactionNumber"	12
Default Constraint Usage(s) of Column "FireAuditTrigger"	12
Column(s) of Table "ManufacturerVehicleInventory"	12
Default Constraint Usage(s) of Column "ManufacturerVehicleInventoryId"	12
Default Constraint Usage(s) of Column "PurchaseCost"	12
Default Constraint Usage(s) of Column "IsPremiumRoadHandlingPackage"	12
Default Constraint Usage(s) of Column "VehicleColor"	12
Default Constraint Usage(s) of Column "ManufacturerComments"	12
Default Constraint Usage(s) of Column "SysStartTime"	13
Default Constraint Usage(s) of Column "SysEndTime"	13
Default Constraint Usage(s) of Column "Note"	13
Default Constraint Usage(s) of Column "TransactionNumber"	13
Default Constraint Usage(s) of Column "FireAuditTrigger"	13
Column(s) of Table "ManufacturerVehicleMake"	13
Default Constraint Usage(s) of Column "ManufacturerVehicleMakeId"	13
Default Constraint Usage(s) of Column "MakeName"	13
Default Constraint Usage(s) of Column "Type"	14
Default Constraint Usage(s) of Column "SysStartTime"	14
Default Constraint Usage(s) of Column "SysEndTime"	14
Default Constraint Usage(s) of Column "Note"	14
Default Constraint Usage(s) of Column "TransactionNumber"	14

Default Constraint Usage(s) of Column "FireAuditTrigger"	14
Column(s) of Table "Category"	14
Default Constraint Usage(s) of Column "CategoryId"	14
Default Constraint Usage(s) of Column "MarketingType"	15
Default Constraint Usage(s) of Column "CampaignName"	15
Default Constraint Usage(s) of Column "Country"	15
Default Constraint Usage(s) of Column "ManufacturerSpendCapacity"	15
Default Constraint Usage(s) of Column "LowerThresholdValue"	15
Default Constraint Usage(s) of Column "UpperThresholdValue"	15
Default Constraint Usage(s) of Column "SysStartTime"	15
Default Constraint Usage(s) of Column "SysEndTime"	15
Default Constraint Usage(s) of Column "Note"	16
Default Constraint Usage(s) of Column "TransactionNumber"	16
Default Constraint Usage(s) of Column "FireAuditTrigger"	16
Column(s) of Table "PartsCharge"	16
Default Constraint Usage(s) of Column "PartsChargeId"	16
Default Constraint Usage(s) of Column "PartType"	16
Default Constraint Usage(s) of Column "ChargeAmount"	16
Default Constraint Usage(s) of Column "SysStartTime"	16
Default Constraint Usage(s) of Column "SysEndTime"	17
Default Constraint Usage(s) of Column "Note"	17
Default Constraint Usage(s) of Column "TransactionNumber"	17
Default Constraint Usage(s) of Column "FireAuditTrigger"	17
Column(s) of Table "RepairCharge"	17
Default Constraint Usage(s) of Column "RepairChargeId"	17
Default Constraint Usage(s) of Column "Component"	17
Default Constraint Usage(s) of Column "ServiceType"	17
Default Constraint Usage(s) of Column "ChargeAmount"	17
Default Constraint Usage(s) of Column "SysStartTime"	18
Default Constraint Usage(s) of Column "SysEndTime"	18
Default Constraint Usage(s) of Column "Note"	18
Default Constraint Usage(s) of Column "TransactionNumber"	18
Default Constraint Usage(s) of Column "FireAuditTrigger"	18
Column(s) of Table "OrderVehicle"	18
Default Constraint Usage(s) of Column "OrderVehicleId"	18
Default Constraint Usage(s) of Column "SaleDate"	18
Default Constraint Usage(s) of Column "SysStartTime"	19
Default Constraint Usage(s) of Column "SysEndTime"	19
Default Constraint Usage(s) of Column "Note"	19
Default Constraint Usage(s) of Column "TransactionNumber"	19
Default Constraint Usage(s) of Column "FireAuditTrigger"	19
Column(s) of Table "OrderVehicleDetail"	19
Default Constraint Usage(s) of Column "OrderVehicleDetailId"	19
Default Constraint Usage(s) of Column "SalePrice"	19
Default Constraint Usage(s) of Column "Discount"	19
Default Constraint Usage(s) of Column "SysStartTime"	20
Default Constraint Usage(s) of Column "SysEndTime"	20
Default Constraint Usage(s) of Column "Note"	20
Default Constraint Usage(s) of Column "TransactionNumber"	20
Default Constraint Usage(s) of Column "FireAuditTrigger"	20
Column(s) of Table "Staff"	20
Default Constraint Usage(s) of Column "FirstName"	20
Default Constraint Usage(s) of Column "LastName"	20
Default Constraint Usage(s) of Column "StaffId"	21
Default Constraint Usage(s) of Column "Address"	21
Default Constraint Usage(s) of Column "City"	21
Default Constraint Usage(s) of Column "PostalCode"	21
Default Constraint Usage(s) of Column "Country"	21
Default Constraint Usage(s) of Column "SysStartTime"	21
Default Constraint Usage(s) of Column "SysEndTime"	21
Default Constraint Usage(s) of Column "Note"	21
Default Constraint Usage(s) of Column "TransactionNumber"	22
Default Constraint Usage(s) of Column "FireAuditTrigger"	22
Column(s) of Table "UserAuthorization"	22
Default Constraint Usage(s) of Column "UserAuthorizationId"	22
Default Constraint Usage(s) of Column "GroupMemberLastName"	22
Default Constraint Usage(s) of Column "GroupMemberFirstName"	22
Default Constraint Usage(s) of Column "SysStartTime"	22
Default Constraint Usage(s) of Column "SysEndTime"	22
Default Constraint Usage(s) of Column "ClassTime"	23
Default Constraint Usage(s) of Column "IndividualProject"	23
Default Constraint Usage(s) of Column "GroupName"	23
Default Constraint Usage(s) of Column "Note"	23
Default Constraint Usage(s) of Column "TransactionNumber"	23

Default Constraint Usage(s) of Column "FireAuditTrigger"	23
Column(s) of Table "SalesCustomerHistory"	23
Default Constraint Usage(s) of Column "CustomerId"	23
Default Constraint Usage(s) of Column "FirstName"	24
Default Constraint Usage(s) of Column "LastName"	24
Default Constraint Usage(s) of Column "Address1"	24
Default Constraint Usage(s) of Column "Address2"	24
Default Constraint Usage(s) of Column "City"	24
Default Constraint Usage(s) of Column "PostalCode"	24
Default Constraint Usage(s) of Column "IsReseller"	24
Default Constraint Usage(s) of Column "IsCreditRisk"	24
Default Constraint Usage(s) of Column "SysStartTime"	25
Default Constraint Usage(s) of Column "SysEndTime"	25
Default Constraint Usage(s) of Column "AuditDateTimeStamp"	25
Default Constraint Usage(s) of Column "SalesCustomerHistoryId"	25
Column(s) of Table "MarketingCategory"	25
Default Constraint Usage(s) of Column "CategoryId"	25
Default Constraint Usage(s) of Column "MarketingType"	25
Default Constraint Usage(s) of Column "CampaignName"	25
Default Constraint Usage(s) of Column "Country"	26
Default Constraint Usage(s) of Column "ManufacturerSpendCapacity"	26
Default Constraint Usage(s) of Column "LowerThresholdValue"	26
Default Constraint Usage(s) of Column "UpperThresholdValue"	26
Default Constraint Usage(s) of Column "SysStartTime"	26
Default Constraint Usage(s) of Column "SysEndTime"	26
Default Constraint Usage(s) of Column "AuditDateTimeStamp"	26
Default Constraint Usage(s) of Column "MarketingCategoryId"	26
Column(s) of Table "GeographyCountry"	27
Default Constraint Usage(s) of Column "CountryId"	27
Default Constraint Usage(s) of Column "ISO3"	27
Default Constraint Usage(s) of Column "CountryName"	27
Default Constraint Usage(s) of Column "ISO2"	27
Default Constraint Usage(s) of Column "SalesRegion"	27
Default Constraint Usage(s) of Column "SysStartTime"	27
Default Constraint Usage(s) of Column "SysEndTime"	27
Default Constraint Usage(s) of Column "AuditDateTimeStamp"	27
Default Constraint Usage(s) of Column "GeographyCountryId"	28
Column(s) of Table "CostDeliveryChargeHistory"	28
Default Constraint Usage(s) of Column "DeliveryChargeId"	28
Default Constraint Usage(s) of Column "PackingSymbol"	28
Default Constraint Usage(s) of Column "ChargeAmount"	28
Default Constraint Usage(s) of Column "SysStartTime"	28
Default Constraint Usage(s) of Column "SysEndTime"	28
Default Constraint Usage(s) of Column "AuditDateTimeStamp"	28
Default Constraint Usage(s) of Column "CostDeliveryChargeHistoryId"	29
Column(s) of Table "HumanResourcesDepartmentHistory"	29
Default Constraint Usage(s) of Column "DepartmentId"	29
Default Constraint Usage(s) of Column "DepartmentName"	29
Default Constraint Usage(s) of Column "SysStartTime"	29
Default Constraint Usage(s) of Column "SysEndTime"	29
Default Constraint Usage(s) of Column "AuditDateTimeStamp"	29
Default Constraint Usage(s) of Column "HumanResourcesDepartmentHistoryId"	29
Column(s) of Table "VehicleManufacturerModelHistory"	29
Default Constraint Usage(s) of Column "ManufacturerModelId"	30
Default Constraint Usage(s) of Column "ModelName"	30
Default Constraint Usage(s) of Column "Variant"	30
Default Constraint Usage(s) of Column "SysStartTime"	30
Default Constraint Usage(s) of Column "SysEndTime"	30
Default Constraint Usage(s) of Column "AuditDateTimeStamp"	30
Default Constraint Usage(s) of Column "VehicleManufacturerModelHistoryId"	30
Column(s) of Table "VehicleManufacturerVehicleInventoryHistory"	30
Default Constraint Usage(s) of Column "ManufacturerVehicleInventoryId"	31
Default Constraint Usage(s) of Column "PurchaseCost"	31
Default Constraint Usage(s) of Column "IsPremiumRoadHandlingPackage"	31
Default Constraint Usage(s) of Column "VehicleColor"	31
Default Constraint Usage(s) of Column "ManufacturerComments"	31
Default Constraint Usage(s) of Column "SysStartTime"	31
Default Constraint Usage(s) of Column "SysEndTime"	31
Default Constraint Usage(s) of Column "AuditDateTimeStamp"	31
Default Constraint Usage(s) of Column "VehicleManufacturerVehicleInventoryHistoryId"	32
Column(s) of Table "VehicleManufacturerVehicleMakeHistory"	32
Default Constraint Usage(s) of Column "ManufacturerVehicleMakeId"	32
Default Constraint Usage(s) of Column "MakeName"	32
Default Constraint Usage(s) of Column "Type"	32

Default Constraint Usage(s) of Column "SysStartTime"	32
Default Constraint Usage(s) of Column "SysEndTime"	32
Default Constraint Usage(s) of Column "AuditDateTimeStamp"	32
Default Constraint Usage(s) of Column "VehicleManufacturerVehicleMakeHistoryId"	33
Column(s) of Table "SalesOrderVehicleHistory"	33
Default Constraint Usage(s) of Column "OrderVehicleId"	33
Default Constraint Usage(s) of Column "SaleDate"	33
Default Constraint Usage(s) of Column "SysStartTime"	33
Default Constraint Usage(s) of Column "SysEndTime"	33
Default Constraint Usage(s) of Column "AuditDateTimeStamp"	33
Default Constraint Usage(s) of Column "SalesOrderVehicleHistoryId"	33
Column(s) of Table "SalesOrderVehicleDetailHistory"	33
Default Constraint Usage(s) of Column "OrderVehicleDetailId"	34
Default Constraint Usage(s) of Column "SalePrice"	34
Default Constraint Usage(s) of Column "Discount"	34
Default Constraint Usage(s) of Column "SysStartTime"	34
Default Constraint Usage(s) of Column "SysEndTime"	34
Default Constraint Usage(s) of Column "AuditDateTimeStamp"	34
Default Constraint Usage(s) of Column "SalesOrderVehicleDetailHistoryId"	34
Column(s) of Table "CostPartsChargeHistory"	34
Default Constraint Usage(s) of Column "PartsChargeId"	35
Default Constraint Usage(s) of Column "PartType"	35
Default Constraint Usage(s) of Column "ChargeAmount"	35
Default Constraint Usage(s) of Column "SysStartTime"	35
Default Constraint Usage(s) of Column "SysEndTime"	35
Default Constraint Usage(s) of Column "AuditDateTimeStamp"	35
Default Constraint Usage(s) of Column "CostPartsChargeHistoryId"	35
Column(s) of Table "CostRepairChargeHistory"	35
Default Constraint Usage(s) of Column "RepairChargeId"	35
Default Constraint Usage(s) of Column "Component"	36
Default Constraint Usage(s) of Column "ServiceType"	36
Default Constraint Usage(s) of Column "ChargeAmount"	36
Default Constraint Usage(s) of Column "SysStartTime"	36
Default Constraint Usage(s) of Column "SysEndTime"	36
Default Constraint Usage(s) of Column "AuditDateTimeStamp"	36
Default Constraint Usage(s) of Column "CostRepairChargeHistoryId"	36
Column(s) of Table "HumanResourcesStaffHistory"	37
Default Constraint Usage(s) of Column "StaffId"	37
Default Constraint Usage(s) of Column "FirstName"	37
Default Constraint Usage(s) of Column "LastName"	37
Default Constraint Usage(s) of Column "Address"	37
Default Constraint Usage(s) of Column "City"	37
Default Constraint Usage(s) of Column "PostalCode"	37
Default Constraint Usage(s) of Column "Country"	37
Default Constraint Usage(s) of Column "SysStartTime"	37
Default Constraint Usage(s) of Column "SysEndTime"	38
Default Constraint Usage(s) of Column "AuditDateTimeStamp"	38
Default Constraint Usage(s) of Column "HumanResourcesStaffHistoryId"	38
Column(s) of Table "DBSecurityUserAuthorizationHistory"	38
Default Constraint Usage(s) of Column "GroupMemberLastName"	38
Default Constraint Usage(s) of Column "GroupMemberFirstName"	38
Default Constraint Usage(s) of Column "SysStartTime"	38
Default Constraint Usage(s) of Column "SysEndTime"	38
Default Constraint Usage(s) of Column "ClassTime"	39
Default Constraint Usage(s) of Column "IndividualProject"	39
Default Constraint Usage(s) of Column "GroupName"	39
Default Constraint Usage(s) of Column "AuditDateTimeStamp"	39
Default Constraint Usage(s) of Column "DBSecurityUserAuthorizationHistoryId"	39
Index	

## Table(s) of Model "CompactedFinalSqlServer2019"

### Column(s) of Table "Country"

#### Default Constraint Usage(s) of Column "CountryId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Geography - Country_CountryId			DF_Geography - Country_CountryId			

#### Value

nextval('sdnumber.CountrySequenceld')

#### Default Constraint Usage(s) of Column "ISO3"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Geography - Country_ISO3			DF_ISO_ISO3			DF_ISO_ISO3

#### Value

'USA'

#### Default Constraint Usage(s) of Column "CountryName"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Geography - Country_Country-Name			BDF_Template - Nowhere			DF_sdLocation_Country

#### Value

'Nowhere'

#### Default Constraint Usage(s) of Column "ISO2"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Geography - Country_ISO2			DF_ISO_ISO2			DF_ISO_ISO2

#### Value

'US'

#### Default Constraint Usage(s) of Column "SalesRegion"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Geography - Country_SalesRegion			BDF_Template - Nowhere			DF_sdLocation_Region

#### Value

'Nowhere'

#### Default Constraint Usage(s) of Column "SysStartTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Geography - Country_SysStartTime			CURRENT_TIM-ESTAMP			DF_sdDateTime_TimeStampNow

#### Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "SysEndTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Geography - Country_SysEndTime			CURRENT_TIM-ESTAMP			DF_sdDateTime_TimeStampNow

#### Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "Note"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_- Note_2131886716			BDF_Template_Note			DF_sdInformation_Note

Value

'Row was inserted'

#### Default Constraint Usage(s) of Column "TransactionNumber"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_- OrdinalNumber_- 286267353			BDF_Template_- OrdinalNumber			DF_sdNumber_TransactionNumber

Value

1

#### Default Constraint Usage(s) of Column "FireAuditTrigger"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_- FireAuditTrigger_ No_551509525			BDF_Template_- FireAuditTrigger_No			DF_sdString_sdBits_FlagYesNoString

Value

'N'

#### Column(s) of Table "Customer"

#### Default Constraint Usage(s) of Column "CustomerId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Customer_ CustomerId			DF_Sales_Customer_ CustomerId			

Value

nextval('sdnumber.CustomerSequenceld')

#### Default Constraint Usage(s) of Column "FirstName"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Customer_ FirstName			DF_sdName_FirstName			DF_sdName_FirstName

Value

'John'

#### Default Constraint Usage(s) of Column "LastName"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Customer_ LastName			DF_sdName_LastName			DF_sdName_LastName

Value

'Doe'

#### Default Constraint Usage(s) of Column "Address1"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Customer_ Address1			BDF_Template_- Nowhere			DF_sdLocation_Address

Value

'Nowhere'

#### Default Constraint Usage(s) of Column "Address2"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
---------------	----------	-----------------	---------	----------------------	-----------	---------------------------

DF_Sales_Customer_Address2			BDF_Template_-_Nowhere			DF_sdLocation_Address
----------------------------	--	--	------------------------	--	--	-----------------------

Value
'Nowhere'

Default Constraint Usage(s) of Column "City"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Customer_City			BDF_Template_-_Nowhere			DF_sdLocation_City

Value
'Nowhere'

Default Constraint Usage(s) of Column "PostalCode"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Customer_PostalCode			DF_sdLocation_PostalCode			DF_sdLocation_PostalCode

Value
'00000'

Default Constraint Usage(s) of Column "IsReseller"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Customer_IsReseller			DF_sdBits_Flag			DF_sdBits_Flag

Value
FALSE

Default Constraint Usage(s) of Column "IsCreditRisk"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Customer_IsCreditRisk			DF_sdBits_Flag			DF_sdBits_Flag

Value
FALSE

Default Constraint Usage(s) of Column "SysStartTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Customer_SysStartTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "SysEndTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Customer_SysEndTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "Note"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_-_Note_1411058232			BDF_Template_Note			DF_sdInformation_Note

Value
-------



'Row was inserted'

#### Default Constraint Usage(s) of Column "TransactionNumber"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - OrdinalNumber_ - 416017634			BDF_Template - OrdinalNumber			DF_sdNumber_TransactionNumber

Value

1

#### Default Constraint Usage(s) of Column "FireAuditTrigger"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - FireAuditTrigger_No_592156900			BDF_Template - FireAuditTrigger_No			DF_sdString_sdBits_FlagYesNoString

Value

'N'

#### Column(s) of Table "DeliveryCharge"

#### Default Constraint Usage(s) of Column "DeliveryChargeld"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_DeliveryCharges_DeliveryChargeld			DF_Cost_DeliveryCharges_DeliveryChargeld			

Value

nextval('sdnumber.DeliveryChargeSequenceld')

#### Default Constraint Usage(s) of Column "PackingSymbol"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_DeliveryCharges_PackingSymbol			DF_sdInformation_PackingSymbol			DF_sdInformation_PackingSymbol

Value

'None'

#### Default Constraint Usage(s) of Column "ChargeAmount"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_DeliveryCharges_ChargeAmount			DF_sdDecimal_Currency			DF_sdDecimal_Currency

Value

0.00

#### Default Constraint Usage(s) of Column "SysStartTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_DeliveryCharges_SysStartTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "SysEndTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_DeliveryCharges_SysEndTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "Note"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
---------------	----------	-----------------	---------	----------------------	-----------	---------------------------

BDF_Template - Note_510764886			BDF_Template_Note			DF_sdInformation_Note
-------------------------------	--	--	-------------------	--	--	-----------------------

Value
'Row was inserted'

Default Constraint Usage(s) of Column "TransactionNumber"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_OrdinalNumber_1732147797			BDF_Template_OrdinalNumber			DF_sdNumber_TransactionNumber

Value
1

Default Constraint Usage(s) of Column "FireAuditTrigger"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_FireAuditTrigger_No_1329715819			BDF_Template_FireAuditTrigger_No			DF_sdString_sdBits_FlagYesNoString

Value
'N'

## Column(s) of Table "Department"

Default Constraint Usage(s) of Column "DepartmentId"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_HumanResources_Department_DepartmentId			DF_HumanResources_Department_DepartmentId			

Value
nextval('sdnumber.DepartmentSequenceId')

Default Constraint Usage(s) of Column "DepartmentName"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_HumanResources_Department_DepartmentName			DF_sdCompanyInformation_DepartmentName			DF_sdCompanyInformation_DepartmentName

Value
'Unassigned'

Default Constraint Usage(s) of Column "SysStartTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_HumanResources_Department_SysStartTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "SysEndTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_HumanResources_Department_SysEndTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "Note"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_Note_1875813133			BDF_Template_Note			DF_sdInformation_Note

Value
-------

'Row was inserted'

#### Default Constraint Usage(s) of Column "TransactionNumber"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - OrdinalNumber - 1314846571			BDF_Template - OrdinalNumber			DF_sdNumber_TransactionNumber

Value

1

#### Default Constraint Usage(s) of Column "FireAuditTrigger"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - FireAuditTrigger - No_1311761739			BDF_Template - FireAuditTrigger_No			DF_sdString_sdBits_FlagYesNoString

Value

'N'

#### Column(s) of Table "ManufacturerModel"

#### Default Constraint Usage(s) of Column "ManufacturerModelId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerModel - ManufacturerModelId			DF_Vehicle_ManufacturerModel - ManufacturerModelId			

Value

nextval('sdnumber.ManufacturerModelSequenceId')

#### Default Constraint Usage(s) of Column "ModelName"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerModel - ModelName			BDF_Template - Unknown			DF_sdManufacturerInformation - ModelName

Value

'Unknown'

#### Default Constraint Usage(s) of Column "Variant"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerModel - Variant			BDF_Template - Unknown			DF_Variant_VehicleType

Value

'Unknown'

#### Default Constraint Usage(s) of Column "SysStartTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerModel - SysStartTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "SysEndTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerModel - SysEndTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "Note"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
---------------	----------	-----------------	---------	----------------------	-----------	---------------------------

BDF_Template - Note_1691218362			BDF_Template_Note			DF_sdInformation_Note
--------------------------------	--	--	-------------------	--	--	-----------------------

Value
'Row was inserted'

Default Constraint Usage(s) of Column "TransactionNumber"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_OrdinalNumber_484062201			BDF_Template_OrdinalNumber			DF_sdNumber_TransactionNumber

Value
1

Default Constraint Usage(s) of Column "FireAuditTrigger"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_FireAuditTrigger_No_352616928			BDF_Template_FireAuditTrigger_No			DF_sdString_sdBits_FlagYesNoString

Value
'N'

## Column(s) of Table "ManufacturerVehicleInventory"

Default Constraint Usage(s) of Column "ManufacturerVehicleInventoryId"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerVehicleInventory_ManufacturerVehicleInve			DF_Vehicle_ManufacturerVehicleInventory_ManufacturerVehicleInve			

Value
nextval('sdnumber.ManufacturerVehicleInventorySequenceld')

Default Constraint Usage(s) of Column "PurchaseCost"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerVehicleInventory_PurchaseCost			DF_sdDecimal_Currency			DF_sdDecimal_Currency

Value
0.00

Default Constraint Usage(s) of Column "IsPremiumRoadHandlingPackage"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerVehicleInventory_IsPremiumRoadHandlingPa			DF_sdBits_Flag			DF_sdBits_Flag

Value
FALSE

Default Constraint Usage(s) of Column "VehicleColor"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerVehicleInventory_VehicleColor			BDF_Template_Unknown			DF_sdVariant_Color

Value
'Unknown'

Default Constraint Usage(s) of Column "ManufacturerComments"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint

DF_Vehicle_ManufacturerVehicleInventory_ManufacturerComments			DF_sdCompanyInformation_Notes			DF_sdCompanyInformation_Notes
--	--	--	-------------------------------	--	--	-------------------------------

Value
'No notes added'

Default Constraint Usage(s) of Column "SysStartTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerVehicleInventory_SysStartTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "SysEndTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerVehicleInventory_SysEndTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "Note"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Note_1243019813			BDF_Template_Note			DF_sdInformation_Note

Value
'Row was inserted'

Default Constraint Usage(s) of Column "TransactionNumber"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - OrdinalNumber - 146334430			BDF_Template - OrdinalNumber			DF_sdNumber_TransactionNumber

Value
1

Default Constraint Usage(s) of Column "FireAuditTrigger"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - FireAuditTrigger_No_911580404			BDF_Template - FireAuditTrigger_No			DF_sdString_sdBits_FlagYesNoString

Value
'N'

## Column(s) of Table "ManufacturerVehicleMake"

Default Constraint Usage(s) of Column "ManufacturerVehicleMakeId"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerVehicleMake_ManufacturerVehicleMakeId			DF_Vehicle_ManufacturerVehicleMake_ManufacturerVehicleMakeId			

Value
nextval('sdnumber.ManufacturerVehicleMakeSequenceld')

Default Constraint Usage(s) of Column "MakeName"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint

DF_Vehicle_ManufacturerVehicle_Make_MakeName			BDF_Template_-Unknown			DF_sdCompanyInformation_CompanyName
--	--	--	-----------------------	--	--	-------------------------------------

Value
'Unknown'

Default Constraint Usage(s) of Column "Type"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerVehicle_Make_Type			BDF_Template_-Unknown			DF_Variant_VehicleType

Value
'Unknown'

Default Constraint Usage(s) of Column "SysStartTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerVehicle_Make_SysStartTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "SysEndTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerVehicle_Make_SysEndTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "Note"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_-Note_226392361			BDF_Template_Note			DF_sdInformation_Note

Value
'Row was inserted'

Default Constraint Usage(s) of Column "TransactionNumber"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_-OrdinalNumber_1788114104			BDF_Template_-OrdinalNumber			DF_sdNumber_TransactionNumber

Value
1

Default Constraint Usage(s) of Column "FireAuditTrigger"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_-FireAuditTrigger_No_2085801369			BDF_Template_-FireAuditTrigger_No			DF_sdString_sdBits_FlagYesNoString

Value
'N'

## Column(s) of Table "Category"

Default Constraint Usage(s) of Column "CategoryId"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Marketing_Category_CategoryId			DF_Marketing_Category_CategoryId			

Value
-------

nextval('sdnumber.CategorySequenceld')

#### Default Constraint Usage(s) of Column "MarketingType"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Marketing_Category_MarketingType			BDF_Template_Unknown			CK_Type_MarketingType

Value

'Unknown'

#### Default Constraint Usage(s) of Column "CampaignName"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Marketing_Category_CampaignName			BDF_Template_Unknown			DF_sdName_Unknown

Value

'Unknown'

#### Default Constraint Usage(s) of Column "Country"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Marketing_Category_Country			BDF_Template_Nowhere			DF_sdLocation_Country

Value

'Nowhere'

#### Default Constraint Usage(s) of Column "ManufacturerSpendCapacity"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Marketing_Category_ManufacturerSpendCapacity			DF_sdDecimal_Currency			DF_sdDecimal_Currency

Value

0.00

#### Default Constraint Usage(s) of Column "LowerThresholdValue"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Marketing_Category_LowerThresholdValue			BDF_Template_ZeroInt			DF_sdNumber_Quantity

Value

0

#### Default Constraint Usage(s) of Column "UpperThresholdValue"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Marketing_Category_UpperThreshold			BDF_Template_ZeroInt			DF_sdNumber_Quantity

Value

0

#### Default Constraint Usage(s) of Column "SysStartTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Marketing_Category_SysStartTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "SysEndTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
---------------	----------	-----------------	---------	----------------------	-----------	---------------------------

DF_Marketing_C- ategory_SysEnd- Time			CURRENT_TIM- ESTAMP			DF_sdDateTime_TimeStampNow
--	--	--	------------------------	--	--	----------------------------

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "Note"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Note_1712132672			BDF_Template_Note			DF_sdInformation_Note

Value
'Row was inserted'

Default Constraint Usage(s) of Column "TransactionNumber"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - OrdinalNumber_- 550764244			BDF_Template - OrdinalNumber			DF_sdNumber_TransactionNumber

Value
1

Default Constraint Usage(s) of Column "FireAuditTrigger"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - FireAuditTrigger- No_456763100			BDF_Template - FireAuditTrigger_No			DF_sdString_sdBits_FlagYesNoString

Value
'N'

Column(s) of Table "PartsCharge"
----------------------------------

Default Constraint Usage(s) of Column "PartsChargeld"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_PartsC- harge_PartsCh- argeld			DF_Cost_PartsC- harges_PartsCh- argeld			

Value
nextval('sdnumber.PartsChargeSequenceld')

Default Constraint Usage(s) of Column "PartType"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_PartsC- harge_PartType			BDF_Template_- Unknown			DF_Type_ComponentType

Value
'Unknown'

Default Constraint Usage(s) of Column "ChargeAmount"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_PartsC- harge_ChargeA- mount			DF_sdDecimal_- Currency			DF_sdDecimal_Currency

Value
0.00

Default Constraint Usage(s) of Column "SysStartTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_PartsC- harge_SysStartTime			CURRENT_TIM- ESTAMP			DF_sdDateTime_TimeStampNow

Value
-------



CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "SysEndTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_PartsCharge_SysEndTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "Note"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_PartsCharge_Note			BDF_Template_Note			DF_sdInformation_Note

Value

'Row was inserted'

#### Default Constraint Usage(s) of Column "TransactionNumber"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_OrdinalNumber_1079469650			BDF_Template_OrdinalNumber			DF_sdNumber_TransactionNumber

Value

1

#### Default Constraint Usage(s) of Column "FireAuditTrigger"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_FireAuditTrigger_No_1184812093			BDF_Template_FireAuditTrigger_No			DF_sdString_sdBits_FlagYesNoString

Value

'N'

#### Column(s) of Table "RepairCharge"

#### Default Constraint Usage(s) of Column "RepairChargeId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_RepairCharge_RepairChargeId			DF_Cost_RepairCharges_RepairChargeId			

Value

nextval('sdnumber.RepairChargeSequencId')

#### Default Constraint Usage(s) of Column "Component"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_RepairCharge_Component			BDF_Template_Unknown			DF_Type_ComponentType

Value

'Unknown'

#### Default Constraint Usage(s) of Column "ServiceType"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_RepairCharge_ServiceType			BDF_Template_Unknown			DF_Type_ServiceType

Value

'Unknown'

#### Default Constraint Usage(s) of Column "ChargeAmount"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
---------------	----------	-----------------	---------	----------------------	-----------	---------------------------

DF_Cost_Repair-Charge_Charge-Amount			DF_sdDecimal_-Currency			DF_sdDecimal_Currency
-------------------------------------	--	--	------------------------	--	--	-----------------------

Value
0.00

Default Constraint Usage(s) of Column "SysStartTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_Repair-Charge_SysStart-Time			CURRENT_TIM-ESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "SysEndTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_Repair-Charge_SysEnd-Time			CURRENT_TIM-ESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "Note"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_Repair-Charge_Note			BDF_Template_Note			DF_sdInformation_Note

Value
'Row was inserted'

Default Constraint Usage(s) of Column "TransactionNumber"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_-OrdinalNumber_-798915169			BDF_Template_-OrdinalNumber			DF_sdNumber_TransactionNumber

Value
1

Default Constraint Usage(s) of Column "FireAuditTrigger"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_-FireAuditTrigger_-No_1917658324			BDF_Template_-FireAuditTrigger_No			DF_sdString_sdBits_FlagYesNoString

Value
'N'

## Column(s) of Table "OrderVehicle"

Default Constraint Usage(s) of Column "OrderVehicleId"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Order-Vehicle_OrderVe-hicleId			DF_Sales_Order-Vehicle_OrderVe-hicleId			

Value
nextval('sdnumber.OrderVehicleSequenceId')

Default Constraint Usage(s) of Column "SaleDate"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Order-Vehicle_SaleDate			CURRENT_TIM-ESTAMP			DF_sdDateTime_TimeStampNow

Value
-------

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "SysStartTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Order-Vehicle_SysStartTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "SysEndTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Order-Vehicle_SysEndTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "Note"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Note_180207040			BDF_Template_Note			DF_sdInformation_Note

Value

'Row was inserted'

#### Default Constraint Usage(s) of Column "TransactionNumber"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - OrdinalNumber_866933884			BDF_Template - OrdinalNumber			DF_sdNumber_TransactionNumber

Value

1

#### Default Constraint Usage(s) of Column "FireAuditTrigger"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - FireAuditTrigger_No_1684736464			BDF_Template - FireAuditTrigger_No			DF_sdString_sdBits_FlagYesNoString

Value

'N'

#### Column(s) of Table "OrderVehicleDetail"

#### Default Constraint Usage(s) of Column "OrderVehicleDetailId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Order-VehicleDetail_OrderVehicleDetailId			DF_Sales_Order-VehicleDetail_OrderVehicleDetailId			

Value

nextval('sdnumber.OrderVehicleDetailSequenceld')

#### Default Constraint Usage(s) of Column "SalePrice"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Order-VehicleDetail_SalePrice			DF_sdDecimal_Currency			DF_sdDecimal_Currency

Value

0.00

#### Default Constraint Usage(s) of Column "Discount"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
---------------	----------	-----------------	---------	----------------------	-----------	---------------------------

DF_Sales_Order-VehicleDetail_Discount			DF_sdDecimal_Percentage			DF_sdDecimal_Percentage
---------------------------------------	--	--	-------------------------	--	--	-------------------------

Value
0.00

Default Constraint Usage(s) of Column "SysStartTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Sales-OrderVehicleDetail_SysStartTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "SysEndTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Sales-OrderVehicleDetail_SysEndTime			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "Note"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Note_1575292096			BDF_Template_Note			DF_sdInformation_Note

Value
'Row was inserted'

Default Constraint Usage(s) of Column "TransactionNumber"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - OrdinalNumber_30685922			BDF_Template - OrdinalNumber			DF_sdNumber_TransactionNumber

Value
1

Default Constraint Usage(s) of Column "FireAuditTrigger"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - FireAuditTrigger_No_452827387			BDF_Template - FireAuditTrigger_No			DF_sdString_sdBits_FlagYesNoString

Value
'N'

## Column(s) of Table "Staff"

Default Constraint Usage(s) of Column "FirstName"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_HumanResources_Staff_FirstName			DF_sdName_FirstName			DF_sdName_FirstName

Value
'John'

Default Constraint Usage(s) of Column "LastName"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_HumanResources_Staff_LastName			DF_sdName_LastName			DF_sdName_LastName

Value
-------

'Doe'
-------

#### Default Constraint Usage(s) of Column "StaffId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_HumanResources_Staff_StaffId			DF_HumanResources_Staff_StaffId			

#### Value

nextval('sdnumber.StaffSequenceld')
-------------------------------------

#### Default Constraint Usage(s) of Column "Address"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_HumanResources_Staff_Address			BDF_Template_ - Nowhere			DF_sdLocation_Address

#### Value

'Nowhere'
-----------

#### Default Constraint Usage(s) of Column "City"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_HumanResources_Staff_City			BDF_Template_ - Nowhere			DF_sdLocation_City

#### Value

'Nowhere'
-----------

#### Default Constraint Usage(s) of Column "PostalCode"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_HumanResources_Staff_PostalCode			DF_sdLocation_ - PostalCode			DF_sdLocation_PostalCode

#### Value

'00000'
---------

#### Default Constraint Usage(s) of Column "Country"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_HumanResources_Staff_Country			BDF_Template_ - Nowhere			DF_sdLocation_Country

#### Value

'Nowhere'
-----------

#### Default Constraint Usage(s) of Column "SysStartTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_HumanResources_Staff_SysStartTime			CURRENT_TIMESTAMPT			DF_sdDateTime_TimeStampNow

#### Value

CURRENT_TIMESTAMP
-------------------

#### Default Constraint Usage(s) of Column "SysEndTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_HumanResources_Staff_SysEndTime			CURRENT_TIMESTAMPT			DF_sdDateTime_TimeStampNow

#### Value

CURRENT_TIMESTAMP
-------------------

#### Default Constraint Usage(s) of Column "Note"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
---------------	----------	-----------------	---------	----------------------	-----------	---------------------------

BDF_Template_- Note_712165514			BDF_Template_Note			DF_sdInformation_Note
----------------------------------	--	--	-------------------	--	--	-----------------------

Value
'Row was inserted'

Default Constraint Usage(s) of Column "TransactionNumber"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_- OrdinalNumber_- 1175088724			BDF_Template_- OrdinalNumber			DF_sdNumber_TransactionNumber

Value
1

Default Constraint Usage(s) of Column "FireAuditTrigger"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_- FireAuditTrigger_- No_456513866			BDF_Template_- FireAuditTrigger_No			DF_sdString_sdBits_FlagYesNoString

Value
'N'

Column(s) of Table "UserAuthorization"
--

Default Constraint Usage(s) of Column "UserAuthorizationId"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_DBSecurity_- UserAuthorization_ UserAuthorizationId			DF_DBSecurity_- UserAuthorization_ UserAuthorizationId			

Value
nextval('sdnumber.UserAuthorizationSequencelid')

Default Constraint Usage(s) of Column "GroupMemberLastName"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_DBSecurity_- UserAuthorization_ n_LastName			DF_sdName_LastName			DF_sdName_LastName

Value
'Doe'

Default Constraint Usage(s) of Column "GroupMemberFirstName"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_DBSecurity_- UserAuthorization_ n_GroupMember- FirstName			DF_sdName_FirstName			DF_sdName_FirstName

Value
'John'

Default Constraint Usage(s) of Column "SysStartTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_DBSecurity_- UserAuthorization_ n_SysStartTime			DF_sdDateTime- _TimeStampNow			

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "SysEndTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint

DF_DBSecurity - UserAuthorization_SysEndTime			DF_sdDateTime_ TimeStampNow			
--	--	--	-----------------------------	--	--	--

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "ClassTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_DBSecurity - UserAuthorization_ClassTime			DF_sdDateTime_ Time24Hours			DF_sdDateTime_ Time24Hours

Value
'09:15'

Default Constraint Usage(s) of Column "IndividualProject"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_DBSecurity - UserAuthorization_IndividualProject			BDF_Template_ Unknown			DF_sdCompanyInformation_ CompanyName

Value
'Unknown'

Default Constraint Usage(s) of Column "GroupName"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_DBSecurity - UserAuthorization_GroupName			BDF_Template_ Unknown			DF_sdCompanyInformation_ CompanyName

Value
'Unknown'

Default Constraint Usage(s) of Column "Note"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_ Note_1976624357			BDF_Template_ Note			DF_sdInformation_ Note

Value
'Row was inserted'

Default Constraint Usage(s) of Column "TransactionNumber"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_ OrdinalNumber_ 699343606			BDF_Template_ OrdinalNumber			DF_sdNumber_ TransactionNumber

Value
1

Default Constraint Usage(s) of Column "FireAuditTrigger"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_ FireAuditTrigger_ No_1075152083			BDF_Template_ FireAuditTrigger_ No			DF_sdString_sdBits_FlagYesNoString

Value
'N'

Column(s) of Table "SalesCustomerHistory"
---

Default Constraint Usage(s) of Column "CustomerId"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Customer_CustomerId			DF_Sales_Customer_CustomerId			

Value
-------

nextval('sdnumber.CustomerSequenceld')

#### Default Constraint Usage(s) of Column "FirstName"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdName_FirstName_630860820			DF_sdName_FirstName			DF_sdName_FirstName

Value

'John'

#### Default Constraint Usage(s) of Column "LastName"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdName_LastName_173910-7164			DF_sdName_LastName			DF_sdName_LastName

Value

'Doe'

#### Default Constraint Usage(s) of Column "Address1"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Nowhere_18222-25184			BDF_Template - Nowhere			DF_sdLocation_Address

Value

'Nowhere'

#### Default Constraint Usage(s) of Column "Address2"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Nowhere_18222-25183			BDF_Template - Nowhere			DF_sdLocation_Address

Value

'Nowhere'

#### Default Constraint Usage(s) of Column "City"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Nowhere_80456-3382			BDF_Template - Nowhere			DF_sdLocation_City

Value

'Nowhere'

#### Default Constraint Usage(s) of Column "PostalCode"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdLocation_PostalCode_291-079828			DF_sdLocation_PostalCode			DF_sdLocation_PostalCode

Value

'00000'

#### Default Constraint Usage(s) of Column "IsReseller"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdBits_Flag_1399547724			DF_sdBits_Flag			DF_sdBits_Flag

Value

FALSE

#### Default Constraint Usage(s) of Column "IsCreditRisk"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
---------------	----------	-----------------	---------	----------------------	-----------	---------------------------



DF_sdBits_Flag_1523687516			DF_sdBits_Flag			DF_sdBits_Flag
---------------------------	--	--	----------------	--	--	----------------

Value
FALSE

Default Constraint Usage(s) of Column "SysStartTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIMESTAMP_13707-25566			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "SysEndTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIMESTAMP_46178-8019			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "AuditDateTimeStamp"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDateTime_DateYYYYMM-DD_620450841			DF_sdDateTime_DateYYYYMMDD			DF_sdDateTime_DateYYYYMMDD

Value
'9999-12-31'

Default Constraint Usage(s) of Column "SalesCustomerHistoryId"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
Default_Value_3-534_124256029			Default_Value_3534			

Value
nextval('sdnumber.SalesCustomerSequenceld')

## Column(s) of Table "MarketingCategory"

Default Constraint Usage(s) of Column "CategoryId"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Marketing_MarketingCategory_MarketingCategoryId			DF_Marketing_Category_CategoryId			

Value
nextval('sdnumber.CategorySequenceld')

Default Constraint Usage(s) of Column "MarketingType"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_Unknown_14780-78194			BDF_Template_Unknown			CK_Type_MarketingType

Value
'Unknown'

Default Constraint Usage(s) of Column "CampaignName"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template_Unknown_11519-30699			BDF_Template_Unknown			DF_sdName_Unknown

Value
'Unknown'

#### Default Constraint Usage(s) of Column "Country"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Nowhere_83831-0081			BDF_Template_- Nowhere			DF_sdLocation_Country

Value
'Nowhere'

#### Default Constraint Usage(s) of Column "ManufacturerSpendCapacity"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDecimal - Currency_91105-9627			DF_sdDecimal_- Currency			DF_sdDecimal_Currency

Value
0.00

#### Default Constraint Usage(s) of Column "LowerThresholdValue"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - ZeroInt_1932311008			BDF_Template_- ZeroInt			DF_sdNumber_Quantity

Value
0

#### Default Constraint Usage(s) of Column "UpperThresholdValue"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - ZeroInt_1932901081			BDF_Template_- ZeroInt			DF_sdNumber_Quantity

Value
0

#### Default Constraint Usage(s) of Column "SysStartTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIM- ESTAMP_84367-2093			CURRENT_TIM- ESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

#### Default Constraint Usage(s) of Column "SysEndTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIM- ESTAMP_38763-2120			CURRENT_TIM- ESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

#### Default Constraint Usage(s) of Column "AuditDateTimeStamp"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDateTime- DateYYYYMM- DD_2082739738			DF_sdDateTime- DateYYYYMMDD			DF_sdDateTime_DateYYYYMMDD

Value
'9999-12-31'

#### Default Constraint Usage(s) of Column "MarketingCategoryId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
Default_Value 3- 532_247635395			Default_Value_3532			

Value
nextval('sdnumber.MarketingCategorySequenceId')

## Column(s) of Table "GeographyCountry"

### Default Constraint Usage(s) of Column "CountryId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Geography - Country_CountryId			DF_Geography - Country_CountryId			

Value
nextval('sdnumber.CountrySequenceId')

### Default Constraint Usage(s) of Column "ISO3"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_ISO_ISO3_2-066368766			DF_ISO_ISO3			DF_ISO_ISO3

Value
'USA'

### Default Constraint Usage(s) of Column "CountryName"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Nowhere_11823-90311			BDF_Template - Nowhere			DF_sdLocation_Country

Value
'Nowhere'

### Default Constraint Usage(s) of Column "ISO2"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_ISO_ISO2_2-083145983			DF_ISO_ISO2			DF_ISO_ISO2

Value
'US'

### Default Constraint Usage(s) of Column "SalesRegion"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Nowhere_14523-21811			BDF_Template - Nowhere			DF_sdLocation_Region

Value
'Nowhere'

### Default Constraint Usage(s) of Column "SysStartTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIMESTAMP_71970878			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

### Default Constraint Usage(s) of Column "SysEndTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIMESTAMP_13585-59735			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

### Default Constraint Usage(s) of Column "AuditDateTimeStamp"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
---------------	----------	-----------------	---------	----------------------	-----------	---------------------------

DF_sdDateTime- DateYYYYMM- DD_1532106068			DF_sdDateTime- _DateYYYYMMDD			DF_sdDateTime_DateYYYYMMDD
--	--	--	---------------------------------	--	--	----------------------------

Value
'9999-12-31'

Default Constraint Usage(s) of Column "GeographyCountryId"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
Default_Value_3- 526_114109254			Default_Value_3526			

Value
nextval('sdnumber.GeographyCountrySequenceld')

### Column(s) of Table "CostDeliveryChargeHistory"

Default Constraint Usage(s) of Column "DeliveryChargeId"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_Deliver- yCharges_Delive- ryChargeId			DF_Cost_Deliver- yCharges_Delive- ryChargeId			

Value
nextval('sdnumber.DeliveryChargeSequenceld')

Default Constraint Usage(s) of Column "PackingSymbol"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdInformatio- n_PackingSymb- ol_1410153763			DF_sdInformatio- n_PackingSymbol			DF_sdInformation_PackingSymbol

Value
'None'

Default Constraint Usage(s) of Column "ChargeAmount"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDecimal - Currency_13380- 49267			DF_sdDecimal - Currency			DF_sdDecimal_Currency

Value
0.00

Default Constraint Usage(s) of Column "SysStartTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIM- ESTAMP_24864- 1768			CURRENT_TIM- ESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "SysEndTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIM- ESTAMP_20488- 55315			CURRENT_TIM- ESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "AuditDateTimeStamp"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDateTime- DateYYYYMM- DD_2140851843			DF_sdDateTime- _DateYYYYMMDD			DF_sdDateTime_DateYYYYMMDD

Value
-------

'9999-12-31'

#### Default Constraint Usage(s) of Column "CostDeliveryChargeHistoryId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Audit_CostDeliveryCharge_CostDeliveryChargeId			DF_Audit_CostDeliveryCharge_CostDeliveryChargeId			

#### Value

nextval('sdnumber.CostDeliveryChargeSequencId')

#### Column(s) of Table "HumanResourcesDepartmentHistory"

#### Default Constraint Usage(s) of Column "DepartmentId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_HumanResources_Department_DepartmentId			DF_HumanResources_Department_DepartmentId			

#### Value

nextval('sdnumber.DepartmentSequencId')

#### Default Constraint Usage(s) of Column "DepartmentName"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdCompanyInformation_DepartmentName_7-65087849			DF_sdCompanyInformation_DepartmentName			DF_sdCompanyInformation_DepartmentName

#### Value

'Unassigned'

#### Default Constraint Usage(s) of Column "SysStartTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIMESTAMP_14955-45705			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

#### Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "SysEndTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIMESTAMP_11974-51419			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

#### Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "AuditDateTimeStamp"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDateTime_DateYYYYMM-DD_28279740			DF_sdDateTime_DateYYYYMMDD			DF_sdDateTime_DateYYYYMMDD

#### Value

'9999-12-31'

#### Default Constraint Usage(s) of Column "HumanResourcesDepartmentHistoryId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
Default_Value_3-528_367795317			Default_Value_3528			

#### Value

nextval('sdnumber.HumanResourcesDepartmentSequencId')

#### Column(s) of Table "VehicleManufacturerModelHistory"

#### Default Constraint Usage(s) of Column "ManufacturerModelId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerModel - ManufacturerModelId			DF_Vehicle_ManufacturerModel - ManufacturerModelId			

#### Value

nextval('sdnumber.ManufacturerModelSequencId')

#### Default Constraint Usage(s) of Column "ModelName"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Unknown_15288-65554			BDF_Template - Unknown			DF_sdManufacturerInformation_ModelName

#### Value

'Unknown'

#### Default Constraint Usage(s) of Column "Variant"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Unknown_12367-32866			BDF_Template - Unknown			DF_Variant_VehicleType

#### Value

'Unknown'

#### Default Constraint Usage(s) of Column "SysStartTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIMESTAMP_16807-41027			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

#### Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "SysEndTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIMESTAMP_18144-04497			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

#### Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "AuditDateTimeStamp"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDateTime_DateYYYYMMDD_1002081687			DF_sdDateTime_DateYYYYMMDD			DF_sdDateTime_DateYYYYMMDD

#### Value

'9999-12-31'

#### Default Constraint Usage(s) of Column "VehicleManufacturerModelHistoryId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
Default_Value_3-540_10946952			Default_Value_3540			

#### Value

nextval('sdnumber.VehicleManufacturerModelSequencId')

#### Column(s) of Table "VehicleManufacturerVehicleInventoryHistory"

#### Default Constraint Usage(s) of Column "ManufacturerVehicleInventoryId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerVehicleInventory_ManufacturerVehicleInve			DF_Vehicle_ManufacturerVehicleInventory_ManufacturerVehicleInve			

#### Value

nextval('sdnumber.ManufacturerVehicleInventorySequenceld')

#### Default Constraint Usage(s) of Column "PurchaseCost"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDecimal - Currency_82379-1215			DF_sdDecimal - Currency			DF_sdDecimal_Currency

#### Value

0.00

#### Default Constraint Usage(s) of Column "IsPremiumRoadHandlingPackage"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdBits_Flag_1323199952			DF_sdBits_Flag			DF_sdBits_Flag

#### Value

FALSE

#### Default Constraint Usage(s) of Column "VehicleColor"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Unknown_85496-9801			BDF_Template - Unknown			DF_sdVariant_Color

#### Value

'Unknown'

#### Default Constraint Usage(s) of Column "ManufacturerComments"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdCompanyInformation_Notes_1601971446			DF_sdCompanyInformation_Notes			DF_sdCompanyInformation_Notes

#### Value

'No notes added'

#### Default Constraint Usage(s) of Column "SysStartTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIMESTAMP_18294-40725			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

#### Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "SysEndTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIMESTAMP_19526-16758			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

#### Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "AuditDateTimeStamp"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
---------------	----------	-----------------	---------	----------------------	-----------	---------------------------

DF_sdDateTime-DateYYYYMM-DD_1008118665			DF_sdDateTime-DateYYYYMMDD			DF_sdDateTime_DateYYYYMMDD
--	--	--	----------------------------	--	--	----------------------------

Value
'9999-12-31'

Default Constraint Usage(s) of Column "VehicleManufacturerVehicleInventoryHistoryId"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
Default_Value_3-542_1465592835			Default_Value_3542			

Value
nextval('sdnumber.VehicleManufacturerVehicleInventorySequenceld')

### Column(s) of Table "VehicleManufacturerVehicleMakeHistory"

Default Constraint Usage(s) of Column "ManufacturerVehicleMakeld"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Vehicle_ManufacturerVehicle-Make_ManufacturerVehicleMakeld			DF_Vehicle_ManufacturerVehicle-Make_ManufacturerVehicleMakeld			

Value
nextval('sdnumber.ManufacturerVehicleMakeSequenceld')

Default Constraint Usage(s) of Column "MakeName"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Unknown_48938-6226			BDF_Template_Unknown			DF_sdCompanyInformation_C-companyName

Value
'Unknown'

Default Constraint Usage(s) of Column "Type"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Unknown_70660-6964			BDF_Template_Unknown			DF_Variant_VehicleType

Value
'Unknown'

Default Constraint Usage(s) of Column "SysStartTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIMESTAMP_50453-1533			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "SysEndTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIMESTAMP_15237-9346			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "AuditDateTimeStamp"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDateTime-DateYYYYMM-DD_1278758138			DF_sdDateTime-DateYYYYMMDD			DF_sdDateTime_DateYYYYMMDD



Value
'9999-12-31'

#### Default Constraint Usage(s) of Column "VehicleManufacturerVehicleMakeHistoryId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
Default_Value_3-544_217205904			Default_Value_3544			

Value
nextval('sdnumber.VehicleManufacturerVehicleMakeSequenceld')

#### Column(s) of Table "SalesOrderVehicleHistory"

#### Default Constraint Usage(s) of Column "OrderVehicleId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Sales-OrderVehicle_SalesOrderVehicleId			DF_Sales_Order-Vehicle_OrderVehicleId			

Value
nextval('sdnumber.OrderVehicleSequenceld')

#### Default Constraint Usage(s) of Column "SaleDate"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIM-ESTAMP_12170-42310			CURRENT_TIM-ESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

#### Default Constraint Usage(s) of Column "SysStartTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIM-ESTAMP_90616-7798			CURRENT_TIM-ESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

#### Default Constraint Usage(s) of Column "SysEndTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIM-ESTAMP_20270-80636			CURRENT_TIM-ESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

#### Default Constraint Usage(s) of Column "AuditDateTimeStamp"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDateTime-DateYYYYMM-DD_1903402358			DF_sdDateTime-DateYYYYMMDD			DF_sdDateTime_DateYYYYMMDD

Value
'9999-12-31'

#### Default Constraint Usage(s) of Column "SalesOrderVehicleHistoryID"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
Default_Value_3-536_1606905383			Default_Value_3536			

Value
nextval('sdnumber.SalesOrderVehicleSequenceld')

#### Column(s) of Table "SalesOrderVehicleDetailHistory"

#### Default Constraint Usage(s) of Column "OrderVehicleDetailId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Sales_Sales-OrderVehicleDetail_SalesOrderVehicleDetailId			DF_Sales_Order-VehicleDetail_OrderVehicleDetailId			

#### Value

nextval('sdnumber.OrderVehicleDetailSequencId')

#### Default Constraint Usage(s) of Column "SalePrice"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDecimal - Currency_13761-24680			DF_sdDecimal - Currency			DF_sdDecimal_Currency

#### Value

0.00

#### Default Constraint Usage(s) of Column "Discount"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDecimal - Percentage_684-244088			DF_sdDecimal - Percentage			DF_sdDecimal_Percentage

#### Value

0.00

#### Default Constraint Usage(s) of Column "SysStartTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIMESTAMP_13044-02043			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

#### Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "SysEndTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIMESTAMP_39028-7231			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

#### Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "AuditDateTimeStamp"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDateTime-DateYYYYMM-DD_503881708			DF_sdDateTime-DateYYYYMMDD			DF_sdDateTime_DateYYYYMMDD

#### Value

'9999-12-31'

#### Default Constraint Usage(s) of Column "SalesOrderVehicleDetailHistoryId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
Default_Value_3-538_641810759			Default_Value_3538			

#### Value

nextval('sdnumber.SalesOrderVehicleDetailSequencId')

#### Column(s) of Table "CostPartsChargeHistory"

#### Default Constraint Usage(s) of Column "PartsChargeld"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Cost_PartsCharges_PartsChargeld			DF_Cost_PartsCharges_PartsChargeld			

#### Value

nextval('sdnumber.PartsChargeSequenceld')

#### Default Constraint Usage(s) of Column "PartType"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Unknown_16495-88656			BDF_Template - Unknown			DF_Type_ComponentType

#### Value

'Unknown'

#### Default Constraint Usage(s) of Column "ChargeAmount"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDecimal - Currency_42881-2898			DF_sdDecimal - Currency			DF_sdDecimal_Currency

#### Value

0.00

#### Default Constraint Usage(s) of Column "SysStartTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIMESTAMP_20155-03932			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

#### Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "SysEndTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIMESTAMP_14856-05277			CURRENT_TIMESTAMP			DF_sdDateTime_TimeStampNow

#### Value

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "AuditDateTimeStamp"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDateTime_DateYYYYMMDD_724663894			DF_sdDateTime_DateYYYYMMDD			DF_sdDateTime_DateYYYYMMDD

#### Value

'9999-12-31'

#### Default Constraint Usage(s) of Column "CostPartsChargeHistoryId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Audit_CostPartsCharge_CostPartsChargeld			DF_Audit_CostPartsCharge_CostPartsChargeld			

#### Value

nextval('sdnumber.CostPartChargeSequenceld')

#### Column(s) of Table "CostRepairChargeHistory"

#### Default Constraint Usage(s) of Column "RepairChargeld"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
---------------	----------	-----------------	---------	----------------------	-----------	---------------------------

DF_Cost_Repair-Charges_Repair-ChargeId			DF_Cost_Repair-Charges_Repair-ChargeId			
--	--	--	--	--	--	--

Value
nextval('sdnumber.RepairChargeSequencId')

Default Constraint Usage(s) of Column "Component"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Unknown_95260-4595			BDF_Template - Unknown			DF_Type_ComponentType

Value
'Unknown'

Default Constraint Usage(s) of Column "ServiceType"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Unknown_38786-6593			BDF_Template - Unknown			DF_Type_ServiceType

Value
'Unknown'

Default Constraint Usage(s) of Column "ChargeAmount"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDecimal - Currency_5514994			DF_sdDecimal - Currency			DF_sdDecimal_Currency

Value
0.00

Default Constraint Usage(s) of Column "SysStartTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIM-ESTAMP_16422-06028			CURRENT_TIM-ESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "SysEndTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIM-ESTAMP_18033-29501			CURRENT_TIM-ESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "AuditDateTimeStamp"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDateTime-DateYYYYMM-DD_457686633			DF_sdDateTime-DateYYYYMMDD			DF_sdDateTime_DateYYYYMMDD

Value
'9999-12-31'

Default Constraint Usage(s) of Column "CostRepairChargeHistoryId"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Audit_CostRepairCharge_Co-stRepairChargeId_115406602			DF_Audit_CostRepairCharge_Co-stRepairChargeId			

Value
-------

nextval('sdnumber.CostRepairChargeSequenceld')

### Column(s) of Table "HumanResourcesStaffHistory"

#### Default Constraint Usage(s) of Column "StaffId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_HumanResources_Staff_StaffId			DF_HumanResources_Staff_StaffId			

#### Value

nextval('sdnumber.StaffSequenceld')

#### Default Constraint Usage(s) of Column "FirstName"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdName_FirstName_738095557			DF_sdName_FirstName			DF_sdName_FirstName

#### Value

'John'

#### Default Constraint Usage(s) of Column "LastName"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdName_LastName_92339445			DF_sdName_LastName			DF_sdName_LastName

#### Value

'Doe'

#### Default Constraint Usage(s) of Column "Address"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Nowhere_10879-81234			BDF_Template - Nowhere			DF_sdLocation_Address

#### Value

'Nowhere'

#### Default Constraint Usage(s) of Column "City"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Nowhere_21214-47538			BDF_Template - Nowhere			DF_sdLocation_City

#### Value

'Nowhere'

#### Default Constraint Usage(s) of Column "PostalCode"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdLocation_PostalCode_135-5687892			DF_sdLocation_PostalCode			DF_sdLocation_PostalCode

#### Value

'00000'

#### Default Constraint Usage(s) of Column "Country"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Nowhere_10219-89065			BDF_Template - Nowhere			DF_sdLocation_Country

#### Value

'Nowhere'

#### Default Constraint Usage(s) of Column "SysStartTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
---------------	----------	-----------------	---------	----------------------	-----------	---------------------------

CURRENT_TIM- ESTAMP_36376- 0369			CURRENT_TIM- ESTAMP			DF_sdDateTime_TimeStampNow
---------------------------------------	--	--	------------------------	--	--	----------------------------

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "SysEndTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
CURRENT_TIM- ESTAMP_20395- 3136			CURRENT_TIM- ESTAMP			DF_sdDateTime_TimeStampNow

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "AuditDateTimeStamp"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDateTime- DateYYYYMM- DD_1989407217			DF_sdDateTime- _DateYYYYMMDD			DF_sdDateTime_DateYYYYMMDD

Value
'9999-12-31'

Default Constraint Usage(s) of Column "HumanResourcesStaffHistoryId"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
Default_Value_3- 530_3663147			Default_Value_3530			

Value
nextval('sdnumber.HumanResourcesStaffSequencId')

Column(s) of Table "DBSecurityUserAuthorizationHistory"
---

Default Constraint Usage(s) of Column "GroupMemberLastName"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdName_La- stName_120105- 8118			DF_sdName_La- stName			DF_sdName_LastName

Value
'Doe'

Default Constraint Usage(s) of Column "GroupMemberFirstName"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdName_Fir- stName_211000- 6445			DF_sdName_Fir- stName			DF_sdName_FirstName

Value
'John'

Default Constraint Usage(s) of Column "SysStartTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_DBSecurity_- UserAuthorizati- on_SysStartTime			DF_sdDateTime- _TimeStampNow			

Value
CURRENT_TIMESTAMP

Default Constraint Usage(s) of Column "SysEndTime"						
Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_DBSecurity_- UserAuthorizati- on_SysEndTime			DF_sdDateTime- _TimeStampNow			

Value
-------

CURRENT\_TIMESTAMP

#### Default Constraint Usage(s) of Column "ClassTime"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDateTime-Time24Hours_2-098622029			DF_sdDateTime-Time24Hours			DF_sdDateTime_Time24Hours

Value

'09:15'

#### Default Constraint Usage(s) of Column "IndividualProject"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Unknown_70545-2765			BDF_Template_ - Unknown			DF_sdCompanyInformation_C-companyName

Value

'Unknown'

#### Default Constraint Usage(s) of Column "GroupName"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
BDF_Template - Unknown_39807-7125			BDF_Template_ - Unknown			DF_sdCompanyInformation_C-companyName

Value

'Unknown'

#### Default Constraint Usage(s) of Column "AuditDateTimeStamp"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_sdDateTime-DateYYYYMM-DD_327536080			DF_sdDateTime-DateYYYYMMDD			DF_sdDateTime_DateYYYYMMDD

Value

'9999-12-31'

#### Default Constraint Usage(s) of Column "DBSecurityUserAuthorizationHistoryId"

Physical Name	Comments	Constraint Name	Default	Extended Notes Order	Note List	Parent Default Constraint
DF_Audit_DBSecurityUserAuthorization_DBSecurityUserAuthorizatio			DF_Audit_DBSecurityUserAuthorization_DBSecurityUserAuthorizatio			

Value

nextval('sdnumber.DBSecurityUserAuthorizationSequenceld')

# Index

## A

Address [22, 38](#)  
Address1 [8, 25](#)  
Address2 [8, 25](#)  
AuditDateTimeStamp [26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 39, 40](#)

## B

BDF\_Template\_FireAuditTrigger\_No\_1075152083 [24](#)  
BDF\_Template\_FireAuditTrigger\_No\_1184812093 [18](#)  
BDF\_Template\_FireAuditTrigger\_No\_1311761739 [12](#)  
BDF\_Template\_FireAuditTrigger\_No\_1329715819 [11](#)  
BDF\_Template\_FireAuditTrigger\_No\_1684736464 [20](#)  
BDF\_Template\_FireAuditTrigger\_No\_1917658324 [19](#)  
BDF\_Template\_FireAuditTrigger\_No\_2085801369 [15](#)  
BDF\_Template\_FireAuditTrigger\_No\_352616928 [13](#)  
BDF\_Template\_FireAuditTrigger\_No\_452827387 [21](#)  
BDF\_Template\_FireAuditTrigger\_No\_456513866 [23](#)  
BDF\_Template\_FireAuditTrigger\_No\_456763100 [17](#)  
BDF\_Template\_FireAuditTrigger\_No\_551509525 [8](#)  
BDF\_Template\_FireAuditTrigger\_No\_592156900 [10](#)  
BDF\_Template\_FireAuditTrigger\_No\_911580404 [14](#)  
BDF\_Template\_Note\_1243019813 [14](#)  
BDF\_Template\_Note\_1411058232 [9](#)  
BDF\_Template\_Note\_1575292096 [21](#)  
BDF\_Template\_Note\_1691218362 [13](#)  
BDF\_Template\_Note\_1712132672 [17](#)  
BDF\_Template\_Note\_180207040 [20](#)  
BDF\_Template\_Note\_1875813133 [11](#)  
BDF\_Template\_Note\_1976624357 [24](#)  
BDF\_Template\_Note\_2131886716 [8](#)  
BDF\_Template\_Note\_226392361 [15](#)  
BDF\_Template\_Note\_510764886 [11](#)  
BDF\_Template\_Note\_712165514 [23](#)  
BDF\_Template\_Nowhere\_1021989065 [38](#)  
BDF\_Template\_Nowhere\_1087981234 [38](#)  
BDF\_Template\_Nowhere\_1182390311 [28](#)  
BDF\_Template\_Nowhere\_1452321811 [28](#)  
BDF\_Template\_Nowhere\_1822225183 [25](#)  
BDF\_Template\_Nowhere\_1822225184 [25](#)  
BDF\_Template\_Nowhere\_2121447538 [38](#)  
BDF\_Template\_Nowhere\_804563382 [25](#)  
BDF\_Template\_Nowhere\_838310081 [27](#)  
BDF\_Template\_OrdinalNumber\_1079469650 [18](#)  
BDF\_Template\_OrdinalNumber\_1175088724 [23](#)  
BDF\_Template\_OrdinalNumber\_1314846571 [12](#)  
BDF\_Template\_OrdinalNumber\_146334430 [14](#)  
BDF\_Template\_OrdinalNumber\_1732147797 [11](#)  
BDF\_Template\_OrdinalNumber\_1788114104 [15](#)  
BDF\_Template\_OrdinalNumber\_286267353 [8](#)  
BDF\_Template\_OrdinalNumber\_30685922 [21](#)  
BDF\_Template\_OrdinalNumber\_416017634 [10](#)  
BDF\_Template\_OrdinalNumber\_484062201 [13](#)  
BDF\_Template\_OrdinalNumber\_550764244 [17](#)  
BDF\_Template\_OrdinalNumber\_699343606 [24](#)  
BDF\_Template\_OrdinalNumber\_798915169 [19](#)  
BDF\_Template\_OrdinalNumber\_866933884 [20](#)  
BDF\_Template\_Unknown\_1151930699 [26](#)  
BDF\_Template\_Unknown\_1236732866 [31](#)  
BDF\_Template\_Unknown\_1478078194 [26](#)  
BDF\_Template\_Unknown\_1528865554 [31](#)  
BDF\_Template\_Unknown\_1649588656 [36](#)  
BDF\_Template\_Unknown\_387866593 [37](#)  
BDF\_Template\_Unknown\_398077125 [40](#)  
BDF\_Template\_Unknown\_489386226 [33](#)  
BDF\_Template\_Unknown\_705452765 [40](#)  
BDF\_Template\_Unknown\_706606964 [33](#)  
BDF\_Template\_Unknown\_854969801 [32](#)  
BDF\_Template\_Unknown\_952604595 [37](#)



BDF\_Template\_ZeroInt\_1932311008 27  
BDF\_Template\_ZeroInt\_1932901081 27

## C

CampaignName 16, 26  
Category 15  
CategoryId 15, 26  
ChargeAmount 10, 17, 18, 29, 36, 37  
City 9, 22, 25, 38  
ClassTime 24, 40  
CompactedFinalSqlServer2019 7  
Component 18, 37  
CostDeliveryChargeHistory 29  
CostDeliveryChargeHistoryId 30  
CostPartsChargeHistory 35  
CostPartsChargeHistoryId 36  
CostRepairChargeHistory 36  
CostRepairChargeHistoryId 37  
Country 7, 16, 22, 27, 38  
CountryId 7, 28  
CountryName 7, 28  
CURRENT\_TIMESTAMP\_1197451419 30  
CURRENT\_TIMESTAMP\_1217042310 34  
CURRENT\_TIMESTAMP\_1304402043 35  
CURRENT\_TIMESTAMP\_1358559735 28  
CURRENT\_TIMESTAMP\_1370725566 26  
CURRENT\_TIMESTAMP\_1485605277 36  
CURRENT\_TIMESTAMP\_1495545705 30  
CURRENT\_TIMESTAMP\_152379346 33  
CURRENT\_TIMESTAMP\_1642206028 37  
CURRENT\_TIMESTAMP\_1680741027 31  
CURRENT\_TIMESTAMP\_1803329501 37  
CURRENT\_TIMESTAMP\_1814404497 31  
CURRENT\_TIMESTAMP\_1829440725 32  
CURRENT\_TIMESTAMP\_1952616758 32  
CURRENT\_TIMESTAMP\_2015503932 36  
CURRENT\_TIMESTAMP\_2027080636 34  
CURRENT\_TIMESTAMP\_203953136 39  
CURRENT\_TIMESTAMP\_2048855315 29  
CURRENT\_TIMESTAMP\_248641768 29  
CURRENT\_TIMESTAMP\_363760369 39  
CURRENT\_TIMESTAMP\_387632120 27  
CURRENT\_TIMESTAMP\_390287231 35  
CURRENT\_TIMESTAMP\_461788019 26  
CURRENT\_TIMESTAMP\_504531533 33  
CURRENT\_TIMESTAMP\_71970878 28  
CURRENT\_TIMESTAMP\_843672093 27  
CURRENT\_TIMESTAMP\_906167798 34  
Customer 8  
CustomerId 8, 24

## D

DBSecurityUserAuthorizationHistory 39  
DBSecurityUserAuthorizationHistoryId 40  
Default\_Value\_3526\_114109254 29  
Default\_Value\_3528\_367795317 30  
Default\_Value\_3530\_3663147 39  
Default\_Value\_3532\_247635395 27  
Default\_Value\_3534\_124256029 26  
Default\_Value\_3536\_1606905383 34  
Default\_Value\_3538\_641810759 35  
Default\_Value\_3540\_10946952 31  
Default\_Value\_3542\_1465592835 33  
Default\_Value\_3544\_217205904 34  
DeliveryCharge 10  
DeliveryChargeId 10, 29  
Department 11  
DepartmentId 11, 30  
DepartmentName 11, 30  
DF\_Audit\_CostDeliveryCharge\_CostDeliveryChargeId 30  
DF\_Audit\_CostPartsCharge\_CostPartsChargeId 36  
DF\_Audit\_CostRepairCharge\_CostRepairChargeId\_115406602 37  
DF\_Audit\_DBSecurityUserAuthorization\_DBSecurityUserAuthorizatio 40

DF\_Cost\_DeliveryCharges\_ChargeAmount 10  
 DF\_Cost\_DeliveryCharges\_DeliveryChargeId 10, 29  
 DF\_Cost\_DeliveryCharges\_PackingSymbol 10  
 DF\_Cost\_DeliveryCharges\_SysEndTime 10  
 DF\_Cost\_DeliveryCharges\_SysStartTime 10  
 DF\_Cost\_PartsCharge\_ChargeAmount 17  
 DF\_Cost\_PartsCharge\_Note 18  
 DF\_Cost\_PartsCharge\_PartsChargeId 17  
 DF\_Cost\_PartsCharge\_PartType 17  
 DF\_Cost\_PartsCharge\_SysEndTime 18  
 DF\_Cost\_PartsCharge\_SysStartTime 17  
 DF\_Cost\_PartsCharges\_PartsChargeId 36  
 DF\_Cost\_RepairCharge\_ChargeAmount 19  
 DF\_Cost\_RepairCharge\_Component 18  
 DF\_Cost\_RepairCharge\_Note 19  
 DF\_Cost\_RepairCharge\_RepairChargeId 18  
 DF\_Cost\_RepairCharge\_ServiceType 18  
 DF\_Cost\_RepairCharge\_SysEndTime 19  
 DF\_Cost\_RepairCharge\_SysStartTime 19  
 DF\_Cost\_RepairCharges\_RepairChargeId 37  
 DF\_DBSecurity\_UserAuthorization\_ClassTime 24  
 DF\_DBSecurity\_UserAuthorization\_GroupMemberFirstName 23  
 DF\_DBSecurity\_UserAuthorization\_GroupName 24  
 DF\_DBSecurity\_UserAuthorization\_IndividualProject 24  
 DF\_DBSecurity\_UserAuthorization\_LastName 23  
 DF\_DBSecurity\_UserAuthorization\_SysEndTime 24, 39  
 DF\_DBSecurity\_UserAuthorization\_SysStartTime 23, 39  
 DF\_DBSecurity\_UserAuthorization\_UserAuthorizationId 23  
 DF\_Geography\_Country\_CountryId 7, 28  
 DF\_Geography\_Country\_CountryName 7  
 DF\_Geography\_Country\_ISO2 7  
 DF\_Geography\_Country\_ISO3 7  
 DF\_Geography\_Country\_SalesRegion 7  
 DF\_Geography\_Country\_SysEndTime 7  
 DF\_Geography\_Country\_SysStartTime 7  
 DF\_HumanResources\_Department\_DepartmentId 11, 30  
 DF\_HumanResources\_Department\_DepartmentName 11  
 DF\_HumanResources\_Department\_SysEndTime 11  
 DF\_HumanResources\_Department\_SysStartTime 11  
 DF\_HumanResources\_Staff\_Address 22  
 DF\_HumanResources\_Staff\_City 22  
 DF\_HumanResources\_Staff\_Country 22  
 DF\_HumanResources\_Staff\_FirstName 21  
 DF\_HumanResources\_Staff\_LastName 21  
 DF\_HumanResources\_Staff\_PostalCode 22  
 DF\_HumanResources\_Staff\_StaffId 22, 38  
 DF\_HumanResources\_Staff\_SysEndTime 22  
 DF\_HumanResources\_Staff\_SysStartTime 22  
 DF\_ISO\_ISO2\_2083145983 28  
 DF\_ISO\_ISO3\_2066368766 28  
 DF\_Marketing\_Category\_CampaignName 16  
 DF\_Marketing\_Category\_CategoryId 15  
 DF\_Marketing\_Category\_Country 16  
 DF\_Marketing\_Category\_LowerThresholdValue 16  
 DF\_Marketing\_Category\_ManufacturerSpendCapacity 16  
 DF\_Marketing\_Category\_MarketingType 16  
 DF\_Marketing\_Category\_SysEndTime 17  
 DF\_Marketing\_Category\_SysStartTime 16  
 DF\_Marketing\_Category\_UpperThreshold 16  
 DF\_Marketing\_MarketingCategory\_MarketingCategoryId 26  
 DF\_Sales\_Customer\_Address1 8  
 DF\_Sales\_Customer\_Address2 9  
 DF\_Sales\_Customer\_City 9  
 DF\_Sales\_Customer\_CustomerId 8, 24  
 DF\_Sales\_Customer\_FirstName 8  
 DF\_Sales\_Customer\_IsCreditRisk 9  
 DF\_Sales\_Customer\_IsReseller 9  
 DF\_Sales\_Customer\_LastName 8  
 DF\_Sales\_Customer\_PostalCode 9  
 DF\_Sales\_Customer\_SysEndTime 9  
 DF\_Sales\_Customer\_SysStartTime 9  
 DF\_Sales\_OrderVehicle\_OrderVehicleId 19

DF\_Sales\_OrderVehicle\_SaleDate 19  
 DF\_Sales\_OrderVehicle\_SysEndTime 20  
 DF\_Sales\_OrderVehicle\_SysStartTime 20  
 DF\_Sales\_OrderVehicleDetail\_Discount 21  
 DF\_Sales\_OrderVehicleDetail\_OrderVehicleDetailId 20  
 DF\_Sales\_OrderVehicleDetail\_SalePrice 20  
 DF\_Sales\_SalesOrderVehicle\_SalesOrderVehicleId 34  
 DF\_Sales\_SalesOrderVehicleDetail\_SalesOrderVehicleDetailId 35  
 DF\_Sales\_SalesOrderVehicleDetail\_SysEndTime 21  
 DF\_Sales\_SalesOrderVehicleDetail\_SysStartTime 21  
 DF\_sdBits\_Flag\_1323199952 32  
 DF\_sdBits\_Flag\_1399547724 25  
 DF\_sdBits\_Flag\_1523687516 26  
 DF\_sdCompanyInformation\_DepartmentName\_765087849 30  
 DF\_sdCompanyInformation\_Notes\_1601971446 32  
 DF\_sdDateTime\_DateYYYYMMDD\_1002081687 31  
 DF\_sdDateTime\_DateYYYYMMDD\_1008118665 33  
 DF\_sdDateTime\_DateYYYYMMDD\_1278758138 33  
 DF\_sdDateTime\_DateYYYYMMDD\_1532106068 29  
 DF\_sdDateTime\_DateYYYYMMDD\_1903402358 34  
 DF\_sdDateTime\_DateYYYYMMDD\_1989407217 39  
 DF\_sdDateTime\_DateYYYYMMDD\_2082739738 27  
 DF\_sdDateTime\_DateYYYYMMDD\_2140851843 29  
 DF\_sdDateTime\_DateYYYYMMDD\_28279740 30  
 DF\_sdDateTime\_DateYYYYMMDD\_327536080 40  
 DF\_sdDateTime\_DateYYYYMMDD\_457686633 37  
 DF\_sdDateTime\_DateYYYYMMDD\_503881708 35  
 DF\_sdDateTime\_DateYYYYMMDD\_620450841 26  
 DF\_sdDateTime\_DateYYYYMMDD\_724663894 36  
 DF\_sdDateTime\_Time24Hours\_2098622029 40  
 DF\_sdDecimal\_Currency\_1338049267 29  
 DF\_sdDecimal\_Currency\_1376124680 35  
 DF\_sdDecimal\_Currency\_428812898 36  
 DF\_sdDecimal\_Currency\_55514994 37  
 DF\_sdDecimal\_Currency\_823791215 32  
 DF\_sdDecimal\_Currency\_911059627 27  
 DF\_sdDecimal\_Percentage\_684244088 35  
 DF\_sdInformation\_PackingSymbol\_1410153763 29  
 DF\_sdLocation\_PostalCode\_1355687892 38  
 DF\_sdLocation\_PostalCode\_291079828 25  
 DF\_sdName\_FirstName\_2110006445 39  
 DF\_sdName\_FirstName\_630860820 25  
 DF\_sdName\_FirstName\_738095557 38  
 DF\_sdName\_LastName\_1201058118 39  
 DF\_sdName\_LastName\_1739107164 25  
 DF\_sdName\_LastName\_92339445 38  
 DF\_Vehicle\_ManufacturerModel\_ManufacturerModelId 12, 31  
 DF\_Vehicle\_ManufacturerModel\_ModelName 12  
 DF\_Vehicle\_ManufacturerModel\_SysEndTime 12  
 DF\_Vehicle\_ManufacturerModel\_SysStartTime 12  
 DF\_Vehicle\_ManufacturerModel\_Variant 12  
 DF\_Vehicle\_ManufacturerVehicleInventory\_IsPremiumRoadHandlingPa 13  
 DF\_Vehicle\_ManufacturerVehicleInventory\_ManufacturerComments 14  
 DF\_Vehicle\_ManufacturerVehicleInventory\_ManufacturerVehicleInve 13, 32  
 DF\_Vehicle\_ManufacturerVehicleInventory\_PurchaseCost 13  
 DF\_Vehicle\_ManufacturerVehicleInventory\_SysEndTime 14  
 DF\_Vehicle\_ManufacturerVehicleInventory\_SysStartTime 14  
 DF\_Vehicle\_ManufacturerVehicleInventory\_VehicleColor 13  
 DF\_Vehicle\_ManufacturerVehicleMake\_MakeName 15  
 DF\_Vehicle\_ManufacturerVehicleMake\_ManufacturerVehicleMakeId 14, 33  
 DF\_Vehicle\_ManufacturerVehicleMake\_SysEndTime 15  
 DF\_Vehicle\_ManufacturerVehicleMake\_SysStartTime 15  
 DF\_Vehicle\_ManufacturerVehicleMake\_Type 15  
 Discount 20, 35

## F

FireAuditTrigger 8, 10, 11, 12, 13, 14, 15, 17, 18, 19, 20, 21, 23, 24  
 FirstName 8, 21, 25, 38

## G

GeographyCountry 28  
 GeographyCountryId 29  
 GroupMemberFirstName 23, 39

GroupMemberLastName 23, 39  
GroupName 24, 40

## H

HumanResourcesDepartmentHistory 30  
HumanResourcesDepartmentHistoryId 30  
HumanResourcesStaffHistory 38  
HumanResourcesStaffHistoryId 39

## I

IndividualProject 24, 40  
IsCreditRisk 9, 25  
ISO2 7, 28  
ISO3 7, 28  
IsPremiumRoadHandlingPackage 13, 32  
IsReseller 9, 25

## L

LastName 8, 21, 25, 38  
LowerThresholdValue 16, 27

## M

MakeName 14, 33  
ManufacturerComments 13, 32  
ManufacturerModel 12  
ManufacturerModelId 12, 31  
ManufacturerSpendCapacity 16, 27  
ManufacturerVehicleInventory 13  
ManufacturerVehicleInventoryId 13, 32  
ManufacturerVehicleMake 14  
ManufacturerVehicleMakeId 14, 33  
MarketingCategory 26  
MarketingCategoryId 27  
MarketingType 16, 26  
ModelName 12, 31

## N

Note 8, 9, 10, 11, 12, 14, 15, 17, 18, 19, 20, 21, 22, 24

## O

OrderVehicle 19  
OrderVehicleDetail 20  
OrderVehicleDetailId 20, 35  
OrderVehicleId 19, 34

## P

PackingSymbol 10, 29  
PartsCharge 17  
PartsChargeId 17, 36  
PartType 17, 36  
PostalCode 9, 22, 25, 38  
PurchaseCost 13, 32

## R

RepairCharge 18  
RepairChargeId 18, 36

## S

SaleDate 19, 34  
SalePrice 20, 35  
SalesCustomerHistory 24  
SalesCustomerHistoryId 26  
SalesOrderVehicleDetailHistory 34  
SalesOrderVehicleDetailHistoryId 35  
SalesOrderVehicleHistory 34  
SalesOrderVehicleHistoryID 34  
SalesRegion 7, 28  
ServiceType 18, 37  
Staff 21  
StaffId 22, 38  
SysEndTime 7, 9, 10, 11, 12, 14, 15, 16, 18, 19, 20, 21, 22, 23, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 39  
SysStartTime 7, 9, 10, 11, 12, 14, 15, 16, 17, 19, 20, 21, 22, 23, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39

## T

TransactionNumber 8, 10, 11, 12, 13, 14, 15, 17, 18, 19, 20, 21, 23, 24

Type [15](#), [33](#)

## U

UpperThresholdValue [16](#), [27](#)

UserAuthorization [23](#)

UserAuthorizationId [23](#)

## V

Variant [12](#), [31](#)

VehicleColor [13](#), [32](#)

VehicleManufacturerModelHistory [30](#)

VehicleManufacturerModelHistoryId [31](#)

VehicleManufacturerVehicleInventoryHistoryId [33](#)

VehicleManufacturerVehicleInventoryHistory [31](#)

VehicleManufacturerVehicleMakeHistory [33](#)

VehicleManufacturerVehicleMakeHistoryId [34](#)