

YOUR AGENT SHOULD NOT WAKE UP AS AN AMNESIAC CLONE

Config as code for rules, skills and MCP
wiring.

☒ TECHNICAL NOTES / BUILT FROM EVIDENCE

57 POST-INSTALL TWEAKS IS NOT A SETUP PROCESS

It is terminal archaeology waiting for the next rebuild.

- ◆ Rules hidden in vendor-shaped files
- ◆ Useful rituals stuck in scrollback
- ◆ Fresh harnesses missing the tool gateway

ONE SOURCE. NATIVE OUTPUTS.

Keep the useful bits in version control, then render them where each harness expects them.

- ◆ Claude Code gets CLAUDE.md and rules/
- ◆ Codex gets AGENTS.md
- ◆ Hermes gets one GitOps-delivered AGENTS.md

A GENERATED MCP CONFIG IS A ROUTE, NOT A SECRET

The generated config contains the address. A local proxy or runtime environment resolves the token at call time.

- ◆ No static token beside the JSON
- ◆ Merge managed entries, preserve local state
- ◆ Use the same gateway with environment-specific routes

THREE THINGS, THEN THE AGENT IS USEFUL

No static token next to a JSON file. No hand-edited ritual checklist.

- ◆ Install the harness and run `agents:sync`
- ◆ Restore the declared plugins
- ◆ Make Cellarette reachable

A REUSABLE WIN SHOULD OUTLIVE ONE SESSION

Write a useful SKILL.md once, commit it to the shared source, sync it to the agents that need it and make it searchable for later work.

- ◆ Git keeps the canonical skill
- ◆ Agents receive a byte-faithful copy
- ◆ Search helps a future session find it

GIT IS CANONICAL. LOCAL EDITS ARE DRIFT.

Agents can differ in access. Their shared operating knowledge still deserves one inspectable home. How are You stopping several incompatible AGENTS.md species from evolving?

◆ DISCUSS / COMPARE / CHALLENGE