

Star Patterns Programs in Java

@coders.world

Pattern	Logic
<pre>* ** *** **** *****</pre>	<pre>int n = 5; for (int i = 1; i <= n; i++) { for (int j = 1; j <= i; j++) { System.out.print("*"); } System.out.println(); }</pre>
<pre>***** **** *** ** *</pre>	<pre>int n = 5; for (int i = n; i >= 1; i--) { for (int j = 1; j <= i; j++) { System.out.print("*"); } System.out.println(); }</pre>
<pre>***** * * * * * * *****</pre>	<pre>int n = 5; for (int i = 1; i <= n; i++) { for (int j = 1; j <= n; j++) { if (i == 1 i == n j == 1 j == n) { System.out.print("*"); } else { System.out.print(" "); } } System.out.println(); }</pre>

Pattern	Logic
<pre> * * * * * * * * * ***** </pre> @coders.world	<pre> int n = 5; for (int i = 1; i <= n; i++) { for (int j = 1; j < n; j++) { System.out.print(" "); } for (int j = 1; j <= (2 * i - 1); j++) { if (j == 1 j == (2 * i - 1) i == n) { System.out.print("*"); } else { System.out.print(" "); } } } </pre>
<pre> * * * * * * * * * * * * * * * * * * * * </pre>	<pre> int n = 5; for (int i = 1; i <= n; i++) { for (int j = 1; j <= n; j++) { if (j == i j == n - i + 1) { System.out.print("*"); } else { System.out.print(" "); } } System.out.println(); } </pre>

Pattern	Logic
<pre> * *** ***** ********* *********** *____________* * * * * * * * * * * * * * </pre> @coders.world	<pre> int n = 5; for (int i = 1; i <= n; i++) { // Print spaces for (int j = i; j < n; j++) { System.out.print(" "); } // Print stars for (int j = 1; j <= (2 * i - 1); j++) { System.out.print("*"); } System.out.println(); } </pre>
<pre> * ** *** **** ***** ***** ***** **** *** ** * </pre>	<pre> int n = 5; for (int i = 1; i <= n; i++) { for (int j = 1; j <= i; j++) { System.out.print("*"); } System.out.println(); } for (int i = n - 1; i >= 1; i--) { for (int j = 1; j <= i; j++) { System.out.print("*"); } System.out.println(); } </pre>

Pattern	Logic
<pre> *** *** ***** ***** ********************* ********************* ********************* ***** ***** ***** ***** * </pre>	<pre> int n = 6; for (int i = n / 2; i <= n; i += 2) { for (int j = 1; j < n - i; j += 2) { System.out.print(" "); } for (int j = 1; j <= i; j++) { System.out.print("*"); } for (int j = 1; j <= n - i; j++) { System.out.print(" "); } for (int j = 1; j <= i; j++) { System.out.print("*"); } System.out.println(); } for (int i = n; i >= 1; i--) { for (int j = i; j < n; j++) { System.out.print(" "); } for (int j = 1; j <= (i * 2) - 1; j++) { System.out.print("*"); } System.out.println(); } </pre>

@coders.world

Pattern	Logic
<pre> * *** ***** ********* *********** ***** ***** *** *</pre>	<pre> int n = 5; for (int i = 1; i <= n; i++) { for (int j = i; j < n; j++) { System.out.print(" "); } for (int j = 1; j <= (2 * i - 1); j++) { System.out.print("*"); } System.out.println(); } for (int i = n - 1; i >= 1; i--) { for (int j = i; j < n; j++) { System.out.print(" "); } for (int j = 1; j <= (2 * i - 1); j++) { System.out.print("*"); } System.out.println(); } }</pre>
<pre> ***** ***** ***** *** *</pre> @coders.world	<pre> int n = 5; for (int i = n; i >= 1; i--) { for (int j = i; j < n; j++) { System.out.print(" "); } for (int j = 1; j <= (2 * i - 1); j++) { System.out.print("*"); } System.out.println(); } }</pre>