C:\Users\Student\Documents\ThreadedBST.exe

```
3. Find predecessor & successor of a node
4. Exit
Enter choice: 1
Enter value to insert: 60

===== Threaded BST Menu =====
1. Insert a node
2. Display inorder traversal
3. Find predecessor & successor of a node
4. Exit
Enter choice: 3
Enter node value: 40
Node        : 40
Predecessor : 30
Successor   : 50

===== Threaded BST Menu =====
1. Insert a node
2. Display inorder traversal
3. Find predecessor & successor of a node
4. Exit
Enter choice: 3
Enter node value: 99
Node 99 not found in the tree.

===== Threaded BST Menu =====
1. Insert a node
2. Display inorder traversal
3. Find predecessor & successor of a node
4. Exit
```

C:\Users\Student\Documents\ThreadedBST.exe

```
Enter choice: 1
Enter value to insert: 50
Duplicate key 50 ignored.

===== Threaded BST Menu =====
1. Insert a node
2. Display inorder traversal
3. Find predecessor & successor of a node
4. Exit
Enter choice: 2
Inorder: 20 30 40 50 60 70 80

===== Threaded BST Menu =====
1. Insert a node
2. Display inorder traversal
3. Find predecessor & successor of a node
4. Exit
Enter choice: 3
Enter node value: 50
Node        : 50
Predecessor : 40
Successor   : 60

===== Threaded BST Menu =====
1. Insert a node
2. Display inorder traversal
3. Find predecessor & successor of a node
4. Exit
Enter choice: 20
Invalid choice.
```

C:\Users\Student\Documents\ThreadedBST.exe

```
Enter node value: 50
Node        : 50
Predecessor : 40
Successor   : 60

===== Threaded BST Menu =====
1. Insert a node
2. Display inorder traversal
3. Find predecessor & successor of a node
4. Exit
Enter choice: 20
Invalid choice.

===== Threaded BST Menu =====
1. Insert a node
2. Display inorder traversal
3. Find predecessor & successor of a node
4. Exit
Enter choice: 3
Enter node value: 20
Node        : 20
Predecessor : does not exist
Successor   : 30

===== Threaded BST Menu =====
1. Insert a node
2. Display inorder traversal
3. Find predecessor & successor of a node
4. Exit
Enter choice:
```