FR [40 60]% - Q [40 60 80 100 120]W - alpha [90 30 60] - beta [0] - DI Water 1.4 FR40[%]_Q40[W]_A[90]_B[0]_DI_Water_Te_mean[K] vs TR[K/W] FR40[%] Q60[W] A[90] B[0] DI Water Te mean[K] vs TR[K/W] FR40[%] Q80[W] A[90] B[0] DI Water Te mean[K] vs TR[K/W] 1.2 FR40[%]_Q100[W]_A[90]_B[0]_DI_Water_Te_mean[K]_vs_TR[K/W] FR40[%] Q120[W] A[90] B[0] DI Water Te mean[K] vs TR[K/W] FR60[%] Q40[W] A[90] B[0] DI Water Te mean[K] vs TR[K/W] 1.0 FR60[%] Q40[W] A[30] B[0] DI Water Te mean[K] vs TR[K/W] FR60[%] Q60[W] A[90] B[0] DI Water Te mean[K] vs TR[K/W] FR60[%] Q60[W] A[30] B[0] DI Water Te mean[K] vs TR[K/W] FR60[%] Q80[W] A[90] B[0] DI Water Te mean[K] vs TR[K/W] 0.8 FR60[%] Q80[W] A[30] B[0] DI Water Te mean[K] vs TR[K/W] TR[KW] FR60[%] Q100[W] A[90] B[0] DI Water Te mean[K] vs TR[K/W] FR60[%] Q100[W] A[30] B[0] DI Water Te mean[K] vs TR[K/W] FR60[%]_Q120[W]_A[90]_B[0]_DI_Water_Te_mean[K]_vs_TR[K/W]_ FR60[%] Q120[W] A[30] B[0] DI Water Te mean[K] vs TR[K/W] FR60[%] Q120[W] A[60] B[0] DI Water Te mean[K] vs TR[K/W] 0.4 0.2 0.0 310 320 340 360 370 330 350 380

Te mean[K]