FR [60 40]% - Q [40 60 80 100 120]W - alpha [90 60] - beta [0] - DI Water FR60[%]_Q40[W]_A[90]_B[0]_DI_Water_Te_mean[K] vs TR[K/W] FR60[%] Q40[W] A[60] B[0] DI Water Te mean[K] vs TR[K/W] 1.2 FR60[%]_Q60[W]_A[90]_B[0]_DI_Water_Te_mean[K] vs TR[K/W] FR60[%]_Q60[W]_A[60]_B[0]_DI_Water_Te_mean[K]_vs_TR[K/W] FR60[%] Q80[W] A[90] B[0] DI Water Te mean[K] vs TR[K/W] FR60[%] Q80[W] A[60] B[0] DI Water Te mean[K] vs TR[K/W] 1.0 FR60[%] Q100[W] A[90] B[0] D Water Te mean[K] vs TR[K/W] FR60[%] Q100[W] A[60] B[0] DI Water Te mean[K] vs TR[K/W] FR60[%] Q120[W] A[90] B[0] DI Water Te mean[K] vs TR[K/W] 8.0 FR60[%] Q120[W] A[60] B[0] DI Water Te mean[K] vs TR[K/W] FR40[%]_Q40[W]_A[90]_B[0]_DI_Water_Te_mean[K]_vs_TR[kw] TR[K/W] FR40[%] Q60[W] A[90] B[0] DI Water Te mean[K] vs RIK[W] FR40[%]_Q80[W]_A[90]_B[0]_DI_Water_Te_mean[K] vs_TR[K/W] FR40[%] Q100[W] A[90] B[0] DI Water Te mean [K] vs TR[K/W] FR40[%]_Q120[W]_A[90]_B[0]_D|_Water_temean[K] vs_IF 0.4 0.2 0.0 310 320 330 340 350 360 370 Te mean[K]