FR [60 40]% - Q [40 60 80 100 120]W - alpha [90 60 30] - beta [0] - DI Water 300 200 100 dG[KJ/mol] FR60[%] Q40[W] A[90] B[0] DI Water P[bar] vs_dG[KJ/mol] FB60[%]_Q40[W]_A[30]_B[0]_DI_Water_P[bar]_vs_dG[KJ/mol] FR60[%] Q60[W] A[90] B[0] DI Water P[bar] vs_dG[KJ/mol] FR60[%]_Q60[W]_A[30]_B[0]_DI_Water_P[bar]_vs_dG[KJ/mol] FR60[%]_Q80[W]_A[90]_B[0]_DI_Water_P[bar]_vs_dG[KJ/mol] FR60[%]_Q80[W]_A[30]_B[0]_DI_Water_P[bar]_vs_dG[KJ/mol] -100 FR60[%]_Q100[W]_A[90]_B[0]_DI_Water_P[bar]_vs_dG[KJ/mol] FR60[%]_Q100[W]_A[30]_B[0]_DI_Water_P[bar]_vs_dG[KJ/mol] FR60[%]_Q120[W]_A[90]_B[0]_DI_Water_P[bar]_vs_dG[KJ/mol] FR60[%]_Q120[W]_A[60]_B[0]_DI_Water_P[bar]_vs_dG[KJ/mol] -200 FR60[%]_Q120[W]_A[30]_B[0]_DI_Water_P[bar]_vs_dG[KJ/mol] FR40[%]_Q40[W]_A[90]_B[0]_DI_Water_P[bar]_vs_dG[KJ/mol] FR40[%]_Q60[W]_A[90]_B[0]_DI_Water_P[bar]_vs_dG[KJ/mol] 0.5 1.0 1.5 2.0 2.5 P[bar]