FR [60 40]% - Q [40 60 80 100 120]W - alpha [90 60 30] - beta [0] - DI Water 1.4 FR60[%]_Q40[W]_A[90]_B[0]_DI_Water_Q[W]_vs_TR[K/W] FR60[%] Q40[W] A[30] B[0] DI Water Q[W] vs TR[K/W] FR60[%] Q60[W] A[90] B[0] DI Water Q[W] vs TR[K/W] 1.2 FR60[%]_Q60[W]_A[30]_B[0]_DI_Water_Q[W]_vs_TR[K/W] FR60[%] Q80[W] A[90] B[0] DI Water Q[W] vs TR[K/W] FR60[%] Q80[W] A[30] B[0] DI Water Q[W] vs TR[K/W] FR60[%] Q100[W] A[90] B[0] DI Water Q[W] vs TR[K/W] 1.0 FR60[%]_Q100[W]_A[30]_B[0]_DI_Water_Q[W]_vs_TR[K/W] FR60[%]_Q120[W]_A[90]_B[0]_DI_Water_Q[W]_vs_TR[K/W] FR60[%]_Q120[W]_A[60]_B[0]_DI_Water_Q[W]_vs_TR[K/W] 0.8 FR60[%]_Q120[W]_A[30]_B[0]_DI_Water_Q[W]_vs_TR[K/W] TR[KW] 0.4 0.2 0.0 50 60 70 80 90 100 110 40 120 Q[W]