BTI425
Lab2
Kam Man Chan 028081149

## BTI425 - jQuery

This is Paragraph 1

- List 1
- List 2
- List 3
  - 1
  - 2
  - 3

This is Paragraph 2

(before click button)   ------>   (after click button)

Click again   ---------------------->   Good luck display

Using jQuery, change the background color of (2nd paragraph)

```
43    <script>
44    $("#second_P").css("background-color","green");
45
46
```

Use the correct event to hide all <div>elements with a "click".

```
59    $(document).ready(function(){
60        $("#box1").click(function(){
61            $("#box1,#div2").hide();
62            display = false;
63            console.log(display)
64        });
65    });
66
```

Use a jQuery method to return the text content of a <div>elementwith id="div2"

```
47
48    var display = true;
49    $(document).ready(function(){
50        $("section").click(function(){
51            if(display == false){
52            $("#div2").show();
53            display = true;
54            console.log(display)
55        }
56        });
57    });
58
```

Using getJSON(), develop a program to open jq-activity2-data.json and display the "name" of the first record.

```
$(document).ready(function () {
    $.getJSON("q-activity2-data.json",
            function (data) {
        var food = '';
        food = data.p1.name;
            console.log(food);
        $('#n3').append(food);
    });
});
```

If you using latest Firefox or chrome, please make sure turn the privacy.file_unique_origin to false,

Otherwise Cross-Origin Request Blocked: may happen and block reading local json and XML file

Q privacy.file_unique_origin	
privacy.file_unique_origin	false