

```

import { useState, useEffect, useRef, useCallback } from "react";

// ——— THEME & CONSTANTS —————
const COLORS = {
  bg: "#080C14",
  surface: "#0D1220",
  card: "#111827",
  cardHover: "#161F35",
  border: "#1E2D45",
  accent: "#00F5C4",
  accentDim: "#00F5C420",
  accentGlow: "#00F5C440",
  purple: "#8B5CF6",
  purpleDim: "#8B5CF620",
  blue: "#3B82F6",
  blueDim: "#3B82F620",
  gold: "#F59E0B",
  goldDim: "#F59E0B20",
  rose: "#F43F5E",
  roseDim: "#F43F5E20",
  text: "#F1F5F9",
  textMuted: "#64748B",
  textSub: "#94A3B8",
};

const FONTS = `
  @import url('https://fonts.googleapis.com/css2?family=Syne:wght@400;500;600;700
`;

const NAV_ITEMS = [
  { id: "dashboard", label: "Dashboard", icon: "🏠" },
  { id: "summarizer", label: "Summarizer", icon: "💎" },
  { id: "flashcards", label: "Flashcards", icon: "📌" },
  { id: "timer", label: "Study Timer", icon: "⌚" },
  { id: "music", label: "Focus Music", icon: "🎵" },
  { id: "homework", label: "AI Helper", icon: "📖" },
];

const BADGES = [
  { id: "streak7", label: "7-Day Streak", icon: "🔥", earned: true },
  { id: "firstsumm", label: "First Summary", icon: "📄", earned: true },
  { id: "flashmaster", label: "Flash Master", icon: "⚡", earned: true },
  { id: "nightowl", label: "Night Owl", icon: "🦉", earned: false },
  { id: "pomodoro", label: "Pomodoro Pro", icon: "🍅", earned: false },
];

```

```

    { id: "social", label: "Squad Goals", icon: "👥", earned: false },
  ];

const MUSIC_TRACKS = [
  { id: "lofi", name: "Lo-Fi Beats", icon: "🎧", bpm: "72 BPM", color: COLORS.pur },
  { id: "classical", name: "Classical Flow", icon: "🎻", bpm: "Classical", color: },
  { id: "rain", name: "Rain Sounds", icon: "🌧️", bpm: "Nature", color: COLORS.acc },
  { id: "nature", name: "Forest Ambience", icon: "🌿", bpm: "Nature", color: "#22"},
  { id: "focus", name: "Deep Focus", icon: "🧠", bpm: "40Hz", color: COLORS.gold },
  { id: "ocean", name: "Ocean Waves", icon: "🌊", bpm: "Nature", color: "#06B6D4"
  ];

const TIMER_MODES = [
  { id: "pomodoro", name: "Pomodoro", work: 25, break: 5, icon: "🍅", color: COLC },
  { id: "deepfocus", name: "Deep Focus", work: 90, break: 20, icon: "🧠", color: },
  { id: "examcram", name: "Exam Cram", work: 45, break: 10, icon: "⚡", color: CC },
  { id: "nightstudy", name: "Night Study", work: 30, break: 5, icon: "🌙", color: },
  { id: "custom", name: "Custom", work: 25, break: 5, icon: "⚙️", color: COLORS.b
  ];

const SAMPLE_FLASHCARDS = [
  { q: "What is photosynthesis?", a: "The process by which plants use sunlight, w"},
  { q: "Define osmosis.", a: "The movement of water molecules through a semi-perm"},
  { q: "What is Newton's 3rd Law?", a: "For every action, there is an equal and o"},
  { q: "Explain the CAPS curriculum framework.", a: "CAPS (Curriculum and Assessm"}
  ];

// — GLOBAL STYLES —————
const globalStyles = `
  ${FONTS}
  *, *::before, *::after { box-sizing: border-box; margin: 0; padding: 0; }
  body { background: ${COLORS.bg}; color: ${COLORS.text}; font-family: 'DM Sans',
  ::-webkit-scrollbar { width: 4px; }
  ::-webkit-scrollbar-track { background: ${COLORS.surface}; }
  ::-webkit-scrollbar-thumb { background: ${COLORS.border}; border-radius: 2px; }

  @keyframes fadeUp {
    from { opacity: 0; transform: translateY(20px); }
    to { opacity: 1; transform: translateY(0); }
  }
  @keyframes pulse {
    0%, 100% { opacity: 1; }
    50% { opacity: 0.5; }
  }
  @keyframes spin {
    from { transform: rotate(0deg); }
    to { transform: rotate(360deg); }
  }

```

```

}
@keyframes glow {
  0%, 100% { box-shadow: 0 0 20px ${COLORS.accentGlow}; }
  50% { box-shadow: 0 0 40px ${COLORS.accent}60; }
}
@keyframes shimmer {
  0% { background-position: -200% center; }
  100% { background-position: 200% center; }
}
@keyframes ripple {
  0% { transform: scale(0.8); opacity: 1; }
  100% { transform: scale(2); opacity: 0; }
}
@keyframes float {
  0%, 100% { transform: translateY(0px); }
  50% { transform: translateY(-6px); }
}
@keyframes timerPulse {
  0%, 100% { transform: scale(1); }
  50% { transform: scale(1.02); }
}

.fade-up { animation: fadeUp 0.5s ease forwards; }
.fade-up-delay-1 { animation: fadeUp 0.5s ease 0.1s both; }
.fade-up-delay-2 { animation: fadeUp 0.5s ease 0.2s both; }
.fade-up-delay-3 { animation: fadeUp 0.5s ease 0.3s both; }

.card-hover {
  transition: all 0.3s ease;
  cursor: pointer;
}
.card-hover:hover {
  background: ${COLORS.cardHover} !important;
  border-color: ${COLORS.accent}50 !important;
  transform: translateY(-2px);
}

.btn-primary {
  background: ${COLORS.accent};
  color: ${COLORS.bg};
  border: none;
  border-radius: 12px;
  padding: 12px 24px;
  font-family: 'Syne', sans-serif;
  font-weight: 700;
  font-size: 14px;
  cursor: pointer;
}

```

```
    transition: all 0.2s ease;
    letter-spacing: 0.02em;
}
.btn-primary:hover {
    background: #00DDB0;
    transform: translateY(-1px);
    box-shadow: 0 8px 24px ${COLORS.accentGlow};
}
.btn-primary:disabled {
    opacity: 0.5;
    cursor: not-allowed;
    transform: none;
}

.btn-ghost {
    background: transparent;
    color: ${COLORS.textSub};
    border: 1px solid ${COLORS.border};
    border-radius: 10px;
    padding: 10px 18px;
    font-family: 'DM Sans', sans-serif;
    font-weight: 500;
    font-size: 13px;
    cursor: pointer;
    transition: all 0.2s ease;
}
.btn-ghost:hover {
    border-color: ${COLORS.accent}60;
    color: ${COLORS.accent};
    background: ${COLORS.accentDim};
}

.textarea-style {
    width: 100%;
    background: ${COLORS.surface};
    border: 1px solid ${COLORS.border};
    border-radius: 12px;
    padding: 16px;
    color: ${COLORS.text};
    font-family: 'DM Sans', sans-serif;
    font-size: 14px;
    resize: vertical;
    min-height: 160px;
    outline: none;
    transition: border-color 0.2s ease;
    line-height: 1.6;
}
```

```
.textarea-style:focus {
  border-color: ${COLORS.accent}60;
}

.textarea-style::placeholder { color: ${COLORS.textMuted}; }

.loading-dot {
  display: inline-block;
  animation: pulse 1s ease infinite;
}

.loading-dot:nth-child(2) { animation-delay: 0.2s; }
.loading-dot:nth-child(3) { animation-delay: 0.4s; }

.tag {
  display: inline-flex;
  align-items: center;
  gap: 4px;
  padding: 4px 10px;
  border-radius: 20px;
  font-size: 11px;
  font-weight: 600;
  letter-spacing: 0.04em;
  text-transform: uppercase;
}

.progress-bar {
  height: 4px;
  background: ${COLORS.border};
  border-radius: 2px;
  overflow: hidden;
}

.progress-fill {
  height: 100%;
  border-radius: 2px;
  background: linear-gradient(90deg, ${COLORS.accent}, ${COLORS.purple});
  transition: width 0.5s ease;
}

.nav-item {
  display: flex;
  align-items: center;
  gap: 10px;
  padding: 10px 14px;
  border-radius: 10px;
  cursor: pointer;
  transition: all 0.2s ease;
  font-size: 13px;
  font-weight: 500;
}
```

```

    color: ${COLORS.textSub};
    border: 1px solid transparent;
  }
  .nav-item:hover {
    background: ${COLORS.accentDim};
    color: ${COLORS.accent};
    border-color: ${COLORS.accent}30;
  }
  .nav-item.active {
    background: ${COLORS.accentDim};
    color: ${COLORS.accent};
    border-color: ${COLORS.accent}40;
  }
`;

// ——— UTILITY COMPONENTS —————
function Card({ children, style, className = "", onClick }) {
  return (
    <div
      onClick={onClick}
      className={className}
      style={{
        background: COLORS.card,
        border: `1px solid ${COLORS.border}`,
        borderRadius: 16,
        padding: 20,
        ...style,
      }}
    >
      {children}
    </div>
  );
}

function SectionTitle({ children, sub }) {
  return (
    <div style={{ marginBottom: 24 }}>
      <h2 style={{ fontFamily: "'Syne', sans-serif", fontSize: 22, fontWeight: 70 }}>
        {children}
      </h2>
      {sub && <p style={{ color: COLORS.textMuted, fontSize: 13, marginTop: 4 }}>
      </div>
    );
}

function LoadingSpinner({ color = COLORS.accent }) {
  return (

```

```

    <div style={{
      width: 20, height: 20,
      border: `2px solid ${color}30`,
      borderTop: `2px solid ${color}`,
      borderRadius: "50%",
      animation: "spin 0.8s linear infinite",
      display: "inline-block",
    }} />
  );
}

function AITypingEffect({ text, onDone }) {
  const [displayed, setDisplayed] = useState("");
  const [idx, setIdx] = useState(0);
  const [done, setDone] = useState(false);

  useEffect(() => {
    if (idx < text.length) {
      const t = setTimeout(() => {
        setDisplayed(prev => prev + text[idx]);
        setIdx(i => i + 1);
      }, 12);
      return () => clearTimeout(t);
    } else if (!done) {
      setDone(true);
      onDone?.();
    }
  }, [idx, text]);

  return (
    <span>
      {displayed}
      {!done && <span style={{ color: COLORS.accent, animation: "pulse 1s infinite" }}>
        </span>
      </span>
    );
  }
}

// — AI CALL —————
async function callAI(prompt, systemPrompt) {
  const res = await fetch("https://api.anthropic.com/v1/messages", {
    method: "POST",
    headers: { "Content-Type": "application/json" },
    body: JSON.stringify({
      model: "claude-sonnet-4-20250514",
      max_tokens: 1000,
      system: systemPrompt || "You are StudyMind AI, a helpful, encouraging study",
      messages: [{ role: "user", content: prompt }],
    })
  });
}

```

```

    }},
  });
  const data = await res.json();
  return data.content?.[0]?.text || "Sorry, I couldn't generate a response. Pleas
}

```

```

// ——— DASHBOARD ———
function Dashboard({ xp, streak, setPage }) {
  const level = Math.floor(xp / 500) + 1;
  const xpInLevel = xp % 500;
  const stats = [
    { label: "XP Points", value: xp.toLocaleString(), icon: "⚡", color: COLORS.g
    { label: "Study Streak", value: `${streak} days`, icon: "🔥", color: COLORS.r
    { label: "Level", value: level, icon: "🏆", color: COLORS.purple },
    { label: "Summaries", value: "3", icon: "📄", color: COLORS.accent },
  ];

  const quickActions = [
    { label: "Summarize Notes", icon: "💎", page: "summarizer", color: COLORS.acce
    { label: "Study Flashcards", icon: "💎", page: "flashcards", color: COLORS.pur
    { label: "Start Timer", icon: "⌚", page: "timer", color: COLORS.blue },
    { label: "AI Homework Help", icon: "💎", page: "homework", color: COLORS.gold
  ];

  return (
    <div className="fade-up" style={{ maxWidth: 900, margin: "0 auto" }}>
      { /* Welcome */ }
      <div style={{ marginBottom: 32 }}>
        <div style={{ display: "flex", alignItems: "center", gap: 12, marginBotto
          <div style={{
            width: 40, height: 40, borderRadius: "50%",
            background: `linear-gradient(135deg, ${COLORS.accent}, ${COLORS.purpl
            display: "flex", alignItems: "center", justifyContent: "center",
            fontSize: 18,
          }}>K</div>
        <div>
          <p style={{ color: COLORS.textMuted, fontSize: 12 }}>Good evening 🌙<
          <h1 style={{ fontFamily: "'Syne', sans-serif", fontSize: 22, fontWeig
            Ready to study, Kamo?
          </h1>
        </div>
      </div>
    </div>
    <div style={{
      display: "flex", alignItems: "center", gap: 8,
      marginTop: 8, padding: "6px 0",
    }}>
      <div style={{ flex: 1 }}>

```



```

    <div style={{ display: "flex", justifyContent: "space-between", margin: 10px 0 }}>
      <span style={{ fontSize: 11, color: COLORS.textMuted }}>Level {level}</span>
      <span style={{ fontSize: 11, color: COLORS.accent }}>{xpInLevel}/50</span>
    </div>
    <div className="progress-bar">
      <div className="progress-fill" style={{ width: `${xpInLevel / 500} * 100%;` }}></div>
    </div>
  </div>
</div>

{/* Stats */}
<div style={{ display: "grid", gridTemplateColumns: "repeat(4, 1fr)", gap: 10px }}>
  {stats.map((s, i) => (
    <Card key={i} className={`fade-up-delay-${i}`} style={{ textAlign: "center" }}>
      <div style={{ fontSize: 22, marginBottom: 6 }}>{s.icon}</div>
      <div style={{ fontFamily: "'Syne', sans-serif", fontSize: 20, fontWeight: "bold" }}>{s.name}</div>
      <div style={{ fontSize: 11, color: COLORS.textMuted, marginTop: 2 }}>{s.value}</div>
    </Card>
  ))}
</div>

{/* Quick Actions */}
<Card style={{ marginBottom: 24 }}>
  <p style={{ fontFamily: "'Syne', sans-serif", fontWeight: 700, margin: 0 }}>Quick Actions</p>
  <div style={{ display: "grid", gridTemplateColumns: "repeat(2, 1fr)", gap: 10px }}>
    {quickActions.map((a, i) => (
      <button
        key={i}
        onClick={() => setPage(a.page)}
        style={{
          background: `${a.color}12`,
          border: `1px solid ${a.color}30`,
          borderRadius: 12,
          padding: "14px 16px",
          display: "flex", alignItems: "center", gap: 10,
          cursor: "pointer", transition: "all 0.2s ease",
          color: a.color, fontFamily: "'DM Sans', sans-serif",
          fontWeight: 600, fontSize: 13,
        }}
        onMouseEnter={e => {
          e.currentTarget.style.background = `${a.color}20`;
          e.currentTarget.style.transform = "translateY(-1px)";
        }}
        onMouseLeave={e => {
          e.currentTarget.style.background = `${a.color}12`;
          e.currentTarget.style.transform = "translateY(0)";
        }}
      >
        <div style={{ width: 16px, height: 16px, background: a.icon, border: 1px solid a.color, border-radius: 50% }}></div>
        {a.name}
      </button>
    ))}
  </div>
</Card>

```

```

        }}
      >
      <span style={{ fontSize: 18 }}>{a.icon}</span>
      {a.label}
    </button>
  )}}
</div>
</Card>

{/* Badges */}
<Card>
  <p style={{ fontFamily: "'Syne', sans-serif", fontWeight: 700, marginBott
  <div style={{ display: "grid", gridTemplateColumns: "repeat(3, 1fr)", gap
    {BADGES.map(b => (
      <div key={b.id} style={{
        background: b.earned ? COLORS.accentDim : COLORS.surface,
        border: `1px solid ${b.earned ? COLORS.accent + "40" : COLORS.borde
        borderRadius: 12, padding: "12px 10px", textAlign: "center",
        opacity: b.earned ? 1 : 0.4,
      }}>
      <div style={{ fontSize: 22, marginBottom: 4 }}>{b.icon}</div>
      <div style={{ fontSize: 11, fontWeight: 600, color: b.earned ? COLO
    </div>
  )}}
</div>
</Card>
</div>
);
}

```

// — AI SUMMARIZER —————

```

function Summarizer({ addXP }) {
  const [input, setInput] = useState("");
  const [loading, setLoading] = useState(false);
  const [result, setResult] = useState(null);
  const [mode, setMode] = useState("summary");
  const [typed, setTyped] = useState(false);

  const modes = [
    { id: "summary", label: "Summary", icon: "📝" },
    { id: "bullets", label: "Bullet Notes", icon: "•" },
    { id: "simple", label: "Simplify", icon: "🧠" },
    { id: "guide", label: "Study Guide", icon: "📖" },
  ];

  const systemPrompts = {
    summary: "You are a brilliant study assistant for South African high school a

```

```

bullets: "You are a brilliant study assistant. Convert the following notes in
simple: "You are a brilliant study assistant for South African students. Expl
guide: "You are a brilliant study assistant. Create a structured study guide
};

```

```

const handleGenerate = async () => {
  if (!input.trim()) return;
  setLoading(true);
  setResult(null);
  setTyped(false);
  try {
    const res = await callAI(`Here are my notes:\n\n${input}`, systemPrompts[mo
    setResult(res);
    addXP(50);
  } catch {
    setResult("Something went wrong. Please try again.");
  }
  setLoading(false);
};

```

```

return (
  <div className="fade-up" style={{ maxWidth: 800, margin: "0 auto" }}>
    <SectionTitle sub="Paste your notes, and AI will transform them instantly."
      AI Note Summarizer ♦
    </SectionTitle>

    {/* Mode selector */}
    <div style={{ display: "flex", gap: 8, marginBottom: 16, flexWrap: "wrap" }
      {modes.map(m => (
        <button
          key={m.id}
          onClick={() => setMode(m.id)}
          style={{
            background: mode === m.id ? COLORS.accentDim : COLORS.surface,
            border: `1px solid ${mode === m.id ? COLORS.accent : COLORS.border}`,
            color: mode === m.id ? COLORS.accent : COLORS.textSub,
            borderRadius: 10, padding: "8px 14px",
            cursor: "pointer", fontSize: 13, fontWeight: 600,
            display: "flex", alignItems: "center", gap: 6,
            transition: "all 0.2s ease",
          }}
        >
          {m.icon} {m.label}
        </button>
      ))}
    </div>

```

```

<textarea
  className="textarea-style"
  value={input}
  onChange={e => setInput(e.target.value)}
  placeholder="Paste your notes, textbook content, or type any topic here.."
  style={{ marginBottom: 12 }}
/>

<div style={{ display: "flex", gap: 10, marginBottom: 24 }}>
  <button className="btn-primary" onClick={handleGenerate} disabled={loading}
    {loading ? <><LoadingSpinner color={COLORS.bg} /> <span style={{ margin
  </button>
  <button className="btn-ghost" onClick={() => { setInput(""); setResult(null)
    Clear
  </button>
</div>

{result && (
  <Card className="fade-up" style={{ borderColor: `${COLORS.accent}30` }}>
    <div style={{ display: "flex", alignItems: "center", gap: 8, marginBott
      <div style={{ width: 6, height: 6, borderRadius: "50%", background: C
        <span style={{ fontFamily: "'Syne', sans-serif", fontSize: 13, fontWe
          AI {modes.find(m => m.id === mode)?.label}
        </span>
        <span style={{ marginLeft: "auto", fontSize: 11, color: COLORS.textMu
      </div>
    <div style={{ color: COLORS.textSub, lineHeight: 1.8, fontSize: 14, whi
      {!typed ? <AITypingEffect text={result} onDone={() => setTyped(true)}
    </div>
    <div style={{ marginTop: 16, display: "flex", gap: 8 }}>
      <button className="btn-ghost" style={{ fontSize: 12 }} onClick={() =>
        📋 Copy
      </button>
      <button className="btn-ghost" style={{ fontSize: 12 }}>
        💾 Save
      </button>
    </div>
  </Card>
)}
</div>
);
}

// — FLASHCARDS —————
function Flashcards({ addXP }) {
  const [cards, setCards] = useState(SAMPLE_FLASHCARDS);
  const [current, setCurrent] = useState(0);

```

```

const [flipped, setFlipped] = useState(false);
const [input, setInput] = useState("");
const [loading, setLoading] = useState(false);
const [mode, setMode] = useState("study"); // study | generate
const [score, setScore] = useState({ easy: 0, hard: 0 });

const card = cards[current];

const handleGenerate = async () => {
  if (!input.trim()) return;
  setLoading(true);
  try {
    const prompt = `Generate exactly 4 flashcard Q&A pairs from these notes. Return onl
[{"q":"question","a":"answer","diff":"easy|medium|hard"}]
No extra text. Notes:\n${input}`;
    const res = await callAI(prompt, "You are a flashcard generator. Return onl
const clean = res.replace(/```json|```/g, "").trim();
const parsed = JSON.parse(clean);
setCards(parsed);
setCurrent(0);
setFlipped(false);
setMode("study");
addXP(30);
  } catch {
    alert("Couldn't generate flashcards. Try again.");
  }
  setLoading(false);
};

const diffColors = { easy: "#22C55E", medium: COLORS.gold, hard: COLORS.rose };

return (
  <div className="fade-up" style={{ maxWidth: 700, margin: "0 auto" }}>
    <SectionTitle sub="Swipe through AI-generated flashcards with smart spaced
      Flashcards & Cue Cards ♦
    </SectionTitle>

    { /* Tab */ }

    <div style={{ display: "flex", gap: 8, marginBottom: 24 }}>
      [{"study", "generate"].map(m => (
        <button key={m} onClick={() => setMode(m)} style={{
          background: mode === m ? COLORS.purpleDim : COLORS.surface,
          border: `1px solid ${mode === m ? COLORS.purple : COLORS.border}`,
          color: mode === m ? COLORS.purple : COLORS.textSub,
          borderRadius: 10, padding: "8px 16px",
          cursor: "pointer", fontSize: 13, fontWeight: 600,
          textTransform: "capitalize", transition: "all 0.2s ease",

```

```

    >>
    {m === "study" ? "📖 Study Cards" : "✨ Generate New"}
  </button>
)}
</div>

{mode === "generate" ? (
  <div>
    <textarea
      className="textarea-style"
      value={input}
      onChange={e => setInput(e.target.value)}
      placeholder="Paste your notes or topic here to generate flashcards..."
      style={{ marginBottom: 12 }}
    />
    <button className="btn-primary" onClick={handleGenerate} disabled={load
      {loading ? <><LoadingSpinner color={COLORS.bg} /> <span style={{ marg
    </button>
  </div>
) : (
  <div>
    {/* Progress */}
    <div style={{ display: "flex", justifyContent: "space-between", alignIt
      <span style={{ fontSize: 13, color: COLORS.textMuted }}>{current + 1}
      <div style={{ display: "flex", gap: 8 }}>
        <span style={{ fontSize: 12, color: "#22C55E" }}>✓ {score.easy} eas
        <span style={{ fontSize: 12, color: COLORS.rose }}>✗ {score.hard} h
      </div>
    </div>
    <div className="progress-bar" style={{ marginBottom: 24 }}>
      <div className="progress-fill" style={{ width: `${((current + 1) / ca
    </div>

    {/* Card */}
    <div
      onClick={() => setFlipped(f => !f)}
      style={{
        background: flipped
          ? `linear-gradient(135deg, ${COLORS.purple}20, ${COLORS.card})`
          : COLORS.card,
        border: `1px solid ${flipped ? COLORS.purple + "50" : COLORS.border
        borderRadius: 20, minHeight: 220,
        display: "flex", flexDirection: "column",
        alignItems: "center", justifyContent: "center",
        padding: 32, textAlign: "center",
        cursor: "pointer", transition: "all 0.3s ease",
        position: "relative", marginBottom: 20,

```



```

    })

    {!flipped && (
      <div style={{ display: "flex", justifyContent: "center", gap: 12 }}>
        <button className="btn-ghost" onClick={() => { setCurrent(c => (c -
          <button className="btn-ghost" onClick={() => { setCurrent(c => (c +
        </div>
      )}
    </div>
  )}
</div>
);
}

```

```

// — STUDY TIMER —————
function StudyTimer({ addXP }) {
  const [selectedMode, setSelectedMode] = useState(TIMER_MODES[0]);
  const [minutes, setMinutes] = useState(25);
  const [seconds, setSeconds] = useState(0);
  const [running, setRunning] = useState(false);
  const [isBreak, setIsBreak] = useState(false);
  const [sessions, setSessions] = useState(0);
  const intervalRef = useRef(null);

  const totalSeconds = selectedMode.work * 60;
  const elapsed = totalSeconds - (minutes * 60 + seconds);
  const progress = (elapsed / totalSeconds) * 100;

  const motivational = [
    "You're doing amazing! Keep going! 🔥",
    "Every second counts. Stay focused! ⚡",
    "Kamo, you're built for this! 💪",
    "Future you says thank you! 🚀",
    "This is where champions are made! 🏆",
  ];

  const [motivMsg] = useState(motivational[Math.floor(Math.random() * motivationa

  const startTimer = useCallback(() => {
    setRunning(true);
    intervalRef.current = setInterval(() => {
      setSeconds(s => {
        if (s === 0) {
          setMinutes(m => {
            if (m === 0) {
              clearInterval(intervalRef.current);
              setRunning(false);
              setSessions(prev => prev + 1);
            }
          }
        }
      });
    });
  });
}

```



```

        addXP(100);
        setIsBreak(b => !b);
        const nextMinutes = isBreak ? selectedMode.work : selectedMode.brea
        setMinutes(nextMinutes);
        return nextMinutes;
    }
    return m - 1;
  });
  return 59;
}
return s - 1;
});
}, 1000);
}, [isBreak, selectedMode, addXP]);

const pauseTimer = () => {
  clearInterval(intervalRef.current);
  setRunning(false);
};

const resetTimer = () => {
  clearInterval(intervalRef.current);
  setRunning(false);
  setMinutes(selectedMode.work);
  setSeconds(0);
  setIsBreak(false);
};

const selectMode = (m) => {
  setSelectedMode(m);
  setMinutes(m.work);
  setSeconds(0);
  setRunning(false);
  setIsBreak(false);
  clearInterval(intervalRef.current);
};

const circumference = 2 * Math.PI * 90;
const strokeDash = circumference - (progress / 100) * circumference;

return (
  <div className="fade-up" style={{ maxWidth: 700, margin: "0 auto" }}>
    <SectionTitle sub="Choose your study mode and let the timer keep you on tra
      Smart Study Timer ©
    </SectionTitle>

    { /* Mode selector */ }

```

```

<div style={{ display: "flex", gap: 8, marginBottom: 28, flexWrap: "wrap" }
  {TIMER_MODES.map(m => (
    <button
      key={m.id}
      onClick={() => selectMode(m)}
      style={{
        background: selectedMode.id === m.id ? `${m.color}20` : COLORS.surf
        border: `1px solid ${selectedMode.id === m.id ? m.color : COLORS.bo
        color: selectedMode.id === m.id ? m.color : COLORS.textSub,
        borderRadius: 10, padding: "8px 14px", cursor: "pointer",
        fontSize: 12, fontWeight: 600, transition: "all 0.2s ease",
        display: "flex", alignItems: "center", gap: 6,
      }}
    >
      {m.icon} {m.name}
    </button>
  ))}
</div>

{/* Timer circle */}
<div style={{ display: "flex", flexDirection: "column", alignItems: "center"
  <div style={{ position: "relative", width: 220, height: 220, animation: r
    <svg width="220" height="220" style={{ transform: "rotate(-90deg)" }}>
      <circle cx="110" cy="110" r="90" fill="none" stroke={COLORS.border} s
      <circle
        cx="110" cy="110" r="90"
        fill="none"
        stroke={isBreak ? "#22C55E" : selectedMode.color}
        strokeWidth="8"
        strokeLinecap="round"
        strokeDasharray={circumference}
        strokeDashoffset={strokeDash}
        style={{ transition: "stroke-dashoffset 0.5s ease" }}
      />
    </svg>
    <div style={{
      position: "absolute", inset: 0,
      display: "flex", flexDirection: "column",
      alignItems: "center", justifyContent: "center",
    }}>
      <div style={{
        fontFamily: "'Syne', sans-serif",
        fontSize: 44, fontWeight: 800,
        color: selectedMode.color,
        letterSpacing: -2,
      }}>
        {String(minutes).padStart(2, "0")}:{String(seconds).padStart(2, "0"

```

```

    </div>
    <div style={{ fontSize: 12, color: COLORS.textMuted, marginTop: 4 }}>
      {isBreak ? "☕ Break time" : selectedMode.name}
    </div>
  </div>
</div>

{/* Motivational message */}
{running && (
  <div className="fade-up" style={{
    marginTop: 16, padding: "10px 20px",
    background: `${selectedMode.color}12`,
    border: `1px solid ${selectedMode.color}30`,
    borderRadius: 20, fontSize: 13, color: selectedMode.color,
    fontWeight: 500, textAlign: "center",
  }}>
    {motivMsg}
  </div>
)}

{/* Controls */}
<div style={{ display: "flex", gap: 12, marginTop: 24 }}>
  <button className="btn-ghost" onClick={resetTimer}>⏮ Reset</button>
  <button
    className="btn-primary"
    onClick={running ? pauseTimer : startTimer}
    style={{ minWidth: 120 }}
  >
    {running ? "⏸ Pause" : "▶ Start"}
  </button>
</div>

{sessions > 0 && (
  <div className="fade-up" style={{ marginTop: 20, textAlign: "center" }}>
    <p style={{ color: COLORS.textMuted, fontSize: 13 }}>
      🎮 {sessions} session{sessions > 1 ? "s" : ""} completed • +{sessio
    </p>
  </div>
)}
</div>

{/* Session info */}
<div style={{ display: "grid", gridTemplateColumns: "1fr 1fr 1fr", gap: 12
  [
    { label: "Work Time", value: `${selectedMode.work} min`, color: selecte
    { label: "Break Time", value: `${selectedMode.break} min`, color: "#22C
    { label: "XP Per Session", value: "+100 XP", color: COLORS.gold },

```

```

    ].map((s, i) => (
      <Card key={i} style={{ textAlign: "center", padding: 14 }}>
        <div style={{ fontFamily: "'Syne', sans-serif", fontSize: 18, fontWei
          <div style={{ fontSize: 11, color: COLORS.textMuted, marginTop: 2 }}>
        </Card>
      )})
    </div>
  </div>
);
}

```

```

// — FOCUS MUSIC —————
function FocusMusic() {
  const [playing, setPlaying] = useState(null);
  const [volume, setVolume] = useState(70);

  return (
    <div className="fade-up" style={{ maxWidth: 700, margin: "0 auto" }}>
      <SectionTitle sub="Built-in study music to help you focus, relax, and stay
        Focus Music System ●
      </SectionTitle>

      <div style={{ display: "grid", gridTemplateColumns: "repeat(2, 1fr)", gap:
        {MUSIC_TRACKS.map(track => (
          <Card
            key={track.id}
            className="card-hover"
            onClick={() => setPlaying(playing === track.id ? null : track.id)}
            style={{
              background: playing === track.id ? `${track.color}15` : COLORS.card
              borderColor: playing === track.id ? `${track.color}50` : COLORS.bor
              display: "flex", alignItems: "center", gap: 14, padding: 16,
            }}
          >
            <div style={{
              width: 48, height: 48, borderRadius: 12,
              background: `${track.color}20`,
              display: "flex", alignItems: "center", justifyContent: "center",
              fontSize: 22, flexShrink: 0,
              animation: playing === track.id ? "float 3s ease infinite" : "none"
            }}>
              {track.icon}
            </div>
            <div style={{ flex: 1 }}>
              <p style={{ fontWeight: 700, fontSize: 14, color: playing === track
                {track.name}
              </p>

```

```

        <p style={{ fontSize: 11, color: COLORS.textMuted }}>{track.bpm}</p>
    </div>
    <div style={{
        width: 32, height: 32, borderRadius: "50%",
        background: playing === track.id ? track.color : COLORS.surface,
        border: `1px solid ${playing === track.id ? track.color : COLORS.bo
        display: "flex", alignItems: "center", justifyContent: "center",
        fontSize: 12, color: playing === track.id ? COLORS.bg : COLORS.text
        flexShrink: 0,
    }}>
        {playing === track.id ? "⏸" : "▶"}
    </div>
</Card>
)}}
</div>

{playing && (
    <Card className="fade-up" style={{ borderColor: `${MUSIC_TRACKS.find(t =>
    <div style={{ display: "flex", alignItems: "center", gap: 12, marginBot
    <div style={{ width: 8, height: 8, borderRadius: "50%", background: M
    <span style={{ fontFamily: "'Syne', sans-serif", fontWeight: 700, fon
    Now Playing: {MUSIC_TRACKS.find(t => t.id === playing)?.name}
    </span>
    <span style={{ marginLeft: "auto", fontSize: 12, color: COLORS.textMu
    </div>

    {/ * Fake waveform */}
    <div style={{ display: "flex", gap: 3, alignItems: "center", height: 40
    {Array.from({ length: 40 }, (_, i) => (
        <div key={i} style={{
            flex: 1, background: MUSIC_TRACKS.find(t => t.id === playing)?.co
            borderRadius: 2,
            height: `${20 + Math.sin(i * 0.5) * 15 + Math.random() * 10}px`,
            opacity: 0.6,
            animation: `pulse ${0.5 + Math.random() * 1}s ease infinite`,
        }} />
    )}}
    </div>

    <div style={{ display: "flex", alignItems: "center", gap: 12 }}>
        <span style={{ fontSize: 12, color: COLORS.textMuted, width: 30 }}>🔊
        <input
            type="range" min={0} max={100} value={volume}
            onChange={e => setVolume(Number(e.target.value))}
            style={{ flex: 1, accentColor: MUSIC_TRACKS.find(t => t.id === play
        />
        <span style={{ fontSize: 12, color: COLORS.textMuted, width: 30 }}>🔊

```

```

        <span style={{ fontSize: 12, color: COLORS.textMuted, minWidth: 35 }}
      </div>

      <p style={{ fontSize: 12, color: COLORS.textMuted, marginTop: 12, textA
        🎵 Note: Audio streams when integrated with a backend. This demo show
      </p>
    </Card>
  )}
</div>
);
}

```

```

// — AI HOMEWORK HELPER —————
function HomeworkHelper({ addXP }) {
  const [question, setQuestion] = useState("");
  const [loading, setLoading] = useState(false);
  const [answer, setAnswer] = useState(null);
  const [typed, setTyped] = useState(false);
  const [subject, setSubject] = useState("auto");

  const subjects = ["auto", "Maths", "Science", "English", "Afrikaans", "Business

  const handleAsk = async () => {
    if (!question.trim()) return;
    setLoading(true);
    setAnswer(null);
    setTyped(false);
    const subjectNote = subject !== "auto" ? ` (Subject: ${subject} - South Afric
    try {
      const res = await callAI(
        `Question${subjectNote}: \n\n${question}`,
        `You are a patient, brilliant South African tutor helping a high school s
        Explain step-by-step in simple, clear language.
        Use numbered steps. Give the student encouragement.
        If it's a maths problem, show working clearly.
        Reference South African curriculum where relevant (CAPS).
        End with a quick tip to remember this concept.`
      );
      setAnswer(res);
      addXP(25);
    } catch {
      setAnswer("Couldn't get an answer. Please try again.");
    }
    setLoading(false);
  };

  const examples = [

```

```

    "How do I calculate compound interest?",
    "Explain how a market economy works.",
    "What is the difference between revenue and profit?",
    "How do I solve a quadratic equation?",
  ];

  return (
    <div className="fade-up" style={{ maxWidth: 800, margin: "0 auto" }}>
      <SectionTitle sub="Ask any question and get step-by-step explanations in pl
        AI Homework Helper ◇
      </SectionTitle>

      {/* Subject selector */}
      <div style={{ display: "flex", gap: 6, marginBottom: 14, flexWrap: "wrap" }
        {subjects.map(s => (
          <button
            key={s}
            onClick={() => setSubject(s)}
            style={{
              background: subject === s ? COLORS.goldDim : COLORS.surface,
              border: `1px solid ${subject === s ? COLORS.gold : COLORS.border}`,
              color: subject === s ? COLORS.gold : COLORS.textSub,
              borderRadius: 8, padding: "6px 12px",
              cursor: "pointer", fontSize: 12, fontWeight: 600,
              transition: "all 0.2s ease", textTransform: subject === s ? "capita
            }}
          >
            {s === "auto" ? "🤖 Auto-detect" : s}
          </button>
        ))}
      </div>

      <textarea
        className="textarea-style"
        value={question}
        onChange={e => setQuestion(e.target.value)}
        placeholder="Type your question here or paste a problem you're struggling
        style={{ marginBottom: 10 }}
      />

      {/* Example questions */}
      <!question && (
        <div style={{ display: "flex", gap: 8, marginBottom: 14, flexWrap: "wrap" }
          {examples.map((ex, i) => (
            <button
              key={i}
              onClick={() => setQuestion(ex)}

```

```

        style={{
          background: COLORS.surface, border: `1px solid ${COLORS.border}`,
          color: COLORS.textSub, borderRadius: 8, padding: "6px 12px",
          cursor: "pointer", fontSize: 12, transition: "all 0.2s ease",
        }}
        onMouseEnter={e => e.currentTarget.style.borderColor = COLORS.gold}
        onMouseLeave={e => e.currentTarget.style.borderColor = COLORS.borde
      >
        {ex}
      </button>
    )}}
  </div>
)}

<div style={{ display: "flex", gap: 10, marginBottom: 24 }}>
  <button className="btn-primary" onClick={handleAsk} disabled={loading ||
    style={{ background: loading ? COLORS.gold + "80" : COLORS.gold, color:
      {loading ? <><LoadingSpinner color={COLORS.bg} /> <span style={{ margin
    </button>
    <button className="btn-ghost" onClick={() => { setQuestion(""); setAnswer
  </div>

{answer && (
  <Card className="fade-up" style={{ borderColor: `${COLORS.gold}30` }}>
    <div style={{ display: "flex", alignItems: "center", gap: 8, marginBott
      <div style={{ width: 6, height: 6, borderRadius: "50%", background: C
        <span style={{ fontFamily: "'Syne', sans-serif", fontSize: 13, fontWe
          Step-by-Step Explanation
        </span>
        <span style={{ marginLeft: "auto", fontSize: 11, color: COLORS.textMu
      </div>
    <div style={{ color: COLORS.textSub, lineHeight: 1.8, fontSize: 14, whi
      {!typed ? <AITypingEffect text={answer} onDone={() => setTyped(true)}
    </div>
    <div style={{ marginTop: 16, display: "flex", gap: 8 }}>
      <button className="btn-ghost" style={{ fontSize: 12 }} onClick={() =>
      <button className="btn-ghost" style={{ fontSize: 12 }}><img alt="Save icon" data-bbox="758 738 778 753"/> Save to Not
    </div>
  </Card>
)}
</div>
);
}

// — LANDING PAGE (shown to new users) —————
function Landing({ onEnter }) {
  const features = [

```



```

    { icon: "◆", title: "AI Summarizer", desc: "Transform any notes into clean su
    { icon: "◇", title: "Smart Flashcards", desc: "AI-generated cards with spaced
    { icon: "⌚", title: "Study Timer", desc: "Pomodoro, Deep Focus, Exam Cram mod
    { icon: "🎧", title: "Focus Music", desc: "Lo-fi, classical, rain & nature sou
    { icon: "💡", title: "AI Homework Help", desc: "Step-by-step explanations in p
    { icon: "🏆", title: "Gamification", desc: "XP, badges, streaks & leaderboards
  ];

```

```

return (
  <div style={{ minHeight: "100vh", background: COLORS.bg, overflow: "hidden" }}
    { /* Ambient background */ }
    <div style={{
      position: "fixed", inset: 0, pointerEvents: "none",
      background: `radial-gradient(ellipse 60% 50% at 50% -10%, ${COLORS.accent}
        radial-gradient(ellipse 40% 30% at 80% 80%, ${COLORS.purple})
      }} />

    { /* Nav */ }
    <nav style={{
      position: "fixed", top: 0, left: 0, right: 0,
      background: `${COLORS.bg}E0`, backdropFilter: "blur(20px)",
      borderBottom: `1px solid ${COLORS.border}`,
      padding: "16px 40px", display: "flex", alignItems: "center",
      justifyContent: "space-between", zIndex: 100,
    }}>
      <div style={{ display: "flex", alignItems: "center", gap: 10 }}>
        <div style={{
          width: 32, height: 32, borderRadius: 8,
          background: `linear-gradient(135deg, ${COLORS.accent}, ${COLORS.purple})`,
          display: "flex", alignItems: "center", justifyContent: "center",
          fontSize: 16, fontWeight: 800,
        }}>S</div>
        <span style={{ fontFamily: "'Syne', sans-serif", fontSize: 18, fontWeig
          StudyMind
        </span>
      </div>
      <div style={{ display: "flex", gap: 8 }}>
        <button className="btn-ghost" style={{ fontSize: 13 }}>Log In</button>
        <button className="btn-primary" onClick={onEnter} style={{ fontSize: 13
      </div>
    </nav>

    { /* Hero */ }
    <div style={{ paddingTop: 160, paddingBottom: 100, textAlign: "center", pad
      <div className="fade-up" style={{
        display: "inline-flex", alignItems: "center", gap: 8,
        background: COLORS.accentDim, border: `1px solid ${COLORS.accent}40`,

```

```

        borderRadius: 20, padding: "6px 14px", marginBottom: 24, fontSize: 12,
        color: COLORS.accent, fontWeight: 600,
    }}>
    <span style={{ width: 6, height: 6, borderRadius: "50%", background: CO
    Free for all South African students · Launching 2025
</div>

<h1 className="fade-up-delay-1" style={{
    fontFamily: "'Syne', sans-serif",
    fontSize: "clamp(42px, 8vw, 80px)",
    fontWeight: 800, lineHeight: 1.05,
    letterSpacing: -3, marginBottom: 20,
    background: `linear-gradient(135deg, ${COLORS.text} 0%, ${COLORS.accent
    WebkitBackgroundClip: "text", WebkitTextFillColor: "transparent",
    backgroundClip: "text",
    }}>
    Study Smarter.<br />Not Harder.
</h1>

<p className="fade-up-delay-2" style={{
    fontSize: "clamp(15px, 2.5vw, 18px)", color: COLORS.textSub,
    maxWidth: 520, margin: "0 auto 40px", lineHeight: 1.7,
    }}>
    Your AI study partner built for South African students. Summarize notes
</p>

<div className="fade-up-delay-3" style={{ display: "flex", gap: 12, justi
    <button className="btn-primary" onClick={onEnter} style={{ padding: "14
    🚀 Start Studying Free
    </button>
    <button className="btn-ghost" style={{ padding: "14px 32px", fontSize:
    Watch Demo
    </button>
    </div>

    <p style={{ marginTop: 16, fontSize: 12, color: COLORS.textMuted }}>
    No credit card needed · Works on phone & desktop · CAPS aligned
    </p>
</div>

{/* Features */}
<div style={{ maxWidth: 1000, margin: "0 auto", padding: "0 24px 80px" }}>
    <h2 style={{
        fontFamily: "'Syne', sans-serif", fontSize: 32, fontWeight: 800,
        textAlign: "center", marginBottom: 40, letterSpacing: -1,
    }}>
    Everything you need to{" "}

```

```

    <span style={{ color: COLORS.accent }}>ace your studies</span>
  </h2>
  <div style={{ display: "grid", gridTemplateColumns: "repeat(auto-fit, min
    {features.map((f, i) => (
      <Card key={i} className="card-hover" style={{ padding: "24px 20px" }}
        <div style={{
          width: 40, height: 40, borderRadius: 10,
          background: `${f.color}20`, border: `1px solid ${f.color}30`,
          display: "flex", alignItems: "center", justifyContent: "center",
          fontSize: 20, marginBottom: 14, color: f.color,
        }}>
          {f.icon}
        </div>
        <h3 style={{ fontFamily: "'Syne', sans-serif", fontSize: 16, fontWe
          <p style={{ color: COLORS.textMuted, fontSize: 13, lineHeight: 1.5
        </Card>
      )}}
    </div>
  </div>

  {/* Stats */}
  <div style={{
    background: COLORS.surface, borderTop: `1px solid ${COLORS.border}`,
    borderBottom: `1px solid ${COLORS.border}`, padding: "48px 24px", marginB
  }}>
    <div style={{ maxWidth: 800, margin: "0 auto", display: "grid", gridTempl
      {[
        { value: "100%", label: "Free to Start" },
        { value: "CAPS", label: "SA Curriculum" },
        { value: "6+", label: "Languages Coming" },
        { value: "∞", label: "Summaries" },
      ].map((s, i) => (
        <div key={i}>
          <div style={{ fontFamily: "'Syne', sans-serif", fontSize: 36, fontW
            <div style={{ color: COLORS.textMuted, fontSize: 13, marginTop: 4 }
          </div>
        </div>
      )}}
    </div>
  </div>

  {/* CTA */}
  <div style={{ textAlign: "center", padding: "0 24px 100px" }}>
    <h2 style={{ fontFamily: "'Syne', sans-serif", fontSize: 36, fontWeight:
      The future of studying is here.
    </h2>
    <p style={{ color: COLORS.textMuted, marginBottom: 28, fontSize: 15 }}>Jo
    <button className="btn-primary" onClick={onEnter} style={{ padding: "14px

```

```

       Start for Free →
    </button>
  </div>
</div>
);
}

```

```

// ——— MAIN APP —————
export default function StudyMind() {
  const [showApp, setShowApp] = useState(false);
  const [page, setPage] = useState("dashboard");
  const [xp, setXP] = useState(350);
  const [streak] = useState(7);

  const addXP = (amount) => setXP(p => p + amount);

  const renderPage = () => {
    switch (page) {
      case "dashboard": return <Dashboard xp={xp} streak={streak} setPage={setPage} />;
      case "summarizer": return <Summarizer addXP={addXP} />;
      case "flashcards": return <Flashcards addXP={addXP} />;
      case "timer": return <StudyTimer addXP={addXP} />;
      case "music": return <FocusMusic />;
      case "homework": return <HomeworkHelper addXP={addXP} />;
      default: return <Dashboard xp={xp} streak={streak} setPage={setPage} />;
    }
  };

  if (!showApp) return (
    <>
      <style>{globalStyles}</style>
      <Landing onEnter={() => setShowApp(true)} />
    </>
  );

  return (
    <>
      <style>{globalStyles}</style>
      <div style={{ display: "flex", minHeight: "100vh", background: COLORS.bg }}>
        </* Sidebar */>
        <aside style={{
          width: 220, background: COLORS.surface,
          borderRight: `1px solid ${COLORS.border}`,
          display: "flex", flexDirection: "column",
          padding: 16, position: "fixed", top: 0, left: 0, bottom: 0,
          zIndex: 50,
        }}>

```

```

    {/* Logo */}
    <div style={{ display: "flex", alignItems: "center", gap: 8, marginBott
      <div style={{
        width: 30, height: 30, borderRadius: 8,
        background: `linear-gradient(135deg, ${COLORS.accent}, ${COLORS.pur
        display: "flex", alignItems: "center", justifyContent: "center",
        fontSize: 14, fontWeight: 900, color: COLORS.bg,
      }}>S</div>
      <span style={{ fontFamily: "'Syne', sans-serif", fontSize: 16, fontWe
    </div>

    {/* Nav */}
    <nav style={{ flex: 1, display: "flex", flexDirection: "column", gap: 4
      {NAV_ITEMS.map(item => (
        <div
          key={item.id}
          className={`nav-item ${page === item.id ? "active" : ""}`}
          onClick={() => setPage(item.id)}
        >
          <span style={{ fontSize: 16 }}>{item.icon}</span>
          {item.label}
        </div>
      )))
    </nav>

    {/* XP display */}
    <div style={{
      background: COLORS.accentDim,
      border: `1px solid ${COLORS.accent}30`,
      borderRadius: 12, padding: "12px 14px",
    }}>
      <div style={{ display: "flex", justifyContent: "space-between", margi
        <span style={{ fontSize: 12, fontWeight: 700, color: COLORS.accent
        <span style={{ fontSize: 11, color: COLORS.textMuted }}>Lv.{Math.fl
      </div>
      <div className="progress-bar">
        <div className="progress-fill" style={{ width: `${((xp % 500) / 500
      </div>
    </div>
  </aside>

  {/* Main content */}
  <main style={{ marginLeft: 220, flex: 1, padding: "32px 32px 80px" }}>
    {/* Top bar */}
    <div style={{
      display: "flex", alignItems: "center", justifyContent: "space-between
      marginBottom: 32, paddingBottom: 20, borderBottom: `1px solid ${COLOR

```

```

    >>
    <div>
      <p style={{ fontSize: 11, color: COLORS.textMuted, marginBottom: 2
      <h2 style={{ fontFamily: "'Syne', sans-serif", fontSize: 18, fontWe
        {NAV_ITEMS.find(n => n.id === page)?.label}
      </h2>
    </div>
    <div style={{ display: "flex", alignItems: "center", gap: 12 }}>
      <div style={{
        display: "flex", alignItems: "center", gap: 6, padding: "6px 12px
        background: `${COLORS.rose}15`, border: `1px solid ${COLORS.rose}
        borderRadius: 20, fontSize: 12, color: COLORS.rose, fontWeight: 6
      }}>
        🔥 {streak} day streak
      </div>
      <div style={{
        width: 36, height: 36, borderRadius: "50%",
        background: `linear-gradient(135deg, ${COLORS.accent}, ${COLORS.p
        display: "flex", alignItems: "center", justifyContent: "center",
        fontSize: 14, fontWeight: 800, cursor: "pointer",
      }}>K</div>
    </div>
  </div>

  {renderPage()}
</main>
</div>
</>
);
}

```