

Unofficial Translation

Notification of the Ministry of Public Health

(No. 462) B.E. 2568 (2025)

Issued by the virtue of Food Act B.E. 2522 (1979)

Re: Drinking Water in Sealed Containers

Whereas it is deemed appropriate to amend the Notification of Ministry of Public Health Re: Drinking Water in Sealed Containers.

By virtue of the provisions of Section 5 first paragraph and Section 6 (3) (5) (6) (7) (8) and (10) of the Food Act B.E. 2522 (1979), the Minister of Public Health issues the Notification as follows:

Clause 1 This Notification shall come into force from the day following the date of its publication in the Government Gazette.

Clause 2 The following notifications shall be repealed:

(1) The Notification of Ministry of Public Health No. 61 (B.E. 2524 (1981)) Re: Drinking Water in Sealed Containers, dated 7th September, B.E. 2524 (1981),

(2) The Notification of Ministry of Public Health No. 135 (B.E. 2534 (1991)) Re: Drinking Water in Sealed Containers (No. 2), dated 26th February, B.E. 2534 (1991),

(3) The Notification of Ministry of Public Health (No. 256) B.E. 2545 (2002) Re: Drinking Water in Sealed Containers (No. 4), dated 30th May, B.E. 2555 (2002),

(4) The Notification of Ministry of Public Health (No. 284) B.E. 2557 (2014) Re: Drinking Water in Sealed Containers (No. 5), dated 10th November, B.E. 2557 (2014),

(5) The Notification of Ministry of Public Health Re: Drinking Water in Sealed Containers (No. 6), dated 23rd April, B.E. 2553 (2010).

Clause 3 Drinking water in sealed containers shall be prescribed as food to have qualities and standards.

Clause 4 In this Notification:

"Drinking water in sealed containers" means water for drinking that is packed in sealed containers or bottled water, and shall include "Waters defined by origin" and "Water containing dissolved carbon dioxide gas", but shall not include natural mineral water under the Notification of Ministry of Public Health concerning natural mineral water.

"Waters defined by origin" means drinking water in sealed containers which come from specific environmental sources, whether they come from the underground or from the surface. They have unique composition of substances (essential elements) and they are not passed through a community water system, and are subject to any modification or treatment other than those permitted under Clause 5.

Clause 5 Modifications or treatments of water defined by origin can be carried out using any one or a combination of the following methods as necessary, provided that the essential or unique composition of the substances of that water is not altered:

- (1) reduction and/or elimination of dissolved gases;
- (2) addition of carbon dioxide or re-incorporation of the original carbon dioxide present at emergence;
- (3) reduction and/or elimination of unstable constituents such as iron, manganese, sulphur compounds and carbonates in excess, under normal conditions of temperature and pressure, of the calco-carbonate equilibrium;
- (4) addition of air or oxygen;
- (5) reduction and/or separation of elements or radioactivity originally present in excess of maximum level.

Clause 6 Drinking water in sealed containers must have the following quality or standards:

- (1) Physical properties;
 - (a) Color must not exceed 15 Hazen units or Platinum-Cobalt;
 - (b) Odor must be odorless, except for water used in food production processes, which may have a chlorine odor and a free chlorine content not exceeding 5 milligrams per liter;
 - (c) Turbidity must not exceed 4 silica scale or NTU (Nephelometric turbidity units);
 - (d) pH must not exceed 8.5, except for water defined by origin;

For water used in food production (as ingredient or direct contact with food), the pH must be between 6.5–8.5;

- (2) Chemical properties;
 - (a) Total dissolved solids must not exceed 500 milligrams per liter;
 - (b) Total hardness (calculated as Calcium Carbonate) must not exceed 100 milligrams per liter, except for water defined by origin;
 - (c) Contaminants must not exceed the maximum level specified in the attached schedule of this Notification.

Other contaminants must not exceed the guideline values according to the [World Health Organization Guidelines for drinking-water quality](#) (latest edition), or the acceptable levels conducted based on the principles or guidelines regarding contaminants in food or feed of the [Codex Committee on Contaminants in Foods and Feeds](#).

(3) Microbiological properties;

(a) Coliform bacteria must less than 1.1 per 100 milliliters by the MPN method;

(b) *E. coli* must less than 1.1 per 100 milliliters by the MPN method;

(c) Pathogenic microorganisms must comply with the requirement specified in [the Notification of Ministry of Public Health concerning standards for pathogenic microorganisms](#).

Clause 7 The use of food additives shall comply with the requirement specified in [the Notification of Ministry of Public Health regarding food additives](#).

Clause 8 Producers or importers of drinking water in sealed containers for sale must comply with Good Manufacturing Practices specified in Notification of Ministry of Public Health regarding [Food Production Processes, Processing Equipment/ Utensils and Storage Practices](#).

Clause 9 The containers or packaging used for drinking water in sealed containers, in addition to complying with [the Notification of Ministry of Public Health concerning the prescribed quality or standards for containers](#), and must be sealed properly to prevent adulteration and contamination.

Clause 10 The labeling of drinking water in sealed containers shall be displayed as follows:

(1) Comply with [the Notification of the Ministry of Public Health regarding the Labeling of Prepackaged Foods](#); This shall exclude the display of labels without using labeling materials and printing ink on the container (excluding cap) which shall not be required to display the information in contrasting color, At least these following information must be displayed on the container;

(a) Name of the food, or trademark, commercial mark, or registered trademark.

(b) Food serial number.

(c) Net volume.

(d) Day, month and year or month and year of manufacturing dates with the statement "MFD" or "MFG" affixed, or day, month and year or month and year of best before with the statement "BB", "BF" or "BBE" affixed, or day, month and year or month and year of expiration dates with the statement "EXP" or "EXD" affixed.

The provisions in (d) shall apply to bottled water with labels using printing ink or using labeling material according to the Notification of Ministry of Public Health regarding Labeling of Prepackaged Foods.

(2) The display of labels or symbols without using labeling material and printing ink on the container (excluding cap), shall display all information prescribed in the Notification of Ministry of Public Health regarding Labeling of Prepackaged Foods, and the statements specified in (4) and (5), as the case may be, with a digital label on the lid, except for manufacturing dates, best before, or expiration dates.

(3) The display of food information with a digital label according to (2) must be accessible at all times and the system must be controlled to operate continuously.

(4) The following statements, as the case may be, shall be displayed:

(a) The geographic location of the specific environmental resource and/or the source of a water defined by origin, with or without specifying the total dissolved solids or chemical composition to indicate the unique identity of the water source.

(b) "Carbonated" or similar statement for drinking water in sealed containers where carbon dioxide spontaneously and visibly is given off under normal conditions and the carbon dioxide does not entirely originate from the same source as that of the water at emergence.

(c) "Naturally Carbonated" or similar statement for water defined by origin, which after packaging, carbon dioxide spontaneously and visibly is given off under normal conditions and the carbon dioxide come from the source at emergence and is present at the same level as was present originally.

(d) "Fortified with carbon dioxide from originating source" for water defined by origin, where after packaging, carbon dioxide spontaneously and visibly is given off under normal conditions and the carbon dioxide originates from the source at emergence but is present at a level higher than the quantity present originally at emergence, with a possible re-incorporation of gas from the same source.

(5) The following statements may be displayed, as the case may be:

(a) "Non-carbonated" or similar statement for drinking water in sealed containers that does not contain carbon dioxide gas.

(b) Water quality improvement process or disinfection process.

Clause 11 The display of names, trademarks, statements on labels, or advertisements for drinking water in sealed containers shall not use statements in the following manner:

(1) Claims concerning medicinal (preventive, alleviative or curative). Claims of other beneficial effects related to the health shall be made according to [the Notification of Ministry of Public Health regarding Health Claims](#).

(2) Statements, images, or others that cause misunderstanding regarding the nature, source, composition, or properties of the water.

(3) For water defined by origin, local names, villages, or any specific location must not be displayed as part of the name or commercial mark if that water is not originated from that place.

Clause 12 Producers or importers of drinking water in sealed containers who have been licensed under the conditions of the Ministry of Public Health Announcement No. 61 (B.E. 2524) Re: Drinking Water in Sealed Containers, dated 7th September B.E. 2524 (1981), and its amendments, and producers or importers of carbonated water who have been licensed under the conditions of the Ministry of Public Health Announcement (No. 356) B.E. 2556 (2013) Re: Beverages in Sealed Containers, dated 26th June B.E. 2556 (2013), and its amendments, who have granted permission before the date this notification comes into force, including food producers who use water as an ingredient or for producing the food, must comply with this Notification within two years from the date this notification comes into force.

Given on November 28, B.E. 2568 (2025)

Mr. Pattana Phromphat

Minister of Public Health

The schedule attachment to the Notification of the Ministry of Public Health (No. 462) B.E. 2568

Issued by the virtue of Food Act B.E. 2522 (1979)

Re: Drinking Water in Sealed Containers

Maximum levels of contaminants

Contaminants ¹		Maximum Level	
1. Inorganic Substances			
1.1	Antimony	0.02	Milligrams per liter
1.2	Arsenic	0.01	Milligrams per liter
1.3	Barium	0.7	Milligrams per liter
1.4	Boron	2.4	Milligrams per liter
1.5	Cadmium	0.003	Milligrams per liter
1.6	Chromium, total	0.05	Milligrams per liter
1.7	Copper	2	Milligrams per liter
1.8	Fluoride ²	0.7	Milligrams per liter
1.9	Inorganic mercury	0.006	Milligrams per liter
1.10	Lead	0.01	Milligrams per liter
1.11	Manganese, total	0.08	Milligrams per liter
1.12	Nickel	0.07	Milligrams per liter
1.13	Nitrate (calculated as NO ₃)	50	Milligrams per liter
1.14	Nitrite (calculated as NO ₂)	3	Milligrams per liter
1.15	Selenium	0.04	Milligrams per liter
1.16	Uranium	0.03	Milligrams per liter
2. Organic chemicals and Volatile organic chemicals (VOC's)			
2.1	Acrylamide)	0.5	Micrograms per liter
2.2	Benzene	0.01	Milligrams per liter
2.3	Toluene	0.7	Milligrams per liter

Contaminants ¹		Maximum Level	
2.4	Ethylbenzene	0.3	Milligrams per liter
2.5	Xylenes, total	0.5	Milligrams per liter
2.6	Di (2-ethylhexyl) phthalate (DEHP)	8	Micrograms per liter
2.7	Vinyl chloride	0.3	Micrograms per liter
2.8	Styrene	0.02	Milligrams per liter
2.9	Carbon tetrachloride	0.004	Milligrams per liter
2.10	1,2-dichloroethane	0.03	Milligrams per liter
2.11	1,2-dichloroethene	0.05	Milligrams per liter
2.12	Dichloromethane	0.02	Milligrams per liter
2.13	Trichloroethene	8	Micrograms per liter
2.14	Tetrachloroethene	0.1	Milligrams per liter
3. Pesticides			
3.1	Atrazine	2	Micrograms per liter
3.2	Carbofuran	7	Micrograms per liter
3.3	Chlorpyrifos	30	Micrograms per liter
3.4	DDT and metabolites	1	Micrograms per liter
3.5	2,4-D	30	Micrograms per liter
3.6	Glyphosate-isopropyl ammonium	0.09	Milligrams per liter
3.7	Paraquat dichloride	10	Micrograms per liter
4. Disinfectant, Derivatives, or Disinfection By-Products			
4.1	Bromate	0.01	Milligrams per liter
4.2	Chlorate	0.7	Milligrams per liter
4.3	Chlorite	0.7	Milligrams per liter
4.4	Chloroform	0.3	Milligrams per liter
4.5	Bromo dichloromethane	0.06	Milligrams per liter

Contaminants ¹		Maximum Level	
4.6	Di-bromochloromethane	0.1	Milligrams per liter
4.7	Bromoform	0.1	Milligrams per liter

Note:

¹ Surveillance or monitoring may be conducted based on the risk of chemical contamination in water sources as follows:

- (1) Drinking water with water sources located in forest conservation areas or categorized as Type 1 surface water according to the Notification of the National Environment Board: Analysis of contaminants may be limited to the items specified in Clause 1,
- (2) Drinking water with water sources located in urban, commercial, or industrial areas, or categorized as Type 4 or Type 5 surface water according to the Notification of the National Environment Board: Analysis of contaminants may be limited to the items specified in Clause 1 and Clause 2,
- (3) Drinking water with water sources located in rural or agricultural areas, or categorized as Type 2 or Type 3 surface water according to the Notification of the National Environment Board: Analysis of contaminants may be limited to the items specified in Clause 1 and Clause 3.
- (4) Drinking water sourced from a public water supply or where disinfectants are used: In addition to the analysis required under Clause 1, 2, or 3 (as the case may be), analysis according to Clause 4 must also be conducted.

² Water used in food production processes shall contain fluoride in an amount not exceeding 1.5 milligrams per liter.