

Upgrade Rudermann Template 1.1.2 to 1.1.3

1. Unpackage archive twitter-api-1.1.zip to /js/.

2. Open index.html (index-cute.html, 404.html) and find

```
<div class="span4">
    <div id="twitter-feed"></div>
    <hr class="visible-phone">
</div>
```

replace to

```
<div class="span4">
    <h5>Latest tweets <a class="hidden-tablet" href="http://twitter.com/username"
target="_blank">@username</a></h5>
    <div id="twitter-feed"></div>
    <hr class="visible-phone">
</div>
```

3. Find

```
<script src="js/last-tw.js"></script><!-- Twitter Feed -->
<script>
    $(window).load(function(){
        loadScript("https://api.twitter.com/1/statuses/user_timeline/username.json?
callback=twitterCallback2&count=2");
    })
</script>
```

replace to

```
<script src="js/twitter/jquery.tweet.js"></script><!-- Twitter Feed -->
<script src="js/twitter-options.js"></script><!-- Twitter Feed Options -->
```

4. Open countdown.html and find

```
<section class="container">
    <div class="row">
        <div id="twitter-feed"></div>
    </div>
</section>
```

replace to

```
<section class="container">
    <div id="countdown-twitter">
        <div class="row">
            <div class="span12">
                <h5>Latest tweets <a class="hidden-tablet" href="http://
twitter.com/envato" target="_blank">@envato</a></h5>
```

```

        </div>
    </div>
    <div class="twitter-cdwn"></div>
</div>
</section>

```

5. Find

```

<script src="js/countdown/last-tw.js"></script>
<script>
    $(window).load(function(){
        loadScript("https://api.twitter.com/1/statuses/user_timeline/username.json?
callback=twitterCallback2&count=3");
    })
</script>

```

replace to

```

<script src="js/countdown/twitter/jquery.tweet.js"></script><!-- Twitter Feed -->
<script src="js/countdown/twitter-options.js"></script><!-- Twitter Feed Options -->

```

6. Open /css/layout.css and find

```

#twitter-feed .tweet-date { display: block; color: #4e5257; font-size: 12px; margin-top:
6px; }
    #twitter-feed p { margin-bottom: 6px; }
        #twitter-feed p a { font-weight: 200; }
    #twitter-feed .tweet-date { margin-bottom: 22px; }

```

replace to

```

#twitter-feed .tweet-date a { display: block; color: #4e5257; font-size: 12px; margin-
top: 6px; font-weight: normal; margin-bottom: 8px; }
#twitter-feed .tweet a { font-weight: 200; }
#twitter-feed .tweet_list { margin: 0;}
#twitter-feed .tweet_list li { display: block; margin-bottom: 16px; }

.twitter-cdwn .tweet-date a { display: block; color: #4e5257; font-size: 12px; margin-
top: 6px; font-weight: normal; margin-bottom: 8px; }
.twitter-cdwn .tweet a { font-weight: 200; }
.twitter-cdwn .tweet_list li { display: block; margin-bottom: 16px; }

```

7. Open /css/countdown.css and find

```

#twitter-feed {
    margin-top: 70px;
}

#twitter-feed .tweet-date {
    margin-bottom: 0px;
}

```

replace to

```
#countdown-twitter {  
    margin-top: 70px;  
}
```

8. Find

```
#twitter-feed {    margin-top: 20px; }
```

replace to

```
#countdown-feed { margin-top: 20px; }
```