

Sample Received  
on 23-03-23



ACI Limited

076/03/23

TITLE : SAMPLE APPR

Deslorin®  
Desloratadine

Syrup

Each 5 ml contains  
Desloratadine BP 2.5 mg

60 ml

\* color to be 5%  
more deeper

07-07-23

ডেসলরিন®  
ডেসলোরাটাদিন

সিরাপ

প্রতি ৫ মিলিলিতে আছে  
ডেসলোরাটাদিন বিপি ২.৫ মিগ্রা

Keep away from the reach of children. Store in a cool (below 30°C) & dry place protected from light. To be taken and sold only on the prescription of a registered physician.

® Registered Trade Mark



Advanced Chemical  
Industries Limited  
7, Hajeegonj Road, Godnol  
Narayanganj, Bangladesh

শিশুর নাপালের বাইরে রাখুন। আলো থেকে দূরে, ঠান্ডা (৩০°C-এ, এর নিচে) ও শুষ্ক স্থানে রাখুন। কেবলমাত্র রেজিস্টার্ড চিকিৎসকের ব্যবস্থাপনায় অস্বাভাবিক ব্যবহার ও বিক্রয়যোগ্য।

Mfg. Lic. No. 51 & 213  
MA No. 005-408-021

Name of Materials: DESLORIN SYRUP 60ML AUTO LABEL			
Reference No.	230100159	Code #	010178/B
Usage : Intended Product		Material Specification	
Business Unit :	Pharma	Expected Approval Date	24-Mar-2023
SL.	Proposed Manufacturer	Supplier (if different from manufacturer)	Local Agent
	Same As Supplier	Best Printers Limited	N/A

Purchase Mode	<input checked="" type="checkbox"/> Direct from manufacturer	<input type="checkbox"/> Direct from manufacturer via supplier / local agent
---------------	--	--

<input checked="" type="checkbox"/> New	<input checked="" type="checkbox"/> Development	<input type="checkbox"/> Specimen	<input type="checkbox"/> PreShipment
<input type="checkbox"/> Alternative (if alternative please fill following information)	<input type="checkbox"/> API	<input type="checkbox"/> Excipient	<input checked="" type="checkbox"/> PM

Present Major Approve Sources (use extra sheet, if required)	
1.	
2.	
3.	
4.	
5.	
Justification to select this vender (use extra sheet, if required)	
N/A	

S/N	Name of Item	Quantity	Comments
	Samples	a) Lot #	0 PCS
		b) Lot #	0 PCS
		c) Lot #	0 PCS
		<input checked="" type="checkbox"/>	
Others			
Working Standard		N/A	
Remarks		N/A	

Note: Do not send any samples to QAD unless Questionnaires, MSDS, Stability data & GMP certificate are ready

Initiated by:	Md. Mahid Faisal	Date:	21-Mar-2023	Signature:
Head of the Dept.	Syed Md. Khalilullah	Date:		Signature:

Form no:

QC-005-03/05

08-07-23