



Academia Web Joedayz
2012

Hace 3 años

Ligero




Facil de usar



Solo 1 Jar

1.7 ~ mb




No requiere
dependencias



Zero configuración

¿Quién lo usa?



Primefaces Jobs, Employment | Indeed.com

Re: [I-plug] server de... denissemq/SINSENIO... CentOS < VirtualBox... Download VirtualBox... prohibido xml - Busc... Primefaces Jobs, Emp...

www.indeed.com/q-Primefaces-jobs.html

Find Jobs Find Resumes Employers Post your resume Sign in

indeed one search. all jobs.

what: where:

Primefaces

job title, keywords or company city, state, or zip

Find Jobs Advanced Job Search

Primefaces jobs

Get new jobs for this search by email

Jobs 1 to 10 of 73

I got a job! 50,000+ stories

Sort by: relevance - date

▼ Salary Estimate

- \$50,000+ (66)
- \$70,000+ (50)
- \$90,000+ (22)
- \$110,000+ (11)
- \$130,000+ (3)

► Title

► Company

► Location

► Job Type

► Employer/Recruiter

Java Programmer
Dean's Professional Services – Smith & Dean Inc. - Houston, TX 77225 (Medical area)
Design document, and code a Web Application using Java Server Faces, Facelets, PrimeFaces, JDBC, SQL, and MS SQL Server....
Dean's Professional Services – Smith & Dean Inc. - 2 days ago - [save job](#) - [block](#) - [email](#) - [more...](#)

Java Programmer
SoftTec Solutions - Houston, TX
The bill rate range would be 55-65. Three and a half years of programming experience.
Bachelor's degree in computer science or related field, or relevant...
HealthcareITCentral.com - 22 hours ago - [save job](#) - [block](#) - [email](#) - [more...](#)

Software Engineer
Key Business Solutions, Inc. - Beaverton, OR
Leverage third party frameworks as much as possible (Hibernate, PrimeFaces, Seam, etc).
Thank You. Please accept our apologies and reply in the subject heading...
[Indeed apply](#) Easily apply to this job
Key Business Solutions, Inc. - 2 days ago - [save job](#) - [block](#) - [email](#) - [more...](#)

Apps Systems Engineer
Advantage Technical Resourcing - Boise, ID
Standardize/Optimize/Modernize thick client and web client consisting of 3,000 Java classes containing 250,000 lines of code. Use Eclipse IDE....
Advantage Technical Resourcing - 2 days ago - [save job](#) - [block](#) - [email](#) - [more...](#)

Email this search to a friend:
From my email address
To email address
Add a message (optional)
Send

En el mundo

Get primefaces Jobs -- oDesk

Re: [I-plug] server de... denissemq/SINSENIOS... CentOS + VirtualBox... Download VirtualBox... prohibido xml - Busc... Get primefaces Jobs ...

oDesk Corporation (US) https://www.odesk.com/o/jobs/browse/skill/primefaces/ Google

oDesk
Love the way you work.

Hire Contractors Find Work How It Works Log in Sign up

What kind of job are you looking for? Search

primefaces Jobs – 1 was found based on your criteria

Categories Newest Jobs First

All Categories


- Web Development (1)
- Software Development
- Networking & Information Systems
- Writing & Translation
- Administrative Support
- Design & Multimedia
- Customer Service
- Sales & Marketing
- Business Services

JEE6 Primefaces UI

Hourly – 3 to 6 months – 10-30 hrs/week – Posted Aug 7, 2012

The extension of a JEE6 / Primefaces / JPA / CDI user interface which is the core product for a SaaS business in the transport industry. As a specification I have: - UI mockups in balsamiq (www.balsamiq.com) - entity class diagrams / data dictionary in Visual Paradigm If you have relevant experience and are interested, please message me. Some answers to questions asked about the test project: - I am looking for a price for implementing the test project, working hours and rate as well ...

primefaces jpa java jee saas balsamiq test mysql



En el mundo

PrimeFaces (primefaces) on Twitter

Carlos says... CentOS - VirtualBoxes - Free Vi... prohibido xml - Buscar con Goo... PrimeFaces (primefaces) on Twi...

Twitter, Inc. (US) | https://twitter.com/primefaces

Search Have an account? Sign in

PrimeFaces
@primefaces
Ultimate JSF Component Suite
Turkiye - <http://www.primefaces.org>

Follow
1,310 TWEETS
0 FOLLOWING
2,796 FOLLOWERS

Follow PrimeFaces

Full name
Email
Password
Sign up


Tweets

JAXenter.com @JAXenterCOM 6 Sep
We talked to Optimus Prime himself (@cagataycivici) about all the recent developments at @primefaces HQ jaxenter.com/an-audience-wi... #jsf
Retweeted by PrimeFaces
Expand


PrimeFaces @primefaces 6 Sep
Next Public JSF2-PrimeFaces Training in Paris, France, 10-11-12 October. blog.ippon.fr/2012/08/21/for...
Expand

Markus Eisele @myfear 5 Sep
[blog] #PrimeFaces Push with #Atmosphere on #GlassFish 3.1.2.2 goo.gl/fb/jPDzA
Retweeted by PrimeFaces
Expand

PrimeFaces @primefaces 5 Sep
PrimeFaces Forum reaches 73,000 posts. Almost 150 posts just



En el mundo



Popularidad



Global



UI Components

- ✓ Over 100 JSF Components
- ✓ Flexible and Easy to Use
- ✓ Built-in Ajax
- ✓ Theme Aware
- ✓ HTML5 Support

100 + UI components

The screenshot shows a web browser window with three tabs open: "Inbox (1) - jamdiazdiaz@gmail.com", "CentOS » VirtualBoxes - Free Vi...", and "PrimeFaces - ShowCase". The active tab displays the PrimeFaces Showcase website at www.primefaces.org/showcase/ui/home.jsf. The page features a navigation bar with the PrimeFaces logo, links for PrimeUI, PrimeMobile, PrimePush, and Mock OS X, and a search bar with the query "aristo". On the left, there's a sidebar with categories: "Ajax Core" (Basics, Partial Processing, RemoteCommand, Partial Submit, Validations), "Input" (AutoComplete, BooleanButton, BoolCheckbox, Calendar, CheckboxMenu, ColorPicker, Editor, Inplace), "Button" (Button, CommandButton, CommandLink, SplitButton), and "Data" (Carousel, DataExporter, DataList, DataGrid, DataTable, GMap, Mindmap, PickList, OrderList, Sheet, Ring, Schedule, TagCloud, Tree, TreeTable). The main content area is titled "Welcome to PrimeFaces ShowCase" and describes the suite as a lightweight open source component suite for Java Server Faces 2.0 featuring 100+ rich set of JSF components. It highlights the PrimeFaces Mobile module, native Ajax support, built-in themes, extensive documentation, and a large user community.

PrimeFaces - ShowCase

Inbox (1) - jamdiazdiaz@gmail.com

CentOS » VirtualBoxes - Free Vi...

PrimeFaces - ShowCase

www.primefaces.org/showcase/ui/home.jsf

PrimeUI PrimeMobile PrimePush Mock OS X

aristo

PRIME FACES

Ajax Core

- Basics
- Partial Processing
- RemoteCommand
- Partial Submit
- Validations
- Selectors
- Polling
- AjaxStatus
- Events
- Selects
- Listeners
- Counter

Input

- AutoComplete
- BooleanButton
- BoolCheckbox
- Calendar
- CheckboxMenu
- ColorPicker
- Editor
- Inplace
- InputMask
- InputText
- InputTextarea
- Keyboard
- ManyButton
- ManyMenu
- ManyCheckbox
- OneButton
- OneMenu
- OneListbox
- OneRadio
- Password
- Rating
- Spinner
- Slider

Button

- Button
- CommandButton
- CommandLink
- SplitButton

Data

- Carousel
- DataExporter
- DataList
- DataGrid
- DataTable
- GMap
- Mindmap
- PickList
- OrderList
- Sheet
- Ring
- Schedule
- TagCloud
- Tree
- TreeTable

Welcome to PrimeFaces ShowCase

PrimeFaces is a lightweight open source component suite for Java Server Faces 2.0 featuring 100+ rich set of JSF components. Additional PrimeFaces Mobile module features a UI kit for developing mobile web applications.

- Rich set of components (HtmlEditor, Dialog, AutoComplete, Charts and many more).
- Built-in Ajax based on standard JSF 2.0 Ajax APIs.
- Lightweight, one jar, zero-configuration and no required dependencies.
- Native Ajax Push/Comet support.
- Mobile UI kit to create mobile web applications for handheld devices.(iPhone, Palm, Android, Blackberry, Windows Mobile and more)
- Skinning Framework with 30+ built-in themes and support for visual theme designer tool.
- Extensive documentation with 450+ pages of User's Guide.
- Large, vibrant and active user community.
- Developed with "passion" from application developers to application developers.

Showcase

CSS

JS

AJAX

Keep Flexibility

```
<p:tabView onTabChange="handleTabChange()">  
    <p:ajax event="change" listener="#{bean.onTabChange}" update="comp" />  
    //tabs  
</p:tabView>
```

CSS
Override

JS
API

Client
Callbacks

Ajax
Callbacks

Oculta la complejidad

Anatomy of a Component

Page

```
<p:schedule id="sch" value="#{bean.model}" editable="true" />
```

Markup

```
<div id="sch"></div>
```

Script

```
<script type="text/javascript">  
    PrimeFaces.cw('Schedule', 'widgetVar', {id:'sch', editable:true});  
</script>
```



Anatomía de Comp.


ARIA Attributes

Keyboard/Mouse



role="tablist" aria-expanded="true"

▼ Godfather Part I role="tab" aria-expanded="true"

 role="tabpanel" aria-hidden="false"


The story begins as Don Vito Corleone, the head of a New York Mafia family, oversees his daughter's wedding. His beloved son Michael has just come home from the war, but does not intend to become part of his father's business. Through Michael's life the nature of the family business becomes clear. The business of the family is just like the head of the family, kind and benevolent to those who give respect, but given to ruthless violence whenever anything stands against the good of the family.

► Godfather Part II role="tab" aria-expanded="false"

► Godfather Part III role="tab" aria-expanded="false"

role="tabpanel" aria-hidden="true"

Accesibilidad



HTML5

PrimeFaces Ajax



AJAX Framework


- ✓ Based on JSF APIs
- ✓ Declarative Updates
- ✓ Extensions

Server APIs: Standard JSF 2

Client APIs:



Ajax Extensions



p:ajax

oncomplete

onerror

onstart

onsuccess

async

global

f:ajax

onevent

onerror

AjaxStatus

Declarative

```
<p:ajaxStatus>
    <f:facet name="start">
        <p:graphicImage value="fancyanimation.gif" />
    </f:facet>
    <f:facet name="complete">
        <h:outputText value="Request Completed" />
    </f:facet>
</p:ajaxStatus>
```

Programmatic

```
<p:ajaxStatus onstart="dialog.show()" oncomplete="dialog.hide()" />
```

Global

```
<p:commandButton global="true|false" />
```

RequestContext - Scripts

Page

```
<p:commandButton value="Submit" action="#{bean.save}" />  
<p:dialog widgetVar="dialogWidget" ... />
```

Bean

```
public void save() {  
    RequestContext rc = RequestContext.getCurrentInstance();  
    rc.execute("dialogWidget.hide()");  
}
```

RequestContext - Update

Page

```
<p:commandButton value="Submit" action="#{bean.save}" />  
<h:outputText id="val" value="#{bean.property}" />
```

Bean

```
public void save() {  
    RequestContext rc = RequestContext.getCurrentInstance();  
    rc.addPartialUpdateTarget("val");  
}
```

Or

```
<p:commandButton value="Submit" action="#{bean.save}"  
    update="val" />  
  
<h:outputText id="val" value="#{bean.property}" />
```

RequestContext - Scroll

Page

```
<p:commandButton value="Submit" action="#{bean.save}" />  
<h:outputText id="val" value="#{bean.property}" />
```

Bean

```
public void save() {  
    RequestContext rc = RequestContext.getCurrentInstance();  
    rc.scrollTo("val");  
}
```

AutoUpdate

```
<p:growl id="messages" />  
  
<p:commandButton value="Save" update="messages" />  
<p:commandButton value="Update" update="messages" />  
<p:commandButton value="Delete" update="messages" />
```

becomes

```
<p:growl id="messages" autoUpdate="true"/>  
  
<p:commandButton value="Save" />  
<p:commandButton value="Update" />  
<p:commandButton value="Delete" />
```

PartialSubmit

False

Post

Data:javax.faces.partial.ajax=true&javax.faces.source=fo
rm%3Aj_idt18&javax.faces.partial.execute=form
%3Aname&javax.faces.partial.render=form
%3Adisplay&form%3Aj_idt18=form
%3Aj_idt18&form=form&form%3Aname=&form
%3Aj_idt20=&form%3Aj_idt22=&form%3Aj_idt24=&form
%3Aj_idt26=&form%3Aj_idt28=&form%3Aj_idt30=&form
%3Aj_idt32=&form%3Aj_idt34=&form%3Aj_idt36=&form
%3Aj_idt38=&form%3Aj_idt40=&form%3Aj_idt42=&form
%3Aj_idt44=&form%3Aj_idt46=&form%3Aj_idt48=&form
%3Aj_idt50=&form%3Aj_idt52=&form%3Aj_idt66=&form
%3Aj_idt68=&form%3Aj_idt70=&form%3Aj_idt72=&form
%3Aj_idt74=&form%3Aj_idt76=&form%3Aj_idt78=&form
%3Aj_idt80=&form%3Aj_idt82=&form%3Aj_idt84=&form
%3Aj_idt86=&form%3Aj_idt88=&form%3Aj_idt90=&form
%3Aj_idt92=&form%3Aj_idt94=&form%3Aj_idt96=&form
%3Aj_idt98=&javax.faces.ViewState=7916482521909421
21983%3A-2156051337299048496

>CONFESS_2012

True


Post

Data:javax.faces.partial.ajax=true&javax.faces.source=for
m%3Aj_idt18&javax.faces.partial.execute=form
%3Aname&javax.faces.partial.render=form
%3Adisplay&form%3Aj_idt18=form
%3Aj_idt18&form=form&form
%3Aname=&javax.faces.ViewState=7916482521909421
983%3A-2156051337299048496

PrimeFaces Selectors (PFS)

```
update="@form"  
update="@form.first"  
update="@.myStyle"  
update="@.ui-datatable"  
update="@:input:not(select)"  
update="@:input:disabled"
```

Resource Handling





Themes



Install a Theme

Add primefaces-{themename}.jar



Configure

```
<context-param>
    <param-name>primefaces.THEME</param-name>
    <param-value>{themename}</param-value>
</context-param>
```

Roll Your Own



Advanced Themes

Select

Simple AccordionPanel

Multiple Selection

TabChange Listener

TabChange Listener


Tab 1 Tab 2 Tab 3

Lore ipsum dolor sit amet, consectetur adipiscing elit. Praesent non lorem ut metus pellentesque aliquam. Vivamus pulvinar dapibus risus, in ultricies purus posuere sit amet. Quisque molestie ligula et lectus venenatis a porta purus interdum. Proin iaculis sollicitudin tempus. Ut gravida, magna vehicula auctor rutrum, sapien orci rhoncus purus, vitae congue dui magna at justo. Nullam posuere iaculis tellus iaculis sodales. Nunc hendrerit orci eget metus tempor ullamcorper. Aenean molestie turpis id ligula facilisis et ultricies eros consectetur.

Button Button

Button Button

Button Button



New person

Firstname

Surname

remember

NOVEMBER • 2011

MON	TUE	WED	THU	FRI	SAT	SUN
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	1	2	3	4





<http://blog.primefaces.org>

<http://goo.gl/4GQEu>

Gracias, por su atención.