Bibliography

Aharonov, Y. & J. Anandan, Phys. Rev. Lett. **58 (16)**, 1593 (1987). "Phase Change During a Cyclic Quantum Evolution". DOI: 10.1103/PhysRevLett.58.1593

Anandan, J., Physics Letters A **133 (4-5)**, 171 (1988). "Non-adiabatic non-abelian geometric phase". DOI: 10.1016/0375-9601(88)91010-9

Aspect, A., P. Grangier, & G. Roger, Phys. Rev. Lett. **47 (7)**, 460 (1981). "Experimental Tests of Realistic Local Theories via Bell's Theorem".

Barenco, A., C. H. Bennett, R. Cleve, *et al.*, Physical Review A **52 (5)**, 3457 (1995). "Elementary gates for quantum computation". DOI: 10.1103/physreva.52.3457 arXiv:quant-ph/9503016

Bell, J. S., Rev. Mod. Phys. **38 (3)**, 447 (1966). "On the Problem of Hidden Variables in Quantum Mechanics".

Bennett, C. H. & S. J. Wiesner, Phys. Rev. Lett. **69 (20)**, 2881 (1992). "Communication via one- and two-particle operators on Einstein-Podolsky-Rosen states".

Bergou, J. A., U. Herzog, & M. Hillery, "Discrimination of Quantum States," in Paris & Rehacek (2004), Chap. 11, pp. 417–465. DOI: 10.1007/978-3-540-44481-7_11

Berry, M. V., Proc. R. Soc. London A **392**, 45 (1984). "Quantal Phase Factors Accompanying Adiabatic Changes".

Blum, K., *Density Matrix Theory and Applications*, Vol. 64 of *Springer Series on Atomic, Optical, and Plasma Physics* (Springer Berlin Heidelberg, 2012), 3rd ed., ISBN 978-3-642-20560-6.

Born, M., Z. Phys. **37 (12)**, 863 (1926). "Zur Quantenmechanik der Stoßvorgänge".

Breuer, H.-P. & F. Petruccione, *The Theory of Open Quantum Systems* (Oxford University Press, New York, 2002).

Caves, C. M., Phys. Rev. D **23 (8)**, 1693 (1981). "Quantum-mechanical noise in an interferometer".

Chefles, A., "Quantum States: Discrimination and Classical Information Transmission.A Review of Experimental Progress," in Paris & Rehacek (2004), Chap. 12, pp. 467–511. DOI: 10.1007/978-3-540-44481-7_12

Chiaverini, J., Science **308 (5724)**, 997 (2005). "Implementation of the Semiclassical Quantum Fourier Transform in a Scalable System". DOI: 10.1126/science.1110335

Choi, M.-S., J. Phys.: Condens. Matt. **15 (46)**, 7823 (2003). "Geometric Quantum Computation in Solid-State Qubits". arXiv:quant-ph/0111019

Deutsch, D. & R. Jozsa, Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences **439 (1907)**, 553 (1992). "Rapid Solution of Problems by Quantum Computation". DOI: 10.1098/rspa.1992.0167

DiVincenzo, D. P., Fortschr. Phys. **48**, 771 (2000). "The Physical Implementation of Quantum Computation". DOI: 10.1002/1521-3978(200009)48:9/11<771::AID-PROP771>3.0.CO;2-E arXiv:quant-ph/0002077

Dum, R., A. S. Parkins, P. Zoller, & C. W. Gardiner, Phys. Rev. A **46 (7)**, 4382 (1992). "Monte Carlo simulation of master equations in quantum optics for vacuum, thermal, and squeezed reservoirs".

Einstein, A., B. Podolsky, & N. Rosen, Phys. Rev. **47**, 777 (1935). "Can Quantum-Mechanical Description of Physical Reality Be Considered Complete?"

Giovannetti, V., S. Lloyd, & L. Maccone, Physical Review Letters **96 (1)**, 010401 (2006). "Quantum Metrology". DOI: 10.1103/PhysRevLett.96.010401 arXiv:quant-ph/0509179

Griffiths, R. B. & C.-S. Niu, Physical Review Letters **76 (17)**, 3228 (1996). "Semiclassical Fourier Transform for Quantum Computation". DOI: 10.1103/physrevlett.76.3228 arXiv:quant-ph/9511007

Hardy, L., Phys. Rev. Lett. **68 (20)**, 2981 (1992). "Quantum Mechanics, Local Realistic Theories, and Lorentz-Invariant Realistic Theories".

Higgins, B. L., D. W. Berry, S. D. Bartlett, H. M. Wiseman, & G. J. Pryde, Nature **450 (7168)**, 393 (2007). "Entanglement-free Heisenberg-limited phase estimation". DOI: 10.1038/nature06257 arXiv:0709.2996

Horodecki, M., P. Horodecki, & R. Horodecki, Phys. Lett. A **223 (1)**, 1 (1996). "Separability of mixed states: necessary and sufficient conditions". DOI: 10.1016/0375-9601(95)00930-2

Jiang, M., S. Luo, & S. Fu, Physical Review A **87 (2)** (2013). "Channel-state duality". DOI: 10.1103/physreva.87.022310

Kitaev, A. Y., Electronic Colloquium on Computational Complexity **3**, 3 (1996). "Quantum measurements and the Abelian Stabilizer Problem". arXiv:quant-ph/9511026

Kitaev, A. Y., Russian Mathematical Surveys **52 (6)**, 1191 (1997). "Quantum computations: algorithms and error correction".

Lang, S., *Introduction to Linear Algebra*, Undergraduate Texts in Mathematics (Springer New York, New York, 1986), 2nd ed., ISBN 9781461210702. DOI: 10.1007/978-1-4612-1070-2

Lang, S., *Linear Algebra* (Springer, Berlin, 1987), 3rd ed., ISBN 978-1-4757-1949-9. DOI: 10.1007/978-1-4757-1949-9

Loss, D. & D. P. DiVincenzo, Phys. Rev. A **57 (1)**, 120 (1998). "Quantum comutation with quantum dots".

Lundeen, J. S., B. Sutherland, A. Patel, C. Stewart, & C. Bamber, Nature **474 (7350)**, 188 (2011). "Direct measurement of the quantum wavefunction". DOI: 10.1038/nature10120

Nakazato, H., Y. Hida, K. Yuasa, B. Militello, A. Napoli, & A. Messina, Physical Review A **74 (6)**, 062113 (2006). "Solution of the Lindblad equation in the Kraus representation". DOI: 10.1103/physreva.74.062113 arXiv:quant-ph/0606193

Nielsen, M. & I. L. Chuang, *Quantum computation and quantum information* (Cambridge University Press, New York, 2011), 10th anniversary ed., ISBN 978-1107002173.

Paris, M. & J. Rehacek, eds., *Quantum State Estimation*, Vol. 649 of *Lecture Notes in Physics* (Springer Berlin Heidelberg, Berlin, 2004), ISBN 9783540444817. DOI: 10.1007/b98673

Peres, A., Phys. Rev. Lett. **77 (8)**, 1413 (1996). "Separability Criterion for Density Matrices". DOI: 10.1103/PhysRevLett.77.1413 arXiv:quant-ph/9604005

Plenio, M. B. & P. L. Knight, Rev. Mod. Phys. **70 (1)**, 101 (1998). "The quantum-jump approach to dissipative dynamics in quantum optics".

Raussendorf, R. & H. J. Briegel, Phys. Rev. Lett. **86 (22)**, 5188 (2001). "A One-Way Quantum Computer".

Raussendorf, R., D. Browne, & H. Briegel, Journal of Modern Optics **49 (8)**, 1299 (2002). "The one-way quantum computer–a non-network model of quantum computation". DOI: 10.1080/09500340110107487 arXiv:quant-ph/0108118

A draft provided with the perimission of Springer

Sjöqvist, E., D. M. Tong, L. Mauritz Andersson, B. Hessmo, M. Johansson, & K. Singh, New Journal of Physics **14 (10)**, 103035 (2012). "Non-adiabatic holonomic quantum computation". DOI: 10.1088/1367-2630/14/10/103035 arXiv:1107.5127

Smolin, J. A. & D. P. DiVincenzo, Phys. Rev. A **53 (4)**, 2855 (1996). "Five two-bit quantum gates are sufficient to implement the quantum Fredkin gate". DOI: 10.1103/PhysRevA.53.2855

Størmer, E., *Positive Linear Maps of Operator Algebras* (Springer, Berlin, 2013), ISBN 9783642343698. DOI: 10.1007/978-3-642-34369-8

Vallone, G. & D. Dequal, Physical Review Letters **116 (4)**, 040502 (2016). "Strong Measurements Give a Better Direct Measurement of the Quantum Wave Function". DOI: 10.1103/physrevlett.116.040502 arXiv:1504.06551

Wilczek, F. & A. Zee, Phys. Rev. Lett. **52 (24)**, 2111 (1984). "Appearance of Gauge Structure in Simple Dynamical Systems". DOI: 10.1103/PhysRevLett.52.2111

Zanardi, P. & M. Rasetti, Phys. Lett. A **264 (2-3)**, 94 (1999). "Holonomic quantum computation". DOI: 10.1016/S0375-9601(99)00803-8 arXiv:quant-ph/9904011

Zurek, W. H., Phys. Today **44 (10)**, 36 (1991). "Decoherence and the transition from quantum to classical".

Zurek, W. H., Los Alamos Science **27**, 2 (2002). "Decoherence and the Transition from Quantum to Classical: Revisited".

A draft provided with the perimission of Springer

Index

ancillary qubit, 76

Bell measurement, 85
bit flip, 40
bitwise AND, 74
Bloch sphere, 18, 19
Bloch vector, 18
bra-ket notation, 38
bright state, 105

Choi isomorphism, 185
Choi matrix, 179, *see also* Choi operator
Choi operator, 184
closed system, 10
cluster state, 86
CNOT, 48, 79
    controlled-NOT gate, 48
    multi-qubit controlled-NOT, 75
CNOT gate, 54, 100, 106
complementarity principle, 9
completely positive supermap, 181, 182
control qubit, 49
controlled-U gate, 48
    multi-qubit controlled-U gate, 62, 72
cyclic evolution, 104, 106
CZ, 52
    controlled-Z gate, 52
CZ gate, 100, 101, 111

damping operator, 145, 149
dark state, 105
density matrix, 15
density operator, 15, 173
DiVincenzo criteria, 90

effective Hamiltonian, 145
elementary qunatum logic gates, 38
Elements, 9
entangled state, 13, 15, 50
Euclid of Alexandria, 9
Euler rotation, 47
    Euler angles, 47

flux quantization, 89
Fredkin gate, 78, 79

graph state, *see also* cluster state
Gray code, 62, 73
    Gray code sequence, 73

Hadamard gate, 42, 86, 100
    Hadamard matrix, 42
Heisenberg exchange interaction, 99
Hermitian operator, 181
Hilbert space, 10, 90

inertial force, 95
inertial frame, 94
initialization, 91
irreversible population loss, 145
Ising exchange ineraction, 101
Ising exchange interaction, 100, 101

Josephson inductance, 89

kinetic inductance, 89
Kraus elements, 182
    orthogonal Kraus elements, 182
Kraus maps, *see also* Kraus elements
Kraus operator-sum representation, *see also* Kraus representation
Kraus operators, *see also* Kraus elements
Kraus representation, 182

Larmor precession, 93
Lindblad equation, 149
Lindblad operator, 145
logical basis, 11

Markov approximation, 144
maximally entangled, 87
measurement, 37, 91
measurement-based quantum computation, 106
mixed state, 15

Newton's laws of motion, 9
non-Hermitian Hamiltonian, 145
normal operator, 167

one-way quantum computation, *see also* measurement-based quantum computation
operation time, 93
operator-sum representation, 180, 181

path ordering, 104
Pauli gates, *see also* Pauli operators
Pauli operator, 111
Pauli operators, 38, 86, 91
  Pauli X, 38
  Pauli Y, 40
  Pauli Z, 39
phase flip, 40
phase gate, 86
planar exchange interaction, *see also* XY exchange interaction
positive operator, 168, 181
postulates of quantum mechanics, 9

quantum entanglement, 15
quantum circuit model
  quantum circuit diagram, 37
quantum computer, 89
  quantum computer architecture, 89
quantum efficiency, 91
quantum entanglement, 51
quantum entangler circuit, 50
quantum information theory, 180
quantum jump approach, 145, 149
quantum jump operator, *see also* Lindblad operator
quantum logic gate, 48, 89
quantum logic gate operation, 37
quantum master equation, 149
quantum non-demolition measurement, 109
quantum oracle, 118
quantum state, 10
quantum statistical mechanics, 180
quantum teleportation, 15, 51
qubit, 37, 90
  quantum bit, 37

Rabi oscillation, 95
  Rabi frequency, 95
reduced density matrix, 87
resonance, 95
rorating-wave approximation, 98
rotating frame, 94
  Hamiltonian in the rotating frame, 95
  time-evolution operator in the rotating frame, 95
rotation, 46
rotation operator, 93

scalable system, 90
Schmidt decomposition, 13
Schmidt rank, 22
separable state, 13
spectral decomposition, 168
spin-boson model, 109
state vector, 10
statistical ensemble, 15
statistical mixture, 173
super-mapping, *see also* supermap
supermap, 179, 181
superoperator, 173, 179
SWAP, 54, 79
SWAP gate, 54, 99, 100, 111
  $\sqrt{\text{SWAP}}$ gate, 56, 100, 111

target qubit, 49

tensor-product basis, 13
tensor-product space, 13
time ordering, 104
Toffoli gate, 77, 79
trace Hermitian product, 177
trace product, *see also* trace Hermitian product
two-leve unitary transformation, 81
two-level unitary transformation, 65, 67, 75
two-level unitary matrix, 71, 72

unitary group, 38
unitary matrix, 38
universal quantum computation, 38, 65, 73
universal set of quantum gate operations, 91
universal set of classical logic gates, 80
universal set of quantum logic gates, 80

vector space of linear maps, 176
vector space of linear operators, 19

wave-particle duality, 9

XY exchange interaction, 100

A draft provided with the perimission of Springer