## **Bibliography**

- Aaronson, S. & D. Gottesman, Physical Review A **70** (5) (2004). "Improved simulation of stabilizer circuits". DOI: 10.1103/physreva.70.052328 arXiv:quant-ph/0406196
- Aharonov, Y. & J. Anandan, Phys. Rev. Lett. **58** (16), 1593 (1987). "Phase Change During a Cyclic Quantum Evolution". DOI: 10.1103/PhysRevLett.58.1593
- Alicea, J., Y. Oreg, G. Refael, F. von Oppen, & M. P. A. Fisher, Nat Phys 7 (5), 412 (2011). "Non-Abelian statistics and topological quantum information processing in 1D wire networks". DOI: 10.1038/nphys1915
- Anandan, J., Physics Letters A **133** (4-5), 171 (1988). "Non-adiabatic non-abelian geometric phase". DOI: 10.1016/0375-9601(88)91010-9
- Aspect, A., P. Grangier, & G. Roger, Phys. Rev. Lett. **47** (7), 460 (1981). "Experimental Tests of Realistic Local Theories via Bell's Theorem".
- Barenco, A., C. H. Bennett, R. Cleve, et al., Physical Review A **52** (**5**), 3457 (1995). "Elementary gates for quantum computation". DOI: 10.1103/physreva. 52.3457 arXiv:quant-ph/9503016
- Bell, J. S., Rev. Mod. Phys. **38** (3), 447 (1966). "On the Problem of Hidden Variables in Quantum Mechanics".
- Bennett, C. H., D. P. DiVincenzo, J. A. Smolin, & W. K. Wootters, Phys. Rev. A 54 (5), 3824 (1996). "Mixed-state entanglement and quantum error correction". DOI: 10.1103/PhysRevA.54.3824 arXiv:quant-ph/9604024
- Bennett, C. H. & S. J. Wiesner, Phys. Rev. Lett. **69** (20), 2881 (1992). "Communication via one- and two-particle operators on Einstein-Podolsky-Rosen states".
- Bergou, J. A., U. Herzog, & M. Hillery, "Discrimination of Quantum States," in Paris & Rehacek (2004), Chap. 11, pp. 417–465. DOI: 10.1007/978-3-540-44481-7\_11

Bernstein, E. & U. Vazirani, "Quantum Complexity Theory," in *Proceedings of the 25th Annual ACM Symposium on the Theory of Computing* (ACM Press, New York, 1993), pp. 11–20.

- Bernstein, E. & U. Vazirani, SIAM Journal on Computing **26** (5), 1411 (1997). "Quantum Complexity Theory". DOI: 10.1137/s0097539796300921
- Berry, M. V., Proc. R. Soc. London A **392**, 45 (1984). "Quantal Phase Factors Accompanying Adiabatic Changes".
- Blum, K., Density Matrix Theory and Applications, Vol. 64 of Springer Series on Atomic, Optical, and Plasma Physics (Springer Berlin Heidelberg, 2012), 3rd ed., ISBN 978-3-642-20560-6.
- Bohr, N., "Discussion with Albert Einstein on Epistemological Problems in Atomic Physics," in *Albert Einstein, Philosopher-Scientist*, edited by Schilpp, P. A. (Harper, Evanston, 1949), Vol. VII of *The Library of Living Philosophers*, pp. 200–241, 1st ed.
- Born, M., Z. Phys. 37 (12), 863 (1926). "Zur Quantenmechanik der Stoßvorgänge".
- Bouwmeester, D., J.-W. Pan, M. Daniell, H. Weinfurter, & A. Zeilinger, Phys. Rev. Lett. 82 (7), 1345 (1999). "Observation of Three-Photon Greenberger-Horne-Zeilinger Entanglement".
- Bravyi, S. B. & A. Y. Kitaev, arXiv:quant-ph/9811052 (1998). "Quantum codes on a lattice with boundary".
- Breuer, H.-P. & F. Petruccione, *The Theory of Open Quantum Systems* (Oxford University Press, New York, 2002).
- Browne, D. & H. Briegel, "One-Way Quantum Computation," in *Quantum Information: From Foundations to Quantum Technology Applications*, edited by Bruß, D. & G. Leuchs (Wiley, 2016), pp. 449–473, 2nd ed. DOI: 10.1002/9783527805785.ch21 arXiv:quant-ph/0603226
- Calderbank, A. R. & P. W. Shor, Phys. Rev. A **54** (2), 1098 (1996). "Good quantum error-correcting codes exist".
- Caves, C. M., Phys. Rev. D 23 (8), 1693 (1981). "Quantum-mechanical noise in an interferometer".
- Chefles, A., "Quantum States: Discrimination and Classical Information Transmission. A Review of Experimental Progress," in Paris & Rehacek (2004), Chap. 12, pp. 467–511. DOI: 10.1007/978-3-540-44481-7\_12
- Chiaverini, J., J. Brittond, D. Leibfriede, et al., Science 308 (5724), 997 (2005). "Implementation of the Semiclassical Quantum Fourier Transform in a Scalable System". DOI: 10.1126/science.1110335

Choi, M.-S., J. Phys.: Condens. Matt. **15** (**46**), 7823 (2003). "Geometric Quantum Computation in Solid-State Qubits". arXiv:quant-ph/0111019

- Clauser, J. F., M. A. Horne, A. Shimony, & R. A. Holt, Phys. Rev. Lett. 23, 880 (1969). "Proposed Experiment to Test Local Hidden-Variable Theories".
- Cleve, R., A. Ekert, C. Macchiavello, & M. Mosca, Proceedings of the Royal Society A **454** (1969), 339 (1998). "Quantum algorithms revisited". DOI: 10.1098/rspa.1998.0164 arXiv:quant-ph/9708016
- Cleve, R. & D. Gottesman, Physical Review A **56** (1), 76 (1997). "Efficient computations of encodings for quantum error correction". DOI: 10.1103/physreva. 56.76 arXiv:quant-ph/9607030
- Cornwell, J. F., Group Theory in Physics, Vol. I (Academic Press, Orlando, 1984).
- Cornwell, J. F., *Group Theory in Physics: An Introduction* (Academic Press, San Diego, 1997).
- Crease, R. P., Physics World **15** (9), 19 (2002). "The most beautiful experiment". DOI: 10.1088/2058-7058/15/9/22
- Das, A., Y. Ronen, Y. Most, Y. Oreg, M. Heiblum, & H. Shtrikman, Nat Phys 8 (12), 887 (2012). "Zero-bias peaks and splitting in an Al-InAs nanowire topological superconductor as a signature of Majorana fermions".
- Deng, M. T., C. L. Yu, G. Y. Huang, M. Larsson, P. Caroff, & H. Q. Xu, Nano Letters 12 (12), 6414 (2012). "Anomalous Zero-Bias Conductance Peak in a Nb-InSb Nanowire-Nb Hybrid Device".
- Dennis, E., A. Kitaev, A. Landahl, & J. Preskill, Journal of Mathematical Physics 43 (9), 4452 (2002). "Topological quantum memory". DOI: 10.1063/1.1499754 arXiv:quant-ph/0110143
- Deutsch, D., Proc. R. Soc. London A **400**, 97 (1985). "Quantum theory, the Church-Turing principle and the universal quantum computer". DOI: 10.1098/rspa.1985.0070
- Deutsch, D. & R. Jozsa, Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences **439** (1907), 553 (1992). "Rapid Solution of Problems by Quantum Computation". DOI: 10.1098/rspa.1992.0167
- Dirac, P. A. M., *The Principles of Quantum Mechanics* (Oxford University Press, Oxford, 1958), 4th ed.
- DiVincenzo, D. P., Fortschr. Phys. **48**, 771 (2000). "The Physical Implementation of Quantum Computation". DOI: 10.1002/1521-3978(200009)48:9/11<771:: AID-PROP771>3.0.C0; 2-E arXiv:quant-ph/0002077

Dum, R., A. S. Parkins, P. Zoller, & C. W. Gardiner, Phys. Rev. A **46** (7), 4382 (1992). "Monte Carlo simulation of master equations in quantum optics for vacuum, thermal, and squeezed reservoirs".

- Einstein, A., B. Podolsky, & N. Rosen, Phys. Rev. 47, 777 (1935). "Can Quantum-Mechanical Description of Physical Reality Be Considered Complete?"
- Feynman, R., R. B. Leighton, & M. L. Sands, *The Feynman Lectures on Physics*, Vol. III (Addison-Wesley, Redwood City, 1963), 1st ed.
- Fowler, A. G., M. Mariantoni, J. M. Martinis, & A. N. Cleland, Physical Review A 86 (3), 032324 (2012). "Surface codes: Towards practical large-scale quantum computation". DOI: 10.1103/physreva.86.032324 arXiv:1208.0928
- Freedman, M. H., Foundations of Computational Mathematics 1 (2), 183 (2001). "Quantum Computation and the Localization of Modular Functors". DOI: 10.1007/s102080010006
- Giovannetti, V., S. Lloyd, & L. Maccone, Physical Review Letters **96** (1), 010401 (2006). "Quantum Metrology". DOI: 10.1103/PhysRevLett.96.010401 arXiv:quant-ph/0509179
- Gisin, N., Helv. Phys. Acta **62**, 363 (1989). "Stochastic quantum dynamics and relativity". DOI: 10.5169/seals-116034
- Goldstein, S., Phys. Rev. Lett. **72** (13), 1951 (1994). "Nonlocality without inequalities for almost all entangled states for two particles".
- Gottesman, D., Phys. Rev. A **54** (3), 1862 (1996). "Class of quantum error-correcting codes saturating the quantum Hamming bound". DOI: 10.1103/physreva.54.1862 arXiv:quant-ph/9604038
- Gottesman, D., Stabilizer Codes and Quantum Error Correction, Ph.D. thesis, California Institute of Technology, Pasadena, California (1997). arXiv:quant-ph/9705052
- Gottesman, D., Phys. Rev. A 57 (1), 127 (1998). "Theory of fault-tolerant quantum computation". DOI: 10.1103/PhysRevA.57.127 arXiv:quant-ph/9702029
- Gottesman, D., "The Heisenberg Representation of Quantum Computers," in Group 22: proceedings of XXII International Colloquium on Group Theoretical Methods in Physics: Hobart, July 13-17, 1998, edited by Corney, S. P., R. Delbourgo, & P. D. Jarvis (International Press, Cambridge, MA, 1999), ISBN 978-1571460547. arXiv:quant-ph/9807006
- Greenberger, D. M., M. A. Horne, A. Shimony, & A. Zeilinger, Ame. J. Phys. 58, 1131 (1990). "Bell's theorem without inequalities". DOI: 10.1119/1.16243

Greenberger, D. M., M. A. Horne, & A. Zeilinger, "Going beyond Bell's theorem," in *Bell's Theorem, Quantum Theory, and Conceptions of the Universe*, edited by Kafatos, M. (Kluwer Academic, Dordrecht, The Netherlands, 1989). arXiv:0712.0921

- Griffiths, R. B. & C.-S. Niu, Physical Review Letters **76** (**17**), 3228 (1996). "Semiclassical Fourier Transform for Quantum Computation". DOI: 10.1103/physrevlett.76.3228 arXiv:quant-ph/9511007
- Grover, L. K., "A fast quantum mechanical algorithm for database search," in *Proceedings of the 28th Annual ACM Symposium on the Theory of Computing* (ACM Press, New York, 1996), p. 212. arXiv:quant-ph/9605043
- Grover, L. K., Phys. Rev. Lett. **79** (2), 325 (1997). "Quantum Mechanics Helps in Searching for a Needle in a Haystack".
- Hardy, L., Phys. Rev. Lett. **68** (20), 2981 (1992). "Quantum Mechanics, Local Realistic Theories, and Lorentz-Invariant Realistic Theories".
- Hardy, L., Phys. Rev. Lett. **71**, 1665 (1993). "Nonlocality for two particles without inequalities for almost all entangled states".
- Higgins, B. L., D. W. Berry, S. D. Bartlett, H. M. Wiseman, & G. J. Pryde, Nature **450** (7168), 393 (2007). "Entanglement-free Heisenberg-limited phase estimation". DOI: 10.1038/nature06257 arXiv:0709.2996
- Horodecki, M., P. Horodecki, & R. Horodecki, Phys. Lett. A **223** (1), 1 (1996). "Separability of mixed states: necessary and sufficient conditions". DOI: 10. 1016/0375-9601(95)00930-2
- Horodecki, R., P. Horodecki, M. Horodecki, & K. Horodecki, Rev. Mod. Phys. 81 (2), 865 (2009). "Quantum entanglement". DOI: 10.1103/RevModPhys.81.865
- Hughston, L. P., R. Jozsa, & W. K. Wootters, Physics Letters A **183** (1), 14 (1993). "A complete classification of quantum ensembles having a given density matrix". DOI: 10.1016/0375-9601(93)90880-9
- Jiang, M., S. Luo, & S. Fu, Physical Review A 87 (2) (2013). "Channel-state duality". DOI: 10.1103/physreva.87.022310
- Jönsson, C., Z. Physik **161**, 454 (1961). "Electron Diffraction at Multiple Slits". DOI: 10.1007/BF01342460
- Kitaev, A. Y., Electronic Colloquium on Computational Complexity 3, 3 (1996). "Quantum measurements and the Abelian Stabilizer Problem". arXiv:quant-ph/9511026

Kitaev, A. Y., Russian Mathematical Surveys **52 (6)**, 1191 (1997). "Quantum computations: algorithms and error correction". DOI: 10.1070/RM1997v052n06ABEH002155

- Kitaev, A. Y., Physics-Uspekhi **44** (**10S**), 131 (2001). "Unpaired Majorana fermions in quantum wires". DOI: 10.1070/1063-7869/44/10S/S29 arXiv:cond-mat/0010440
- Kitaev, A. Y., Ann. Phys. **303** (1), 2 (2003). "Fault-tolerant quantum computation by anyons". DOI: 10.1016/S0003-4916(02)00018-0 arXiv:quant-ph/9707021
- Laflamme, R., C. Miquel, J. P. Paz, & W. H. Zurek, Physical Review Letters 77 (1), 198 (1996). "Perfect Quantum Error Correcting Code". DOI: 10.1103/physrevlett.77.198 arXiv:quant-ph/9602019
- Landauer, R., Physics Today 44 (5), 23 (1991). "Information is Physical".
- Lang, S., Introduction to Linear Algebra, Undergraduate Texts in Mathematics (Springer New York, New York, 1986), 2nd ed., ISBN 9781461210702. DOI: 10.1007/978-1-4612-1070-2
- Lang, S.,  $Linear\ Algebra$  (Springer, Berlin, 1987), 3rd ed., ISBN 978-1-4757-1949-9. DOI: 10.1007/978-1-4757-1949-9
- Loss, D. & D. P. DiVincenzo, Phys. Rev. A 57 (1), 120 (1998). "Quantum comutation with quantum dots".
- Lundeen, J. S., B. Sutherland, A. Patel, C. Stewart, & C. Bamber, Nature 474 (7350), 188 (2011). "Direct measurement of the quantum wavefunction". DOI: 10.1038/nature10120
- Mourik, V., K. Zuo, S. M. Frolov, S. R. Plissard, E. P. A. M. Bakkers, & L. P. Kouwenhoven, Science **336** (6084), 1003 (2012). "Signatures of Majorana Fermions in Hybrid Superconductor-Semiconductor Nanowire Devices".
- Nadj-Perge, S., I. K. Drozdov, J. Li, et al., Science **346** (6209), 602 (2014). "Observation of Majorana fermions in ferromagnetic atomic chains on a superconductor". DOI: 10.1126/science.1259327 arXiv:http://www.sciencemag.org/content/346/6209/602.full.pdf
- Nakazato, H., Y. Hida, K. Yuasa, B. Militello, A. Napoli, & A. Messina, Physical Review A **74** (6), 062113 (2006). "Solution of the Lindblad equation in the Kraus representation". DOI: 10.1103/physreva.74.062113 arXiv:quant-ph/0606193
- Nielsen, M. & I. L. Chuang, Quantum computation and quantum information (Cambridge University Press, New York, 2011), 10th anniversary ed., ISBN 978-1107002173. DOI: 10.1017/CB09780511976667

Ozawa, M., Physics Letters A **268** (3), 158 (2000). "Entanglement measures and the Hilbert–Schmidt distance". DOI: 10.1016/s0375-9601(00)00171-7

- Pan, J.-W., D. Bouwmeester, M. Daniell, H. Weinfurter, & A. Zeilinger, Nature 403, 515 (2000). "Experimental test of quantum nonlocality in three-photon Greenberger-Horne-Zeilinger entanglement".
- Paris, M. & J. Rehacek, eds., Quantum State Estimation, Vol. 649 of Lecture Notes in Physics (Springer Berlin Heidelberg, Berlin, 2004), ISBN 9783540444817. DOI: 10.1007/b98673
- Peres, A., Phys. Rev. Lett. **77** (8), 1413 (1996). "Separability Criterion for Density Matrices". DOI: 10.1103/PhysRevLett.77.1413 arXiv:quant-ph/9604005
- Pérez-García, D., M. M. Wolf, D. Petz, & M. B. Ruskai, Journal of Mathematical Physics 47 (8), 083506 (2006). "Contractivity of positive and trace-preserving maps under Lp norms". DOI: 10.1063/1.2218675 arXiv:math-ph/0601063
- Plenio, M. B. & P. L. Knight, Rev. Mod. Phys. **70** (1), 101 (1998). "The quantum-jump approach to dissipative dynamics in quantum optics".
- Plenio, M. B. & S. Virmani, Quant Inf Comput 7 (1&2), 1 (2007). "An introduction to entanglement measures". arXiv:quant-ph/0504163
- Preskill, J., "Lecture Notes on Quantum Information and Computation," unpublished (1998).
- Raussendorf, R. & H. J. Briegel, Phys. Rev. Lett. **86** (22), 5188 (2001). "A One-Way Quantum Computer".
- Raussendorf, R., D. Browne, & H. Briegel, Journal of Modern Optics **49** (**8**), 1299 (2002). "The one-way quantum computer—a non-network model of quantum computation". DOI: 10.1080/09500340110107487 arXiv:quant-ph/0108118
- Raussendorf, R., D. E. Browne, & H. J. Briegel, Phys. Rev. A **68 (2)**, 022312 (2003). "Measurement-based quantum computation on cluster states". DOI: 10.1103/PhysRevA.68.022312 arXiv:quant-ph/0301052
- Schwinger, J., Proceedings of the National Academy of Sciences **45** (**10**), 1542 (1959). "The Algebra Of Microscopic Measurement". DOI: 10.1073/pnas.45. 10.1542
- Shor, P. W., "Algorithms for Quantum Computation: Discrete Logarithms and Factoring," in *Proceedings of the 35th Annual Symposium on Foundations of Computer Science* (IEEE Computer Society, Washington, DC, USA, 1994), SFCS '94, pp. 124–134. DOI: 10.1109/SFCS.1994.365700

Shor, P. W., SIAM Journal on Computing 26 (5), 1484 (1997). "Polynomial-Time Algorithms for Prime Factorization and Discrete Logarithms on a Quantum Computer". arXiv:quant-ph/9508027

- Simon, D. R., SIAM Journal on Computing **26** (5), 1474 (1997). "On the Power of Quantum Computation". DOI: 10.1137/s0097539796298637
- Sjöqvist, E., D. M. Tong, L. Mauritz Andersson, B. Hessmo, M. Johansson, & K. Singh, New Journal of Physics 14 (10), 103035 (2012). "Non-adiabatic holonomic quantum computation". DOI: 10.1088/1367-2630/14/10/103035 arXiv:1107.5127
- Smolin, J. A. & D. P. DiVincenzo, Phys. Rev. A **53** (4), 2855 (1996). "Five two-bit quantum gates are sufficient to implement the quantum Fredkin gate". DOI: 10.1103/PhysRevA.53.2855
- Steane, A. M., Phys. Rev. Lett. **77** (5), 793 (1996). "Error Correcting Codes in Quantum Theory".
- Størmer, E., *Positive Linear Maps of Operator Algebras* (Springer, Berlin, 2013), ISBN 9783642343698. DOI: 10.1007/978-3-642-34369-8
- Tonomura, A., J. Endo, T. Matsuda, T. Kawasaki, & H. Ezawa, Ame. J. Phys. **57** (2), 117 (1989). "Demonstration of single-electron buildup of an interference pattern". DOI: 10.1119/1.16104
- Vallone, G. & D. Dequal, Physical Review Letters 116 (4), 040502 (2016). "Strong Measurements Give a Better Direct Measurement of the Quantum Wave Function". DOI: 10.1103/physrevlett.116.040502 arXiv:1504.06551
- Vedral, V., A. Barenco, & A. Ekert, Physical Review A **54** (1), 147 (1996). "Quantum networks for elementary arithmetic operations". DOI: 10.1103/physreva. 54.147 arXiv:quant-ph/9511018
- Vedral, V., M. B. Plenio, M. A. Rippin, & P. L. Knight, Physical Review Letters 78 (12), 2275 (1997). "Quantifying Entanglement". DOI: 10.1103/physrevlett. 78.2275
- Wang, C., J. Harrington, & J. Preskill, Annals of Physics **303** (1), 31 (2003). "Confinement-Higgs transition in a disordered gauge theory and the accuracy threshold for quantum memory". DOI: 10.1016/s0003-4916(02)00019-2
- Wehrl, A., Reviews of Modern Physics **50** (2), 221 (1978). "General properties of entropy". DOI: 10.1103/revmodphys.50.221
- Weyl, H., The theory of groups and quantum mechanics (Dover, London, 1931).
- Wigner, E. P., Group Theory and its Application to the Quantum Mechanics of Atomic Spectra (Academic Press, New York, 1959), english translation ed.

Wilczek, F. & A. Zee, Phys. Rev. Lett. **52** (**24**), 2111 (1984). "Appearance of Gauge Structure in Simple Dynamical Systems". DOI: 10.1103/PhysRevLett.52.2111

- Wilmut, I., A. E. Schnieke, J. McWhir, A. J. Kind, & K. H. S. Campbell, Nature 385 (6619), 810 (1997). "Viable offspring derived from fetal and adult mammalian cells". DOI: 10.1038/385810a0
- Wooters, W. K. & W. H. Zurek, Nature 299, 802 (1982). "A single quantum cannot be cloned".
- Zanardi, P. & M. Rasetti, Phys. Lett. A **264 (2-3)**, 94 (1999). "Holonomic quantum computation". DOI: 10.1016/S0375-9601(99)00803-8 arXiv:quant-ph/9904011
- Zurek, W. H., Phys. Today 44 (10), 36 (1991). "Decoherence and the transition from quantum to classical".
- Zurek, W. H., Nature 404, 130 (2000). "Quantum cloning: Schrodinger's sheep". DOI: 10.1038/35004684
- Zurek, W. H., Los Alamos Science 27, 2 (2002). "Decoherence and the Transition from Quantum to Classical: Revisited".

## Index

| Abelian group, 287, 406, 411              | change of basis, 362, 365                  |
|---|--|
| amplitude damping, 230                    | channel-state duality, 217                 |
| ancillary qubit, 84                       | Choi isomorphism, 216–218, 396             |
|   | Choi matrix, 216, 387, see also Choi       |
| basis, 360, 362                           | operator                                   |
| orthonormal basis, 361, 362, 364,         | Choi operator, see also Choi matrix, 216,  |
| 367                                       | 217, 260, 395                              |
| Bayes' rule, 336                          | Choi vector, 215, 218                      |
| Bayes, T., 336                            | classical communication channel, 145       |
| Bell basis, see also Bell states, 145     | classical feedback control, see also semi- |
| Bell measurement, 96, 145, 218            | classical feedback control, 299            |
| Bell states, 96, 145                      | classical fidelity, 333                    |
| Bell's inequality, 142                    | Clifford circuit, 296, 297                 |
| Bell's test, 142                          | Clifford group, 291, 295, 329              |
| Bell, J., 142                             | Clifford operators, see also Pauli opera-  |
| Bernstein-Vazirani algorithm, 148, 156    | tors, 291, 309                             |
| bilinear mapping, 359                     | closed system, 14, 199, 206                |
| birthday paradox, 157                     | closure relation, 209                      |
| bit flip, 48                              | cluster state, 99, 126, 137                |
| bit-flip correction code, 308             | CNOT gate, 57, 65, 67, 87, 93, 113, 126,   |
| bit-flip error, 268, 269, 271–273, 307    | 145, 187, 203, 291, 294, 295, 302,         |
| bitwise AND, 81                           | 303  |
| Bloch space, 107, 113, 192, 291, 292      | multi-control NOT gate, 83, 85, 90–92,     |
| Bloch sphere, 16, 23, 24, 54              | 100  |
| Bloch states, 186                         | code space, 266, 280                       |
| Bloch vector, 16, 23, 250                 | code words, 272, 277                       |
| Bohr, Niels H. D., 201                    | coherence, 105                             |
| bra-ket notation, 46, 367                 | complementarity principle, 13              |
| bright state, 118                         | completely positive and trace-preserving   |
|   | supermap, $207$                            |
| Calderbank-Shor-Steane codes, 312         | completely positive supermap, 206–208,     |
| canonical distance, 360                   | 217, 391 – 393, 398, 401                   |
| canonical norm, 244, 360                  | completeness relation, 37, 225, 372        |
| Cauchy-Schwarz inequality, 261, 263, 359, | computational basis, see also logical ba-  |
| 424                                       | sis  |
| center, 285                               | concave function, 341, 355                 |

| concavity of entropy, 356                               | DiVincenzo criteria, 104                          |
|---|---|
| conditional entropy, 337                                | double-slit experiment, 200, 203                  |
| conjugation, 291, 293                                   | dual basis, 368                                   |
| continued fraction, 182                                 | dual vector, 367                                  |
| control qubit, 57                                       |   |
| controlled-NOT gate, see also CNOT                      | effective Hamiltonian, 227, 231, 237              |
| gate, 57  | eigenbasis, 370                                   |
| controlled-unitary gate, 57, 71, 90, 172,               | eigenvalue, 370                                   |
| 198   | eigenvector, 370                                  |
| multi-control unitary gate, 69, 70,                     | Einstein, Albert, 19, 141, 201                    |
| 80, 81, 83, 89, 90                                      | elementary quantum logic gates, 45                |
| controlled-Z gate, see also CZ gate, 62                 | Elements, 13, 183                                 |
| convergent of a continued fraction                      | entangled state, 17, 19, 58, 346, 377             |
| continued fraction, 183                                 | entanglement, 19, 26, 32, 37, 136, 145,           |
| convex function, 335, 355                               | 151, 331, 346                                     |
| convex linear, 207                                      | entanglement cost, 353                            |
| coset, 285, 290, 408, 409                               | entanglement distillation, 350                    |
| left coset, 409   | entanglement fidelity, 217                        |
| right coset, 409  | entanglement measure, 251                         |
| CSS codes, see also Calderbank-Shor-                    | entanglement witness, 350                         |
| Steane codes  | entropy, 331, 332                                 |
| cyclic evolution, 124                                   | entropy of entanglement, 353                      |
| cyclic group, 291, 406, 411                             | environment, 199, 265                             |
| CZ gate, 62, 113–115, 126, 137, 291                     | error operators, 279                              |
| multi-control Z gate, 189                               | error syndrome, 267, 278, 305, 306, 324, 325, 327 |
| damping operator, 227, 231, 237                         | error-detection, 267, 269                         |
| dark state, 118, 138                                    | error-recovery, 268                               |
| de Broglie, Louis, 201                                  | Euclid of Alexandria, 13, 183                     |
| decoherence, 19, 26, 32, 207, 265                       | Euclidean algorithm, 183                          |
| degenerate codes, 306                                   | Euclidean distance, 333                           |
| density matrix, see also density operator               | Euler rotation, 55, 130                           |
| density operator, $20$ , $21$ , $199$ , $206$ , $207$ , | Euler angles, 55                                  |
| 217, 233, 250, 339, 371, 381                            | Euler, L., 55                                     |
| dephasing, 220, 222                                     | exclusive OR, 59                                  |
| depolarizing process, 230                               | ,   |
| Deutsch-Jozsa algorithm, 148                            | factor group, see also quotient group             |
| Deutsch-Jozsa problem, 157                              | Feyman, Richard P., 201                           |
| dimension, 360  | fidelity, 217, 243, 254–256, 360                  |
| Dirac, P. M. A., 201                                    | field, 357  |
| direct product group, 411                               | flux quantization, 103                            |
| discrete Fourier transform, 161, 162, 179               | Fredkin gate, 86, 87                              |
| discrete logarithm, 161                                 | Frobenius inner product, see also Hilbert-        |
| distillable entanglement, 353                           | Schmidt inner product, 385                        |

INDEX INDEX

| gate teleportation, 218                   | Hermitian product, 359, 360, 362, 365,   |
|---|--|
| gauge transformation, 125                 | 367, 385                                 |
| generalized interaction picture, 237      | hidden subgroup problem, 161, 162, 171,  |
| generalized measurement, 225              | 178–180                                  |
| geometric phase, 116                      | Hilbert space, 14, 15, 104, 361          |
| geometric quantum computation, 122,       | Hilbert-Schmidt distance, 243, 250       |
| 124, 125                                  | Hilbert-Schmidt inner product, 208, 213, |
| GHZ state, 62, 98                         | 244, 385                                 |
| Gibbs' inequality, 334, 335, 343          | Hilbert-Schmidt norm, 246, 247, 261      |
| Gibbs, J. W., 334                         | homomorphism, 407                        |
| Gisin-Hughston-Jozsa-Wooters (GHJW)       | Householder reflection, see also House-  |
| theorem, 25                               | holder transformation                    |
| golden ratio, 183                         | Householder transformation, 188, 189,    |
| Gottesman vector, 286, 287, 290, 328,     | 193                                      |
| 427                                       |  |
| Gottesman-Knill theorem, 296              | inertial force, 109                      |
| graph state, see also cluster state, 126, | inertial frame, 108                      |
| 135–137, 297                              | information theory, 331                  |
| Gray code, 70, 81                         | initialization, 105                      |
| Gray code sequence, 81, 91                | inner product, 359                       |
| Greenberger-Horne-Zeilinger experiment,   | invariant subgroup, 285, 409             |
| 297                                       | inverse quantum Fourier transform        |
| Greenberger-Horne-Zeilinger state, 62,    | quantum Fourier transform, 167           |
| 98  | irreversible population loss, 227        |
| group, 403                                | Ising exchange interaction, 114, 115     |
| group generators, 283, 298, 405           | isomorphism, 407                         |
| group theory, 282, 403                    | • ,                                      |
| Grover operator, 192                      | joint entropy, 336                       |
| Grover rotation, 193                      | joint probability distribution, 335      |
| Grover's algorithm, see also quantum      | Josephson inductance, 103                |
| search algorithm, 188                     |  |
| Grover's diffusion operator, 189          | kinetic inductance, 103                  |
| Grover, L. K., 188                        | Klein's inequality, 343–345, 355, 431    |
| 210.02, 21.11, 100                        | Klein's trace inequality, 355            |
| Hadamard gate, 50, 52, 93, 97, 98, 114,   | Klein, O., 343, 355                      |
| 126, 129, 145, 291, 293-295               | Kolmogorov distance, 252, 333            |
| Hadamard matrix, 50                       | Kolmogorov, A., 252                      |
| Hardy's test, 143                         | Kraus elements, 208, 221, 229, 259, 298, |
| Heisenberg exchange interaction, 113,     | 393                                      |
| 114                                       | orthogonal Kraus elements, 393           |
| Heisenberg limit, 37                      | Kraus maps, see also Kraus elements,     |
| Hermitian, 243                            | see also Kraus elements                  |
| Hermitian conjugate, 365, 366             | Kraus operator-sum representation, see   |
| Hermitian operator, 206, 366, 370, 390    | also Kraus representation                |

| Kraus operators, see also Kraus elements | non-selective measurement, 225             |
|--|--|
| Kraus representation, 207, 213, 393      | nonlocality, 19, 141, 142                  |
| T . 107                                  | norm, 243, 360                             |
| Larmor precession, 107                   | normal operator, 366, 370                  |
| Lindblad basis, 233                      | normalizer, 291                            |
| Lindblad equation, 226, 232, 237, 388    | NOT gate, 113                              |
| Lindblad generator, 227, 228, 230, 234   | null space, 342                            |
| Lindblad operators, 227                  |  |
| linear algebra, 357                      | observable, 355                            |
| linear dependent, 360                    | octant phase gate, 56, 93, 297             |
| linear map, 363                          | one-way quantum computation, see also      |
| linear operator, 363                     | measurement-based quantum con              |
| linearly dependent, 358                  | putation                                   |
| linearly independent, 358                | open quantum system, 199, 206, 387         |
| logarithmic negativity, 353              | operation time, 107                        |
| logical basis, 15, 290                   | operator-sum representation, 217, 389,     |
| logical operators, 289–291, 297–300, 308 | 392  |
| Mach-Zender interferometer, 201, 202     | oracle, 190                                |
| Markov approximation, 226                | order-finding algorithm, 185, 187          |
| Markov assumption, 228                   | order-finding problem, 161, 173, 185       |
| maximally entangled state, 40, 99, 204,  | orthogonality, 359                         |
| 216, 217, 262                            | orthonormal basis, 40, 372                 |
| maximally mixed state, 340, 344          |  |
| measurement, 45, 105, 207                | parallel transport, 125                    |
| measurement operators, 37, 225           | partial trace, 25, 209, 217, 220, 396–398  |
| measurement-based quantum computa-       | partial transposition, 347, 392, 398, 401  |
| tion, 126, 280                           | path ordering, 125                         |
| metric, 243                              | Pauli gates, see also Pauli operators, 46  |
| mixed state, 19, 23, 25, 30, 220, 371    | Pauli group, 282, 283, 287, 291, 305, 404, |
| modular exponentiation, 178, 185, 186    | 410, 411                                   |
| modular multiplication, 173, 185, 186    | Pauli measurements, 96                     |
| momentum basis, 177                      | Pauli operators, 98, 105, 138, 145, 282,   |
| mutual information, 337                  | 283, 286, 291                              |
| mataar mormaton, oo                      | Pauli X gate, 50                           |
| Newton's laws of motion, 13              | Pauli X operator, 46, 50                   |
| Newton, Isaac, 13                        | Pauli Y operator, 48                       |
| no-cloning theorem, 33, 34, 60, 144, 265 | Pauli Z operator, 47                       |
| noiseless coding theorem, 338            | period-finding algorithm, 179, 185, 186    |
| non-Abelian gauge potential, 125         | phase damping, 221, 229                    |
| non-Abelian geometric phase, 116         | phase flip, 48                             |
| non-Hermitian Hamiltonian, 227, 237      | phase gate, 97                             |
| non-inertial effect, 108, 109, 123       | phase-flip error, 271                      |
| non-negative operator, see also positive | phase-flip correction code, 308            |
| semidefinite operator                    | phase-flip error, 269, 270, 273            |

| planar codes, 316, 322                     | quantum entropy, see also von Neumann  |
|--|--|
| planar exchange interaction, $see~also~XY$ | entropy  |
| exchange interaction                       | quantum error-correction codes, 96   |
| plaquette defect, 326, 327                 | quantum error-correction conditions, 276                                       |
| plaquette operator, 316–318, 320, 322      | 279,305  |
| point group, 291                           | quantum factorization algorithm, 97, 139                                       |
| polar decomposition, 261, 263, 277, 375,   | 157, 161, 171, 185, 187  |
| 427  | quantum Fourier transform, 163, 172–174  |
| position basis, 177                        | 177, 178   |
| positive definite Hermitian product, 359   | inverse quantum Fourier transform,   |
| positive definite operator, see also posi- | 167  |
| tive operator                              | quantum gate teleportation, 218, 219,  |
| positive operator, 22, 206, 217, 250, 339, | 259  |
| 371, 372, 375, 376, 390, 392, 400          | quantum information theory, 331, 389   |
| positive partial transposition criterion,  | quantum jump approach, 227, 236  |
| 347, 353                                   | quantum jump operators, see also Lind-   |
| positive semidefinite operator, 209, 371,  | blad operators, 227, 231   |
| 372  | quantum logic gate, 57, 103  |
| post-measurement state, 38                 | quantum logic gate operation, 45   |
| postulates of quantum mechanics, 13        | quantum Markovian dynamics, 227  |
| POVM, 38, 39, 262, 426                     | quantum master equation, see also Lind-  |
| POVM elements, 38, 39                      | blad equation, 232   |
| principle of complementarity, 201          | quantum mutual information, 345  |
| principle of deferred measurement, 168     | quantum operation, 200, 206, 207, 217,   |
| product group, 411                         | 225, 247, 259, 278   |
| projection operator, 218, 395              | quantum operation formalism, 32  |
| projective measurement, 38                 | quantum oracle, 148, 149, 154, 158, 179,                                       |
| pure state, 14, 19, 23, 25, 30, 34         | 180, 193, 198  |
| purification, 21, 25, 256, 345             | quantum parallelism, 148, 154  |
|  | quantum phase estimation, 69, 99, 161,   |
| quadrant phase gate, 56, 93, 291–295       | 171, 172, 178, 180, 185, 186   |
| quantum channel, 207                       | quantum register, 52, 59   |
| quantum circuit model                      | quantum search algorithm, 188  |
| quantum circuit diagram, 45                | quantum state, 14  |
| quantum communication, 34                  | quantum statistical mechanics, 389<br>quantum teleportation, 19, 62, 140, 144, |
| quantum computer, 103                      | 218, 299   |
| quantum computer architecture, 103         | qubit, 15, 45, 104   |
| quantum decoherence, see also decoher-     | quantum bit, 45  |
| ence                                       | quotient group, 285, 408, 410  |
| quantum efficiency, 105                    | quotient group, 200, 400, 410  |
| quantum entanglement, see also entan-      | Rabi oscillation, 109, 123   |
| glement, 62                                | Rabi frequency, 109  |
| quantum entangler circuit, 58, 96          | random variable, 332   |

| reduced density matrix, see also reduced                               | stabilizer circuits, 96                      |
|--|--|
| density operator, 99   | stabilizer codes, 279, 284, 288, 312         |
| reduced density operator, 344  | stabilizer formalism, 136, 280, 297          |
| reference space, 216   | stabilizer subgroup, see also stabilizer.    |
| relative entropy, 333, 334   | see also stabilizer                          |
| relative Shannon entropy, 333, 342, 343                                | standard quantum limit, 37                   |
| representation, 361–365  | standard tensor-product basis, 376           |
| resonance, 109   | state vector, 14                             |
| rotating frame, 108  | statistical ensemble, 19                     |
| Hamiltonian in the rotating frame,                                     | statistical mixture, 381                     |
| 109  | Stirling's approximation, 355, 431           |
| time-evolution operator in the rotat-                                  | Stirling, J., 355, 431                       |
| ing frame, $109$   | subadditivity, 345, 355, 356                 |
| rotating-wave approximation, 112                                       | super-mapping, see also supermap             |
| rotation operator, 54, 107   | superdense coding, 140                       |
|  | supermap, 206, 207, 217, 387, 389            |
| scalable system, 104   | superoperator, 226, 381, 387, 392, 401       |
| scalar, 357  | superposition, 265, 276, 357, 358, 363       |
| Schmidt decomposition, 17, 347, 377,                                   | support of operator, 342                     |
| 379  | surface codes, 316, 325, 327                 |
| Schmidt number, see also Schmidt rank,                                 | SWAP gate, 64, 65, 87, 113, 137, 140         |
| 377  | $\sqrt{\text{SWAP}}$ gate, 66, 113, 114, 137 |
| Schmidt rank, 18, 351, 377   |  |
| Schmidt, E., 377   | target qubit, 57                             |
| selective measurement, 225<br>semiclassical feedback control, see also | Taylor series expansion, 373                 |
| classical feedback control, see also                                   | tensor product, 376, 396                     |
| separable state, 17, 377   | tensor-product basis, 17                     |
| Shannon entropy, 332, 339–341, 344                                     | tensor-product space, 17, 40, 376, 379       |
| Shannon, C. E., 332  | time ordering, 124                           |
| Shor's algorithm, see also quantum fac-                                | time-evolution operator, 29                  |
| torization algorithm, 139  | Toffoli gate, 85, 87, 93, 297                |
| Shor, Peter W., 139  | topological quantum computation, 125         |
| Simon's algorithm, 148, 157  | toric codes, 316, 323                        |
| Simon's problem, 157   | trace, 207                                   |
| singular-value decomposition, 246, 261,                                | trace distance, 243, 250, 252                |
| 375, 377, 424  | trace norm, 245, 246, 254, 261, 353          |
| singular values, 246, 261  | translation, 36                              |
| special theory of relativity, 142                                      | translational freedom of Lindblad opera-     |
| spectral decomposition, 25, 35, 209, 218,                              | tors, 228                                    |
| 245, 261, 371, 374   | transposition, 391, 401                      |
| spin, 104  | matrix transposition, 391, 401               |
| stabilizer, 280–282, 284, 297, 298, 328                                | triangle inequality, 345, 360                |
| stabilizer circuit, 296, 297   | two-level unitary matrix, 91                 |

```
two-level unitary transformation, 73, 75, wave-particle duality, 13, 201, 357
        83, 89-91
                                         XOR, see also exclusive OR
    two-level unitary matrix, 78, 80
                                         XY exchange interaction, 114
Uhlmann's theorem, 256, 257
    Uhlmann's formula, 256, 262
Uhlmann, A., 256, 257
uncertainty principle, 34
unconditional security, 34
unitary freedom, 21
unitary freedom in purification, 21, 25
unitary freedom of density operator, 21,
unitary freedom of Kraus elements, 214,
        227, 228
unitary freedom of Lindblad operators,
        227 - 229
unitary group, 46
unitary matrix, 46, 365
unitary operator, 365, 366, 370
unitary representation, 207
universal quantum computation, 46, 73,
        80, 93
    universal set of quantum logic gates,
        88, 105
universal set of classical logic gates, 88
unstructured search, 188, 190
vector, 358
    orthogonal vectors, 359
    parallel vectors, 359
vector space, 358
vector space of linear maps, 384
vector space of linear operators, 21, 381,
        385
vertex defect, 326, 327
vertex operator, 316–318, 322, 327
von Neumann entropy, 27, 339
von Neumann measurement, see also von
        Neumann scheme of measure-
        ment
von Neumann scheme of measurement,
        34, 176, 177
von Neumann, J., 34
```