```
2 \RequirePackage{kiwircs}
               3 \RCS $Revision: 1.17 $
               4 \RCS $Date: 2021-04-03 17:52:07+09 $
               5 \ProvidesPackage{workbooktools}[\RCSTeXDate\space v\RCSRevision\space Mahn-Soo Choi
               6 \RequirePackage{currfile}
                     Math Cells
                 1
                loadMathBundle
     mathbundle 7 \newcounter{mathbundle}[subsection]
   \bundle@file 8 \newcommand\bundle@file{%
                  \currfilebase.nbc/\the\c@section.\the\c@subsection-\themathbundle.tex}
              10 \newif\ifIgnoreBundleLoadError
              11 \IgnoreBundleLoadErrorfalse
                Load the next bundle of Mathematica(R) cells.
\loadMathBundle 12 \newcommand\loadMathBundle{%
                  \stepcounter{mathbundle}
                  \IfFileExists{\bundle@file}{%
                     \input{\bundle@file}}{%
                     \PackageWarning{workbooktools}{Bundle file \bundle@file\space not found}
                     \ifIgnoreBundleLoadError\else{\textcolor{red}{\fbox{\bundle@file}}}\fi}}
                Skip the next bundle of Mathematica(R) cells.
\skipMathBundle 18 \newcommand\skipMathBundle{\stepcounter{mathbundle}}
                 mathbundle
     mathbundle 19 \newenvironment{mathbundle}{%
                  \begin{list}{}{
              20
                     \parskip=6pt plus 4pt
                     \topsep=6pt plus 4pt
              22
                     \partopsep=0pt plus 4pt
                     \itemsep=6pt plus 4pt
                     \parsep=0pt plus 4pt
                  \raggedleft}{%
                  \end{list}}
\includemathcell 29 \newcommand\includemathcell[1]{%
                  \item\relax\includegraphics[scale=\mathcellscale]{#1}}
 \mathcellscale 31 \newcommand\mathcellscale{0.72}
                     Title
                Borrowed from symono provided by Springer.
     \maketitle 32 \def\maketitle{\par
                 \begingroup
              33
                    \def\thefootnote{\fnsymbol{footnote}}%
                    \def\@makefnmark{\hbox
                        to\z0{{\moth^{\chefnmark}}}\
              36
                   \if@twocolumn
                     \twocolumn[\@maketitle]%
```

\delta workbooktools.sty\\
1 \NeedsTeXFormat{LaTeX2e}

```
\else \newpage
                \global\@topnum\z@
                                     % Prevents figures from going at top of page.
         40
                \@maketitle \fi\thispagestyle{empty}\@thanks
                \par\penalty -\@M
            \endgroup
         43
            \setcounter{footnote}{0}%
            \let\maketitle\relax
            \let\@maketitle\relax
         \@maketitle 48 \def\@maketitle{\newpage
         49 \null
            \vskip 2em
                                       % Vertical space above title.
         51 \begingroup
            \def\and{\unskip, }
             \parindent=\z@
             \pretolerance=10000
             \rightskip=\z@ \@plus 3cm
         55
             {\LARGE
                                       % each author set in \LARGE
              \lineskip .5em
              \textbf{\@author}
              \par}%
         59
                                       % Vertical space after author.
             \vskip 2cm
             {\Huge \textbf{\@title} \par}%
                                               % Title set in \Huge size.
             \vskip 1cm
                                       % Vertical space after title.
         62
             \if!\@subtitle!\else
         63
              {\LARGE\ignorespaces\@subtitle \par}
              \vskip 1cm
                                        % Vertical space after subtitle.
             \fi
             \if!\@date!\else
                                        % Date set in \large size.
               {\large \@date}%
               \par
               \vskip 1.5em
                                         % Vertical space after date.
             \fi
         71
            \vfill
            {\Large Springer\par}
         74 %\vskip 5\p@
         75 %\large
         76 % Berlin\enspace Heidelberg\enspace New\kern0.1em York\\
         77 % Hong\thinspace Kong\enspace London\\
         78 % Milan\enspace Paris\enspace Tokyo\par
         79 \endgroup}
 \subtitle 80 \def\subtitle#1{\gdef\@subtitle{#1}}
\@subtitle 81 \def\@subtitle{}
                Prelude
            3
            [prelude]
```

```
[prelude]
\newenvironment{prelude}[1][\@empty]{%
  \begin{@prelude}
  \ifx\@empty#1\else\item[]\relax\footnotesize\hfill\textbf{#1}\fi
}{\end{@prelude}}
[@prelude]
```

```
\newenvironment{@prelude}{% opening part
  \begin{list}{$\bullet$}{%}
    \def\fakelabel##1{\textbf{##1}\hfill }%
    \let\makelabel\fakelabel%
    \leftmargin=0.5\linewidth\rightmargin=0pt%
    \topsep=0pt\itemsep=0pt\parsep=0pt%
    \labelwidth=1ex\labelsep=.75ex%
    \footnotesize}
}{% closing part
    \end{list}\par
    % \global\noindent@once
    \@afterheading
    \@checkend{@prelude}
}
```

4 Bibliography

```
[\doi]
\newcommand{\doi}[2][\empty]{%
  \href{\https://doi.org/#2}{\ifx#1\empty\nolinkur1{#2}\else#1\fi}}
[\arxiv]
\newcommand{\arxiv}[2][\empty]{%
  \href{\http://arxiv.org/abs/#2}{\ifx#1\empty\nolinkur1{#2}\else#1\fi}}
```

5 Index

- %2 \AtEndDocument{%
 %3 \phantomsection% required for hyperref package
 %4 \addcontentsline{toc}{chapter}{Index}%
 %5 \printindex}
 - 6 Others