

Bibliography

- Aharonov, Y. & J. Anandan, Phys. Rev. Lett. **58** (16), 1593 (1987). “Phase Change During a Cyclic Quantum Evolution”. DOI: [10.1103/PhysRevLett.58.1593](https://doi.org/10.1103/PhysRevLett.58.1593)
- Anandan, J., Physics Letters A **133** (4-5), 171 (1988). “Non-adiabatic non-abelian geometric phase”. DOI: [10.1016/0375-9601\(88\)91010-9](https://doi.org/10.1016/0375-9601(88)91010-9)
- Aspect, A., P. Grangier, & G. Roger, Phys. Rev. Lett. **47** (7), 460 (1981). “Experimental Tests of Realistic Local Theories via Bell’s Theorem”.
- Barenco, A., C. H. Bennett, R. Cleve, *et al.*, Physical Review A **52** (5), 3457 (1995). “Elementary gates for quantum computation”. DOI: [10.1103/physreva.52.3457](https://doi.org/10.1103/physreva.52.3457) arXiv:[quant-ph/9503016](https://arxiv.org/abs/quant-ph/9503016)
- Bell, J. S., Rev. Mod. Phys. **38** (3), 447 (1966). “On the Problem of Hidden Variables in Quantum Mechanics”.
- Bennett, C. H. & S. J. Wiesner, Phys. Rev. Lett. **69** (20), 2881 (1992). “Communication via one- and two-particle operators on Einstein-Podolsky-Rosen states”.
- Bergou, J. A., U. Herzog, & M. Hillery, “Discrimination of Quantum States,” in [Paris & Rehacek \(2004\)](#), Chap. 11, pp. 417–465. DOI: [10.1007/978-3-540-44481-7_11](https://doi.org/10.1007/978-3-540-44481-7_11)
- Berry, M. V., Proc. R. Soc. London A **392**, 45 (1984). “Quantal Phase Factors Accompanying Adiabatic Changes”.
- Blum, K., *Density Matrix Theory and Applications*, Vol. 64 of *Springer Series on Atomic, Optical, and Plasma Physics* (Springer Berlin Heidelberg, 2012), 3rd ed., ISBN 978-3-642-20560-6.
- Born, M., Z. Phys. **37** (12), 863 (1926). “Zur Quantenmechanik der Stoßvorgänge”.
- Breuer, H.-P. & F. Petruccione, *The Theory of Open Quantum Systems* (Oxford University Press, New York, 2002).
- Caves, C. M., Phys. Rev. D **23** (8), 1693 (1981). “Quantum-mechanical noise in an interferometer”.

- Cheffles, A., “Quantum States: Discrimination and Classical Information Transmission. A Review of Experimental Progress,” in [Paris & Rehacek \(2004\)](#), Chap. 12, pp. 467–511. DOI: [10.1007/978-3-540-44481-7_12](#)
- Chiaverini, J., *Science* **308** (5724), 997 (2005). “Implementation of the Semiclassical Quantum Fourier Transform in a Scalable System”. DOI: [10.1126/science.1110335](#)
- Deutsch, D. & R. Jozsa, *Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences* **439** (1907), 553 (1992). “Rapid Solution of Problems by Quantum Computation”. DOI: [10.1098/rspa.1992.0167](#)
- DiVincenzo, D. P., *Fortschr. Phys.* **48**, 771 (2000). “The Physical Implementation of Quantum Computation”. DOI: [10.1002/1521-3978\(200009\)48:9/11<771::AID-PROP771>3.0.CO;2-E](#) arXiv:[quant-ph/0002077](#)
- Dum, R., A. S. Parkins, P. Zoller, & C. W. Gardiner, *Phys. Rev. A* **46** (7), 4382 (1992). “Monte Carlo simulation of master equations in quantum optics for vacuum, thermal, and squeezed reservoirs”.
- Einstein, A., B. Podolsky, & N. Rosen, *Phys. Rev.* **47**, 777 (1935). “Can Quantum-Mechanical Description of Physical Reality Be Considered Complete?”
- Giovannetti, V., S. Lloyd, & L. Maccone, *Physical Review Letters* **96** (1), 010401 (2006). “Quantum Metrology”. DOI: [10.1103/PhysRevLett.96.010401](#) arXiv:[quant-ph/0509179](#)
- Griffiths, R. B. & C.-S. Niu, *Physical Review Letters* **76** (17), 3228 (1996). “Semiclassical Fourier Transform for Quantum Computation”. DOI: [10.1103/physrevlett.76.3228](#) arXiv:[quant-ph/9511007](#)
- Hardy, L., *Phys. Rev. Lett.* **68** (20), 2981 (1992). “Quantum Mechanics, Local Realistic Theories, and Lorentz-Invariant Realistic Theories”.
- Higgins, B. L., D. W. Berry, S. D. Bartlett, H. M. Wiseman, & G. J. Pryde, *Nature* **450** (7168), 393 (2007). “Entanglement-free Heisenberg-limited phase estimation”. DOI: [10.1038/nature06257](#) arXiv:[0709.2996](#)
- Horodecki, M., P. Horodecki, & R. Horodecki, *Phys. Lett. A* **223** (1), 1 (1996). “Separability of mixed states: necessary and sufficient conditions”. DOI: [10.1016/0375-9601\(95\)00930-2](#)
- Jiang, M., S. Luo, & S. Fu, *Physical Review A* **87** (2) (2013). “Channel-state duality”. DOI: [10.1103/physreva.87.022310](#)
- Kitaev, A. Y., *Electronic Colloquium on Computational Complexity* **3**, 3 (1996). “Quantum measurements and the Abelian Stabilizer Problem”. arXiv:[quant-ph/9511026](#)

- Kitaev, A. Y., Russian Mathematical Surveys **52** (6), 1191 (1997). “Quantum computations: algorithms and error correction”.
- Lang, S., *Introduction to Linear Algebra*, Undergraduate Texts in Mathematics (Springer New York, New York, 1986), 2nd ed., ISBN 9781461210702. DOI: [10.1007/978-1-4612-1070-2](https://doi.org/10.1007/978-1-4612-1070-2)
- Lang, S., *Linear Algebra* (Springer, Berlin, 1987), 3rd ed., ISBN 978-1-4757-1949-9. DOI: [10.1007/978-1-4757-1949-9](https://doi.org/10.1007/978-1-4757-1949-9)
- Lundeen, J. S., B. Sutherland, A. Patel, C. Stewart, & C. Bamber, Nature **474** (7350), 188 (2011). “Direct measurement of the quantum wavefunction”. DOI: [10.1038/nature10120](https://doi.org/10.1038/nature10120)
- Nakazato, H., Y. Hida, K. Yuasa, B. Militello, A. Napoli, & A. Messina, Physical Review A **74** (6), 062113 (2006). “Solution of the Lindblad equation in the Kraus representation”. DOI: [10.1103/physreva.74.062113](https://doi.org/10.1103/physreva.74.062113) arXiv:[quant-ph/0606193](https://arxiv.org/abs/quant-ph/0606193)
- Nielsen, M. & I. L. Chuang, *Quantum computation and quantum information* (Cambridge University Press, New York, 2011), 10th anniversary ed., ISBN 978-1107002173.
- Paris, M. & J. Rehacek, eds., *Quantum State Estimation*, Vol. 649 of *Lecture Notes in Physics* (Springer Berlin Heidelberg, Berlin, 2004), ISBN 9783540444817. DOI: [10.1007/b98673](https://doi.org/10.1007/b98673)
- Peres, A., Phys. Rev. Lett. **77** (8), 1413 (1996). “Separability Criterion for Density Matrices”. DOI: [10.1103/PhysRevLett.77.1413](https://doi.org/10.1103/PhysRevLett.77.1413) arXiv:[quant-ph/9604005](https://arxiv.org/abs/quant-ph/9604005)
- Plenio, M. B. & P. L. Knight, Rev. Mod. Phys. **70** (1), 101 (1998). “The quantum-jump approach to dissipative dynamics in quantum optics”.
- Raussendorf, R. & H. J. Briegel, Phys. Rev. Lett. **86** (22), 5188 (2001). “A One-Way Quantum Computer”.
- Raussendorf, R., D. Browne, & H. Briegel, Journal of Modern Optics **49** (8), 1299 (2002). “The one-way quantum computer—a non-network model of quantum computation”. DOI: [10.1080/09500340110107487](https://doi.org/10.1080/09500340110107487) arXiv:[quant-ph/0108118](https://arxiv.org/abs/quant-ph/0108118)
- Sjöqvist, E., D. M. Tong, L. Mauritz Andersson, B. Hessmo, M. Johansson, & K. Singh, New Journal of Physics **14** (10), 103035 (2012). “Non-adiabatic holonomic quantum computation”. DOI: [10.1088/1367-2630/14/10/103035](https://doi.org/10.1088/1367-2630/14/10/103035) arXiv:[1107.5127](https://arxiv.org/abs/1107.5127)
- Størmer, E., *Positive Linear Maps of Operator Algebras* (Springer, Berlin, 2013), ISBN 9783642343698. DOI: [10.1007/978-3-642-34369-8](https://doi.org/10.1007/978-3-642-34369-8)

- Vallone, G. & D. Dequal, Physical Review Letters **116** (4), 040502 (2016). “Strong Measurements Give a Better Direct Measurement of the Quantum Wave Function”. DOI: [10.1103/physrevlett.116.040502](https://doi.org/10.1103/physrevlett.116.040502) arXiv:[1504.06551](https://arxiv.org/abs/1504.06551)
- Wilczek, F. & A. Zee, Phys. Rev. Lett. **52** (24), 2111 (1984). “Appearance of Gauge Structure in Simple Dynamical Systems”. DOI: [10.1103/PhysRevLett.52.2111](https://doi.org/10.1103/PhysRevLett.52.2111)
- Zanardi, P. & M. Rasetti, Phys. Lett. A **264** (2-3), 94 (1999). “Holonomic quantum computation”. DOI: [10.1016/S0375-9601\(99\)00803-8](https://doi.org/10.1016/S0375-9601(99)00803-8) arXiv:[quant-ph/9904011](https://arxiv.org/abs/quant-ph/9904011)
- Zurek, W. H., Phys. Today **44** (10), 36 (1991). “Decoherence and the transition from quantum to classical”.
- Zurek, W. H., Los Alamos Science **27**, 2 (2002). “Decoherence and the Transition from Quantum to Classical: Revisited”.

Index

- bitwise AND, 67
- Bloch sphere, 16, 17
- Bloch vector, 16
- cluster state, 72
- CNOT, 46
 - controlled-NOT gate, 46
 - multi-qubit controlled-NOT, 68
- control qubit, 46
- controlled- U gate, 46
 - multi-qubit controlled- U gate, 56, 65
- cyclic evolution, 83
- CZ, 50
 - controlled-Z gate, 50
- damping operator, 121, 125
- density matrix, 13
- density operator, 13
- DiVincenzo criteria, 76
- elementary quantum logic gates, 36
- entangled state, 11, 13, 47
- Euler rotation, 45
 - Euler angles, 45
- graph state, *see also* cluster state
- Gray code, 56, 66
 - Gray code sequence, 66
- Hadamard gate, 40, 72
 - Hadamard matrix, 40
- initialization, 77
- Lindblad equation, 125
- Lindblad operator, 121
- logical basis, 9
- Markov approximation, 120
- maximally entangled, 72
- measurement, 35, 77
- measurement-based quantum computation, 84
- mixed state, 13
- non-Hermitian Hamiltonian, 121
- normal operator, 143
- one-way quantum computation, *see also* measurement-based quantum computation
- Pauli operators, 36, 72
 - Pauli gates, 36
- phase gate, 71
- positive operator, 143
- quantum entanglement, 13
- quantum circuit model
 - quantum circuit diagram, 35
- quantum computer
 - architecture, 75
- quantum efficiency, 77
- quantum entanglement, 48
- quantum entangler circuit, 48
- quantum jump approach, 121, 125
- quantum jump operator, 121
- quantum logic gate, 46
- quantum logic gate operation, 35
- quantum master equation, 125
- quantum oracle, 94
- quantum teleportation, 13, 48
- qubit, 35, 76
 - quantum bit, 35

- reduced density matrix, 72
- rotation, 44

- Schmidt decomposition, 11
- Schmidt rank, 20
- separable state, 11
- spectral decomposition, 143
- statistical ensemble, 13

- target qubit, 46
- tensor-product basis, 11
- tensor-product space, 11
- two-level unitary transformation, 58, 61
 - two-level unitary matrix, 64, 65

- unitary group, 36
- unitary matrix, 36
- universal quantum computation, 36, 58, 66
 - universal set of quantum gate operations, 77

- vector space of linear operators, 17