EXPERIMENT- 05

Student Name: YASHWANTH KANABOINA   **UID:** 23BCS10501

Branch: BE-CSE   **Section/Group: Krg_1A**

Semester: 05   **Date of Performance: 23/09/25**
Subject Name: ADBMS   **Subject Code: 23CSP-333**

Performance Benchmarking: Normal View VS Materialized View (Medium Level)

1. Aim:

i. Create a large dataset
 - Create a table names transaction_data (id , value) with 1 million records.
- take id 1 and 2, and for each id, generate 1 million records in value column
 - Use Generate_series () and random() to populate the data.

ii. Create a normal view and materialized view to for sales_summary, which includes total_quantity_sold, total_sales, and total_orders with aggregation.

iii. Compare the performance and execution time of both.

2. Objective:

* Create a large dataset `transaction_data` with 1 million records for each `id`.
* Create a **normal view** and a **materialized view** to summarize sales (`total_orders`, `total_sales`, `avg_transaction`).
* Compare performance using `EXPLAIN ANALYZE`.

3. DBMS script and output:

```
CREATE TABLE transaction_data (
    id INT,
    value INT
);
```

```sql
-- Insert random data for id = 1
INSERT INTO transaction_data (id, value)
SELECT 1, random() * 1000
FROM generate_series(1, 1000000);

-- Insert random data for id = 2
INSERT INTO transaction_data (id, value)
SELECT 2, random() * 1000
FROM generate_series(1, 1000000);

-- Show data
SELECT * FROM transaction_data;

-- Normal view
CREATE OR REPLACE VIEW sales_summary_view AS
SELECT
    id,
    COUNT(*) AS total_orders,
    SUM(value) AS total_sales,
    AVG(value) AS avg_transaction
FROM transaction_data
GROUP BY id;

-- Run normal view
EXPLAIN ANALYZE SELECT * FROM sales_summary_view;

-- Materialized view
CREATE MATERIALIZED VIEW sales_summary_mv AS
SELECT
    id,
    COUNT(*) AS total_orders,
    SUM(value) AS total_sales,
    AVG(value) AS avg_transaction
FROM transaction_data
GROUP BY id;

-- Run materialized view
EXPLAIN ANALYZE SELECT * FROM sales_summary_mv;

-- New table
CREATE TABLE random_tabl (
    id INT,
    val DECIMAL
);

-- Insert random values for id = 1
INSERT INTO random_tabl
SELECT 1, random()
```

```
FROM generate_series(1, 1000000);

-- Insert random values for id = 2
INSERT INTO random_tabl
SELECT 2, random()
FROM generate_series(1, 1000000);

-- Normal query
SELECT id, AVG(val), COUNT(*)
FROM random_tabl
GROUP BY id;

-- Materialized view for query
CREATE MATERIALIZED VIEW mv_random_tabl AS
SELECT id, AVG(val), COUNT(*)
FROM random_tabl
GROUP BY id;

-- Show materialized view
SELECT * FROM mv_random_tabl;

-- Refresh if data changes
REFRESH MATERIALIZED VIEW mv_random_tabl;
```

4. Output:

^ normal view performance

^ materialized view performance

Data Output   Messages   Notifications

```
REFRESH MATERIALIZED VIEW

Query returned successfully in 216 msec.
```

Securing Data Access with Views and Role-Based Permissions (Hard Level)

1. Aim:

The company **TechMart Solutions** stores all sales transactions in a central database.
A new reporting team has been formed to analyze sales but **they should not have direct access to the base tables** for security reasons.
The database administrator has decided to:

   i.   Create **restricted views** to display only summarized, non-sensitive data.
   ii.   Assign access to these views to specific users using **DCL commands** (GRANT, REVOKE).

2. Objective:

- To create **restricted views** that display only summarized, non-sensitive sales data for reporting.
- To use **DCL commands (GRANT, REVOKE)** for controlling user access to views.
- To ensure reporting users can only **view data** without direct access to base tables.

3. DBMS script and output:

```
-- 1. Create customer_master
CREATE TABLE customer_master (
    customer_id VARCHAR(5) PRIMARY KEY,
    full_name VARCHAR(50) NOT NULL,
    phone VARCHAR(15),
    email VARCHAR(50),
    city VARCHAR(30)
);
```

```
--    2.    Create    product_catalog
CREATE TABLE product_catalog (
    product_id VARCHAR(5) PRIMARY KEY,
    product_name VARCHAR(50) NOT NULL,
    brand VARCHAR(30),
    unit_price NUMERIC(10,2) NOT NULL
);

-- 3. Create sales_orders
CREATE TABLE sales_orders (
    order_id SERIAL PRIMARY KEY,
    product_id VARCHAR(5) REFERENCES product_catalog(product_id),
    quantity INT NOT NULL,
    customer_id VARCHAR(5) REFERENCES customer_master(customer_id),
    discount_percent NUMERIC(5,2),
    order_date DATE NOT NULL
);
```

```
INSERT INTO customer_master (customer_id, full_name, phone, email, city) VALUES
('C1', 'Amit Sharma', '9876543210', 'amit.sharma@example.com', 'Delhi'),
('C2', 'Priya Verma', '9876501234', 'priya.verma@example.com', 'Mumbai'),
('C3', 'Ravi Kumar', '9988776655', 'ravi.kumar@example.com', 'Bangalore'),
('C4', 'Neha Singh', '9123456789', 'neha.singh@example.com', 'Kolkata'),
('C5', 'Arjun Mehta', '9812345678', 'arjun.mehta@example.com', 'Hyderabad'),
('C6', 'Sneha Reddy', '9090909090', 'sneha.reddy@example.com', 'Chennai'),
('C7', 'Vikram Das', '9123412345', 'vikram.das@example.com', 'Pune'),
('C8', 'Rohit Gupta', '9000000001', 'rohit.gupta@example.com', 'Lucknow'),
('C9', 'Pooja Nair', '9898989898', 'pooja.nair@example.com', 'Kochi'),
('C10', 'Ankit Yadav', '9345678901', 'ankit.yadav@example.com', 'Ahmedabad');
```

```
INSERT INTO product_catalog (product_id, product_name, brand, unit_price) VALUES
('P1', 'Smartphone X100', 'Samsung', 25000.00),
('P2', 'Laptop Pro 15', 'Dell', 65000.00),
('P3', 'Wireless Earbuds', 'Sony', 5000.00),
('P4', 'Smartwatch Fit', 'Apple', 30000.00),
('P5', 'Tablet 10.5', 'Lenovo', 22000.00),
('P6', 'Gaming Console', 'Sony', 45000.00),
('P7', 'Bluetooth Speaker', 'JBL', 7000.00),
('P8', 'Digital Camera', 'Canon', 55000.00),
('P9', 'LED TV 55 inch', 'LG', 60000.00),
```

```sql
('P10', 'Power Bank 20000mAh', 'Mi', 2500.00);



INSERT INTO sales_orders (product_id, quantity, customer_id, discount_percent, order_date) VALUES
('P1', 2, 'C1', 5.00, '2025-09-01'),
('P2', 1, 'C2', 10.00, '2025-09-02'),
('P3', 3, 'C3', 0.00, '2025-09-03'),
('P4', 1, 'C4', 8.00, '2025-09-04'),
('P5', 2, 'C5', 5.00, '2025-09-05'),
('P6', 1, 'C1', 12.00, '2025-09-06'),
('P7', 2, 'C2', 0.00, '2025-09-07'),
('P8', 1, 'C3', 10.00, '2025-09-08'),
('P9', 1, 'C6', 15.00, '2025-09-09'),
('P10', 4, 'C7', 0.00, '2025-09-10'),
('P1', 1, 'C8', 5.00, '2025-09-11'),
('P2', 2, 'C9', 10.00, '2025-09-12'),
('P3', 2, 'C10', 0.00, '2025-09-13'),
('P4', 1, 'C5', 8.00, '2025-09-14'),
('P5', 3, 'C6', 5.00, '2025-09-15'),
('P6', 1, 'C7', 12.00, '2025-09-16'),
('P7', 2, 'C8', 0.00, '2025-09-17'),
('P8', 1, 'C9', 10.00, '2025-09-18'),
('P9', 1, 'C10', 15.00, '2025-09-19'),
('P10', 5, 'C4', 0.00, '2025-09-20');

-- Create view for order summary
CREATE VIEW vW_ORDER_SUMMARY AS
SELECT
    O.order_id,
    O.order_date,
    P.product_name,
    C.full_name,
    (P.unit_price * O.quantity) - ((P.unit_price * O.quantity) * O.discount_percent / 100) AS final_cost
FROM customer_master AS C
JOIN sales_orders AS O
    ON O.customer_id = C.customer_id
JOIN product_catalog AS P
    ON P.product_id = O.product_id;

-- Check data in the view
SELECT * FROM vW_ORDER_SUMMARY;

-- User access
-- Create client user
```

```sql
CREATE ROLE RUCHI LOGIN PASSWORD 'ruchi';

-- Give select access to view
GRANT SELECT ON vW_ORDER_SUMMARY TO RUCHI;

-- Optional: revoke access
-- REVOKE SELECT ON vW_ORDER_SUMMARY FROM ALOK;

-- Employee table
CREATE TABLE EMPLOYEE (
    empId INTEGER PRIMARY KEY,
    name TEXT NOT NULL,
    dept TEXT NOT NULL
);

-- Insert sample data
INSERT INTO EMPLOYEE VALUES (1, 'Clark', 'Sales');
INSERT INTO EMPLOYEE VALUES (2, 'Dave', 'Accounting');
INSERT INTO EMPLOYEE VALUES (3, 'Ava', 'Sales');

-- View table data
SELECT * FROM EMPLOYEE;

-- View with check option
CREATE VIEW vW_STORE_SALES_DATA AS
SELECT empId, name, dept
FROM EMPLOYEE
WHERE dept = 'Sales'
WITH CHECK OPTION;

-- Check view data
SELECT * FROM vW_STORE_SALES_DATA;
```

5. Output:

Data Output	Messages	Notifications

```
GRANT


Query returned successfully in 94 msec.
```

	empid integer	name text	dept text
1	1	Clark	Sales
2	3	Ava	Sales