
Data Copy System Manual for shifters AUS to Shifter Shifter to sukap

11 Oct 2026 Kotaro Kanai(UTokyo)
kanai@hep.phys.s.u-tokyo.ac.jp


AUS


AUS DAQ PC
/home/hyperkaus/WaveDumpSaves/scan_yyyymmdd_hhmmss
/PMT_label/wavesave_thetaX_phiY/waveN.dat (N=0,1,3,7)
1. AUS to Shifter
Shifter PC
/media/precalib/rawdata/aus/commissioning
2. Shifter to sukap
sukap (hkpd)
/disk03/hk04/precalib/commissioning/aus/caendigi
or
/disk03/hk04/precalib/commissioning/aus/hkelec


1. AUS to Shifter on Shifter PC terminal

cd /home/precalib/shiftertool/copy
ls <- check the latest version (2026-10-11 : 1006-AUScopy,sh)
./1006-AUScopy.sh

input information



AUS to Shifter input window



Leave them blank
No need to enter
folder names


NOTICE
Blank = default input

Parent directory : /home/hyperkaus/WaveDumpSaves
Date(yyyymmdd), Time(hhmmss), PMT Label, Theta(deg), Phi(deg)
scan_yyyymmdd_hhmmss/PMT_label/wavesave_thetaX_phiY/waveN.dat (N=0,1,3,7)
Save Dir : /media/precalib/rawdata/aus/commissioning


2. Shifter to sukap(hkpd) on Shifter PC terminal

cd /home/precalib/shiftertool/copy
ls <- check the latest version (2026-09-30 : 0930-hkpd.sh)
./1010-AUShkpdcopy.sh

input window



Shifter to hkpd input window



NOTICE

Blank = default input

Leave them blank

No need to enter folder names

NOTICE

SELECT digitizer type

caendigi or hkelec


Parent directory : /home/hyperkaus/WaveDumpSaves

Date(yyyymmdd), Time(hhmmss), PMT Label, Theta(deg), Phi(deg)


scan_yyyymmdd_hhmmss/PMT_label/wavesave_thetaX_phiY/waveN.dat (N=0,1,3,7)

Save Dir : /media/precalib/rawdata/aus/commissioning

Shifter PC directory structure




sukap(hkpd) directory structure



Parameter Information on Database

Shifters add all conditions they set to measure PMTs like this

date, name, time, PMT labels, HVs, B-current, wavelength, digitizer, LASER current etc



Appendix : PC information

・KOR DAQ : precalkor 192.168.0.104

ssh -v -p 4280 precalkor@192.168.0.104

Address: 1638953917

Password: precalkor1234!

ssh from Shifter PC

・Shifter PC : precalib 192.168.0.112

Anydesk : 1509405640

Pass ; hyperK1987A

・sukap : hkpd 10.220.11.100

ssh hkpd@10.220.11.100

hkpd password is unpublished

Ask Kanai, Ashida, Nakajima if you want

・B-field monitor

Anydesk : 1417899294

Pass : Kikusui18-5A