




```
flowchart TD
A["Your Acer Laptop (Windows)"]
B["Docker Desktop"]
C["OWASP Juice Shop Container"]
D["Browser: 127.0.0.1:3000"]
E["Public Websites / Other Devices"]
A--> B
B--> C
C-> D
E -. "Not Authorized" .-> C
%% s1 s2 s3 s4 s5
```

Figure 1: Local Isolated Security Practice Lab Topology.



PERSONAL RULES OF ENGAGEMENT (RoE)

Task 1: Legal Scope and Isolated Lab

Name: Kanakanjali Chatterjee

Institution: B.P. Poddar Institute of Management & Technology

Domain: Ethical Hacking

1. Authorized Target

The only authorized target for this practice is the locally hosted OWASP Juice Shop application running inside Docker Desktop on my personal laptop.

Target URL: http://127.0.0.1:3000

2. Testing Environment

Testing will be performed only within the local lab environment. The application is accessed through localhost.

3. Allowed Activities

- Learning web application security concepts.
- Testing the intentionally vulnerable OWASP Juice Shop application.
- Recording observations and documenting learning outcomes.

4. Prohibited Activities

- Testing websites, servers, networks, or devices without explicit authorization.
- Accessing or modifying other users' data.
- Denial-of-service testing, destructive activities, or malware deployment.
- Attempting to bypass the defined lab scope.

5. Stop Conditions

Testing will stop immediately if:

- The application becomes accessible outside the intended local environment.
- Unexpected systems or data are encountered.
- Any activity risks affecting systems beyond the lab.

6. Data Handling


Only lab-generated information will be documented. No real personal or confidential data will be collected.

7. Declaration

I understand that ethical security testing must be conducted legally and responsibly. I agree to follow the above scope and restrictions.

Student Signature: _____

Date: _____



Browser address 127.0.0.1:3000

File name: 01-juice-shop-running.png