



THE METABOLIC MOMENTUM

QUICK-START GUIDE

7 Simple Ways to Support Your Metabolic Health - Starting Today

Small changes. Better understanding. Sustainable momentum.

Dr. Amanda Romine-Nelson, PharmD, RPh
Pharmacist | Health & Wellness Coach
Ask Coach Amanda

YOUR 7-DAY ACTION PLAN INCLUDED

Connect the Dots. Create Momentum. Build Wellness That Sticks.

Your Score Gave You Clues. Now Let's Do Something With Them.

Your score isn't a diagnosis. It's a starting point.

If your Metabolic Health & Flexibility Scorecard highlighted challenges with your energy, cravings, hunger, waistline, sleep, movement, or metabolic-health markers, you may be wondering:

“Okay, Dr. Amanda...what can I actually DO about it?”

That's exactly where I want you to start.

Your metabolic health is influenced by more than the number on the scale. How you eat, move, sleep, hydrate, manage stress, and repeat your daily habits can all play a role.

But here's the good news: You don't have to change everything to start changing something.

Inside this guide are seven practical strategies you can experiment with right away. Don't try all seven tomorrow. Choose TWO. Practice them for seven days. Pay attention to how your body responds. And start learning to connect the dots.

YOUR GOAL FOR THIS GUIDE

NOTICE > EXPERIMENT > LEARN > ADJUST > BUILD MOMENTUM

A quick note before you begin

These are general health and wellness strategies, not individualized medical advice. Your needs may differ based on your health conditions, medications, physical abilities, and other factors. Use this guide as a starting point for curiosity and conversation.

1

MOVE AFTER YOU EAT

Don't automatically go from the dinner table to the couch.

After eating, your body has nutrients available to process and use. One simple strategy supported by research is light movement after meals. A systematic review and meta-analysis found that post-meal exercise reduced acute post-meal glucose excursions compared with pre-meal exercise or remaining inactive, with earlier post-meal activity appearing more beneficial.[1]

TRY THIS AFTER ONE MEAL TODAY

- ☐ Take a short walk
- ☐ Walk around your home or workplace
- ☐ Clean up the kitchen
- ☐ Take the stairs
- ☐ Find another easy way to get your muscles moving

DR. AMANDA'S MOMENTUM TIP

Don't let "I don't have 30 minutes" become the reason you do zero minutes.

2

PUT YOUR MUSCLES TO WORK - EVEN WHEN YOU CAN'T TAKE A WALK

Stuck at your desk? Sitting through meetings? Movement does not have to mean a formal workout.

Breaking up prolonged sitting with movement can support glucose management. Diabetes physical-activity guidance recommends reducing sedentary time and interrupting prolonged sitting; short bouts of walking or simple resistance activity can be practical options.[2]

Simple ideas: stand up, walk for a few minutes, perform comfortable calf raises, or use another simple resistance movement that is appropriate and safe for you.


TRY THIS: Set a reminder to break up long periods of sitting. When a walk isn't practical, look for a comfortable way to activate your muscles.

Note: This guide intentionally does not prescribe a universal "3-5 minute calf raise" dose. The evidence more broadly supports interrupting sitting and using light activity or resistance movement.

3

CHANGE THE ORDER OF YOUR PLATE

Sometimes you can experiment with HOW you eat the meal, not only WHAT you eat.



In a small crossover study of adults with type 2 diabetes, consuming vegetables and protein before carbohydrate produced lower post-meal glucose and insulin excursions than eating the carbohydrate first.[3]

So when your meal naturally contains these foods, experiment with starting with fiber-rich vegetables and protein, then eating the carbohydrate portion afterward.

IMPORTANT: This isn't about being afraid of carbohydrates. It's another tool for thinking differently about how you build and eat your meals.

Example

Meal: salad + salmon + rice

Experiment: salad first → salmon → rice

Pay attention to how you feel afterward: your satisfaction, hunger, energy, and overall meal experience. Your response is information.

4

PROTECT YOUR SLEEP TO SUPPORT TOMORROW'S CHOICES

A tired brain can make healthy choices harder.

Randomized-trial evidence suggests that sleep restriction can increase subjective hunger and energy intake and can reduce insulin sensitivity. Findings for individual appetite hormones such as ghrelin and leptin are less consistent, so the bigger message is that sleep itself matters for metabolic health.[4,5]

TRY THIS TONIGHT: CREATE A 30-MINUTE SLEEP RUNWAY

- ☐ Choose a realistic target bedtime
- ☐ Begin winding down about 30 minutes beforehand
- ☐ Reduce stimulating activities
- ☐ Prepare tomorrow's essentials earlier
- ☐ Keep your sleep/wake schedule as consistent as practical

DR. AMANDA'S MOMENTUM TIP

Sometimes one of the healthiest things you can do for tomorrow is go to bed tonight.

5

MAKE HYDRATION EASIER TO REMEMBER

Don't rely on remembering when your day gets busy.

Water needs vary. The National Academies' Adequate Intake for adult women is about 2.7 liters of total water per day, which includes water from both foods and beverages. Activity level, climate, pregnancy, health conditions, and other factors can change individual needs.[6]

Instead of obsessing over a perfect number, create hydration anchors:

1. _____
2. _____
3. _____

Examples: after I wake up → water | with a meal → water | mid-afternoon → water

6

BUILD MEALS THAT SATISFY YOU

If you're starving two hours after lunch, get curious before blaming your willpower.

Ask yourself:

- ☐ Did I include a meaningful source of protein?
- ☐ Did I include fiber-rich foods?
- ☐ Was the meal actually satisfying?
- ☐ Did I mostly eat rapidly digested carbohydrate by itself?

PROTEIN + FIBER-RICH FOODS + COLOR + APPROPRIATE CARBOHYDRATE/FAT

The goal isn't to eat as little as possible. The goal is to build meals that better support your health, energy, and satisfaction.

7

STOP TRYING TO CHANGE EVERYTHING AT ONCE

The “Monday Makeover” is rarely a sustainable plan.

Monday: “I'm changing EVERYTHING!”

Tuesday: Meal prep. Workout. Water. No sugar. Early bedtime. 10,000 steps.

Wednesday: Life happens.

Thursday: “I blew it.”

Next Monday: Start over.

**That's not necessarily a lack of willpower.
It may be a plan that didn't survive real life.**

Instead: CHOOSE YOUR TWO.

- ☐ Move after one meal
- ☐ Break up prolonged sitting
- ☐ Change my meal order when practical
- ☐ Create a sleep runway
- ☐ Create hydration anchors
- ☐ Build a more balanced meal
- ☐ Practice consistency instead of perfection

MY TWO:

1. _____

2. _____

MY 7-DAY METABOLIC MOMENTUM CHALLENGE

This week, I'm practicing:

Action #1: _____

Action #2: _____

	MON	TUE	WED	THU	FRI	SAT	SUN
Action #1	■	■	■	■	■	■	■
Action #2	■	■	■	■	■	■	■

DON'T JUST TRACK WHAT YOU DID. NOTICE HOW YOU FELT.

My energy: ☐ Worse ☐ Same ☐ Better

My cravings: ☐ Better ☐ Same ☐ Stronger

My hunger/satisfaction: ☐ Worse ☐ Same ☐ Better

My sleep: ☐ Worse ☐ Same ☐ Better

The most interesting thing I noticed about my body was:

The biggest obstacle I discovered was:

One thing I want to continue is:

YOUR BODY IS ALWAYS GIVING YOU INFORMATION.
The goal is to learn how to listen.

YOU DON'T NEED ANOTHER LIST OF THINGS YOU “SHOULD” BE DOING.

You probably already know a lot about health. Maybe you've tried eating less, cutting carbohydrates, fasting, exercising more, buying supplements, tracking calories, or promising yourself you'd start again on Monday.

And yet you're still wondering:

“Why isn't my body responding the way it used to?”

Here's what I want you to remember:

Your weight, waistline, cravings, energy, sleep, stress, blood sugar, medications, nutrition, movement, and daily habits don't live in separate boxes.

They're connected.

Sometimes the answer isn't finding one more thing to try. It's having someone help you figure out:

- What is happening?
- What matters most for me?
- What should I focus on first?
- How do I make it work in my actual life?

A NOTE FROM DR. AMANDA

As a pharmacist and health and wellness coach, one of the things I love most is helping people take complicated health information and make it practical.

You don't need someone standing over you pointing out everything you're doing wrong. You need someone who will listen, help you recognize patterns, explain what may be contributing, and help you determine which changes make sense for you.

That's what I mean when I talk about connecting the dots and creating momentum.

Start with your two actions from this guide. Pay attention to what you notice.

And if you're thinking, “Amanda, this makes sense, but I need help figuring out what all of this looks like for me,” that's exactly the kind of work I love doing.

- Dr. Amanda

WATCH MY SHORT MESSAGE FOR YOU →

[MANDAR: LINK / BUTTON TO 3-MINUTE VIDEO]

THE SCIENCE BEHIND YOUR QUICK-START GUIDE

These references support the educational recommendations in this guide. They are provided so you can see the evidence behind the practical strategies.

1. Engeroff T, Groneberg DA, Wilke J. After Dinner Rest a While, After Supper Walk a Mile? A Systematic Review with Meta-analysis on the Acute Postprandial Glycemic Response to Exercise Before and After Meal Ingestion in Healthy Subjects and Patients with Impaired Glucose Tolerance. *Sports Medicine*. 2023;53:849-869. doi:10.1007/s40279-022-01808-7.
2. American Diabetes Association Professional Practice Committee. Facilitating Positive Health Behaviors and Well-being to Improve Health Outcomes: Standards of Care in Diabetes. *Diabetes Care*. Physical-activity guidance includes reducing sedentary time and interrupting prolonged sitting.
3. Shukla AP, Iliescu RG, Thomas CE, Aronne LJ. Food Order Has a Significant Impact on Postprandial Glucose and Insulin Levels. *Diabetes Care*. 2015;38(7):e98-e99. doi:10.2337/dc15-0429.
4. Zhu B, Shi C, Park CG, Zhao X, Reutrakul S. Effects of sleep restriction on metabolism-related parameters in healthy adults: A comprehensive review and meta-analysis of randomized controlled trials. *Sleep Medicine Reviews*. 2019;45:18-30. PMID: 30870662.
5. Systematic review/meta-analysis of randomized controlled trials examining sleep manipulation and insulin sensitivity. *Sleep Medicine Reviews*. 2022. PMID: 35189549.
6. Institute of Medicine. Dietary Reference Intakes for Water, Potassium, Sodium, Chloride, and Sulfate. Washington, DC: The National Academies Press; 2005. Adult women: Adequate Intake approximately 2.7 L/day total water from foods and beverages.

IMPORTANT INFORMATION

Educational Information Only

This guide is provided for general health and wellness education and is not intended to diagnose, treat, cure, or prevent a medical condition or replace individualized medical advice. Health needs vary. If you have a medical condition, take medications that can affect blood glucose or blood pressure, have physical limitations, or have questions about whether these strategies are appropriate for you, discuss them with a qualified healthcare professional. Do not change prescribed medications without consulting the prescribing healthcare professional.

Ask Coach Amanda
Dr. Amanda Romine-Nelson, PharmD, RPh
Pharmacist | Health & Wellness Coach

Connect the Dots. Create Momentum. Build Wellness That Sticks.