

SHETH L.U.J AND SIR M.V COLLEGE

PRACTICAL NO :- 14

AIM :- Combining datasets vertically (concatenation) using rbind() (R).

INPUT :-

```
install.packages("lubridate")
```

```
library(lubridate)
```

```
library(dplyr)
```

```
car_df <- read.csv("C:/Saurav S084/Adv python for data science/cardata.csv")
```

```
dates_df <- car_df %>%
```

```
  mutate(Date_String = paste0(Year, "-01-01"))
```

```
processed_data <- dates_df %>%
```

```
  mutate(
```

```
    Actual_Date = ymd(Date_String),
```

```
    Year_Num = year(Actual_Date),
```

```
    Month_Num = month(Actual_Date),
```

```
    Month_Name = month(Actual_Date, label = TRUE),
```

```
    Day_Num = day(Actual_Date),
```

```
    Weekday_Num = wday(Actual_Date),
```

```
    Weekday_Name = wday(Actual_Date, label = TRUE, abbr = FALSE),
```

```
    Quarter = quarter(Actual_Date),
```

```
    Day_of_Year = yday(Actual_Date)
```

```
)
```

```
print("--- Data with Extracted Date Components ---")
```

```
print(processed_data)
```

```
current_time <- now()
```

NAME :- SAURAV KANDARI

ROLL NO :- S084

SHETH L.U.J AND SIR M.V COLLEGE

PRACTICAL NO :- 14

```
print("--- Current Time Extraction ---")  
  
print(paste("Current Year:", year(current_time)))  
  
print(paste("Current Hour:", hour(current_time)))  
  
print(paste("Current Minute:", minute(current_time)))
```

OUTPUT :-

The screenshot displays the RStudio interface. The Source pane on the left shows a script with the following code:

```
[1] --- Data with Extracted Date Components ---  
> print(processed_data)
```

The Environment pane on the right shows the Global Environment with the following variables:

- dates_df: 301 obs. of 10 variables
- df: 8573 obs. of 4 variables
- df_clean: 8573 obs. of 4 variables
- duplicates_repo: 2 obs. of 4 variables
- flower_clean: 4573 obs. of 2 variables
- iris: 150 obs. of 5 variables
- iris_clean: 150 obs. of 2 variables
- long_df: 17146 obs. of 4 variables
- Mental_Health_a: 73 obs. of 5 variables
- processed_data: 301 obs. of 19 variables

The console at the bottom shows the output of the script, which is a data frame with 41 rows and 10 columns. The columns are car_name, year, selling_price, present_price, kms_driven, fuel_type, seller_type, transmission, owner, and date_string. The data includes various car models like ritz, sx4, ciaz, wagon r, swift, vitara, etc. The date_string column shows dates from 2013-01-01 to 2016-01-01.

NAME :- SAURAV KANDARI
ROLL NO :- S084