Cucumber Report

| **Start : Jul 18, 6:55:39.189 pm**	**End : Jul 18, 6:56:00.724 pm**	**Duration : 21.535 s**
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 9

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
This to test login whaot	*21.535 s*	*1*	*0*	*1*	*0*	*10*	*0*	*1*	*9*

#	*Feature Name*	*Scenario Name*
1	*This to test login whaot*	*Verify the valid user scucessful login*

TAG	Scenario				Feature			
Name	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
@validuserlogin	1	0	1	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	*This to test login whaot*	1	0	1	0	21.535 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	This to test login whaot	Verify the valid user scucessful login	10	0	1	9	21.527 s

This to test login whaot

FAILED	DURATION - 21.535 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 10 Pass - 0 Fail - 1 Skip - 9	10
/ 6:55:39.189 pm // 6:56:00.724 pm /					

Verify the valid user scucessful login

FAILED	DURATION - 21.527 s		Steps Total - 10 Pass - 0 Fail - 1 Skip - 9	10
/ 6:55:39.197 pm // 6:56:00.724 pm /				
This to test login whaot				
@validuserlogin				

#	Step / Hook Details	Status	Duration
1	Given user is whaot home page	FAILED	0.011 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.WebDriver.get(String)" because the return value of "com.whaot. whaot_webdriver_manager.DriverManager.getDriver()" is null
	    at com.whaot.StepDefinations.WhaotloginDefinations.user_is_whaot_home_page(WhaotloginDefinations.java:29)
	    at ?.user is whaot home page(file:///C:/Users/user/git/whaot-automation/src/test/resources/features/whaot_login.feature:5)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - com.whaot.hooks.Whaot_Common_Step_Definations.attach_screenshot(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "com.whaot.whaot_webdriver_manager.DriverManager.getDriver()" is null at com.whaot.hooks.Whaot_Common_Step_Definations.attach_screenshot(Whaot_Common_Step_Definations.java:102)		
2	And user click the signin button	SKIPPED	0.002 s
3	When enter the signin mobile number 8000060000	SKIPPED	0.001 s
4	And click the proceed to button	SKIPPED	0.000 s
5	When enter the signin OTP1 number 1	SKIPPED	0.001 s
6	When enter the signin OTP2 number 2	SKIPPED	0.000 s
7	When enter the signin OTP3 number 3	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
8	When enter the signin OTP4 number 4	SKIPPED	0.001 s
9	When user click to contiune button	SKIPPED	0.000 s
10	Then user successfully login the to be show the homepage	SKIPPED	0.001 s
	AFTER - com.whaot.hooks.Whaot_Common_Step_Definations.afterScenario(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.remote.RemoteWebDriver.getSessionId()" because the return value of "com.whaot.whaot_webdriver_manager.DriverManager.getDriver()" is null at com.whaot.hooks.Whaot_Common_Step_Definations.afterScenario(Whaot_Common_Step_Definations.java:80)	FAILED	0.001 s