

**Additional File 1**

1 **Table S1.** List of genes, sequences of primers, cycling conditions for PCR assays, and amplicon sizes.

Assay	Gene	Primer sequence	PCR program <sup>a</sup>	Product size (bp)	Reference
<i>E. coli</i> confirmation	<i>uspA</i>	F: 5'-CCGATACGCTGCCAATCAGT-3'	94°C/ 120 s, 70°C/ 60 s, 72°C/ 60 s (30 cycles)	884	1
		R: 5'-ACGCAGACCGTAGGCCAGAT-3'			
Phylogenetic typing (Triplex method)	<i>chuA</i>	F: 5'-GACGAACCAACGGTCAGGAT-3'	94°C/ 30 s, 55°C/ 30 s, 72°C/ 30 s (30 cycles)	279	2
		R: 5'-TGCCGCCAGTACCAAAGACA-3'			
	<i>yjaA</i>	F: 5'-TGAAGTGTGAGGAGACGCTG-3'		211	
		R: 5'-ATGGAGAATGCGTTCCTCAAC-3'			
	TspE4.C2	F: 5'-GAGTAATGTCGGGGCATTCA-3'		152	
		R: 5'-CGCGCCAACAAAGTATTACG-3'			
Phylogenetic typing (Quadruplex method)	<i>chuA</i>	F: 5'-ATGGTACCGGACGAACCAAC-3'	94°C/ 5 s, 57°C/ 20 s (30 cycles)	288	3
		R: 5'-TGCCGCCAGTACCAAAGACA-3'			
	<i>yjaA</i>	F: 5'-CAAACGTGAAGTGTGAGGAG-3'		211	
		R: 5'-AATGCGTTCCTCAACCTGTG-3'			
	TspE4.C2	F: 5'-CACTATTCGTAAGGTCATCC-3'		152	



	<i>ltA</i>	F: 5'-GGCGACAGATTATACCGTGC-3'	94°C/ 60 s,	696	
		R: 5'-CCGAATTCTGTTATATATGTC-3'	50°C/ 60 s,		
	<i>st1A</i>	F: 5'-TCTGTATTATCTTTCCCCTC-3'	72°C/ 120 s	186	
		R: 5'-ATAACATCCAGCACAGGC-3'	(35 cycles)		
	<i>ipaH</i>	F: 5'-GTTCTTGACCGCCTTCCGATACCGTC-3'	94°C/ 40 s,	620	
		R: 5'-GCCGGTCAGCCACCCTCTGAGAGTAC-3'	60°C/ 60 s, 72°C/ 60 s (35 cycles)		
	<i>bfpA</i>	F: 5'-ATTGAATCTGCAATGGTGC-3'	95°C/ 40 s,	461	
		R: 5'-ATAGCAGTCGATTTAGCAGCC-3'	55°C/ 40 s, 72°C/ 40 s (30 cycles)		
	<i>aggA</i>	F: 5'-ATGCATTACTTTGGGTTTAG-3'	94°C/ 60 s,	414	
		R: 5'-TCAACCTTGACACTTGCC-3'	50°C/ 60 s, 72°C/ 120 s (35 cycles)		
ExPEC <sup>c</sup>	<i>vat</i>	F: 5'-TCAGGACACGTTCAAGGCATTCACT-3'	94°C/ 30 s,	1100	5
		R: 5'-GGCCAGAACATTTGCTCCCTTGTT-3'	63°C/ 90 s,		
	<i>fyuA</i>	F: 5'-GTAAACAATCTTCCCGCTCGGCAT-3'	72°C/ 90 s	850	

		R: 5'-TGACGATTAACGAACCGGAAGGGA-3'	(30 cycles)		
	chuA	F: 5'-CTGAAACCATGACCGTTACG-3'		652	
		R: 5'-TTGTAGTAACGCACTAAACC-3'			
	yfcV	F: 5'-ACATGGAGACCACGTTCCACC-3'		292	
		R: 5'-GTAATCTGGAATGTGGTCAGG-3'			
	kpsM K1	F: 5'-TAGCAAACGTTCTATTGGTGC-3'	94°C/ 30 s, 63°C/ 30 s, 68°C/ 3 min (25 cycles)	153	6
		R: 5'-CATCCAGACGATAAGCATGAGCA-3'			
	kpsM II	F: 5'-GCGCATTTGCTGATACTGTTG-3'	94°C/ 30 s, 58°C/ 30 s, 72°C/ 3 min (25 cycles)	577	7
		R: 5'-AGGTAGTTCAGACTCACACCT-3'			

2 <sup>a</sup>Before starting the PCR cycle, DNA was first denatured at 95°C/15 min. After completion

3 of the cycle, there was a final primer extension at 72°C/8 min.

4 <sup>b</sup>Diarrheagenic *E. coli*

5 <sup>c</sup>Extra-intestinal pathogenic *E. coli*

References in Table 1

1. Chen J, Griffiths MW. PCR differentiation of *Escherichia coli* from other Gram-negative bacteria using primers derived from the nucleotide sequences flanking the gene encoding the universal stress protein. Lett Appl Microbiol. 1998; 27: 369–71.

2. Clermont O, Bonacorsi S, Bingen E. Rapid and simple determination of the *Escherichia coli* phylogenetic group. Appl Environ Microbiol. 2000; 66: 4555–8.

3. Clermont O, Christenson JK, Denamur E, Gordon DM. The Clermont *Escherichia coli* phylo-typing method revisited: Improvement of specificity and detection of new phylo-groups. Environ Microbiol Rep. 2013; 5: 58–65.

4. Albert MJ, Rotimi VO, Dhar R, Silpikurian S, Pacsa AS, Molla AM, et al. Diarrhoeagenic *Escherichia coli* are not a significant cause of diarrhoea in hospitalised children in Kuwait. BMC Microbiol. 2009; 9: 62.

5. Spurbeck RR, Dinh PC Jr, Walk ST, Stapleton AE, Hooton TM, Nolan LK, et al. *Escherichia coli* isolates that carry *vat*, *fyuA*, *chuA*, and *yfcV* efficiently colonize the urinary tract. Infect Immun. 2012; 80: 4115–22.

6. Johnson JR, Stell AL. (2000) Extended virulence genotypes of *Escherichia coli* strains from patients with urosepsis in relation to phylogeny and host compromise. J Infect Dis. 2000; 181: 261–72.

7. Johnson JR, O'Bryan TT. Detection of the *Escherichia coli* group 2 polysaccharide capsule synthesis gene *kpsM* by a rapid and specific PCR-based assay. J Clin Microbiol. 2004; 42: 1773–6.

50 **Table S2.** Sample collection dates and locations, and phylogenetic groupings of *E. coli* by  
 51 triplex and quadruplex PCR assays.

Date of sample collection	Location (no. of confirmed <i>E. coli</i> )	Phylogenetic grouping by triplex PCR (no. of isolates)	Phylogenetic grouping by quadruplex PCR (no. of isolates)
May 2018	J <sup>a</sup> (1) Z <sup>b</sup> (2)	B1 (2) D (1)	B1 (2) D (1)
June 2018	J (7) Z (2) H <sup>c</sup> (5)	A (6) B1 (3) D (5)	A (6) B1 (3) D (4) E (1)
July 2018	J (1) Z (3) H (2)	A (3) B1 (1) B2 (1) D (1)	A (3) B1 (1) B2 (1) D (1)
August 2018	J (6) Z (6) H (7)	A (9) B1 (5) D (2)	A (9) B1 (5) D (1) E (1)
September 2018	J (2) Z (1) H (9)	A (8) B1 (3) B2 (1)	A (7) B1 (3) B2 (1) C (1)
October 2018	J (4) Z (1) H (4)	A (4) B1 (3) D (2)	A (4) B1 (3) D (1) F (1)



November 2018	J (4) Z (1) H (4)	A (7) B1 (2)	A (7) B1 (2)
December 2018	J (3) Z (4) H (3)	A (3) B1 (3) D (4)	A (3) B1 (3) D (2) F (2)
January 2019	J (4) Z (5) H (5)	A (3) B1 (3) B2 (2) D (6)	A (3) B1 (3) B2 (2) D (3) F (1) E (2)
February 2019	J (4) Z (2) H (2)	A (3) B1 (3) D (2)	A (3) B1 (3) F (2)
March 2019	J (3) Z (6) H (3)	A (6) B1 (1) B2 (4) D (1)	A (6) B1 (1) B2 (4) D (1)
April 2019	J (7) Z (7) H (10)	A (16) B1 (5) D (3)	A (14) B1 (5) D (1) F (2) C (2)

52 <sup>a</sup>Jabriya.

53 <sup>b</sup>Zahraa.

54 <sup>c</sup>Hateen.

55

56 **Table S3.** Distribution of ExPEC according to location and date of collection of samples.

Month/Year	No. of ExPEC isolates	Location		
		Jabriya	Zahraa	Hateen
May/2018	1	0	1	0
June/2018	7	2	1	4
July/2018	2	0	1	1
August/2018	8	1	2	5
September/2018	2	0	0	2
October/2018	4	1	0	3
November/2018	3	2	1	0
December/2018	5	2	2	1
January/2019	7	2	3	2
February/2019	4	0	2	2
March/2019	7	2	3	2
April/2019	7	2	0	5

57