

**Intrinsic Channel Properties, Scattering Mechanisms, Quantum Transport Properties in
Transition Metal Dichalcogenides**

by

Kraig Andrews

DISSERTATION

Submitted to the Graduate School

of Wayne State University

in partial fulfillment of the requirements

for the degree of

DOCTOR OF PHILOSOPHY

2008

MAJOR: Physics

Approved by:

Advisor

Table of Contents

Copyright	vi
Dedication	vi
Quotation	vi
Abstract	vi
Acknowledgments	vi
List of Figures	vii
List of Tables	viii
List of Symbols	ix
List of Physical Constants	xi
Acronyms	xii
1 Chapter Title	1
1.1 Section Title	1
References	2

List of Figures

List of Tables

List of Symbols

Symbol	Description	Unit
\mathbf{A}	vector potential	V s m^{-1}
A	area	cm^2
A^*	Richardson's constant	$\text{A s}^{-1} \text{K}^2$
B	magnetic field	T
C	capacitance	F
E	electric field	V m^{-1}
E	energy	eV (J)
E_{F}	Fermi energy	eV
E_g	bandgap energy	eV
$\hat{\mathbf{H}}$	Hamiltonian	eV (joule)
I	current	A
I_{ds}	drain current	A
L	length	μm
L	channel length	μm
m	mass	kg
m^*	effective mass	kg
n	carrier density	cm^{-2}
n	charge carrier density	C cm^{-2}
$\hat{\mathbf{p}}$	momentum operator	kg m s^{-1}
R	resistance	$\text{k}\Omega \mu\text{m}$ (Ω)
R_c	contact resistance	$\text{k}\Omega \mu\text{m}$
R_H	Hall coefficient	$\text{m}^3 \text{C}^{-1}$
$\hat{\mathbf{s}}$	spin operator	\hbar (Js)

T	temperature	K
V	voltage	V
V_{bg}	backgate voltage	V
V_{ds}	drain voltage	V
V_{H}	Hall voltage	V
w	channel width	μm
μ	mobility	$\text{cm}^2 \text{V}^{-1} \text{s}^{-1}$
μ_{B}	magnetic moment	eV T^{-1}
μ_e	electron mobility	$\text{cm}^2 \text{V}^{-1} \text{s}^{-1}$
μ_{FE}	field-effect mobility	$\text{cm}^2 \text{V}^{-1} \text{s}^{-1}$
μ_{H}	Hall mobility	$\text{cm}^2 \text{V}^{-1} \text{s}^{-1}$
μ_p	hole mobility	$\text{cm}^2 \text{V}^{-1} \text{s}^{-1}$
ρ	resistivity	Ωcm
ρ_{xx}	longitudinal resistivity	Ω
ρ_{xy}	transverse resistivity	Ω
σ	conductivity	μS
σ_{xx}	longitudinal conductivity	μS
σ_{xy}	transverse conductivity	μS
τ	scattering time	s
τ_{q}	quantum scattering time	s
Φ_{B}	barrier height	eV
$\Phi_{\text{B}n}$	electron barrier height	eV
$\Phi_{\text{B}p}$	hole barrier height	eV
Φ_{M}	metal work function	eV
Φ_{S}	semiconductor work function	eV
χ	electron affinity	eV
χ_{S}	semiconductor electron affinity	eV
ω_c	cyclotron frequency	Hz

List of Physical Constants

Symbol	Quantity	Value
k_B	Boltzmann's constant	$1.380\,66 \times 10^{-23} \text{ J K}^{-1}$ $8.617\,34 \times 10^{-5} \text{ eV K}^{-1}$
ϵ_0	dielectric constant	$8.854\,18 \times 10^{-12} \text{ A}^2 \text{ s}^4 \text{ kg}^{-1} \text{ m}^{-3}$
e	elementary charge	$1.602\,18 \times 10^{-19} \text{ C}$
eV	electron volt	$1.602\,18 \times 10^{-19} \text{ J}$
c	speed of light	$2.997\,92 \times 10^8 \text{ m s}^{-1}$
h	Planck's constant	$6.626\,07 \times 10^{-34} \text{ J s}$
\hbar	reduced Planck's constant	$1.054\,57 \times 10^{-34} \text{ J s } (h/2\pi)$
R_{K-90}	von Klitzing constant	$25\,812.807\,455\,55 \, \Omega$
m_e	electron mass	$9.109\,383 \times 10^{-31} \text{ kg}$
$k_B T$	Thermal energy	$0.025\,86 \text{ eV } (T = 27^\circ \text{C})$ $0.025\,26 \text{ eV } (T = 20^\circ \text{C})$
μ_B	Bohr magneton	$9.274\,009 \times 10^{-24} \text{ J T}^{-1}$ $5.788\,381 \times 10^{-5} \text{ eV T}^{-1}$ $e\hbar/2m_e$ (atomic units)

Source: CODATA Recommended Values of the Fundamental Physics Constants: 2014, Mohr *et al.*¹

Acronyms

SB Schottky barrier

References

- [1] PJ Mohr, DB Newell, and BN Taylor. Codata recommended values of the fundamental constants 2014,(2015). *arXiv preprint arXiv:1507.07956*, 2015.