TITLE

by

Kraig Andrews

Ph.D. Disseration Prospectus

YEAR

_____
Advisor

_____

_____

_____

ABSTRACT

TITLE HERE

by

Kraig J. Andrews

August 2008

Advisor: Dr. Zhixain Zhou
Major: Physics
Degree: Doctor of Philosophy

Abstract here

ACKNOWLEDGEMENTS

Acknowledgements here...

Table of Contents

List of Figures iv
List of Tables v

1 Introduction **1**
1.1 The Conception of Semiconductors 1
1.2 Evolution of Semiconductors 2
1.3 Interest and Development of Two-dimensional Materials 2
1.4 Current State of Two-dimensional Materials 2

2 Chapter 2 **3**
2.1 Section Heading 3

3 Chapter 3 **4**
3.1 Section Heading 4

4 Conclusion **5**
4.1 Heading 5

Appendices **7**

A Acronyms **8**

List of Figures

1.1 Name 1
1.2 name 1
1.3 main caption 2

List of Tables

1.1 Properties of selected semiconductors 1
1.2 Band gaps of typical TMDs and other materials 2

Chapter 1

Introduction

1.1 The Conception of Semiconductors

Here we present work by [2, 1].

Semiconductor	Band Gap (eV)	Electron Mobility[1] ($cm^2/V \cdot s$)	Hole Mobility[1] ($cm^2/V \cdot s$)	Lattice Constant (Å)
Si	1.12	1,500	470	5.43095[a]
Ge	0.67	3,900	1,900	5.64613[a]
GaAs	1.42	8,500	400	5.6533[b]
CdS	2.5	300	50	5.8320[c]
AlAs	2.16	1,200	400	5.6622[b]
ZnS	3.66	165	5	5.410[d]

Table 1.1: Selected properties of some common semiconductors at $T = 300\,\mathrm{K}$. Adapted from ref. [5].

[1] Drift mobilities in the purest materials.
[a] Diamond cubic crystal structure [4].
[b] Zinc blende crystal structure [3].
[c] Hexagonal and cubic... citation needed.
[d] Notes on ZnS structure.



Figure 1.1: Name



Figure 1.2: name

2D material	theoretical E_g (eV)	experimental E_g (eV)
graphene	0	0
bilayer graphene	0	0
bulk h-BN		5.97
monolayer h-BN		6.07
few layer (2-5) h-BN		5.92
bulk MoS_2	1.2[a]	1.0-1.29[a]
monolayer MoS_2	$\sim$ 1.90[b]	$\sim$ 1.90[b]
bulk WS_2	$\sim$ 1.30[a]	$\sim$ 1.35[a]
monolayer WS_2	$\sim$ 2.10[b]	

Table 1.2: Summary of the band gaps of typical monolayer, bilayer, and bulk TMDs and h-BN materials. Table adapted from ref. [6].

[a] Indirect band gap semiconductor.
[b] Direct band gap semiconductor.



(a) Short caption (b) sub fig2

(c) sub fig3 (d) sub fig4

Figure 1.3: main caption

1.2 Evolution of Semiconductors

1.3 Interest and Development of Two-dimensional Materials

1.4 Current State of Two-dimensional Materials

Chapter 2

Chapter 2

2.1 Section Heading

Chapter 3

Chapter 3

3.1 Section Heading

Chapter 4

Conclusion

4.1 Heading

Bibliography

[1] J. W. Allen. Gallium Arsenide as a Semi-insulator. *Nature*, 187:403–405, jul 1960.

[2] M. Cutler and N. F. Mott. Observation of Anderson Localization in an Electron Gas. *Physical Review*, 181:1336–1340, may 1969.

[3] A. Ledwith and S. J. Moss. *Chemistry of the Semiconductor Industry*. Springer Science, New York, NY, 1 edition, 1989.

[4] W.C. O'Mara, R.B. Herring, and L.P. Hunt. *Handbook of Semiconductor Silicon Technology*. Materials science and process technology series. Noyes Publications, 1990.

[5] Dieter K. Schroder. *Semiconductor Material and Device Characterization*. John Wiley and Sons, Inc., Hoboken, New Jersey, 3rd edition, 2006.

[6] Mingsheng Xu, Tao Liang, Minmin Shi, and Hongzheng Chen. Graphene-like two-dimensional materials. *Chemical Reviews*, 113(5):3766–3798, 2013. PMID: 23286380.

Appendices

Appendix A

Acronyms