

models/User.js

```
import mongoose from "mongoose";
```

```
const userSchema = new mongoose.Schema({
```

```
  {
    fullName: {
      type: String,
      required: true,
      trim: true,
    },
```

```
    email: {
      type: String,
      required: true,
      unique: true,
      lowercase: true,
      trim: true,
    },
```

```
    password: {
      type: String,
      required: true,
    },
```

```
    avatar: {
      type: String,
      default: "",
    },
```

```
    role: {
      type: String,
      enum: ["Admin", "Member"],
      default: "Member",
    },
```

```
    department: {
      type: String,
```

```
    default: "",
  },

  designation: {
    type: String,
    default: "",
  },

  phone: {
    type: String,
    default: "",
  },

  status: {
    type: String,
    enum: ["Online", "Offline", "Busy"],
    default: "Offline",
  },

  teams: [
    {
      type: mongoose.Schema.Types.ObjectId,
      ref: "Team",
    },
  ],
},
{
  timestamps: true,
}
);

export default mongoose.model("User", userSchema);
```

2. models/Team.js

```
import mongoose from "mongoose";
```

```
const teamSchema = new mongoose.Schema(
  {
    teamName: {
      type: String,
      required: true,
    },

    description: {
      type: String,
      default: "",
    },

    owner: {
      type: mongoose.Schema.Types.ObjectId,
      ref: "User",
      required: true,
    },

    members: [
      {
        type: mongoose.Schema.Types.ObjectId,
        ref: "User",
      },
    ],
  },
  {
    timestamps: true,
  }
);

export default mongoose.model("Team", teamSchema);
```

3. models/Meeting.js

```
import mongoose from "mongoose";

const meetingSchema = new mongoose.Schema(
```

```
{
  title: {
    type: String,
    required: true,
  },

  description: {
    type: String,
    default: "",
  },

  meetingCode: {
    type: String,
    unique: true,
    required: true,
  },

  host: {
    type: mongoose.Schema.Types.ObjectId,
    ref: "User",
  },

  participants: [
    {
      type: mongoose.Schema.Types.ObjectId,
      ref: "User",
    },
  ],

  meetingDate: {
    type: Date,
    required: true,
  },

  duration: {
    type: Number,
    default: 0,
  },
}
```

```
    recording: {
      type: String,
      default: "",
    },

    status: {
      type: String,
      enum: ["Scheduled", "Live", "Completed"],
      default: "Scheduled",
    },
  },
  {
    timestamps: true,
  }
);

export default mongoose.model("Meeting", meetingSchema);
```

4. models/Chat.js

```
import mongoose from "mongoose";

const chatSchema = new mongoose.Schema(
  {
    meetingId: {
      type: mongoose.Schema.Types.ObjectId,
      ref: "Meeting",
      required: true,
    },

    sender: {
      type: mongoose.Schema.Types.ObjectId,
      ref: "User",
      required: true,
    },
  }
);
```

```
    message: {
      type: String,
      required: true,
    },
  },
  {
    timestamps: true,
  }
);

export default mongoose.model("Chat", chatSchema);
```

5. models/Task.js

```
import mongoose from "mongoose";

const taskSchema = new mongoose.Schema(
  {
    meetingId: {
      type: mongoose.Schema.Types.ObjectId,
      ref: "Meeting",
    },

    title: {
      type: String,
      required: true,
    },

    description: {
      type: String,
      default: "",
    },

    assignedTo: {
      type: mongoose.Schema.Types.ObjectId,
      ref: "User",
    },
  }
);
```

```
    deadline: {
      type: Date,
    },

    status: {
      type: String,
      enum: ["Pending", "In Progress", "Completed"],
      default: "Pending",
    },
  },
  {
    timestamps: true,
  }
);

export default mongoose.model("Task", taskSchema);
```

6. models/Summary.js

```
import mongoose from "mongoose";

const summarySchema = new mongoose.Schema(
  {
    meetingId: {
      type: mongoose.Schema.Types.ObjectId,
      ref: "Meeting",
      required: true,
    },

    transcript: {
      type: String,
      default: "",
    },

    summary: {
      type: String,
```

```
    default: "",
  },

  actionItems: [
    {
      task: String,
      assignedTo: String,
    },
  ],
},
{
  timestamps: true,
}
);

export default mongoose.model("Summary", summarySchema);
```

7. models/Notification.js

```
import mongoose from "mongoose";

const notificationSchema = new mongoose.Schema(
  {
    user: {
      type: mongoose.Schema.Types.ObjectId,
      ref: "User",
      required: true,
    },

    message: {
      type: String,
      required: true,
    },

    read: {
      type: Boolean,
      default: false,
    },
  }
);
```



```
    },  
  },  
  {  
    timestamps: true,  
  }  
);  
  
export default mongoose.model("Notification", notificationSchema);
```

8. models/File.js

```
import mongoose from "mongoose";  
  
const fileSchema = new mongoose.Schema(  
  {  
    meetingId: {  
      type: mongoose.Schema.Types.ObjectId,  
      ref: "Meeting",  
    },  
  
    uploadedBy: {  
      type: mongoose.Schema.Types.ObjectId,  
      ref: "User",  
    },  
  
    fileName: {  
      type: String,  
      required: true,  
    },  
  
    fileUrl: {  
      type: String,  
      required: true,  
    },  
  
    fileType: {  
      type: String,
```

```
    default: "",
  },

  fileSize: {
    type: Number,
    default: 0,
  },
},
{
  timestamps: true,
}
);

export default mongoose.model("File", fileSchema);
```