



NEOS24 Platform

Technical overview for the IT team · Repository kandziormannheim-dot/files · neos24/site · as of 14 September 2026

NEOS24 Platform — Technical Overview

For: IT colleagues (development, operations) · **As of:** 14 September 2026 · **Source:** branch `claude/neos24-rebranding-html-gfzvr8`, [Pull Request #38](#)

Every file reference in this document links to the current state in the repository `kandziormannheim-dot/files` under `neos24/site/`. After the merge into `main`, replace `blob/claude/neos24-rebranding-html-gfzvr8` with `blob/main` in the links. The German version sits next to this file as [UEBERSICHT.md](#).

Contents

1. [Purpose and overview](#)
2. [Architecture](#)
3. [Homepage \(DE/EN\)](#)
4. [Payment with Revolut](#)
5. [Customer portal `konto/`](#)
6. [Internal dashboard `intern/`](#)
7. [Integrations and links between systems](#)
8. [Data model](#)
9. [Configuration](#)
10. [Design](#)
11. [Security](#)
12. [Operations](#)
13. [Tests and acceptance](#)
14. [References](#)
15. [Appendix: screenshots](#)

1. Purpose and overview

NEOS24 is the shipping platform of NEOS Logistics: customers book shipments worldwide across several carriers, pay online or on account, print labels, track shipments and manage their documents. The NEOS team maintains prices, routing, customers and invoices in an internal dashboard and checks the carriers' invoices automatically against its own bookings.

The platform consists of three user interfaces on one shared code base and one database:

Interface	Path	Users	Purpose
Homepage	/ (DE), /en/ (EN)	public, private customers	marketing, price table, checkout for private customers with Revolut, contact form, pallet request
Customer portal	/konto/	private and business customers and their staff	create and pay shipments, labels, tracking, address book, import, returns, claims, credit balance, document archive, users and groups
Dashboard	/intern /	NEOS team	orders, prices and routing, customers and enquiries, invoices, claims, supplier invoice verification, statistics, synchronisation, users and roles

Technical stack — deliberately without a framework and without a build chain:

- PHP 8.4, no Composer dependencies. The only bundled library is FPDF (vendored under `Lib/pdf/`) for label, invoice and weight-report PDFs.
- SQLite as the only database (`bestellungen.sqlite` in the data directory outside the web root).
- Static HTML/CSS/JS for the homepage; PHP views without a template engine for portal and dashboard.
- Own readers and writers for CSV, XLSX, PDF text, IMAP and Code 128 barcodes so that no external packages need maintaining.
- External services: Revolut Merchant API (payment), Lexware Office (invoices), Odoo (CRM/sales), an IMAP mailbox (carrier invoices). All four are optional and run through queues.

Audiences: The homepage has two variants, business (default) and private customers. Both customer groups use the same portal; business customers additionally have a company, sub-accounts, user groups, purchase on account, consolidated invoices and shipment import.

Data flows at a glance



2. Architecture

2.1 Directory structure

Path	Content
<code>index.html</code> , <code>en/index.html</code>	homepage German and English, same structure, <code>hreflang</code> both ways
<code>assets/</code>	<code>neos.css</code> (tokens, components), <code>neos.js</code> (tabs, menu, FAQ, form), <code>checkout.js</code> (checkout, price table), <code>fonts.css</code> + <code>fonts/</code> (Sora, Hanken Grotesk, JetBrains Mono as WOFF2)
<code>api/revolut/</code>	<code>_bootstrap.php</code> (configuration, database, schema, price list, Revolut client, mail), <code>angebot.php</code> , <code>bestellung.php</code> , <code>status.php</code> , <code>webhook.php</code> , <code>webhook-einrichten.php</code> , <code>preise.php</code> (seed), <code>neos24-config.beispiel.php</code>
<code>api/anfrage.php</code>	contact form and pallet request of the homepage
<code>api/lexware/webhook.php</code> , <code>api/odoo/webhook.php</code>	webhook receivers of the third-party systems
<code>lib/</code>	shared business logic for portal and dashboard (see 2.3)
<code>konto/</code>	customer portal: <code>index.php</code> (router), <code>src/</code> (bootstrap, auth, rights, routes, texts, views), <code>assets/</code> (CSS/JS)
<code>intern/</code>	dashboard: <code>index.php</code> (router), <code>src/</code> (bootstrap, auth, rights, KPIs, charts, statistics routes, views), <code>assets/</code> , <code>aufgaben.php</code> (cron), <code>einrichten.php</code> (first admin), <code>dev-router.php</code> (local)
<code>screenshots/</code>	Playwright captures of every page at 1280 and 375 px for acceptance
<code>docs/</code>	this document (DE/EN, Markdown and PDF)

READMEs with details per area: `README.md` (homepage), `api/revolut/README.md` (payment), `konto/README.md` (portal), `intern/README.md` (dashboard, invoice verification, Lexware, sync, statistics). All READMEs are written in German.

2.2 Request flow

- **Homepage:** static. `assets/checkout.js` fetches `api/revolut/angebot.php` on load (prices live from the database, cached 5 minutes) and rebuilds the checkout selection and the price table; without a backend the values in the markup remain.
- **Portal and dashboard:** one front controller each (`konto/index.php`, `intern/index.php`). Apache `mod_rewrite` routes everything to `index.php` via `.htaccess`; without rewrite, `index.php?pfad=...` works. The router checks `$pfad` and `$methode` in order (`if ($pfad === ...)` or `preg_match`); the portal's shipping routes live in `konto/src/routen_versand.php`, the dashboard's statistics routes in `intern/src/routen_statistik.php`.
- **Views:** `ansicht('name', $daten)` extracts `$daten` and includes `src/views/name.php` inside `src/views/layout.php`. There is no template engine; output goes through `e()`.
- **Errors:** `fehlerSeite(403|404, ...)` ends the request with an error page in the layout.
- **JSON endpoints** (`api/...`, `konto/status`, `konto/ich`, `intern/status`) respond through `antworten($status, $inhalt)`.

2.3 Shared library `lib/`

File	Responsibility
<code>helfer.php</code>	<code>e()</code> , <code>url()</code> , redirects, flash messages, CSRF (<code>csrfFeLd()</code> , <code>check</code>), money and time formats, paging
<code>versand.php</code>	shipping core: weight classes per category, offers per cell (<code>angebotEuer()</code>), extras, <code>bestellungAnlegen()</code> , credit balance and top-ups, shipping status and events, tracking, address book, parcel templates, returns, claims, <code>palettenanfrageAnlegen()</code>
<code>kunden.php</code>	customer accounts, companies, sub-accounts, invoice recipients, user groups and rights, login links, invitation and link mails
<code>kundennummern.php</code>	customer numbers from the counter (<code>K-100001</code>), sub-account numbers (<code>K-100001-01</code>), renumbering
<code>rechnungen.php</code> , <code>rechnung_pdf.php</code>	consolidated invoices per invoice recipient, number range <code>NR-<year>-<no></code> , status; own PDF without Lexware
<code>belege.php</code>	document archive: consolidated invoices, single invoices, surcharges, credit notes, weight reports per account
<code>preislisten.php</code>	customer price lists (country × class × carrier, extras)
<code>rechnungspruefung.php</code> , <code>nachberechnung_pdf.php</code>	verify supplier invoices, findings, surcharge, credit, automation, weight report PDF
<code>einkauf_import.php</code>	import a carrier's purchase price matrix into the routing matrix
<code>import.php</code>	shipment import: column synonyms, weight and country parsers, dry run, duplicates, error report, templates
<code>statistik.php</code>	KPIs, time series, dimensions, pivot, saved reports, export
<code>lexware.php</code>	Lexware Office: contacts, invoices, credit notes, PDFs, payment status, queue
<code>odoo.php</code> , <code>sync.php</code>	Odoo client (JSON-RPC), two-way synchronisation, conflicts
<code>postfach.php</code>	IMAP client over TLS and MIME parser for attachments
<code>carrier.php</code>	carrier interface (label, pickup, tracking) — stubs today, the real integration hooks in here
<code>label_pdf.php</code>	NEOS label with Code 128 (A6 single, A4 four-up)
<code>tabelle_lesen.php</code> , <code>tabelle_schreiben.php</code> , <code>pdf_text.php</code>	read CSV/XLSX (delimiter detection, multiple sheets), write XLSX, text from PDFs (embedded fonts with <code>ToUnicode</code>)

2.4 Configuration and database

- `neos24-config.php` lives **one level above the web root** and is not part of the repository; template `api/revolut/neos24-config.beispiel.php`. Locally the environment variable `NEOS_KONFIG` overrides the path. Access through `konfig()`.
- `datenbank()` opens `<daten>/bestellungen.sqlite` (WAL, foreign keys) and calls `schemaAnlegen()` on first access: all tables `CREATE TABLE IF NOT EXISTS`, later columns through `spaltenErgaenzen()` (`PRAGMA table_info`), then the seed `preiseSaegen()` (only when the country table is empty), customer-number renumbering and `kategorienNachtragen()`. There are no migration files; every schema change is idempotent in the bootstrap.
- Cron:** `intern/aufgaben.php` with `lexware`, `lexware einrichten <base URL>`, `erinnern`, `postfach`, `sync [abholen]`, `alle`.

- **Mail:** mailSenden(\$an, \$betreff, \$koerper, \$anhaenge) with transport smtp, mail, datei (text files under daten/mails/, for tests) or ''; attachments as multipart/mixed.

3. Homepage (DE/EN)

Static page built after the templates `Neos_Brand_Guidelines.pdf`, `Startseite.pdf` and `Dashboard.pdf`. German under `/`, English under `/en/` with an identical sequence of sections; only texts, anchors (`#preise` / `#pricing`) and number formats differ.

3.1 Sections

Header (sticky, audience tabs, burger on mobile, language switch, "Sign in") · hero with four figures · carrier marquee · **Send a parcel** `#parcel` (private customers only: checkout) · Why NEOS `#why` · How it works `#how-it-works` (routing line) · The platform `#platform` (business only, dashboard preview in CSS) · Drop-off & pickup `#dropoff` (private only) · Network `#network` with live tracking map · Integrations `#integrations` (business only) · Pricing `#pricing` · Customers `#customers` · FAQ `#faq` · CTA · Contact `#contact` · footer. Deliberately left out: the savings calculator from `Startseite.pdf` p. 4.

3.2 Audience tabs business / private

- State in `<html data-audience="business|private">`; content for one group only carries `data-for="business"` or `data-for="private"`, CSS hides the other, `assets/neos.js` switches.
- Order on load: URL parameter (`?kunde=privat|business`, `?customer=private|business`) → `localStorage` → business. Language links pass the parameter on.
- Prices: business net, private customers incl. 19 % VAT; both values are in the markup.
- Without JavaScript: business variant, tabs visible but inactive.

3.3 Checkout "Send a parcel" (private customers)

Form in `#parcel`, logic in `assets/checkout.js`:

1. Choose the **category**: letter / documents (classes 50 g, 500 g, 2 kg), parcel (2 to 31.5 kg) or pallet. The weight-class selection shows only classes of the chosen category.
2. **Destination** (18 active countries from the database; destinations outside the EU show the customs note) and **weight class** → net, VAT and gross total live.
3. Sender (name, e-mail, street, postcode, city) and recipient; per-field validation with `aria-invalid`. A signed-in private customer is prefilled through `konto/ich`.
4. "Pay with Revolut" → `POST api/revolut/bestellung.php` → Revolut popup (SDK `embed.js` loaded on demand) → status poll `status.php` → success box with order number.
5. **Pallet**: no purchase but a request form (quantity, pallet type, total weight, pickup, name, e-mail, message) → `POST api/anfrage.php` with `typ=pallette`.

The **price table** `#pricing` is rebuilt from `angebot.php`: per country example carrier, transit time and "from" price per category (letter / documents and parcel), net and gross.

3.4 Contact form

`#contact` → `api/anfrage.php` via `fetch` (JSON) or as a classic form without JS (redirect with `?sent=1`). Fields: name, e-mail (business `email`, private `email_privat`), company, shipments per month, message, type, language, honeypot `webseite`. Result: a row in `anfragen` (dashboard → Customers & enquiries) plus a notification to `kopie` or `absender`. Origin check and rate limit as in the checkout.

3.5 SEO and language

Meta/OG/JSON-LD (`areaServed` "Worldwide"), `hreflang` de/en/x-default, `canonical` per language. Fonts self-hosted (no Google Fonts requests), `prefers-reduced-motion` respected.

4. Payment with Revolut

Private customers pay orders from the homepage and the portal as well as credit top-ups through **Revolut Checkout** (card, Revolut Pay, Apple Pay, Google Pay). Details and checkpoints: [api/revolut/README.md](#).

4.1 Endpoints

Endpoint	Method	Purpose	
api/revolut/angebot.php	GET `?sprache=de`	en`	live price list: <code>kategorien</code> , <code>klassen</code> (name, category, maximum weight), per country <code>eu</code> , <code>ab</code> per category, <code>klassen</code> with carrier/transit/net/VAT/gross; <code>bereit</code> , <code>modus</code> ; cached 5 minutes
api/revolut/bestellung.php	POST JSON	create the order (<code>bestellungAnlegen()</code>), open the Revolut order, return <code>token</code> , <code>bestellung</code> , <code>modus</code> , <code>betrag</code> ; <code>kategorie=palette</code> → 422	
api/revolut/status.php	GET `?id=NE-...`	status; while "angelegt" it reconciles with Revolut; no address data	
api/revolut/webhook.php	POST	events such as <code>ORDER_COMPLETED</code> ; HMAC-SHA256 signature over <code>v1.<timestamp>.<body></code> , timestamp at most 5 minutes old; idempotent	
api/revolut/webhook-einrichten.php	CLI	register the webhook, print the signing secret (once per mode)	

4.2 Flow

```

Browser (checkout.js / konto.js)
form → POST bestellung.php → Server (api/revolut, lib/versand.php)
                                     amount from database (routing matrix/price list)
                                     order "angelegt" in SQLite
                                     POST /api/orders → order + token
                                     → Revolut
                                     → payment
← { token, bestellung, modus }
payWithPopup(token) → payment
onSuccess → GET status.php → GET /api/orders/{id} if needed, status "bezahlt"
                                     nachBezahlung(): mail, label, Lexware job
                                     POST webhook.php ← ORDER_COMPLETED (signed)

```

- The amount comes **exclusively** from the database; browser values are used only for validation.
- Order status: `offen` → `angelegt` → `autorisiert` → `bezahlt` or `beauftragt` (account, credit), otherwise `fehlgeschlagen` / `storniert`. A final status is never overwritten by an earlier one (`bestellungFortschreiben()`).
- Credit top-ups are separate Revolut orders numbered `NG-...` (table `aufloadungen`); webhook and status poll book exactly once.
- Return after 3-D Secure: `redirect_url` with `?bestellung=NE-...` (homepage) or `?zurueck=1` (portal) shows the status.
- Sandbox and production have separate keys and SDK URLs (`revolut.modus`).

5. Customer portal `konto/`

German and English (`?sprache=en` , remembered in session and account). Every query filters on the signed-in account: private customer `kunde_id` , business customer `firma_id` , staff with a fixed sub-account additionally `unterkunde_id` (`konto/src/sendungen.php`). Foreign order numbers and PDFs end as 404, missing rights as 403.

5.1 Sign-in and accounts

Path	Details
Password	bcrypt, at least 10 characters; lock after 5 failed attempts for 15 minutes, rate limit per IP (<code>konto.anmeldung</code>)
Login link	32 random bytes, stored only as SHA-256 (<code>anmeldeLinks</code>), valid 15 minutes, single use; the answer to "send link" is always the same
Registration (private)	name + e-mail → confirmation link → account active, orders of this e-mail are assigned; already taken → normal login link
Invitation (business)	valid 7 days, purpose owner or employee, optionally with group and sub-account, leads to setting a password
Forgot password	link with purpose "password", new password without the old one
Session	cookie <code>neos_konto</code> , path <code>/konto/</code> , httponly, SameSite Lax, Secure on HTTPS, 14 days without activity; CSRF in every form, origin check on POST

Accounts are created by private customers themselves (registration) and for companies by the team in the dashboard ("Create company account" from an enquiry): company, customer number, owner invitation.

5.2 New shipment

Form `konto/sendungen/neu` (view, JS):

- **Bill to** (companies with sub-accounts only): main company or sub-account; switching reloads price list and sender. Staff with a fixed assignment book only for their sub-account.
- **Category** letter / documents or parcel; pallet leads to the pallet request (`konto/sendungen/palette`). Letter: no dimensions, no volumetric weight.
- **Destination** (worldwide; outside the EU marked with * plus customs note) and **weight in kg** → smallest matching weight class of the category (`gewichtsklasseFuerGewicht()`).
- **Dimensions** → volumetric weight $L \times W \times H \div \text{carrier factor}$ (default 5000, column `carrier.volumenfaktor`) raises the class, live and server-side (`volumen_gramm`).
- **Warning** with mandatory confirmation "weight checked" when the carrier weighed the last shipments on average ≥ 300 g or ≥ 15 % heavier (`abweichungsquote()`).
- **Carrier comparison**: all active carriers of the routing cell as cards with net, gross and transit time; priority 1 preselected as "Recommended" (`angeboteFuer()`); with a customer price list its prices.
- **Extras** from `zusatzleistungen`: transport insurance (goods value), pickup (working day from tomorrow, window 9–13 / 13–17 h), cash on delivery (amount), SMS to the recipient, bulky goods.
- **Parcel template** (weight, dimensions, extras) and **address book** (prefill recipient/sender, "save recipient to address book").
- **Payment**: private customers Revolut or credit; companies on account (consolidated invoice at month end) or credit. The credit option is disabled when the balance is insufficient.

- The server calculates authoritatively in `bestellungAnlegen()`; shipments on account or from credit are `beauftrag` immediately and get a label, a pickup event and a confirmation mail.

5.3 Further functions

Function	Description	Core
Labels	NEOS label (PDF A6, Code 128) per shipment, batch print A4 four-up from the list; replaced by the carrier label once the carrier integration exists	<code>lib/label_pdf.php</code> , <code>labelBeauftragen()</code>
Tracking	shipping status created → paid → label → pickup → handed over → in transit → out for delivery → delivered (or returned, delivery issue, cancelled) with events; public under <code>konto/tracking</code> with shipment number + recipient postcode (rate limit per IP)	<code>VERSANDSTATUS</code> , <code>sendungsereignisse</code>
Address book	per user (recipients, senders, default sender); in companies "share with the company" (<code>adressen.geteilt</code>), edit/delete only creator or owner; CSV export, import from CSV/XLSX with tolerant column names, duplicates skipped	<code>adressenSichtbar()</code> , <code>adresseDarfBearbeiten()</code>
Parcel templates	name, weight, dimensions, extras; company-wide	<code>paketvorlagen</code>
Shipment import (companies)	CSV/XLSX, tolerant column names (<code>IMPORT_SYNONYME</code>), country names DE/EN → ISO, weights "1,2" / "1.2 kg" / "1200 g", column <code>kategorie</code> (brief/paket, empty = parcel, palette = error), column <code>unterkunde</code> ; dry run per row, duplicate protection via the reference (30 days, checkbox "create anyway"), error rows as CSV, then order on account, result list with labels and batch print; templates CSV/XLSX	<code>lib/import.php</code>
Return	return shipment with one click: own order <code>art = retoure</code> , <code>retoure_zu</code> , swapped addresses, routing-matrix price, category and sub-account carried over	<code>retoureAnlegen()</code>
Claim	type (damage, loss, delay, misdelivery, objection to weight adjustment, other), description, amount; status new → under review → accepted → refunded / declined; reply and refund (as credit) by the team	<code>reklamationen</code>
Objection	against a surcharge within <code>rechnungspruefung.widerspruchTage</code> directly on the document → claim; withdrawal by the team refunds and sends the credit note	<code>route .../widerspruch</code>
Credit	prepaid per account or company: top up via Revolut (<code>NG-...</code>), pay shipments from it, refunds and withdrawals land here; booking list	<code>guthabenStand()</code> , <code>guthabenBuchhen()</code>
Document archive	"Invoices" for everyone: consolidated invoices (company/sub-account), single invoices and surcharges (Lexware number and PDF), credit notes, weight reports; date, number, type, reference, amount, status, PDF; filter year/type/search, total row; "being created" until Lexware has delivered	<code>lib/belege.php</code>
Prices	net price list of the account (with a customer price list its conditions)	<code>konto/preise</code>
Company	company data (owner may edit), customer number, sub-accounts (read-only)	<code>konto/firma</code>
Users and groups	see 5.4	<code>lib/kunden.php</code> , <code>konto/src/rechte_kunde.php</code>

Function	Description	Core
Settings	name, language, password, sender address (private), close account	konto/einstellungen

5.4 User groups and rights (companies)

Company users are sub-accounts of the company. **New users and users without a group have all rights;** only assigning a group (`kunden.gruppe_id`) restricts them. Owners (`firmenrolle = inhaber`) always have all rights. Every company receives the templates Warehouse, Shipping, Returns, Accounting and All rights on first use (`GRUPPEN_VORLAGEN`).

Area	view	edit
Shipping	read shipments, prices, address book and templates	new shipment, pay, pallet request, shipment import, maintain address book and templates
Warehouse	shipments with tracking history	print labels (single and batch)
Returns	claims	create return, claim, objection
Accounting	document archive, consolidated invoices, credit, prices	top up credit
Administration	read users, groups, company data	invite and deactivate users, assign groups and sub-accounts, change groups and company data

Rules: only an owner appoints or removes owners (`/benutzer/{id}/rolle`), the last active owner stays protected; administration may not deactivate or regroup owners and cannot remove administration from itself. The menu shows only permitted areas; routes check with `kundenRechtErzwingen($bereich, $stufe)` or `verwaltungErzwingen()`; missing rights end as 403 naming area and level.

5.5 Portal routes

Prefix `/konto`. "Right" applies to company accounts (private customers hold all rights on their own account).

Route	Method	Purpose	Right
<code>/status</code>	GET	self-test JSON	—
<code>/ich</code>	GET	name, e-mail, sender of the signed-in private customer for the homepage checkout	session
<code>/tracking</code>	GET	public tracking (number + postcode)	public
<code>/login, /logout</code>	GET/POST	sign in with password, sign out	public
<code>/link-senden</code>	POST	login link by e-mail	public
<code>/registrieren</code>	GET/POST	private customer registration	public
<code>/passwort-vergessen</code>	GET/POST	link with purpose "password"	public
<code>/link</code>	GET	redeem login, confirmation, invitation and password links	token
<code>/passwort</code>	GET/POST	set or change password	session
<code>/</code>	GET	overview with tiles and figures	session
<code>/bestellungen, /sendungen</code>	GET	list (private or company) with filters, search, batch-print selection	any "view"

Route	Method	Purpose	Right
/ {bestellungen sendungen} / {NE-...}	GET	shipment detail: addresses, category, class, carrier, extras, history, documents, actions	any "view"
/sendungen/neu	GET/POST	new shipment (also ? kategorie=brief , ? unterkunde=)	shipping edit
/sendungen/palette	GET/POST	pallet request	shipping edit
... / {NE-...} / bezahlen , / token , / status , / guthaben	GET/POST	Revolut payment page, order token, status poll, pay from credit	shipping edit
... / {NE-...} / label.pdf , / sendungen / labels.pdf ? refs=	GET	single label, batch print	warehouse or shipping edit
... / {NE-...} / nachweis.pdf , / rechnung.pdf , / gutschrift.pdf	GET	weight report, Lexware invoice, credit note	accounting view
... / {NE-...} / widerspruch	POST	objection to a surcharge	returns edit
... / {NE-...} / retourne	POST	create return	returns edit
... / {NE-...} / reklamation	GET/POST	create claim	returns view/edit
/reklamationen	GET	list of claims	returns view
/adressbuch , /adressbuch/neu , /adressbuch/{id} , /{id}/loeschen , /{id}/teilen	GET/POST	address book and template overview, create, edit, delete, company sharing	shipping view/edit
/adressbuch/export.csv , /adressbuch/import	GET/POST	CSV export, import CSV/XLSX	shipping view/edit
/vorlagen/neu , /vorlagen/{id} , /vorlagen/{id}/loeschen	GET/POST	parcel templates	shipping edit
/import , /import/vorlage.csv , /import/vorlage.xlsx , /import/fehler.csv , /import/verwerfen , /import/beauftragen	GET/POST	shipment import: upload and preview, templates, error report, discard, order	shipping edit (companies only)
/guthaben , /guthaben/aufladen , /guthaben/status	GET/POST	balance and bookings, top-up via Revolut, status poll	accounting view/edit
/preise	GET	net price list	shipping or accounting view
/rechnungen , /rechnungen/{number} [.pdf]	GET	document archive, consolidated invoice detail and PDF	accounting view
/benutzer , /benutzer/einladen , /benutzer/{id}/{deaktivieren aktivieren einladen gruppe unterkunde rolle}	GET/POST	user management of the company	administration (role: owners only)
/benutzer/gruppen , /benutzer/gruppen/neu , /benutzer/gruppen/{id} , /{id}/loeschen	GET/POST	user groups with rights matrix	administration
/firma	GET/POST	company data, sub-accounts	administration
/einstellungen , /einstellungen/absender , /einstellungen/schliessen	GET/POST	account settings	session

6. Internal dashboard intern/

Sign-in with dedicated accounts (table `benutzer`), exactly one role per user, rights **view** / **edit** / **delete** per module (MODULE in `intern/src/rechte.php`). Navigation shows only modules with "view"; a missing right ends as 403, also on direct calls of an action. Admin is an immutable system role; the last active admin cannot be deactivated, deleted or reassigned. Every writing action lands in the audit log.

6.1 Modules

Module (right)	Functions
Overview (uebersicht)	orders today / 7 / 30 days, revenue gross/net, margin, status shares, shipments per calendar week, top destinations, top carriers, new enquiries, open pickups and claims, Lexware and sync queue, latest orders
Orders & shipments (bestellungen)	list with status, shipping-status and pickup filters, search (number, e-mail, reference, company, customer number); detail with addresses, category and customs pill, weight/dimensions, extras, pickup date, amounts, customer history and internal history, Lexware/Odoo references, supplier invoice; enter shipping status with place and text, view or regenerate label, query Revolut status, set order status, hand over to Odoo, delete (only open / failed / cancelled)
Prices & destinations (preise)	destinations (code, name DE/EN, active, sort order), weight classes (code, category letter / parcel, name DE/EN, maximum weight, sort order), carriers (volumetric factor, weight fee, active), extras (code, name and description DE/EN, net price) — create, edit, deactivate, delete (only without routing rows)
Routing matrix (routing)	destination × weight class → up to three carriers with priority 1/2/3, transit DE/EN, purchase and sale net; columns grouped by category, pill "Zoll" (customs) for non-EU countries; priority 1 is what the homepage sells; import purchase prices from XLSX/CSV with preview
Customers & enquiries (kunden)	enquiries (contact form, pallet requests with pill) with status new / in progress / account created / done, note, handler, "Create company account"; companies (data, invite/deactivate users, group and sub-account per user, user groups, sub-accounts, shipments, invoices, create consolidated invoice with "bill to", credit, price list, systems card); sub-accounts (own page); private customers (orders, credit, claims, documents, price list, systems)
Invoices (rechnungen)	consolidated invoices with status open / paid / cancelled, PDF, positions, Lexware number and status, Lexware queue with "hand over again"; cancelling releases the shipments
Claims (reklamationen)	status, reply to the customer (optionally by mail), refund booked once as credit on "refunded"; "withdraw surcharge" for objections
Invoice verification (rechnungspruefung)	verify carriers' supplier invoices (see 6.2)
Statistics & reports (statistik)	KPIs, reports, pivot, export (see 6.3)
Synchronisation (sync)	queue, conflicts, "hand over all customers again", "fetch from the systems now"
Users & roles (benutzer)	create users (start password shown once), role and active status, reset password, delete; roles with rights matrix; audit log

6.2 Invoice verification

Flow: **upload** (carrier, table CSV/XLSX mandatory, PDF as document; number, date and net total are read from the PDF, `pdftotext` if installed, otherwise `lib/pdf_text.php`; if the total is missing, from a "Total" sheet) → **map columns** (the sheet with the shipments is detected, surcharges on a second sheet are added per

shipment number; the mapping is remembered per carrier as a profile, `rechnungsprofile`) → **assignment** of every position to the order (our number `NE-...`, carrier shipment number, customer reference) → **check**:

Finding	Meaning	Consequence
OK	class matches, amount = purchase price per routing matrix ($\pm$ <code>toleranzCent</code>)	—
Weight higher	weighed class above the booked one	surcharge = sale(actual class) – sale(booked) per the customer's price list, plus the carrier's weight fee
Weight lower	weighed class below the booked one	optional credit as balance
Price differs	amount $\neq$ purchase price of the routing matrix	dispute
Duplicate	shipment already on this or an earlier invoice	dispute
Cancelled / unpaid	order not paid or ordered	dispute
Not assigned	no order for the number	assign manually or dispute
Weight above the highest class	no class fits	surcharge with manual amount

A booked surcharge is a separate order (`art = nachberechnung`, `nachberechnung_zu`) without a label: companies on the next consolidated invoice, private customers from credit or as an open Revolut payment with link. The customer receives the **weight deviation report** as PDF; customer documents never name the supplier or its invoice number. The **automation** (`rechnungspruefung.auto`) books without approval when minimum difference in grams and percent, trivial-amount threshold, maximum per position and per customer are met and the carrier stayed the same; everything else waits as "open" with a reason. Further actions: "book all open surcharges", dispute as CSV to the supplier, note the supplier's credit note, status checked / released / disputed, note. Carrier invoices also arrive automatically from the **IMAP mailbox** (`aufgaben.php postfach`).

6.3 Statistics & reports

Data basis: paid and ordered orders by order date; revenue net, purchase = actual purchase from invoice verification (otherwise routing), margin = revenue – purchase, transit time from the shipment events. Filters for all reports: period (30/90 days, month, previous month, quarter, year, 12 months, from-to), customer, sub-account, carrier, destination, payment method, previous period.

- **Overview:** KPIs with previous-period delta (shipments, revenue net/gross, margin, $\emptyset$ net, $\emptyset$ weight, delivery rate, $\emptyset$ transit, surcharges, claims, active customers, open items), time series, carriers, destinations, top customers, payment methods, shipping status.
- **Reports:** time series, carriers, destinations, customers, finance, claims, credit.
- **Pivot:** rows $\times$ optional columns $\times$ metric. Dimensions: category, month, calendar week, day, weekday, carrier, destination, customer, sub-account, customer type, payment method, weight class, order type, status, shipping status, price list. Metrics: shipments, revenue net/gross, purchase, margin, margin %, $\emptyset$ net, $\emptyset$ weight, returns, surcharges (count, €), cancelled, delivery rate, $\emptyset$ transit, claims, claim rate. Top N with "others", chart bar / line / ranking / ring, heatmap; save, load, update, delete reports (table `berichte`).
- **Export** of every table as CSV (semicolon, UTF-8 BOM) or XLSX. Charts are inline SVG (`/intern/src/diagramme.php`).

6.4 Dashboard routes

Prefix `/intern`. Right = module; POST actions need "edit", deletion "delete".

Route	Method	Purpose
/status	GET	self-test JSON
/login, /logout, /konto	GET/POST	sign in, sign out, own password and rights
/	GET	overview (KPIs)
/bestellungen	GET	list with filters and search
/bestellungen/{NE-...} and /{sync status label ereignis loeschen}	GET/POST	detail; hand over to Odoo, set/query status, create label, shipping event, delete
/bestellungen/{NE-...}/label.pdf, /nachweis.pdf, /rechnung.pdf, /gutschrift.pdf	GET	PDFs
/preise	GET	master data: countries, weight classes, carriers, extras
/preise/{land gewichtsklasse carrier} [/loeschen], /preise/zusatz[/loeschen]	POST	create/edit/delete master data
/routing	GET	routing matrix
/routing/zelle, /routing/zelle/loeschen	GET/POST	edit a cell (country × class) with up to three carriers
/routing/einkauf, /routing/einkauf/uebernehmen, /routing/einkauf/verwerfen	GET/POST	import purchase prices (preview, apply, discard)
/kunden	GET	tabs enquiries, companies, private customers with filters
/kunden/anfragen/{id} and /{status notiz loeschen}	GET/POST	enquiry detail (also pallet requests)
/kunden/firmen/neu	GET/POST	create company account (from an enquiry)
/kunden/firmen/{id} and /{daten einladen benutzer rechnung aktiv un- terkunde sync}	GET/POST	company: data, invitation, users (group, sub-account, active), consolidated invoice, active/inactive, create sub-account, synchronise
/kunden/unterkunden/{id} and /{daten aktiv rechnung sync}	GET/POST	sub-account
/kunden/privat/{id} and /sync	GET/POST	private customer
/kunden/preisliste/anlegen, /kunden/preisliste/{id} and /{zellen zusatz einstellungen import loesch- en}	GET/POST	customer price lists
/rechnungen, /rechnungen/lexware	GET/POST	consolidated invoices, retry Lexware queue
/rechnungen/{id} [.pdf] and /{status lexware}	GET/POST	invoice, PDF, status, hand over to Lexware again
/reklamationen, /reklamationen/{id} and /{status storno}	GET/POST	claims, reply, refund, withdraw surcharge
/rechnungspruefung	GET/POST	list and upload
/rechnungspruefung/{id} and /{zuordnung pruefen status notiz kopf beans- tandung.csv rechnung.pdf loeschen alle- buchen gutschrift}	GET/POST	supplier invoice: columns, check, status, note, header data, export, PDF, delete, book all, supplier credit note
/rechnungspruefung/position/{id}/{zuordnen buchen verzichten gutschrift}	POST	assign position, book surcharge, waive, credit

Route	Method	Purpose
/statistik and /statistik/{zeitverlauf carrier laender kunden finanzen reklamationen guthaben pivot export.csv export.xlsx}	GET/POST	reports, pivot (POST saves), export
/statistik/berichte/{id}/loeschen	POST	delete a saved report
/sync and /sync/{auftrag konflikt alle abholen nachholen}	GET/POST	synchronisation
/benutzer, /benutzer/neu, /benutzer/{id} and /{password loeschen}	GET/POST	users
/rollen, /rollen/neu, /rollen/{id} and /loeschen	GET/POST	roles with rights matrix
/protokoll	GET	audit log

7. Integrations and links between systems

All third-party systems are optional (`aktiv` switch) and run through queues: an outage blocks nothing, nothing is created twice, a cron catches up. Webhook payloads are never used directly; the record is always reloaded through the API.

System	Purpose	Configuration	Core	Queue / cron	Webhook
Revolut Merchant API	payment for private customers, credit top-up	<code>revolut.modus</code> , <code>geheimerSchlüssel</code> , <code>webhookSchlüssel</code> , <code>apiVersion</code> , <code>basisUrl</code>	<code>revolutAnfrage()</code> , <code>bestellungsRevolutEroeffnen()</code> in <code>_bootstrap.php</code>	— (synchronous, status poll)	<code>api/revolut/webhook.php</code> (HMAC signature)
Lexware Office (Public API)	invoice numbers and PDFs: consolidated invoices, private-customer invoices, surcharges, credit notes; contacts; payment status	<code>lexware.aktiv</code> , <code>apiKey</code> , <code>basisUrl</code> , <code>zahlungsziel</code> , <code>privatkunden</code> , <code>einleitung</code> , <code>schlussText</code> , <code>webhookGeheimnis</code> , <code>zeitlimit</code>	<code>lib/lexware.php</code>	<code>lexware_auftrage</code> ; <code>aufgaben.php</code> <code>lexware</code> (also <code>/payments</code> reconciliation)	<code>api/lexware/webhook.php</code> (<code>invoice.status.changed</code> , <code>contact.changed</code> ; subscription via <code>aufgaben.php</code> <code>lexware einrichten</code>)
Odoo (JSON-RPC, version 14+)	companies, sub-accounts, private customers as <code>res.partner</code> (<code>ref</code> = customer number), company users as contacts, ordered shipments as <code>sale.order</code> , invoices as note with PDF	<code>odoo.aktiv</code> , <code>url</code> , <code>datenbank</code> , <code>benutzer</code> , <code>apiKey</code> , <code>produktVersand</code> , <code>auftraege</code> , <code>rechnungsInfo</code> , <code>webhookGeheimnis</code> , <code>companyId</code> , <code>zeitlimit</code>	<code>lib/odoo.php</code> , <code>lib/sync.php</code>	<code>sync_auftraege</code> , <code>sync_konflikte</code> ; <code>aufgaben.php</code> <code>sync</code>	<code>api/odoo/webhook.php</code> (automated action on <code>res.partner</code> , <code>secret ?g=</code>)
IMAP mailbox	create and verify carrier invoices (PDF + CSV/XLSX) automatically as supplier invoices	<code>postfach.host</code> , <code>port</code> , <code>benutzer</code> , <code>passwort</code> , <code>ordner</code> , <code>erledigtOrdner</code> , <code>absender</code> (address/domain → carrier)	<code>lib/postfach.php</code> , <code>rpPostfachVerarbeiten()</code>	<code>aufgaben.php</code> <code>postfach</code>	—
Carriers (DPD, DHL, GLS, InPost ...)	label, pickup, tracking	—	<code>lib/cARRIER.php</code> (stubs)	—	—
Mail (SMTP / <code>mail()</code>)	confirmations, login links, invoices, weight reports, notifications	<code>transport</code> , <code>absender</code> , <code>absenderName</code> , <code>kopie</code> , <code>smtp.*</code>	<code>mailSenden()</code>	—	—

7.1 Master-data synchronisation (Lexware and Odoo)

- **Outbound:** `syncMarkieren()` in `firmaAnlegen/Aktualisieren`, `kundeAnlegen/Aktualisieren`, `unterkundeAnlegen/Aktualisieren` creates one job per active system (immediately best effort, cron).

Identifiers on the record: `lexware_kontakt_id`, `lexware_kundenummer` (assigned by Lexware, read-only), `odoo_id`, `synchronisiert`, `sync_json`.

- **Inbound:** `syncAbholen()` reads changed partners from Odoo (`write_date`) and contacts from Lexware (`version/updatedAt`), at most every `sync.abholenMinuten`. Rule: **the more recent change wins**; if both sides changed, the field lands in `sync_konflikte`. Adopted values are passed on to the other system. New partners created only in Odoo are not imported. E-mail changes on private customers only if the address is valid and free.
- Synchronised fields (`SYNC_FELDER`): companies and sub-accounts name, street, postcode, city, country, VAT ID, invoice e-mail; customers name, e-mail, sender address.

7.2 Events and their consequences

Event	What happens
Order is paid (Revolut)	<code>nachBezahlung()</code> : confirmation mail with tracking link, <code>labelBeauftragen()</code> (NEOS label until the carrier integration exists), shipping event, with <code>lexware.privatkunden</code> an invoice through the queue (PDF later attached to mail and portal), Odoo sales order
Shipment on account or from credit (portal)	status <code>beauftragt</code> , label, pickup event, confirmation mail, Odoo order; credit is booked
Create consolidated invoice (dashboard)	per invoice recipient (company or sub-account) the shipments of the period, with Lexware number and PDF from the recipient's contact, otherwise <code>NR-...</code> and own PDF; shipments receive <code>rechnung_id</code> ; mail with PDF and weight reports to the recipient's invoice e-mail; Odoo note
Lexware reports payment (cron/webhook)	invoice <code>bezahlt</code>
Carrier invoice verified	surcharges (consolidated invoice / credit / Revolut) with weight report PDF and mail; credits as balance; dispute CSV
Claim refunded	credit booked (exactly once), reply mail
Surcharge withdrawn	cancellation, credit returned, credit note through Lexware, reply mail
Company / sub-account / customer changed	sync job per system; contact in Lexware, partner in Odoo
Enquiry or pallet request	row in <code>anfragen</code> , mail to the mailbox, dashboard tile "new enquiries"

8. Data model

All tables live in `bestellungen.sqlite`; the schema is created in `schemaAnlegen()` (`api/revolut/_bootstrap.php`). Times are ISO 8601 in UTC, amounts in cents (`*_cent`), JSON columns end in `_json`.

8.1 Orders and shipping

Table	Purpose	Key columns
bestellung	every shipment, return and surcharge	<code>ext_ref</code> (NE-year-8 hex), <code>revolut_id</code> , <code>status</code> , <code>netto_cent</code> , <code>mwst_cent</code> , <code>betrag_cent</code> , <code>zielland</code> , <code>gewichtsklasse</code> , <code>kategorie</code> (brief/paket), <code>carrier</code> , <code>einkauf_cent</code> , <code>einkauf_ist_cent</code> , <code>email</code> , <code>sprache</code> , <code>absender_json</code> , <code>empfaenger_json</code> , <code>ereignisse_json</code> , <code>kunde_id</code> , <code>firma_id</code> , <code>unterkunde_id</code> , <code>rechnung_id</code> , <code>zahlungsart</code> (revolut/rechnung/guthaben), <code>referenz</code> , <code>art</code> (sendung/retoure/nachberechnung), <code>retoure_zu</code> , <code>nachberechnung_zu</code> , <code>nachberechnung_json</code> , <code>gewicht_gramm</code> , <code>volumen_gramm</code> , <code>gewicht_carrier_gramm</code> , <code>carrier_sendungsnummer</code> , <code>masse_json</code> , <code>zusatz_json</code> , <code>zusatz_cent</code> , <code>versandstatus</code> , <code>abholung_json</code> , <code>versicherung_cent</code> , <code>nachnahme_cent</code> , <code>preisliste_id</code> , <code>beleg_datei</code> , <code>lexware_id</code> , <code>lexware_nummer</code> , <code>lexware_status</code> , <code>erinnert</code> , <code>odoo_id</code> , <code>odoo_nummer</code> , <code>angelegt_von</code> , <code>erstellt</code> , <code>bezahlt</code>
sendungsereignisse	tracking history per shipment	<code>bestellung_id</code> , <code>zeit</code> , <code>code</code> , <code>text_de</code> , <code>text_en</code> , <code>ort</code> , <code>quelle</code> (system/kunde/team/carrier), <code>benutzer</code>
zusatzleistungen	insurance, pickup, cash on delivery, SMS, bulky goods	<code>code</code> , <code>name_de/en</code> , <code>beschreibung_de/en</code> , <code>preis_cent</code> , <code>aktiv</code> , <code>sortierung</code>
adressen	address book per user, company sharing	<code>kunde_id</code> , <code>firma_id</code> , <code>art</code> (empfaenger/absender), address fields, <code>standard</code> , <code>geteilt</code>
paketvorlagen	templates	<code>kunde_id</code> , <code>firma_id</code> , <code>name</code> , <code>gewicht_gramm</code> , <code>laenge_cm</code> , <code>breite_cm</code> , <code>hoehe_cm</code> , <code>zusatz_json</code>
guthabenbuchungen	prepaid account	<code>kunde_id</code> , <code>firma_id</code> , <code>art</code> , <code>betrag_cent</code> , <code>bestellung_id</code> , <code>aufladung_id</code> , <code>text</code> , <code>zeit</code>
aufladungen	Revolut orders for credit	<code>ext_ref</code> (NG-...), <code>revolut_id</code> , <code>kunde_id</code> , <code>firma_id</code> , <code>betrag_cent</code> , <code>status</code> , <code>bezahlt</code>
reklamationen	claims and objections	<code>bestellung_id</code> , <code>kunde_id</code> , <code>firma_id</code> , <code>art</code> , <code>beschreibung</code> , <code>betrag_cent</code> , <code>erstattung_cent</code> , <code>erstattet_gebucht</code> , <code>status</code> , <code>antwort</code> , <code>bearbeiter</code>

8.2 Prices and routing

Table	Purpose	Key columns
laender	destinations	<code>code</code> (ISO-2, PK), <code>name_de</code> , <code>name_en</code> , <code>aktiv</code> , <code>sortierung</code>

Table	Purpose	Key columns
gewichtsklassen	classes per category	code, kategorie (brief/paket), name_de/en, max_gramm (0 = open), aktiv, sortierung
carrier	carriers	name, aktiv, volumenfaktor (default 5000), gewichtsgebuehr_cent
routing	cell country × class × priority	land_code, gewichtsklasse_id, carrier_id, prioritaeet (1-3), laufzeit_de/en, einkauf_cent, verkauf_cent, aktiv, aktualisiert_von; UNIQUE (country, class, priority)
preislisten	customer price lists	name, kunde_id, firma_id, unterkunde_id, fehlend (standard/nicht), aktiv, notiz
preislisten_preise	cells of the list	preisliste_id, land_code, gewichtsklasse_id, carrier_id, netto_cent
preislisten_zusatz	extras prices of the list	preisliste_id, code, preis_cent

8.3 Customers, companies, invoices

Table	Purpose	Key columns
kunden	accounts (private customers and company users)	art (privat/business), email (unique), name, firma_id, firmenrolle (inhaber/mitarbeiter), gruppe_id, unterkunde_id, kundennummer, passwort_hash, email_bestaetigt, aktiv, sprache, absender_json, fehlversuche, gesperrt_bis, preisliste_id, lexware_kontakt_id, lexware_kundennummer, odoo_id, synchronisiert, sync_json
firmaen	company accounts	name, address, ust_id, rechnungs_email, zahlungsziel_tage, aktiv, anfrage_id, kundennummer, preisliste_id, sync identifiers
unterkunden	group companies / sites	firma_id, nummer (K-100001-01), laufnummer, name, address, ust_id, rechnungs_email, zahlungsziel_tage, preisliste_id, aktiv, sync identifiers, notiz
benutzergruppen	rights per area for company users	firma_id, name, beschreibung, rechte_json, vorlage; UNIQUE (company, name)
anmeldelinks	one-time links	kunde_id, token_hash, zweck (anmelden/bestaetigen/einladung/passwort), ablauf, genutzt
anfragen	contact form, pallet requests	art (business/privat), typ ("/ palette), name, firma, email, volumen, nachricht, sprache, status, notiz, bearbeiter_id, firma_id
rechnungen	consolidated invoices	nummer, firma_id, unterkunde_id, zeitraum_von/bis, netto_cent, mwst_cent, brutto_cent, status, faellig, pdf_datei, lexware_id, lexware_nummer, lexware_status, lexware_pdf, odoo_info
zaehler	atomic counters (customer number)	name, wert

8.4 Invoice verification

Table	Purpose	Key columns
lieferantenrechnungen	a carrier's invoice	carrier_id, nummer, datum, betrag_netto_cent, status (zuordnung/geprueft/freigegeben/beanstandet), datei_pdf, datei_csv, csv_trenner, blatt, zuschlag_blatt, zuschlag_json, spalten_json, gewicht_einheit, pdf_text, pdf_kopf_json, gutschrift_cent/nummer/datum, notiz, hochgeladen_von
lieferantenpositionen	line of the invoice	rechnung_id, zeile, sendungsnummer, referenz, datum, zielland, gewicht_gramm, betrag_cent, zuschlag_cent, gebuehr_cent, roh_json, bestellung_id, manuell, gk_bestellt, gk_ist, einkauf_soll_cent, differenz_cent, verkauf_bestellt_cent, verkauf_ist_cent, nachberechnung_cent, nachberechnung_status, nachberechnung_bestellung_id, befund, hinweis
rechnungsprofile	saved column mapping per carrier	carrier_id, spalten_json, gewicht_einheit

8.5 Dashboard, queues, reports

Table	Purpose	Key columns
benutzer	dashboard accounts	email, name, passwort_hash, rolle_id, aktiv, muss_passwort_aendern, fehlversuche, gesperrt_bis, letzte_anmeldung
rollen, rechte	roles and rights matrix	name, system; rolle_id, modul, sehen, bearbeiten, loeschen
protokoll	audit log	benutzer_id, benutzer_name, aktion, objekt, objekt_id, details_json, zeit
lexware_auftraege	Lexware queue	art, bezug_tabelle, bezug_id, status (offen/erledigt/fehler), versuche, fehler_text, daten_json, erledigt
sync_auftrage	sync queue	system (lexware/odoo), art, bezug_tabelle, bezug_id, status, versuche, fehler_text
sync_konflikte	changes on both sides	system, bezug_tabelle, bezug_id, feld, lokal, entfernt, gewonnen, erledigt
berichte	saved pivot reports	name, konfig_json, erstellt_von

8.6 Start-up logic and migrations

- `preiseSaeen()` : only when the table `laender` is empty, countries, weight classes (letter 50 g / 500 g / 2 kg, parcel 2 to 31.5 kg), carriers and routing rows (purchase 0) are taken from `api/revolut/preise.php`. From then on the database is the only price source.
- `kategorienNachtragen()` : existing databases receive the letter classes once (routing from the smallest parcel class per country with a discount), missing worldwide destinations with routing for all classes, and inactive seed destinations are activated.
- `kundennummernNachtragen()` : existing companies and private customers receive customer numbers in the order they were created.
- User-group templates are created per company on first use (`gruppenVorlagenSicherstellen()`).
- Extras: four standard extras on first start, bulky goods added later.

- Files in the data directory: `bestellungen.sqlite`, `rechnungen/` (own PDFs), `labels/`, `nachberechnungen/`, `lieferantenrechnungen/`, `lexware/` (PDF copies), `mails/` (transport `datei`), `spool/` (rate limits).

9. Configuration

neos24-config.php (template [neos24-config.beispiel.php](#)), permissions 640, data directory 750 and owned by the web server. No values in the repository.

Key	Meaning	Default
revolut.modus	sandbox or prod ; controls API base and SDK URL	sandbox
revolut.geheimerSchlüssel	secret key of the Merchant API (sk_...), separate per mode	empty (payment "not available")
revolut.webhookSchlüssel	signing secret from webhook-einrichten.php ; without it the webhook rejects everything	empty
revolut.apiVersion	header Revolut-API-Version	2024-09-01
daten	data directory outside the web root (SQLite, PDFs, rate limits)	/var/www/vhosts/neos24.com/neos24-daten
mwstSatz	VAT in percent; private prices = net × (100 + rate) / 100	19
intern.sitzungsdauer	dashboard session in seconds without activity	28800 (8 h)
intern.anmeldung.versuche / sperre / jeIp	failed attempts per account until lock, lock duration in seconds, attempts per IP and hour	5 / 900 / 30
konto.sitzungsdauer	portal session	1209600 (14 days)
konto.linkGueltigkeit	login/registration link in seconds	900
konto.einladungGueltigkeit	invitation for company users	604800 (7 days)
konto.anmeldung.*	as intern.anmeldung	5 / 900 / 30
firma.*	invoice sender: name, strasse, plz, ort, land, ustId, registergericht, geschaeftsfuehrung, iban, bic, bank, email, web	placeholders, fill before go-live
rechnung.praefix / zahlungszielTage	number range of own consolidated invoices NR- <year>-0001, due date	NR / 14
rechnungspruefung.toleranzCent	permitted deviation from the purchase price per position	2
rechnungspruefung.auto.aktiv	automatic surcharge without approval	true
rechnungspruefung.auto.mindestGramm / mindestProzent	weight difference at least both	500 / 10
rechnungspruefung.auto.bagatelleCent	below this no surcharge	100
rechnungspruefung.auto.maxPositionCent / maxKundeCent	above this the position waits for approval	5000 / 20000
rechnungspruefung.erinnerungTage	reminder for open Revolut surcharges	14
rechnungspruefung.widerspruchTage	objection period in the portal	14

Key	Meaning	Default
lexware.aktiv / apiKey / basisUrl	Lexware Office on/off, API key, base	false / empty / https://api.lexware.io/v1
lexware.zahlungsziel	days when the company has no own term	14
lexware.privatkunden	paid private-customer orders as invoice per order	true
lexware.einleitung / schlusstext	texts on the invoice	preset
lexware.webhookGeheimnis	query parameter g of the callback URL; printed by aufgaben.php lexware einrichten	empty
lexware.zeitlimit	HTTP timeout in seconds	20
postfach.host / port / benutzer / passwort	IMAP over TLS, LOGIN	empty / 993
postfach.ordner / erledigtOrdner	inbox and folder for processed mails	INBOX / Verarbeitet
postfach.absender	sender address or domain → carrier name	example
kundennummer.praefix / start	customer numbers K-100001	K- / 100001
odoo.aktiv / url / datenbank / benutzer / apiKey	Odoo access (technical user with API key)	false
odoo.produktVersand	internal reference of the product for shipping lines (created if missing)	NEOS-VERSAND
odoo.auftraege / rechnungsInfo	shipments as sale.order, invoices as note	true / true
odoo.webhookGeheimnis / companyId / zeitlimit	webhook secret ?g=, multi-company ID (0 = default), timeout	empty / 0 / 20
sync.abholenMinuten	inbound sync at most every n minutes	30
basisUrl	public address without trailing slash (return URLs, links in mails)	https://neos24.com
transport	smtp, mail, datei or ''	smtp
absender / absenderName / kopie	mail sender, copy recipient (also target of enquiries)	preset
smtp.host / port / benutzer / passwort / verschluesselung / zeitlimit	SMTP access (starttls or tls)	preset
erlaubteHerkunft	additional origins for POST	[]
limit.anfragen / fenster	rate limit: requests per sender and window in seconds	10 / 3600
salz	random string for tokens and hashes, set once (openssl rand -hex 32)	placeholder

For tests `revolut.basis` (sandbox/prod) points to local mocks; locally the configuration is chosen via `NEOS_KONFIG=/path/test-config.php`.

10. Design

The basis is the brand guidelines (palette p. 7, typography p. 8, motif p. 9); the rules are at the top of `assets/neos.css`.

- **Colours:** the four letter colours of the wordmark — cyan (N, tech/tracking), coral (E, action), yellow (O, savings), magenta (S, accent) — on deep ink `#0C0E16`; light surfaces paper `#F6F7FA`. On light backgrounds only coral and magenta carry text (eyebrow labels), cyan and yellow fill surfaces. Depth comes from glow (`--glow-*`), not from grey shadows.
- **Typography:** Sora 600–800 for headlines and figures, Hanken Grotesk 400–700 for body and UI, JetBrains Mono 500–600 for eyebrows, codes and tables; all self-hosted as variable WOFF2 (`assets/fonts/`, OFL).
- **Tokens** in `:root`: colours (`--ink`, `--ink-900...500`, `--paper`, `--white`, `--cyan`, `--coral`, `--yellow`, `--magenta`, `--line`, `--bg`, `--fg`, `--primary`, `--accent`), fonts (`--font-display`, `--font-text`, `--font-mono`), sizes (`--text-xs...lg`, `--stat`), layout (`--container`, `--gutter`, `--section`), radii, motion (`--fast`, `--ease`), buttons (`--btn-primary-bg/fg`).
- **Contrasts** (WCAG 2.2, calculated): paper text on ink 19.8; cyan 10.9; yellow 16.7; coral 6.2; magenta 5.6; ink on paper 19.8; white on coral 3.1 (a deliberate brand decision for buttons, `--btn-primary-fg: var(--ink)` switches to 6.2).
- **Wordmark** once as `<symbol id="neos-logo">` in the HTML, placed via `<use>`; minimum height 22 px, colours never changed. Routing line as neon motif in "How it works".
- **Components:** sticky header with tabs, cards (white on paper, ink glass on ink), pills, stat tiles, tables in a `scrolled` container, forms with `.field` / `.form-row`, checkout with summary card, category tiles, FAQ single-open, scroll reveal.
- **Responsive:** mobile-first, breakpoints 480 / 640 / 800 / 1024 px, burger menu, no horizontal overflow (checked in Playwright at 375 px).
- **Dashboard and portal** use the same tokens: `intern/assets/intern.css` (sidebar on ink, cards, matrix, KPI grid, tabs, pills) and `konto/assets/konto.css` (builds on `neos.css`: navigation, cards, offer cards, category choice, summary card).
- **Without JavaScript:** homepage as business variant, dashboard and portal fully usable (only the Revolut popup needs JS); `prefers-reduced-motion` disables motion.
- **Accessibility:** labels for all fields, `aria-invalid`, `role="alert" / status` for messages, focus order, keyboard control of the tabs, contrasts as above.

11. Security

- **Configuration and data outside the web root;** `.htaccess` in `api/revolut/`, `intern/` and `konto/` prevents delivery of internal files (`src/`, `einrichten.php`, `dev-router.php`).
- **CSRF token** in every form of portal and dashboard; **origin check** (`Origin`, `Referer`) on all POSTs including the JSON endpoints (`nurEigenePost()`), additional origins via `erlaubteHerkunft`.
- **Rate limits** per sender/IP and area (`begrenzungPruefen()`, spool files): orders, status polls, enquiries, tracking, sign-ins.
- **Passwords** with `password_hash` (bcrypt), minimum length 10; start passwords force a change; lock after failed attempts; error messages do not reveal whether an account exists.
- **Login links** stored only as SHA-256, single use, short validity; sessions `httponly`, `SameSite Lax`, `Secure` on HTTPS, new session ID on login, expiry without activity.
- **Data separation** in the portal on every query (`bereich()`), foreign objects 404, missing rights 403; PDFs are served from the data directory only after the check.
- **Webhooks:** Revolut with HMAC-SHA256 and timestamp (5 minutes), Lexware and Odoo with a secret as query parameter; payloads are never used directly.
- **Output** escaped throughout (`e()`), SQL only with prepared statements, JSON responses with fixed fields; dashboard with `X-Frame-Options: DENY`, `X-Robots-Tag: noindex`, no caching.
- **Business rule:** customer documents and mails never name the supplier or its invoice number; supplier invoices are visible only in the internal order detail.
- **Secrets** (Revolut keys, API keys, SMTP password, salt) exist only in the configuration; the repository contains only the template.

12. Operations

12.1 Installation

1. Point the web root at `neos24/site/` (Apache with `mod_rewrite`, PHP 8.4 with `pdo_sqlite`, `zip`, `openssl`; `pdftotext` optional).
2. Place `neos24-config.beispiel.php` as `neos24-config.php` one level above the web root and fill it in (section 9); create the data directory, owned by the web server.
3. Create the first admin: `php intern/einrichten.php admin@neos24.com "First Last"` — prints a start password; a personal one is mandatory on first sign-in.
4. Register the Revolut webhook: `php api/revolut/webhook-einrichten.php https://neos24.com/api/revolut/webhook.php` → enter the signing secret as `webhookSchluessel` (once per mode).
5. Lexware webhooks: `php intern/aufgaben.php lexware einrichten https://neos24.com`; Odoo: automated action on `res.partner` with a webhook to `api/odoo/webhook.php?g=<secret>`.
6. Cron hourly: `0 * * * * cd /path/httpdocs && php intern/aufgaben.php alle >> ../neos24-daten/aufgaben.log 2>&1` (`alle` = lexware, erinnern, postfach, sync in sequence).
7. Self-tests without sign-in: `api/revolut/bestellung.php` (GET → `bereit`), `intern/status`, `konto/status`, `api/revolut/webhook.php` (GET), `api/lexware/webhook.php`, `api/odoo/webhook.php`.

12.2 Day-to-day

- **Backup:** back up the data directory (SQLite in WAL mode plus PDFs) regularly; the database can be copied consistently with `sqlite3 bestellungen.sqlite ".backup ..."`.
- **Logs:** the web server's `error_log` (prefixes `[revolut]`, `[konto]`, `[anfrage]`, `[lexware]`, `[sync]`, `[carrier]`), cron output in `aufgaben.log`, audit log in the dashboard.
- **Queues** are visible in the dashboard (overview tiles, invoices → Lexware, synchronisation module); failed jobs can be retried individually or all at once.
- **Maintain prices:** routing matrix (priority 1 sells), purchase prices via import, price lists per customer; replace the placeholder prices of the letter classes and worldwide destinations.
- **Go-live checklist** (from `README.md`): testimonials, parcel-shop count, imprint/privacy links, OG image, carrier integration (`lib/carrier.php`), invoice sender and bank details, Lexware field names against the current documentation, Odoo access, mailbox mapping, Revolut set to `prod`.

12.3 Local development

```
cat > /tmp/neos-test-config.php <<'PHP'
<?php return ['daten' => '/tmp/neos-daten', 'transport' => 'datei', 'salz' => 'test', 'basisUrl' => 'http://127
PHP
NEOS_KONFIG=/tmp/neos-test-config.php php neos24/site/intern/einrichten.php admin@example.com "Test Admin"
NEOS_KONFIG=/tmp/neos-test-config.php php -S 127.0.0.1:8901 -t neos24/site neos24/site/intern/dev-router.php
# http://127.0.0.1:8901/ (homepage) · /intern/ (dashboard) · /konto/ (portal); mails under /tmp/neos-daten/mail
```

For payment, Lexware and Odoo, mocks are sufficient (`revolut.basis`, `lexware.basisUrl`, `odoo.url` pointing at local ports); carrier invoices can come from a fake IMAP server.

13. Tests and acceptance

There is no unit-test suite; acceptance runs as end-to-end checks against a local PHP server with mocks for Revolut, Lexware, Odoo and IMAP (scripts outside the repository):

Check	Content
Homepage (Playwright)	DE/EN × business/private at 1280 and 375 px, tabs, menu, FAQ, contact form, checkout (validation, cancel, success against the Revolut mock), categories, customs note, pallet request, price table; no overflow, no console errors
Portal (curl + Playwright)	registration, login links, password, lock; new shipment with offers, extras, volumetric weight, warning, category; Revolut payment, credit, account; labels and batch print; tracking; address book with sharing, import/export; templates; shipment import (XLSX/CSV, errors, duplicates, sub-accounts, category); return, claim, objection; document archive; users and groups with all right levels; data separation (404/403); sub-accounts; pallet request
Dashboard (curl + Playwright)	sign-in and lock, CSRF 403, roles and rights, master-data CRUD, routing cell → prices follow, purchase import, enquiries → company account, companies/sub-accounts/private customers, consolidated invoice with Lexware, claims with refund, invoice verification with a generated DPD invoice and a real DHL invoice (XLSX + PDF), automation, mailbox, price lists, two-way sync with conflict, statistics (all reports, pivot, saving, export, rights), categories and customs
Migration	<code>schemaAnlegen()</code> on an empty and on an old database, second run without effect
Static	<code>php -l</code> for all PHP files, <code>node --check</code> for JS

Screenshots for acceptance are in `screenshots/` (`*-privat/` `*-private`, `checkout-*`, `preise-*`, `intern-*`, `konto-*`, `kontakt-*`). PR #38 describes per stage what was checked.

14. References

14.1 Repository and pull request

- Repository: <https://github.com/kandziormannheim-dot/files> — directory [neos24/site/](#)
- Pull request #38 with the description of all 14 stages and the test log:
<https://github.com/kandziormannheim-dot/files/pull/38>

14.2 Stages (commits)

Commit	Date	Content
b4dfb7d	2026-09-02	homepage after the 2026 rebranding as HTML/CSS/JS
ec3d3db	2026-09-02	English version under <code>en/</code>
4884ea7	2026-09-02	tabs business / private customers
d5036cf	2026-09-03	Revolut payment for private customers (checkout, API, webhook)
c1176bc	2026-09-08	internal dashboard with roles and rights matrix, prices live from the database
cb1be1f	2026-09-08	customer portal with own accounts
03841b2	2026-09-13	portal: carrier comparison, extras, credit, labels, tracking, import, claims
44d856e	2026-09-13	invoice verification with weight surcharges
6b905a8	2026-09-13	invoice verification reads XLSX and real carrier PDFs, purchase price import
dd0b03b	2026-09-14	customer price lists, Lexware Office, weight report PDF, automatic surcharge, mailbox import
bbcbad6	2026-09-14	customer numbers, sub-accounts, synchronisation with Lexware Office and Odoo
389e99f	2026-09-14	document archive, address book per user, shipment import CSV/XLSX
458d3cb	2026-09-14	user groups with rights per area
ca16070	2026-09-14	statistics and reports in the dashboard
850b275	2026-09-14	worldwide shipping with the categories letter, parcel and pallet

14.3 Key files

Topic	File
configuration, schema, price list, Reolut, mail	api/revolut/_bootstrap.php
shipping core	lib/versand.php
accounts, companies, groups	lib/kunden.php
portal router and shipping routes	konto/index.php , konto/src/routen_versand.php
portal rights	konto/src/rechte_kunde.php , konto/src/auth.php
portal texts DE/EN	konto/src/texte.php , konto/src/texte_versand.php
dashboard router, rights, KPIs	intern/index.php , intern/src/rechte.php , intern/src/kennzahlen.php
invoice verification	lib/rechnungspruefung.php
statistics	lib/statistik.php , intern/src/routen_statistik.php
Lexware, Odoo, sync	lib/lexware.php , lib/odoo.php , lib/sync.php

Topic	File
cron, setup, local router	<code>intern/aufgaben.php</code> , <code>intern/einrichten.php</code> , <code>intern/dev-router.php</code>
homepage and checkout	<code>index.html</code> , <code>assets/checkout.js</code> , <code>assets/neos.css</code>

14.4 Glossary

Term	Meaning
Category	letter / documents, parcel (both bookable) or pallet (on request only)
Weight class	tier inside a category with maximum weight (<code>max_gramm</code>), e.g. <code>brief-500</code> , 5kg
Routing cell	destination × weight class with up to three carriers by priority; priority 1 is sold
Customer price list	own sales matrix of a customer, company or sub-account
Sub-account (Unterkunde)	further company or site under a company with its own number and invoice
Owner / employee	company roles; employees are sub-accounts with rights from a user group
Consolidated invoice	monthly invoice per invoice recipient over all shipments on account
Surcharge (Nachberechnung)	difference when the carrier weighed a higher class; own order with weight report PDF
Dispute (Beanstandung)	position of a supplier invoice reported back to the supplier
Login link	single-use, short-lived link instead of a password
Volumetric weight	$L \times W \times H \div \text{carrier factor}$; counts when it exceeds the real weight
Queue	table of jobs for a third-party system, processed immediately and by cron

15. Appendix: screenshots

All images come from `screenshots/` (Playwright, test data).

Homepage: checkout with category letter / documents, destination USA with customs note



BusinessPrivate

How it worksDrop-off & pickupNetworkPricingFAQ

DESign inSend a parcel

Postage in two minutes.

Pick the destination, enter the addresses, pay with Revolut — the label arrives by email straight away. No account needed.

SHIPMENT

What are you sending?

Letter / documents
up to 2 kg

Parcel
up to 31.5 kg

Pallet
on request

Destination

United States

Weight class

Letter up to 50 g

Destination outside the EU: we print the customs declaration (CN22/CN23) with the label. Import duties are paid by the recipient unless agreed otherwise.

Letters and documents up to 2 kg, parcels up to 31.5 kg — drop-off at a parcel shop or home collection. Pallets are quoted individually.

SENDER

Name

Email (for label & tracking)

Street & number

Postcode

City

YOUR SHIPMENT

Destination	United States
Carrier	DHL Express
Transit time	3-6 working days
Net	€18.80
19% VAT	€3.57
Total incl. VAT	€22.37

Pay with Revolut →

Card, Revolut Pay, Apple Pay or Google Pay. Payment is handled by Revolut — card details never reach our server.

Homepage: pallet request in the checkout



BusinessPrivate

How it worksDrop-off & pickupNetworkPricingFAQ

DESign inSend a parcel

SEND A PARCEL

Postage in two minutes.

Pick the destination, enter the addresses, pay with Revolut —
the label arrives by email straight away. No account needed.

SHIPMENT

What are you sending?

Letter / documents
up to 2 kg

Parcel
up to 31.5 kg

Pallet
on request

Destination

France

We ship pallets worldwide on request: tell us what goes where and you get a quote within one working day.

Number of pallets

4

Pallet type

Euro pallet 120×80 cm

Total weight (kg)

800

Pickup postcode / city

68159 Mannheim

Homepage: price table with "from" prices per category



BusinessPrivate

How it worksDrop-off & pickupNetworkPricingFAQ

DESign inSend a parcel

Total weight (kg)

800

Pickup postcode / city

68159 Mannheim

Name

Paula Palette

Email

paula@example.com

What are you shipping? (goods, dimensions, preferred date)

Request received. We will send a quote to your email address.

WHY NEOS

The complexity of the last mile — reduced to one click.

Portal: new shipment (company) with category, customs note, carrier comparison and summary card

NEOS24

ÜbersichtSendungenNeue SendungImportAdressbuchPreiseRechnungenGuthaben

ReklamationenBenutzerFirmaEinstellungen

EnglischAbmelden

Lena InhaberIn · Lena GmbH (Inhaber)

[← Zurück zur Liste](#)

Neue Sendung

Zielland und Gewicht wählen, Carrier vergleichen, Zusatzleistungen dazu. Abrechnung auf Rechnung zum Monatsende oder vom Guthaben.

Abrechnen für

Hauptfirma · Lena GmbH (K-1000001)

Kundennummer K-1000001

Die Sendung wird dem gewählten Unterkunden zugeordnet und auf dessen Sammelrechnung abgerechnet. Ein Wechsel löst die Preise neu.

Sendung

Kategorie

☒ Brief / Dokumente
Briefe, Dokumente,
Warenwert bis 3 kg

☐ Paket
Pakete bis 30 kg, weltweit

☐ Palette
Nur auf Anfrage — Angebot
innerhalb eines Werktags

Zielland

USA *

Gewicht (kg)

0,3

Ziel außerhalb der EU: Zustellung durch den Carrier, Handelsrechnung bzw. Zollwertbescheinigung beifügen. Einfuhrabgaben trägt der Empfänger.

Paketvorlage

keine

Eigene Referenz (optional)

z. B. Auftragsnummer — erscheint auf der Rechnung

Carrier wählen

Die Preise entsprechen deiner vereinbarten Preiskategorie.

☒ DHL Express
3-6 Werktage

19,39 €
Gesamt 22,97 €

☐ UPS
3-6 Werktage

19,45 €
Gesamt 20,19 €

☐ FedEx
3-6 Werktage

19,69 €
Gesamt 25,33 €

Zusatzleistungen

☐ Transportversicherung
Warenwert bis 500 € abgesichert
+ 1,08 €

☐ Abholung an der Haustür
Werktags im gewählten Zeitfenster
+ 4,90 €

☐ Nachnahme
Der Empfänger zahlt bei Zustellung
+ 3,98 €

☐ SMS an den Empfänger
Ankündigung der Zustellung per SMS
+ 0,49 €

☐ Sperrgut
Über 100 cm lang oder nicht quaderförmig — der Carrier berechnet einen Zuschlag
+ 20,00 €

Empfänger

Aus dem Adressbuch

Name

Firma (optional)

Straße und Hausnummer

PLZ

Ort

E-Mail des Empfängers (optional, für Tracking)

Telefon (optional)

☐ Empfänger im Adressbuch speichern

Absender

Aus dem Adressbuch

Name

Firma (optional)

Straße und Hausnummer

Hafenstr. 5

PLZ

Ort

68159

Mannheim

© 2024 NEOS Logistics UG · Zur Startseite · info@neos24.com

GESART

22,97 €

Carrier

DHL Express

Laufzeit

3-6 Werktage

Porto

19,39 €

Zusatzleistungen

6,08 €

Netto

19,39 €

MwSt.

3,67 €

Bezahlung

☒ Auf Rechnung (Sammelrechnung zum Monatsende)

☐ Vom Guthaben (77 AB € verfügbar)

Sendung beauftragen →

Portal: shipment import with preview

NEOS KUNDENPORTAL

Übersicht

Sendungen

Neue Sendung

Import

Adressbuch

Preise

Rechnungen

Guthaben

Reklamationen

Benutzer

Firma

Einstellungen

English

Abmelden

Lena Inhaberin · Lena GmbH (Inhaber)

KUNDENPORTAL

Sendungsimport

Viele Sendungen auf einmal: CSV oder Excel hochladen, prüfen, beauftragen. Abrechnung auf Rechnung.

Beispieldatei herunterladen

Vorlage als Excel

Vorschau

3 / 5 in Ordnung · Fehlerzeilen als CSV

ZEILE	ZIEL	GEWICHT (KG)	EMPFÄNGER	REFERENZ	FÜR	CARRIER	ZUSATZLEISTUNGEN	NETTO	FEHLER
2	FR 2kg	1,20	Marie Curie Rue de Rivoli 2, 75001 Paris	IMP-001	—	Colissimo	versicherung	5,06 €	IN ORDNUNG
3	DE 2kg	1,20	Hans Meier Hauptstr. 3, 10115 Berlin	IMP-002	—	DPD	—	1,50 €	IN ORDNUNG
4	DE 2kg	0,50	Ohne Ort Weg 1, 12345	IMP-003	—	DPD	—	1,50 €	Ort fehlt
5	BE	99,00	Zu schwer Weg 2, 12345 Ort	IMP-004	—	—	—	—	Gewicht fehlt oder liegt außerhalb der Gewichtsklassen · E-Mail-Adresse ungültig
6	AT 2kg	2,00	Dopp Weg 3, 12345 Ort	IMP-001	—	DPD	—	2,30 €	IN ORDNUNG

Abrechnen für

Hauptfirma

3 Sendungen beauftragen

Fehlerzeilen als CSV

Verwerfen

© 2026 NEOS Logistics UG

Zur Startseite

info@neos24.com

Portal: document archive of a company

NEOS KUNDENPORTAL

ÜbersichtSendungenNeue SendungImportAdressbuchPreiseRechnungenGuthaben

ReklamationenBenutzerFirmaEinstellungenEnglishAbmelden

Lena Inhaberin · Lena GmbH (Inhaber)

KUNDENPORTAL

Rechnungen

Alle Belege deines Kontos: Rechnungen, Gutschriften und Nachweise — jeweils als PDF.

Belegnummer, Sendung, Kundennummer

Alle Jahre

Alle Belege

Filtern

DATUM	BELEG	ART	BEZUG	KUNDENNUMMER	BETRAG	STATUS
14.09.2026	RE1814	Sammelrechnung	01.09.2026 - 30.09.2026 Lena GmbH Standort Berlin	K-100001-01	1,79 € Netto	OFFEN PDF ↓
14.09.2026	RE1813	Sammelrechnung	01.09.2026 - 30.09.2026 Lena Tochter GmbH	K-100001-02	2,20 € Netto	OFFEN PDF ↓
14.09.2026	NE-2026-04AEAD03	Nachweis	NE-2026-25A7017D	K-100001	—	PDF ↓
14.09.2026	NE-2026-BE93DC99	Nachweis	NE-2026-32A32054	K-100001	—	PDF ↓
14.09.2026	NE-2026-688020B4	Nachweis	NE-2026-855CA81A	K-100001	—	PDF ↓
14.09.2026	NE-2026-63CE305E	Nachweis	NE-2026-25A7017D	K-100001	—	PDF ↓
14.09.2026	NE-2026-CF84BCB4	Nachweis	NE-2026-32A32054	K-100001	—	PDF ↓
14.09.2026	NE-2026-F3EE1805	Nachweis	NE-2026-855CA81A	K-100001	—	PDF ↓
14.09.2026	NE-2026-ABC471E6	Nachweis	NE-2026-25A7017D	K-100001	—	PDF ↓
14.09.2026	NE-2026-2661D385	Nachweis	NE-2026-32A32054	K-100001	—	PDF ↓
14.09.2026	NE-2026-F35220F1	Nachweis	NE-2026-855CA81A	K-100001	—	PDF ↓
14.09.2026	RE1808	Sammelrechnung	01.09.2026 - 30.09.2026	K-100001	2,50 € Netto	BEZAHLT PDF ↓
14.09.2026	NE-2026-9CCF324E	Nachweis	NE-2026-28AF648F	K-100001	—	PDF ↓
14.09.2026	RE1806	Sammelrechnung	01.09.2026 - 30.09.2026	K-100001	24,63 € Netto	OFFEN PDF ↓
01.09.2026	NR-DEMO-2026-08	Sammelrechnung	01.08.2026 - 31.08.2026	K-100001	659,38 € Netto	OFFEN wird erstellt
01.08.2026	NR-DEMO-2026-07	Sammelrechnung	01.07.2026 - 31.07.2026	K-100001	601,90 € Netto	OFFEN wird erstellt
01.07.2026	NR-DEMO-2026-06	Sammelrechnung	01.06.2026 - 30.06.2026	K-100001	365,41 € Netto	BEZAHLT wird erstellt
01.06.2026	NR-DEMO-2026-05	Sammelrechnung	01.05.2026 - 31.05.2026	K-100001	478,09 € Netto	BEZAHLT wird erstellt
01.05.2026	NR-DEMO-2026-04	Sammelrechnung	01.04.2026 - 30.04.2026	K-100001	368,02 € Netto	BEZAHLT wird erstellt
01.04.2026	NR-DEMO-2026-03	Sammelrechnung	01.03.2026 - 31.03.2026	K-100001	304,14 € Netto	BEZAHLT wird erstellt
01.03.2026	NR-DEMO-2026-02	Sammelrechnung	01.02.2026 - 28.02.2026	K-100001	283,76 € Netto	BEZAHLT wird erstellt
01.02.2026	NR-DEMO-2026-01	Sammelrechnung	01.01.2026 - 31.01.2026	K-100001	223,99 € Netto	BEZAHLT wird erstellt
01.01.2026	NR-DEMO-2025-12	Sammelrechnung	01.12.2025 - 31.12.2025	K-100001	443,22 € Netto	BEZAHLT wird erstellt
01.12.2025	NR-DEMO-2025-11	Sammelrechnung	01.11.2025 - 30.11.2025	K-100001	471,28 € Netto	BEZAHLT wird erstellt
01.11.2025	NR-DEMO-2025-10	Sammelrechnung	01.10.2025 - 31.10.2025	K-100001	496,30 € Netto	BEZAHLT wird erstellt
01.10.2025	NR-DEMO-2025-09	Sammelrechnung	01.09.2025 - 30.09.2025	K-100001	413,35 € Netto	BEZAHLT wird erstellt
Summe der gefilterten Belege (Gutschriften abgezogen)					5.139,96 €	

© 2026 NEOS Logistics UG

Zur Startseite

info@neos24.com

Portal: user groups with rights matrix (English UI)

NEOS CUSTOMER PORTAL

OverviewShipmentsNew shipmentImportAddress bookPricesInvoicesCreditClaims

UsersCompanySettings

DeutschSign out

Lena Inhaberin · Lena GmbH (Owner)

← User groups

New group

Members of this group only see the released areas in the menu.

Rights

Edit includes view.

AREA	NO ACCESS	VIEW	EDIT
Shipping View: shipments, prices, address book. Edit: create shipments, import, manage address book and templates.	☒	☐	☐
Warehouse View: shipments and tracking history. Edit: print labels, also in bulk.	☒	☐	☐
Returns View: complaints. Edit: create returns, complaints and objections.	☒	☐	☐
Accounting View: invoices, documents, credit, prices. Edit: top up credit.	☒	☐	☐
Administration View: users, groups, company data. Edit: invite users, change groups and company data — this passes on full access.	☒	☐	☐

Group name

Description (optional)

Create groupDiscard

© 2026 NEOS Logistics UG

Back to website

info@neos24.com

Dashboard: overview

NEOS
INTERN

Übersicht

Bestellungen & Sendungen

Preise & Zielländer

Routingmatrix

Kunden & Anfragen

Rechnungen

Reklamationen

Rechnungsprüfung

Statistiken & Berichte

Synchronisation

Benutzer & Rollen

Admin Test

Admin

Abmelden

neos24.com

ÜBERSICHT

Guten Tag, Admin.

Stand 14.09.2026 21:20 · alle Zahlen aus den Bestellungen der Datenbank

BESTELLUNGEN HEUTE

65

88 in 7 Tagen · 196 in 30 Tagen

UMSATZ 30 TAGE (BRUTTO)

1.449,16 €

netto 1.217,73 € · bezahlt und auf Rechnung · +37 % zu den 30 Tagen davor

MARGE 30 TAGE

591,57 €

Verkauf netto – Einkauf laut Routingmatrix

OFFENE RECHNUNGEN

5

1.289,90 € brutto · 2 aktive Firmen · [öffnen](#)

ABHOLUNGEN OFFEN

2

beauftragt, noch nicht übergeben · [Liste](#)

OFFENE REKLAMATIONEN

13

Kundenguthaben gesamt 107,46 € · [öffnen](#)

LIEFERANTENRECHNUNGEN ZU PRÜFEN

1

Nachberechnung wartet auf Freigabe 4,05 € netto · [öffnen](#)

LEXWARE-ÜBERGABEN

0

fehlgeschlagen · 0 offen · [Warteschlange](#)

SYNCHRONISATION

1

0 Fehler · 1 Konflikte · 0 offen · [öffnen](#)

NEUE ANFRAGEN

23

23 offen insgesamt · [öffnen](#)

Sendungen je Woche

letzte 8 Kalenderwochen, ohne offene und fehlgeschlagene

2822313339332462

KW 31KW 32KW 33KW 34KW 35KW 36KW 37KW 38

Top-Zielländer

30 Tage

DE	Deutschland	184	596,35 €
FR	Frankreich	38	260,55 €
PL	Polen	11	93,42 €
IT	Italien	11	126,89 €
AT	Österreich	11	69,92 €

Top-Carrier

30 Tage, Priorität 1 bei Bestellung

DPD	71
DHL	53
Colissimo	24
GLS	17
InPost	7

Status aller Bestellungen

Bezahlt

244

Offen / in Zahlung

18

Fehlgeschlagen / storniert

26

Gesamt

1148

Letzte Bestellungen

alle →

NE-2026-E4C7246D

BEZAHLT

FR · Colissimo

2,86 €

NE-2026-081137FC

ZAHLUNG OFFEN

FR · Colissimo

2,86 €

NE-2026-A1A30725

BEAUFTRAGT

DE · DHL

4,18 €

NE-2026-01885AF6

BEAUFTRAGT

US · DHL Express

22,97 €

NE-2026-40C4F5FA

ZAHLUNG OFFEN

US · DHL Express

22,97 €

NE-2026-53495015

BEAUFTRAGT

DE · DPD

1,79 €

NE-2026-2F291238

BEAUFTRAGT

US · DHL Express

22,97 €

NE-2026-AD808762

BEAUFTRAGT

US · DHL Express

22,97 €

NE-2026-117C7C98

ZAHLUNG OFFEN

DE · DPD

2,32 €

NE-2026-91E06F8C

ZAHLUNG OFFEN

US · DHL Express

22,97 €

Page 39 / 44

Dashboard: routing matrix by category

[illegible]

Dashboard: invoice verification of a real carrier invoice

NEOS INTERN

Übersicht

Bestellungen & Sendungen

Preise & Zielländer

Routingmatrix

Kunden & Anfragen

Rechnungen

Reklamationen

Rechnungsprüfung

Benutzer & Rollen

Admin Test

Admin

Abmelden

neos24.com

← Rechnungsprüfung

DHL - DN2606013200

GEPRÜFT

PDF

Spalten

Beanstandung CSV

POSITIONEN

8

0 in Ordnung · 8 auffällig

SUMME NETTO

47,44 €

stimmt mit dem PDF überein

BEANSTANDUNG LIEFERANT

0,00 €

4 Positionen (zu viel berechnet, doppelt, storniert, nicht zuzuordnen)

NACHBERECHNUNG KUNDEN

18,15 €

offen netto - 7,05 € schon gebucht

Positionen

Alle Befunde

ZEILE	SENDUNG	BEFUND	GEWOGEN
2	NE-2026-C8F88E5A 00340433880660022236 DE DHL	GEWICHT HÖHER ALS GEBUCHT Gebucht 2kg (1,50 kg), gewogen 16,00 kg → 20kg, Zuschläge 0,19 € zusätzlich berechnet.	16,00 kg gebucht 1,50
3	NE-2026-B64049F1 00340433880660022243 DE DHL	GEWICHT HÖHER ALS GEBUCHT Gebucht 2kg (1,50 kg), gewogen 16,00 kg → 20kg, Zuschläge 0,19 € zusätzlich berechnet.	16,00 kg gebucht 1,50
4	NE-2026-E644E598 00340433880660022267 DE DHL	GEWICHT HÖHER ALS GEBUCHT Gebucht 2kg (1,50 kg), gewogen 16,00 kg → 20kg, Zuschläge 0,19 € zusätzlich berechnet.	16,00 kg gebucht 1,50
5	NE-2026-9AD5078F 00340433880660022274 DE DPD	GEWICHT HÖHER ALS GEBUCHT Bestellt über DPD, abgerechnet von DHL. Gebucht 2kg (0,90 kg), gewogen 9,00 kg → 10kg, Zuschläge 0,15 € zusätzlich berechnet.	9,00 kg gebucht 0,90
6	N2400000000000000000186 00340433880660022281 DE	KEINE BESTELLUNG GEFUNDEN Referenz N2400000000000000000000000186 / Carrier-Nr. 00340433880660022281 passt zu keiner Bestellung.	21,00 kg
7	N240000000000000000000187 00340433880660022298 DE	KEINE BESTELLUNG GEFUNDEN Referenz N2400000000000000000000000187 / Carrier-Nr. 00340433880660022298 passt zu keiner Bestellung.	17,00 kg
8	N2400000000000000000000188 00340433880660022304 DE	KEINE BESTELLUNG GEFUNDEN Referenz N2400000000000000000000000188 / Carrier-Nr. 00340433880660022304 passt zu keiner Bestellung.	17,00 kg
9	N2400000000000000000000189 00340433880660022311 DE	KEINE BESTELLUNG GEFUNDEN Referenz N2400000000000000000000000189 / Carrier-Nr. 00340433880660022311 passt zu keiner Bestellung.	17,00 kg

Text aus dem PDF

Kopfdaten

Rechnungsnummer
DN2606013200

Datum
06/26/2026

Summe netto laut Rechnung €
47,44

Speichern

aus dem PDF gelesen: DN2606013200
2026-06-26 47,44 €

hochgeladen 13.09.2026 23:27 von Admin
Test · Gewicht in kg

Aktionen

Alle offenen Nachberechnungen buchen

Firmen: Position auf der nächsten Sammelrechnung
Privatkunden: vom Guthaben, sonst offene Zahlung

Neu prüfen

nach Änderungen an Routingmatrix oder Zuordnung

Status setzen
Geprüft

Status speichern

Notiz

Notiz speichern

Rechnung löschen


nur ohne gebuchte Nachberechnungen

So wird geprüft
Jede Zeile wird über die NEOS-Nummer der Bestellung zugeordnet. Das gewogene Gewicht ergibt die tatsächliche Gewichtsklasse; liegt sie über der gebuchten, ist die Differenz der Verkaufspreise die Nachberechnung an den Kunden. Der berechnete Betrag wird mit dem Einkaufspreis der Routingmatrix für die tatsächliche Klasse verglichen (Toleranz 0,02 €); Abweichungen, doppelte, stornierte und nicht zuzuordnende Zeilen gehen in die Beanstandung.

Dashboard: company with sub-accounts, users and groups

[illegible]

Dashboard: statistics with previous-period comparison



Mobile: portal shipment form at 375 px

[illegible]