Question	Answers	Extra information	Mark	AO / Spec Ref.
06.5	more / different types of food available	ignore more food available	1	AO2 4.7.2.4 4.7.3.1 4.7.3.6 4.7.3.3
	more / different types of habitat / shelter **or** nest sites available	allow more / different habitats	1	

Total Question 6	**11**

Question 7

Question	Answers	Extra information	Mark	AO / Spec Ref.
07.1	as volume of follicles rises oestrogen concentration (in blood) rises (for 7 / 8 days)	allow (positive) correlation between oestrogen concentration and volume of follicles (for 7 / 8 days) **or** oestrogen concentration is in proportion to follicle volume (for 7 / 8 days) do **not** accept an increase of oestrogen concentration causes an increase of follicle volume	1	AO3 4.5.3.4 4.5.3.6

Question	Answers	Extra information	Mark	AO / Spec Ref.
07.2	(volume of one follicle)			
	$= \frac{4}{3} \times 3.14 \times 11^3$	allow $= \frac{4}{3} \times \pi \times 11^3$	1	AO2
	= 5572.(4533)	allow 5575(.279…)	1	AO2
	(total volume of follicles) = 39 000 (mm^3)		1	AO3
	$\frac{39\,000}{5572} = 6.99…$	allow use of an incorrect volume (from Figure 12) and / or an incorrectly calculated volume of one follicle	1	AO2
	7	do **no**t accept 7.0	1	AO2 4.5.3.6

Question	Answers	Extra information	Mark	AO / Spec Ref.
07.3	(lack of FSH causes) lack of oestrogen (production)	allow lack of FSH causes lack of follicle development / growth / maturation	1	AO2 4.5.3.4
	breast development is dependent on oestrogen (from follicles)	allow (female) secondary sexual characteristics are dependent on oestrogen (from follicles)	1	

Question	Answers	Extra information	Mark	AO / Spec Ref.
07.4	gametes correct: **H + h and H + h**		1	AO2 4.6.1.6 4.6.1.7
	correct derivation of offspring genotypes: **HH Hh Hh hh**	allow correct for gametes stated in mp1	1	
	correct phenotype for each genotype	allow correct for genotypes stated in mp2 do **not** accept if no **hh** offspring	1	

Question	Answers	Extra information	Mark	AO / Spec Ref.
07.5		allow annotated genetic diagram for all marks		AO3 4.6.1.6
	mother (has **hh** so) passes on **h**		1	
	father (has **Hh** so) passes on **H** or **h** with equal probability		1	
	(so) child will be **Hh** / hetero-zygous with 0.5 probability and produces FSH		1	

Total Question 7	**14**