


5. Details of the Storage , treatment, transportation, processing and Disposal Facility																																																			
(i) Details of the on-site storage facility	:	Size :- 415.51 sq ft (Under Construction)																																																	
	:	Capacity:- 04 ton																																																	
	:	Provision of on-site storage : (cold storage or any other provision)																																																	
(ii) Disposal Facilities	:	<table border="1"> <thead> <tr> <th>Type of treatment or Equipment In</th> <th>No of Units</th> <th>Capacity Kg/day</th> <th>Quantity treated or disposed Kg per Annum</th> </tr> </thead> <tbody> <tr> <td>Incinerators</td> <td>- 0</td> <td>0</td> <td>0</td> </tr> <tr> <td>Plasma Paralysis</td> <td>- 0</td> <td>0</td> <td>0</td> </tr> <tr> <td>Autoclaves(fun)</td> <td>- 1</td> <td>.40</td> <td>14.400</td> </tr> <tr> <td>Microwave</td> <td>- 0</td> <td>0</td> <td>0</td> </tr> <tr> <td>Hydroclave</td> <td>- 0</td> <td>0</td> <td>0</td> </tr> <tr> <td>Shredder(fun)</td> <td>- 0</td> <td>0</td> <td>0</td> </tr> <tr> <td>Needle tip cutter or destroyer</td> <td colspan="3">-5 needle cutter and needle destroyer</td> </tr> <tr> <td>Sharps encapsulation or concrete pit</td> <td>- 0</td> <td>NA</td> <td>(After dismantling the new construction is going on)</td> </tr> <tr> <td>Deep Burial pits:</td> <td>- 0</td> <td>NA</td> <td></td> </tr> <tr> <td>Chemical disinfection:</td> <td>- 0</td> <td>0</td> <td>0</td> </tr> <tr> <td>Any other treatment equipment:</td> <td>- NA</td> <td></td> <td></td> </tr> </tbody> </table>	Type of treatment or Equipment In	No of Units	Capacity Kg/day	Quantity treated or disposed Kg per Annum	Incinerators	- 0	0	0	Plasma Paralysis	- 0	0	0	Autoclaves(fun)	- 1	.40	14.400	Microwave	- 0	0	0	Hydroclave	- 0	0	0	Shredder(fun)	- 0	0	0	Needle tip cutter or destroyer	-5 needle cutter and needle destroyer			Sharps encapsulation or concrete pit	- 0	NA	(After dismantling the new construction is going on)	Deep Burial pits:	- 0	NA		Chemical disinfection:	- 0	0	0	Any other treatment equipment:	- NA			
	Type of treatment or Equipment In	No of Units	Capacity Kg/day	Quantity treated or disposed Kg per Annum																																															
	Incinerators	- 0	0	0																																															
	Plasma Paralysis	- 0	0	0																																															
	Autoclaves(fun)	- 1	.40	14.400																																															
	Microwave	- 0	0	0																																															
	Hydroclave	- 0	0	0																																															
	Shredder(fun)	- 0	0	0																																															
	Needle tip cutter or destroyer	-5 needle cutter and needle destroyer																																																	
	Sharps encapsulation or concrete pit	- 0	NA	(After dismantling the new construction is going on)																																															
Deep Burial pits:	- 0	NA																																																	
Chemical disinfection:	- 0	0	0																																																
Any other treatment equipment:	- NA																																																		
(iii) Quantity of recyclable wastes sold to authorize recyclers after treatment in kg per annum.	:	Category (like plastic, glass etc.) Plastics (Red): Nil Glass (Blue):0 kg per annum																																																	
(iv) No of vehicles used for collection and transportation of biomedical waste.	:	1																																																	
(v) Details of incineration ash and ETP sludge generated and disposal during the treatment of wastes in Kg per annum)	:	Quantity Generated Incineration:- 0 Ash:- 0 ETP Sludge:- 0 Where disposal																																																	
(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	:	Don't have any																																																	
(vii) List of member HCF not handed over bio-medical waste.	:	0																																																	
6. Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period.	:	Yes																																																	
7. Detail trainings conducted on BMW	:																																																		
(i) Number of training conducted on BMW Management.	:	2 batches																																																	
(ii) Number of personnel trained	:	112																																																	


 Superintendent
 CHC Dhamodar, Dist-Bhadrak