OrionStar Cleaning Robot Family

Roadmap

CleaniBot C5 · M1/M1 3D · K1 · S55 Pro · A10 / A10P · YJ80 · YJ130



CONTENTS

1. About Us

2. Product Roadmap

3. Product Introduction

4. Specification Comparison

5. Successful Cases

Part.1 About Us

Born for Truly Useful Robots

World-Leading AI Service Robot Solution Company

Founded in 2016



Part.2 Product Roadmap

Full Product Lineup

Small Commercial


CleaniBot A10 — New

Compact-Path Cleaning Robot

- All-in-one Sweep+Vac+Mop
- 50cm Access
- 19.7kPa Suction
- 450㎡/h

CleaniBot A10P — New

Interactive Multi-Cleaning Robot



- A10 + Display Screen
- 18.5" Ad Screen
- Promo Functions
- 2kg Payload/layer

CleaniBot S55 Pro

All-in-One Instant-Cleaning Robot

- All-in-one Machine
- 1300㎡/h
- Ultra-Quiet 45–55dB
- 7 Cleaning Modes



CleaniBot S55 Pro UVC

All-in-One Sanitize-Cleaning Robot

- 222nm Far UV-C
- 99.9% Disinfection

Medium-sized Commercial

CleaniBot M1 2D

Full-Auto Cleaning Workhorse



- 24/7 Auto Operation
- 8h Runtime
- 68cm Squeegee
- 1200㎡/h

Medium-sized Commercial

CleaniBot M1 3D — New

Full-Auto Cleaning Workhorse (Enhanced 3D Navigation)



- 3D Obstacle Avoidance
- Enhanced LiDAR
- Upgraded Navigation
- Complex Environments

CleaniBot K1

Deep Carpet & Hard Floor Vacuum Expert



- 20kPa Suction
- 10L Dustbin
- V-Shape Anti-tangle

Industrial-grade

CleaniBot C5

Industrial-Grade Cleaning Flagship




- 1980㎡/h
- 90L Tank
- 10,000h Fan Life

Outdoor

CleaniBot YJ80 — New

All-Terrain Street Cleaning Robot

- Operator-Guided
- 6-in-1 Function
- 10800㎡/h



CleaniBot YJ130 — New

Autonomous Outdoor Sweeper

- Fully Auto
- Auto Dum
- 360° Perc
- 5760㎡/h



Applicable Scenario

Small Commercial

- CleaniBot A10
- CleaniBot A10P
- CleaniBot S55 Pro
- CleaniBot S55 Pro UVC

Suitable for high-traffic commercial areas and high requirements for quietness










Medium-sized Commercial

- CleaniBot M1 2D
- CleaniBot M1 3D
- CleaniBot K1

Ideal for large-scale facilities with high labor costs and continuous cleaning needs









Industrial-grade Commercial

- CleaniBot C5

Designed to provide high-intensity cleaning solutions for large factories, transportation hubs, etc.










Outdoor

- YJ80
- YJ130

Outdoor smart cleaning flagship for plazas, factories, streets, large venues









Capability Evolution Path

From Basic Cleaning to Unmanned Intelligent Maintenance

Auto recharging, task resumption, andsewage discharge evolve into a fullyautomated self-cleaning station,reducing manual work and ensuringconsistent performance.

From Single-Scenario to Multi-Environment Intelligence

Multi-sensor fusion delivers smarterobstacle avoidance, precise pathplanning, and stable performance inbusy malls and semi-open publicspaces.


From Single Function to Intelligent Scenario Adaptation

Automatically switches cleaningmodes based on environment -handling different floor types andlayouts with no manual adjustment required.

From Indoor Only to Full Indoor–Outdoor Coverage

New outdoor robots YJ80 & YJ130 extend the portfolio to streets, plazas, and logistics parks — completing a full-scenario cleaning ecosystem from shop floor to city block.

Product Release Timeline



Part.3 Product Introduction



ORIONSTAR

OrionStar CleaniBot A10

Compact-Path Cleaning Robot

©2026 OrionStar Robotics All Rights Reserved

CleaniBot A10

Compact-Path Cleaning Robot

Core Features









Core Application Scenarios

- Convenience Store
- Supermarket
- Hotel
- Retail
- Office
- Apartment

Specifications

Category	Parameter	OrionStar CleaniBot A10
General Specifications	Dimensions	445 × 400 × 385 mm | Weight: 23 kg
	Workstation	465 × 360 × 296 mm | Weight: 5.3 kg
Cleaning Performance	Cleaning Efficiency	Vacuuming: 450 ㎡/h | Mopping: 350 ㎡/h
	Cleaning Width	Sweep/Vac: 400 mm | Mop: 310 mm
	Suction Power	Max. 19.7 kPa
	Battery Life	Sweep+Vac+Mop: 3h | Sweep+Vac: 4h | Mop: 6h (A10P promo: 8h)
	Water Tank	Fresh: 5.1 L | Waste: 3.1 L | Trash: 1.5 L
	Min. Channel Width	50 cm
	Obstacle Crossing	25 mm
	Noise Level	Sweep/Vac: <70 dB(A) | Mop: <65 dB(A)
	HEPA Level	H13
Function	Cleaning Modes	Sweep · Vacuum · Mop (simultaneous or separate)
	Auto Features	Auto Charge, Scheduled Clean, Mop Self-Clean, Mop Drying
	Connectivity	4G / Wi-Fi / Bluetooth | Cloud Platform | App Control

ORIONSTAR

OrionStar CleaniBot A10P

Interactive Multi-Cleaning Robot



CleaniBot A10P

Interactive Multi-Cleaning

Core Features







Core Application Scenarios

- Convenience Store
- Supermarket
- Hotel
- Retail
- Office
- Apartment

Specifications

Category	Parameter	OrionStar CleaniBot A10P
General Specifications	Dimensions	445 × 400 × 1100 mm | Weight: 36 kg
	Workstation	465 × 360 × 296 mm | Weight: 5.3 kg
Cleaning Performance	Cleaning Efficiency	Vacuuming: 450 ㎡/h | Mopping: 350 ㎡/h
	Cleaning Width	Sweep/Vac: 400 mm | Mop: 310 mm
	Suction Power	Max. 19.7 kPa
	Battery Life	Sweep+Vac+Mop: 2.5h | Sweep+Vac: 3.5h | Mop: 8h
	Water Tank	Fresh: 5.1 L | Waste: 3.1 L | Trash: 1.5 L
	Min. Channel Width	50 cm
	Obstacle Crossing	25 mm
	Noise Level	Sweep/Vac: <70 dB(A) | Mop: <65 dB(A)
	HEPA Level	H13
Function	Cleaning Modes	Sweep · Vacuum · Mop (simultaneous or separate)
	Auto Features	Auto Charge, Scheduled Clean, Mop Self-Clean, Mop Drying
	Connectivity	4G / Wi-Fi / Bluetooth | Cloud Platform | App Control
	Interactive Screen	10.1 inches
	Ad Screen	18.5 inches
	Load	Shelf: 2-layer, 8 kg/layer

ORIONSTAR

ORIONSTAR CleaniBot S55 Pro

All-in-One Instant-Cleaning Robot



CleaniBot S55 Pro

All-in-One Instant-Cl



Core Features

All-in-One Machine

Sweeping, vacuuming, scrubb
mopping, self-cleaning, and
disinfection (optional)—all in
machine

Super Cleaning Effic

Achieves up to 1,300 m²/h,
equivalent to 8–10 cleaning st
with consistent performance

Ultra-Quiet Operation

with Japanese acoustic materials
multi-stage noise reduction,
ing 20–30 dB quieter than the
stry average

Smart Multi-Mode Cleaning

s 7 modes from Deep Scrub to Eco
um, achieving 97% wastewater
very with streak-free results

Core Application Scena

Hotels | Office Buildings | Shopping Malls | Medical Facilities | School | Cultural Halls

*According to the labor quota standards for sanitation workers issued by the Ministry of Housing and Urban-Rural Development, the road area that can be cleaned manually by one person per day shall not exceed 1,000 square meters.

Specifications

Categories	Specification Items	CleaniBot S55 Pro Parameter information
General Specifications	Dimensions (LWH)	650 x 580 x 550 mm
	Net Weight	70 kg
	Max. Operating Speed	1.2 m/s
	Max. Obstacle Climbing	20 mm
	Max. Gradeability	6°
	Min. Passing Width	700 mm
	Noise Level	Scrubbing: 55 dB / Dust Mopping: 45 dB
	Battery Specification	25.6V / 40Ah
Cleaning Performance	Charging Time	< 4 h
	Battery Life (Operating Time)	Scrubbing: 4.5h Power Scrubbing: 3.5h Sweep & Vacuum: 4.5h Sweep, Vacuum & Mop: 4.5h Dust Mop: 28h
	Cleaning Width (main brush)	550mm
	Max. Cleaning Efficiency	Scrubbing: 1197 ㎡/h Sweep & Vacuum & Dust Mop : 1368 ㎡/h
	Clean Water Tank Capacity	22 L
	Waste Water Tank Capacity	15 L
	Maximum Garbage Height	3cm
	Dust Bin Capacity	1L
Additional Features	Auto Recharge	Supported
	Network Connectivity	Wi-Fi / 4G
	Cleaning Modes	Scrubbing / Dust Mopping / Sweep & Mop / Sweep & Vacuum / Sweep, Vacuum & Mop
	Water Station	Not Supported

* Varies depending on the selected cleaning mode.

ORIONSTAR

ORIONSTAR CleaniBot S55 Pro UVC

All-in-One Sanitize-Cleaning Robot





CleaniBot S55 Pro UVC

All-in-One Sanitize-Cleaning Robot

Core Features

All-in-One Machine

Sweeping, vacuuming, scrubbing, mopping, self-cleaning, and disinfection—all in one machine



Ultra-Quiet Operation

t with Japanese acoustic materials
l multi-stage noise reduction,
ning 20–30 dB quieter than the
ustry average

UV-C Deep Disinfection

Integrated 222nm Far UV-C module eliminates 99.9% of surface bacteria and viruses

High Cleaning Productivity

vers up to 4,000 m²/day, cutting
or costs and infection risks

Core Application Scenarios

- Medical Facilities
- Food Processing Plants
- Kindergartens
- Educational Institutions

Specifications

Categories	Specification Items	CleaniBot S55 Pro UVC Parameter information
General Specifications	Dimensions (LWH)	650 x 580 x 550 mm
	Net Weight	70 kg
	Max. Operating Speed	1.2 m/s
	Max. Obstacle Climbing	20 mm
	Max. Gradeability	6°
	Min. Passing Width	700 mm
	Noise Level	Scrubbing: 55 dB / Dust Mopping: 45 dB
	Battery Specification	25.6V / 40Ah
Cleaning Performance	Charging Time	< 4 h
	Battery Life (Operating Time)	Scrubbing: 4.5h Power Scrubbing: 3.5h Sweep & Vacuum: 4.5h Sweep, Vacuum & Mop: 4.5h ECO Vacuum: 19.5h Dust Mop: 28h
	Cleaning Width (main brush)	550mm
	Max. Cleaning Efficiency	Scrubbing: 1197 ㎡/h Sweep & Vacuum & Dust Mop & **ECO Vacuum** : 1368 ㎡/h
	Clean Water Tank Capacity	22 L
	Waste Water Tank Capacity	15 L
	Maximum Garbage Height	3cm
	Dust Bin Capacity	1L
Additional Features	Auto Recharge	Supported
	Network Connectivity	Wi-Fi / 4G
	Cleaning Modes	Scrubbing / Dust Mopping / Sweep & Mop / Sweep & Vacuum / Sweep, Vacuum & Mop
	Water Station	Not Supported

* Varies depending on the selected cleaning mode.

OrionStar CleaniBot M1

Full-Auto Cleaning Workhorse

©2026 OrionStar Robotics All Rights Reserved

CleaniBot M1

Full-Auto Cleaning Workhorse

Core Features

24/7 Autonomous Operation

Fully automated refilling, drainage, charging, scheduling, and report generation

Deep Cleaning Power

Dual 50cm pressurized brushes and 68cm squeegee ensure powerful scrubbing

Large Capacity & Endurance

Dual 68L water tanks support up to 8 hours of continuous cleaning

Comprehensive Safety

Equipped with 11 sensors for accurate obstacle avoidance and safe operation in crowded areas



Core Application Scenarios

- Large Office Complexes
- Campus
- Transportation Hubs
- Shopping Centers


Specifications

Categories	Specification Items	CleaniBot M1 Parameter information
General Specifications	Dimensions (LWH)	775 x 681.5x 1012mm
	Net Weight	125 kg
	Max. Operating Speed	1.2 m/s
	Max. Obstacle Climbing	20 mm
	Max. Gradeability	8°
	Min. Passing Width	850 mm
	Noise Level	Scrubbing <78dB(A); Dust Mopping <65dB(A)
	Battery Specification	28.8 Vdc, 60 Ah
Cleaning Performance	Charging Time	2.5 h
	Battery Life (Operating Time)	Scrubbing: 3.5h Mopping: 8h
	Cleaning Width (main brush)	500 mm
	Max. Cleaning Efficiency	1200 ㎡/h
	Clean Water Tank Capacity	35 L
	Waste Water Tank Capacity	33 L
	Maximum Garbage Height	5cm
	Dust Bin Capacity	0.9L
Additional Features	Sensors	2D LiDAR, TOF Sensor, RGB–D Sensor, Line Laser, Geomagnetic Sensor, Air Pressure Bumper
	Auto Recharge	Supported
	Network Connectivity	Wi-Fi / 4G
	Cleaning Modes	Scrubbing,Dust Mopping,Water absorption
	Water Station	Supported

ORIONSTAR

OrionStar CleaniBot M1 3D

Full-Auto Cleaning Workhorse (Enhanced 3D Navigation)



CleaniBot M1 3D

Full-Auto Cleaning Workhorse | Enhanced 3D Navigation

Core Features

11-Sensor Fusion with 2cm Low-Obstacle Avoidance

- 360° Surround Vision: Superior environmental recognition.
- Line-Laser Precision: Near-ground blind-spot elimination.
- Adaptive Logic: Dynamic, feature-aware obstacle avoidance.

Precise Navigation in Dynamic, Large Spaces


- All-Environment Stability: From factory floors to shopping malls.
- Layout-Aware Performance: Adapts to shifting displays and new materials.
- Maximized Autonomy: Reduced intervention through precise localization.

60% Layout Change, No Remapping

- Full-Spectrum Sensing: Combined 3D/2D LiDAR for total environment capture.
- Fusion Logic: Creates a unified, continuous navigation map.
- Operational Edge: Sustains positioning in 60%* environment shifts.







Core Application Scenarios

- Large Office Complex
- Campus
- Transportation Hub
- Shopping Center
- Hospital

Specifications

Categories	Specification Items	CleaniBot M1 Parameter information
General Specifications	Dimensions (LWH)	775 x 681.5x 1050mm
	Net Weight	126.5 kg
	Max. Operating Speed	1.2 m/s
	Max. Obstacle Climbing	20 mm
	Max. Gradeability	8°
	Min. Passing Width	850 mm
	Noise Level	Scrubbing <78dB(A); Dust Mopping <65dB(A)
	Battery Specification	28.8 Vdc, 60 Ah
Cleaning Performance	Charging Time	2.5 h
	Battery Life (Operating Time)	Scrubbing: 3.5h Mopping: 8h
	Cleaning Width (main brush)	500 mm
	Max. Cleaning Efficiency	1200 ㎡/h
	Clean Water Tank Capacity	35 L
	Waste Water Tank Capacity	33 L
	Maximum Garbage Height	5cm
	Dust Bin Capacity	0.9L
Additional Features	Sensors	3D LiDAR, 2D LiDAR, RGB–D Sensor, Line Laser, Geomagnetic Sensor, Air Pressure Bumper
	Auto Recharge	Supported
	Network Connectivity	Wi-Fi / 4G
	Cleaning Modes	Scrubbing,Dust Mopping,Water absorption
	Water Station	Supported

ORIONSTAR

OrionStar CleaniBot K1

Deep Carpet & Hard Floor Vacuum Expert



©2026 OrionStar Robotics All Rights Reserved

CleaniBot K1

Deep Carpet & Hard Floor Vacuum Expert



Core Features

Powerful Deep Vacuuming

Delivers 20 kPa suction with a 10L dustbin, effectively removing dust and debris from deep within carpet fibers

Tangle-Free, Carpet-Safe

Innovative V-shaped roller design that actively prevents hair wrap, maintaining cleaning efficiency and protecting carpet texture

Slim & Agile Design

Compact narrow body allows for easy maneuverability through tight corridors and under furniture

Smart Multi-Floor Operation

Equipped with 9 onboard sensors, enabling autonomous elevator access, cross-zone scheduling, and automatic recharging

Core Application Scenarios

- Hotels
- Convention Centers
- High-Traffic Areas
- Office Spaces

Specifications

Categories	Specification Items	CleaniBot K1 Parameter information
General Specifications	Dimensions (LWH)	558 x 420 x 592mm
	Net Weight	46 kg
	Max. Operating Speed	1.2 m/s
	Max. Obstacle Climbing	20 mm
	Max. Gradeability	10°
	Min. Passing Width	800 mm
	Noise Level	< 75 dB(A)
	Battery Specification	28.8 Vdc, 30 Ah
Cleaning Performance	Charging Time	1.5 h
	Battery Life (Operating Time)	Vacuuming: 4h Mopping: 8h
	Cleaning Width (main brush)	440 mm
	Max. Cleaning Efficiency	700 ㎡/h
	Clean Water Tank Capacity	/
	Waste Water Tank Capacity	/
	Maximum Garbage Height	5cm
	Dust Bin Capacity	10 L
Additional Features	Auto Recharge	Supported
	Network Connectivity	Wi-Fi / 4G
	Cleaning Modes	Vacuuming, Dust Mopping
	Water Station	Not Supported

OrionStar CleaniBot C5

Industrial-Grade Cleaning Flagship



©2026 OrionStar Robotics All Rights Reserved

CleaniBot C5

Industrial-Grade Cleaning Flagship

Core Features



Heavy-polute Cleaning

Up to 1980m²/h cleaning efficiency
Innovative dual-brush design delivers a comprehensive cleaning efficiency of over 95%

Fully autonomous operation

automatic charging, water refilling, and sewage discharge;
4-minute self-cleaning, with fast 1.5-hour recharging

Smart Task Scheduling

Cloud platform with automatic zoning, boundary detection & real-time map updates

Durable & Long-lasting

High-specification selection of core components, with fan lifespan up to 10,000 hours

Core Application Scenarios

- Transportation Hubs
- Warehouses
- Factories
- Mega Malls

Specifications

Categories	Specification Items	CleaniBot C5 Parameter information
General Specifications	Dimensions (LWH)	820 x 680 x 1130 mm
	Net Weight	170 Kg
	Max. Operating Speed	1.2 m/s
	Max. Obstacle Climbing	15 mm
	Max. Gradeability	Loaded: 5° / Empty: 8°
	Min. Passing Width	800 mm
	Noise Level	< 68 dB(A)
	Battery Specification	24V, 80Ah
Cleaning Performance	Charging Time	1.5 h
	Battery Life (Operating Time)	Scrubbing: 3h Mopping: 8h
	Cleaning Width (main brush)	550 mm
	Max. Cleaning Efficiency	1980 ㎡/h
	Clean Water Tank Capacity	45 L
	Waste Water Tank Capacity	45 L
	Maximum Garbage Height	3cm
	Dust Bin Capacity	1.8 L
Additional Features	Auto Recharge	Supported
	Network Connectivity	Wi-Fi / 4G/Lora
	Cleaning Modes	Scrubbing,Dust Mopping,Water absorption
	Water Station	Supported
Docking Station	Station Water Tank Capacity	8 L
	Water Refilling Speed	7-10 L/min
	Sewage Discharge Speed	10-15 L/min
	Max. Power Consumption	1800 W
	Rated Input Voltage	200-240 V



OrionStar CleaniBot YJ80

All-Terrain Street Cleaning Robot

©2026 OrionStar Robotics All Rights Reserved

OrionStar CleaniBot YJ80 Series

All-Terrain Street Cleaning Robot



Urban Street Vacuum

3 driving modes + 5 cleaning modes

Ride -on Driving: Vaccuming +Blowing +water spraying
Manual towed traction: Vaccuming +Blowing +water spraying
Follow me Traction : Vaccuming +high pressure washing + suction + Blowing +Water spraying



Urban Street Sweeper

3 driving modes + 6 cleaning modes

Ride -on Driving: Vaccuming +Blowing +water spraying
Manual towed traction: Vaccuming +Blowing +water spraying
Follow me Traction : Vaccuming +high pressure washing + suction + Blowing +Water spraying



Urban Street Hydro

Road Hydro Cleaning

is specifically designed for streets and other areas that require
the cleaning of large outdoor surfaces.

OrionStar CleaniBot YJ80

All-Terrain Street Cleaning Robot

Core Features



6-in-1 Functiona

Sweeping, washing, v
suction, and spraying
machine. Handles wet
across diverse outdoo

art, Agile, Operator-Centric

tric traction 'Follow Me' system
operators guide the machine
rtlessly.
itive semi-autonomous modes
ned with real user workflows.

Compact Design & S
Maneuverability

- Pure electric, no hyd
circuits.
- Access to medium-s
venues and passage
with ease.

h Efficiency & Eco-Friendly

vers 10,800 ㎡/h.
wered by 48V/300Ah LFP
ium battery — zero
$_2$ emissions.
dB noise (EN ISO 4871
rtified) for city-center use.

Core Application Scenarios

- City Streets
- Commercial Districts
- Plazas
- Logistics Parks
- Campuses
- Industrial Zones

Specifications

Category	Parameter	Urban Street Vacuum	Urban Street Sweeper	Urban Street Hydro
General Specifications	Size (L×W×H)	1900×860×1350 mm	2400×860×1350 mm	3100×860×1350 mm
	Net Weight	~800 kg	~800 kg	~800 kg
	Drive Model	Backdoor Drive	Backdoor Drive	Backdoor Drive
	Climbing Ability	15°	15°	15°
	Cleaning Width	80 cm	140 cm	80–150 cm
	Movement Speed	6 km/h	6 km/h	6 km/h
Cleaning Performance	Cleaning Efficiency	10,800 ㎡/h	10,800 ㎡/h	10,800 ㎡/h
	Operating Time	6–8 h (Average)	6–8 h (Average)	6–8 h (Average)
	Battery	48V/300Ah (Lithium LFP)	48V/300Ah (Lithium LFP)	48V/300Ah (Lithium LFP)
	Waste Bin Capacity	100L + 15L	100L + 15L	100L + 15L
	Water Tank	120 L	120 L	120L + 500L extra
	Dry Function	Vacuuming, Blowing, Suction	Sweeping, Vacuuming, Blowing, Suction	Vacuuming, Blowing, Suction
	Wet Function	Water Spraying, High Pressure Washing	Water Spraying, High Pressure Washing	Water Spraying, High Pressure Washing, 500L extra water tank

ORIONSTAR

OrionStar CleaniBot YJ130

Autonomous Outdoor Sweeper



OrionStar CleaniBot YJ130

Autonomous Outdoor Sweeper

Core Features

Outstanding Autonomous Cleaning

- Planned path sweeping with zero-edge cleaning.
- 360° multi-megapixel environmental perception, flexible obstacle avoidance — handles all types of outdoor waste.

Fully Automated Station

- Automatic water filling, garbage dumping, and charging via Smart Cleaning Workstation.
- Garbage overflow alert triggers auto-dumping.



Intelligent Management & Easy Operation

- Easy mapping and quick demo setup.
- Real-time cloud platform, APP control, intelligent management dashboard.
- Minimal operator training required.

Robust & Versatile

- 5760 ㎡/h cleaning efficiency.
- Covers cement, asphalt, terrazzo, marble, cobblestone, epoxy, and plastic runway surfaces.

Core Application Scenarios

- Outdoor Plaza
- Logistics Park
- Industrial Area
- University Campus
- Public Transport Hub

Specifications

Category	Parameter	Value
General Specifications	Dimensions (LWH)	1800 × 1300 × 1520 mm
	Net Weight	~500 kg
	Drive Model	Dual Wheel Differential
	Movement Speed	3.6 km/h
	Climbing Ability	10°
Cleaning Performance	Cleaning Width	130 cm
	Cleaning Efficiency	5,760 ㎡/h
	Operating Time	6–8 h (average)
	Battery	48V / 200 Ah (Lithium LFP)
	AUTO Water Filling	YES
	AUTO Garbage Dumping	YES — overflow alert + auto-dump
	AUTO Charging	YES
	Preset / Timing	YES
Additional Features	Perception	360° Multi-megapixel Environment Perception
	Obstacle Avoidance	Flexible obstacle avoidance
	Mapping	Easy Mapping + Quick Demo setup
	Management	APP + Cloud Platform | Intelligent scheduling
	Floor Types	Cement · Asphalt · Terrazzo · Epoxy · Cobblestone · Marble · Brick · Plastic Runway

Part.4 Specification Comparison


Product Specification Comparison

Parameter	A10/A10P	S55 Pro/ Pro UVC	M1 / M1 3D	K1	C5	YJ80 Street Sweeper	YJ130
Type	Small Comm.		Med. Comm.		Industrial	Outdoor	
Cleaning Width	**400 mm**	550 mm	500 mm	**440 mm**	550 mm	1400 mm	1300 mm
Max Efficiency	450 ㎡/h	**1368 ㎡/h**	1200 ㎡/h	700 ㎡/h	**1980 ㎡/h**	**10800 ㎡/h**	**5760 ㎡/h**
Battery Life	3–6 h	**3.5–28 h**	3.5–8 h	**4–8 h**	3–8 h	6–8 h	6–8 h
Suggested cleaning area	2000 ㎡	4000 ㎡	2000-5000 ㎡	1000-3000 ㎡	6000-12000 ㎡	60000-80000 ㎡	30000-45000 ㎡
Water Tank	5.1 / 3.1 L	22 / 15 L	**35 / 33 L**	—	**45 / 45 L**	120 L	—
Noise	<65–70 dB	**45–55 dB**	<65–78 dB	<75 dB	<68 dB	<70 dB	—
Water Station		—		—			
Autonomy	Full Auto	Full Auto	Full Auto	Full Auto	Full Auto	Semi-Auto	Full Auto
3D Sensing	—	—	**M1 3D:**	—	—	—	
UV-C Disinfect	—	**UVC ver:**	—	—	—	—	—
Outdoor Use	—	—	—	—	—		


Part.5 Successful Cases

A High-End Comprehensive Shopping Mall in China






Phase 1 First Floor - marble - dust mop



Phase 2 First Floor - marble - dust mop



Basement Level 1 - marble - dust mop

CleaniBot M1

Project Overview
Located in 'China's premier commercial district,' Nanjing Xinjiekou, divided into Phase 1 and Phase 2, covering an area of 41,244 square meters, with a total construction area exceeding 300,000 square meters.

Client Requirements
Resolving challenges related to large cleaning areas, high labor consumption, and time intensity to enhance quality and efficiency

Application Scenario
Phase 1 First Floor / Phase 2 First Floor / Basement Level 1, flooring material: marble, cleaning area: 10,000㎡

Cleaning Schedule
Robot A: Phase 1 First Floor -- daily dust mop at 10:30
Robot B: Phase 2 First Floor -- daily dust mop at 10:30
Robot C: Basement Level 1 -- daily dust mop at 10:30


Application Value


100 %
Robot Utilization Rate

100 %
Automated Task Success Rate

Cleaning Report








A Premium Business Hotel of China





Lobby on the 1st floor - Marble - Dust mopping



Corridors on the 2nd and 3rd floors - Carpet - Vacuuming

CleaniBot K1

Project Overview

This hotel is located in the Hudong CBD business district of Suzhou Industrial Park, China. As a business hotel under the Atour Group, it is dedicated to providing a premium accommodation experience for discerning clientele seeking high-quality living standards.

Client Requirements

Labor reduction; improvement of cleaning quality and frequency

Application Scenario

Entire areas on the 1st, 2nd, and 3rd floors, with flooring composed of marble and carpeted corridors in guest rooms

Cleaning Schedule

Daily at 00:00 — Dust mopping of the entire first-floor area once
Daily at 10:00 — Vacuuming of the entire second-floor area once
Daily at 13:00, — Vacuuming of the entire third-floor area once

Application Value


100 %
Robot Utilization Rate

100 %
Automated Task Success Rate

100 %
Increase Cleaning Frequency

Cleaning Report





Zhongshan Hospital Fudan University, China





Lobby - Ceramic Tile - Floor Scrubbing



Lobby - Ceramic Tile - Floor Scrubbing

CleaniBot M1

Project Overview
Established in 1937, it is one of the earliest large-scale comprehensive hospitals founded and managed by Chinese, and among the first Class A tertiary hospitals in Shanghai.

Client Requirements
Upgrade cleaning equipment to enhance intelligent branding

Application Scenario
Lobbies of two administrative buildings, floor material: ceramic tile, cleaning area: 2,039㎡


Cleaning Schedule
Building 18: Floor scrubbing once daily at 11:30
Building 19: Floor scrubbing twice daily at 6:30 and 16:00

Application Value

100 %	95.4 %	100%
Robot Utilization Rate	Automated Task Success Rate	Increase Cleaning Frequency

Cleaning Report






Shanghai Customs Building, China





1st Floor - Marble - Dust Mop



2nd Floor - Marble - Dust Mop

CleaniBot M1

Project Overview

One of the representative buildings on the Shanghai Bund and a key cultural heritage protection unit in China, it witnesses Shanghai's historical transformations and the development of China Customs, holding significant historical, cultural, and architectural value.

Client Requirements

Enhance cleaning quality and frequency, and strengthen intelligent branding

Application Scenario

Entire 1st and 2nd floors, marble flooring, cleaning area of 2300㎡

Cleaning Schedule

Dust mop once daily at 8:00, 11:30, and 15:00 respectively

Application Value


100 %
Robot Utilization Rate

93 %
Automated Task Success Rate

100 %
Increase Cleaning Frequency


Cleaning Report






Peking University, China





Lobby - Ceramic Tile - Floor Scrubbing



Corridor – Ceramic Tile – Floor Scrubbing

CleaniBot M1

Project Overview

Covering approximately 1,288 acres with a total construction area of about 430,000 square meters, the Xinyanyuan Campus is Peking University's northern hub for new engineering and interdisciplinary studies.

Client Requirements

Enhance cleaning effectiveness and quality, and elevate the campus's intelligent branding.

Application Scenario

1st Floor Lobby/Corridor of Teaching Building, Floor Material: Ceramic Tile, Cleaning Area: 1,000 m^2

Cleaning Schedule


Floor scrubbing once daily at 7:00


Application Value

95.1 %
Robot Utilization Rate

100 %
Automated Task Success Rate

Cleaning Report






Suzhou Rail Transit, China


苏州轨道交通 Suzhou Rail Transit

7 号线 Line 7





Concourse – Ceramic tile – Floor scrubbing



Platform – Ceramic tile – Floor scrubbing

CleaniBot M1

Project Overview

On 2024/12/1, Suzhou Rail Transit Line 7, known as the 'Technology Line,' officially began operation. It is Suzhou's first line to utilize intelligent cleaning robots.

Client Requirements

Addressing the challenges of extended operating hours and expansive public areas, providing around-the-clock cleanliness maintenance for metro stations

Application Scenario

Nine stations on Metro Line 7 and two rail transit office buildings

Cleaning Schedule

09:00 Floor scrubbing of the concourse once;
15:00 Floor scrubbing of the platform once

Application Value


100 %
Robot Utilization Rate

2934 h
Total cleaning duration

2000000 m²
Total cleaned area

Cleaning Report





Strategic Positioning & Service Commitment

Full-Scenario Coverage

Continuous Innovation

Customized Service

Service-Oriented Organization



OrionStar provides reliable, high-quality cleaning robot solutions across a full spectrum to meet diverse enterprise needs.

ORIONSTAR

en.orionstar.com

global_business@orionstar.com

OrionStar Robotics

©2026 OrionStar Robotics All Rights Reserved