

## Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8" />
<meta name="viewport" content="width=device-width, initial-scale=1.0" />
<title>For You ❤️</title>

<link href="https://fonts.googleapis.com/css2?family=Playfair+Display:wght@500;600&family=Poppins:wght@300;400&display=swap"
rel="stylesheet">

<style>
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}

body {
  background: #0b0b0b;
  color: #ffffff;
  font-family: 'Poppins', sans-serif;
  overflow-x: hidden;
}

section {
  min-height: 100vh;
  padding: 40px 20px;
  display: flex;
  align-items: center;
  justify-content: center;
  text-align: center;
}

.fade {
  opacity: 0;
  transform: translateY(30px);
  transition: all 1.2s ease;
}

.fade.show {
  opacity: 1;
  transform: translateY(0);
}

h1, h2 {
  font-family: 'Playfair Display', serif;
}

h1 {
  font-size: 2.2rem;
}

p {
  font-size: 1.1rem;
  line-height: 1.8;
  opacity: 0.9;
}
```

```

.final {
  flex-direction: column;
}

.buttons {
  margin-top: 30px;
  display: flex;
  gap: 20px;
}

button {
  padding: 14px 26px;
  font-size: 1rem;
  border-radius: 30px;
  border: none;
  cursor: pointer;
  font-family: 'Poppins', sans-serif;
}

.yes {
  background: #ffffff;
  color: #000;
}

.no {
  background: transparent;
  color: #fff;
  border: 1px solid #555;
}

.heart {
  position: fixed;
  color: red;
  font-size: 20px;
  animation: float 2s linear forwards;
}

@keyframes float {
  0% {
    opacity: 1;
    transform: translateY(0);
  }
  100% {
    opacity: 0;
    transform: translateY(-100px);
  }
}

</style>
</head>

<body>

<section>
<div class="fade">
  <h1>Hey...</h1>
  <p style="margin-top:15px;">I made something just for you.</p>
  <p style="margin-top:30px; opacity:0.6;">Swipe down ↓</p>
</div>
</section>

```

```

<section>
<div class="fade">
  <p>
    I never planned this.<br><br>
    You just walked into my life...<br>
    and suddenly everything felt different.
  </p>
</div>
</section>

<section>
<div class="fade">
  <p>
    The little moments.<br>
    The smiles.<br>
    The comfort of you.<br><br>
    It all started to feel like home.
  </p>
</div>
</section>

<section class="final">
<div class="fade">
  <h2>So...</h2>
  <h1 style="margin-top:15px;">Will you be mine forever?</h1>

  <div class="buttons">
    <button class="yes" onclick="yesClicked()">YES ❤️</button>
    <button class="no" onclick="yesClicked()">YES 😊</button>
  </div>
</div>
</section>

<script>
const faders = document.querySelectorAll('.fade');

const observer = new IntersectionObserver(entries => {
  entries.forEach(entry => {
    if (entry.isIntersecting) {
      entry.target.classList.add('show');
    }
  });
});

faders.forEach(fade => observer.observe(fade));

function yesClicked() {
  for (let i = 0; i < 20; i++) {
    const heart = document.createElement('div');
    heart.className = 'heart';
    heart.innerHTML = '❤️';
    heart.style.left = Math.random() * 100 + 'vw';
    heart.style.bottom = '0px';
    document.body.appendChild(heart);

    setTimeout(() => heart.remove(), 2000);
  }
}
</script>

```

```
</body>  
</html>
```