### 경희 BUGS

Group.db2

김익환, 박근태, 이원재, 장현욱



01 주제 선정 이유

02 데이터 베이스 모델링

03 데이터 베이스 디자인

04 데이터 베이스 구축

05 QnA





### - 음악 사이트 선정 이유


1.음악 사이트의 대중적인 인기

2.수업 때 배운 SQL을 활용하기 적 합해 보임

3.다양한 기능들이 사이트에 담겨 있음


## 02 INTERNAL MODELING 데이터 베이스 모델링

### > ORIGINAL MUSIC SITE BUGS



## 02 INTERNAL MODELING 데이터 베이스 모델링

### > 1. LOGIN, SIGN IN




### > 1. LOGIN, SIGN IN


<b>〈</b> 벅스	느아이디 또는 이메일로 로.	그인 X	
아이디 또는 이메	일(예시 ID@bugs.co.kr)		BUGS 홈페이지 첫 접속 후 주문을 위한 로그인 버튼을 누
비밀번호			르면 로그인을 하거나 회원가 입을 할 수 있습니다.
	로그인		-> CUSTOMER 테이블 구성,
이이디 저장	선택한 아이디로 로그인 상E	배유지 ?	데이터 추가
아이디/비밀빈	번호 찾기 벅스	<u>화</u> 원가입	

## 02 INTERNAL MODELING 데이터 베이스 모델링

### > 2. EVENT




### > 2. EVENT




## 02 INTERNAL MODELING 데이터 베이스 모델링

### > 3. SEARCH






### > 3. SEARCH



## 02 INTERNAL MODELING 데이터 베이스 모델링

### > 4. 이용권 구매 기능




### > 4. 이용권 구매 기능



## 02 INTERNAL MODELING 데이터 베이스 모델링


### > 5. CHART




#### > 5. CHART



### > 6. MY PAGE




#### > 6. MY PAGE




BUGS 홈페이지 로그인 이후 MYPAGE에서 이용권 개수를 볼 수 있습니다.

->MYPAGE 테이블 생성, 이용권 개수 보여주기

### > 7. REVIEW




### > 7. REVIEW



BUGS 홈페이지 왼쪽에는 음악에 대한 리뷰를 남길 수 있는 리뷰 페이지가 존재합니다

->REVIEW 테이블에 리뷰를 업데이트 하며 볼 수 있게 구성

### > 8. GENRE




### > 8. GENRE




## O2 INTERNAL MODELING 데이터 베이스 모델링


### > 9. 플레이 리스트



### > 9. 플레이 리스트




#### > E-R DIAGRAM




### 03 INTERNAL DESIGN 데이터 베이스 디자인

> E-R diagram – event와 customer



- Event와 customer 테이블은 N:M 관계이므로 event\_customer intersection 테이블을 만듦
- Contanct 테이블을 만들어 event에 대한 정보를 고객에게 공지하는 것에 대한 정보 저장


### > E-R diagram - my page와 customer 테이블



- 회원가입에 성공하면 my page에 남은 다운로 드 횟수와 감상권 구매 여부가 기본값 0인 상 태로 생성
- mypage는 customerid가 PK이자 FK인 is-a-relationship으로 설정

### 03 INTERNAL DESIGN 데이터 베이스 디자인


> E-R diagram - bill과 customer



- Bill 테이블은 모든 고객들의 구매 내역을 보여 줌
- Surrogate key를 부여하여 같은 고객의 동일 한 구매 내역도 구분 할 수 있도록 함
- Ticketstore 테이블이 구매 가능한 이용권의 정보를 담고 있어 bill 테이블이 참조하도록 함

### 03 INTERNAL DESIGN 데이터 베이스 디자인

### > E-R diagram – customer와 music



- music 테이블은 musicname, artist, album을 composite key 로 설정함
- Playlist는 customerid와
   playlistid (surrogate key로 설
  정)를 composite PK로 설정하
  여 같은 고객이 여러 곡들을 담
  을 수 있게 함
- Downloadlist 테이블 역시 bill 테이블과 마찬가지로 surrogate key를 부여하여 모든 고객의 다운로드 내역을 보여 줄 수 있게 함
- Review 테이블은 중복 가능하 게끔 surrogate를 키를 부여함
- Playlist, downloadlist, review 테이블은 모두 customer와 music 테이블의 정보를 참조한 다.

> 로그인 메뉴



ID Password

Log-in

Sign In

```
<?php
$loginid = $_POST["loginid"];
pwd= POST["pwd"];
$mysqli = new mysqli("localhost", "db2", "2017100878", "db2");
mysqli_set_charset($mysqli,"utf8");
if (mysqli_connect_errno()){
   printf("Connect failed: %s|n", mysqli_connect_error());
   exit();
$sql = "SELECT * FROM customer WHERE customerid='$loginid' AND pwd='$pwd'";
$res = mysqli_query($mysqli,$sql);
$rows=nwsqli_num_rows($res);
if ($rows==1){
   while ($newArray = mysqli_fetch_array($res, MYSQLI_ASSOC)){
    session_start();
      $_SESSION["loginid"] = $loginid;
      $_SESSION["email"] = $email;
       $_SESSION["phone"] = $phone;
       $_SESSION["name"] = $name;
       echo "<A HREF = 'index.html'> <IMG SRC = 'img/khubug.png' width = '600'></A>";
       header("location: mainhome.html");
       echo "<script>location.href='fail.php'</script>";
   mysqli_free_result($res);
   mysqli_close($mysqli);
```

> 회원 가입 기능



ID:

Password:

Name:

Phone:


Email:

Registration

Go back

```
customerid = $_POST["customerid"];
$pwd = $_POST["pwd"];
$name = $_POST["name"];
$phone = $_POST["phone"];
$email = $_POST["email"];
$mysqli = new mysqli("localhost", "db2", "2017100878", "db2");
   $res = mysqli_query($mysqli, "SET NAMES utf8");
if (mysqli_connect_errno()) {
   printf("Connect failed: %s\n", mysqli_connect_error());
   exit();
} else {
       $sq! = "INSERT_INTO customer(customerid, pwd, email, phone, name)
       VALUES ('$customerid', '$pwd', '$email', '$phone', '$name')";
       $sq12 = "INSERT INTO mypage(customerid, remaindownload, listening)
       VALUES ('$customerid', 0, 0)":
       $res = mysqli_query($mysqli, $sql);
       $res2 = mysqli_query($mysqli, $sql2);
       IT(%res===IRUE) {
       echo "<font size = 50>Welcome to KHUBUGS</font>";
       echo "<A HREF = 'index.html'> <IMG SRC = 'img/tomain.bng' width = '150'></A>";
       } else {
       echo "<script>location.href='fail2.php'</script>";
mysqli_close($mysqli);
```

### > 이벤트 기능



#### > 검색 기능



```
<?php
$searchterm = $_POST ['searchterm'];
$searchterm= iconv("EUC-KR", "UTF-8", "$searchterm");
Smysqli = new mysqli("localhost", "db2", "2017100878", "db2");
nysqli_set_charset($nysqli,"utf8");
if (mysqli_connect_errno()) {
       printf("Connect failed: %s\n", mysqli_connect_error());
} else {
       $sq! = "SELECT * FROM music WHERE musicname LIKE '%$searchterm%' OR artist LIKE '%$searchterm%' ":
        $res = mysqli_query($mysqli, $sql);
       $qry1 = "update music set clicknum = clicknum+1 where musicname like '%$searchterm%'";
      $res2 = mysqli_query($mysqli, $qryl);
if ($res) {
   while ($newArray = mysqli_fetch_array($res, MYSQLI_ASSOC)){
           $musicname = $newArray['musicname'];
           $artist = $newArray['artist'];
           $album = $newArray['album'];
           $genre = $newArray['genre'];
          $clicknum = $newArray['clicknum'];
           echo "<TD>".$musicname."</TD>";
           echo "<TD>" .Sartist ."</TD>":
           echo "<TD>" .$a | bum . "</TD>":
           echo "<TD>" .$genre ."</TD>":
           echo "<FORM action=musicplay.php method=post>";
           echo "<TD><input type=submit value=play></TD></form>";
           echo "<FORM action=musicdownload.php method=post>":
           echo "<TD><input type=submit value=download></TD></form>";
           echo "<FORM action=playlist.php method=post>":
           echo "<TD><input type=submit value=담기></TD></form>";
           echo "</Form>\mun":
           echo "<TR>\municalin";
```

### 데이터 베이스 구축

> 음원 스트리밍 이용권 구매 기능

### 무제한 이용권

- 결제 금액 25000 원
- 구매하는 이용권 : 무제한 감상권'
- 휴대폰
  - 이 신용카드

구매

```
<?php
   $paymethod=$ POST["paymethod"];
   $buydate=date("Ymd");
   $mysqli = new mysqli("localhost", "db2", "2017100878", "db2");
if (mysqli_connect_errno()) {
      printf("Connect failed: %s\n", mysqli_connect_error()); exit();
} else {
      $sql = "INSERT INTO bill ('customerid', 'ticketname', buylistening', 'buydownload', 'buydate', 'paymethod', 'total
      VALUES ('wilee', '무제한 감상권','1', '0', '$buydate','$paymethod', 25000)";
      $sq12 = "UPDATE mypage SET listening=1 WHERE customerid LIKE 'wilee'";
      $res = mysqli_query($mysqli, $sql);
       $res2 = mysqli_query($mysqli, $sql2);
   if ($res) {
      echo "구매가 완료 되었습니다.";
    else {
    printf("Could not retrieve records: %s\n", mysqli_error(\$mysqli));
   mysqli_close($mysqli);
print "<br><A href='mainmenu.html'><img src="."imgdata/tomain.png"." width = "."100"."></A>"
```

> 다운로드 기능

### 다운로드 이용권

- 결제 금액 500 원
- 구매하는 이용권 : 다운로드 1회권'
- ◉ 휴대폰
  - 이 신용카드

구매

```
$mysqli = new mysqli("localhost","db2","2017100878","db2");
mysqli_set_charset($mysqli,"utf8");
if (mysqli_connect_errno()) {
       printf("Connect failed: %s\n", mysqli_connect_error());
       exit();
} else {
       $qry1 = "update mypage set remaindownload = remaindownload+1 where customerid='wjlee'";
       $res2 = mysqli_query($mysqli, $qryl);
      echo "finished";
```

#### > 차트 테이블 조회수 기능

musicname	artist	album	genre	clicknum
Closer	The Chainsmokers(체인스 모커스)	Collage	POP	205
선물	멜로망스(MeloMance)	Moonlight	KPOP	88
여행	볼빨간사춘기	Red Diary Page.2	KPOP	85
사랑을 했다(LOVE SCENARIO)	iKON	Return	KPOP	76
데리러 가(Good Evening)	SHINee(샤이니)	'The Story of Light'EP.1-The 6th Album	KPOP	73
가을 안부	먼데이 키즈(Monday Kiz)	가을 안부	KPOP	72
그대들은 어떤 기분이신가요 (feat.우원재)	빈첸(VINXEN)	그대들은 어떤 기분이신가 요	КРОР	72
Perfect Duet(with Beyonce)	Ed Sheeran(에드 시엄)	Perfect Duet(with Beyonce)	POP	70
Freaky Friday(feat.Chris Brown)	Lil Dicky(릴 디키)	Freaky Friday	POP	70
Psycho (feat. Ty Dolla \$ign)	Post Malone(포스트 말 론)	Psycho	POP	69

```
<?php
$mysqli = new mysqli("localhost","db2","2017100878","db2");
mysqli_set_charset($mysqli,"utf8");
if (mysqli_connect_errno()) {
       printf("Connect failed: %s\n", mysqli_connect_error());
        exit();
} else {
       $sq! = "SELECT * FROM music order by clicknum desc limit 10";
         $res = mysqli_query($mysqli, $sql);
if ($res) {
    white ($newArray = mysqli_fetch_array($res, MYSQLI_ASSOC)){
           $musicname = $newArray['musicname'];
           $artist = $newArray['artist'];
           $album = $newArray['album'];
           $genre = $newArray['genre'];
           $clicknum = $newArray['clicknum'];
           echo "<TD>".$musicname."</TD>":
           echo "<TD>" .$artist ."</TD>":
           echo "<TD>" .$a | bum . "</TD>" :
           echo "<TD>".\genre."</TD>":
           echo "<TD>".$clicknum."</TD>";
           echo "<TR>\municaling";
```

### > MY PAGE 다운로드 회수, 이용권 구매여부 확인 기능

customerid	remaindownload	listening
wjlee	1	1

```
<META http-equiv="Content=Type" content="text/html; charset=utf-8">
<?php
$mysqli = new mysqli("localhost", "db2", "2017100878", "db2");
mysqli_set_charset($mysqli,"utf8");
if (mysqli_connect_errno()) {
       printf("Connect failed: %s\n", mysqli_connect_error());
       exit();
} else {
      $qry1 = "Select remaindownload from mypage where remaindownload>0";
          $res1 = mysqli_query($mysqli, $qry1);
          $row = mysqli_fetch_assoc($res1);
     if($row) {
     $qry2 = "update mypage set remaindownload = remaindownload-1 where customerid= wilee";
      $res2 = mysqli_query($mysqli, $qry2);
      echo "The number of your tickets has been deducted. Press download button and connect with us";
     echo "<FORM action=illegal.html method=post>":
           echo "<TD><input type=submit value=download></form></TD>";
     } else {
     echo "you have to buy some downloadticket please" ;
```

> REVIEW PAGE 입력 기능




#### > REVIEW 게시판 확인 기능


Customer ID	Date	Music	Artist	Album	Review
wjlee	2018-06-13	Closer	The Chainsmokers(체인스모커스)	Collage	good!!
wjlee	2018-06-13	HandClap	Fitz & The Tantrums	Fitz and The Tantrums [Deluxe]	clapclapclap

```
<?php
$mysqli = new mysqli("localhost", "db2", "2017100878", "db2");
mysqli_set_charset($mysqli,"utf8");
if (mysqli_connect_errno()) {
   printf("Connect failed: %s\n", mysqli_connect_error());
   exit();
} else {
   $sql = "SELECT customerid, reviewdate, musicname, artist, album, reviewtext FROM review";
   $res = mysqli_query($mysqli, $sql);
   if ($res) {
       echo "<Table border=1>\m';
       echo "<TH>Customer ID</TH> <TH>Date</TH> <TH>Music</TH> <TH>Artist</†H> <TH>A | bum</TH> <TH>Review</TH> <TR>\tml
";
       while ($newArray = mysqli_fetch_array($res, MYSQLI_ASSOC)){
           $customerid = $newArray['customerid'];
           $reviewdate = $newArray['reviewdate'];
           $musicname = $newArray['musicname'];
           $artist = $newArray['artist'];
           $album = $newArray['album'];
           $reviewtext = $newArray['reviewtext'];
           echo "<TD>" .$customerid ."</TD>":
           echo "<TD>" .$reviewdate ."</TD>":
           echo "<TD>".$musicname."</TD>":
           echo "<TD>" .Sartist "</TD>":
           echo "<TD>" .$a | bum . "</TD>" :
           echo "<TD>".$reviewtext."</TD>":
           echo "</TR>\municaling";
       }
```

#### > GENRE 기능



#### > GENRE 기능



### > MY PLAYLIST 음원 추가, 확인 기능

			Album
vjlee	Closer	The Chainsmokers(체인스모커스)	Collage
closer			

```
$mysqli = new mysqli("localhost", "db2", "2017100878", "db2");
mysqli_set_charset($mysqli,"utf8");
if (mysqli_connect_errno()) {
  printf("Connect failed: %s\n", mysqli_connect_error());
   exit();
} else {
       $sql = "SELECT customerid, musicname, artist, album FROM playlist";
       $res = mysqli_query($mysqli, $sql);
      if ($res) {
       echo "<TH>Customer Name</TH> <TH>Music Name</TH> <TH>Artist</TH> <TH>Ålbum</TH> <TH>Play</TH> <TR>#m";
       while ($newArray = mysqli_fetch_array($res, MYSQLI_ASSOC)){
          $customerid = $newArray['customerid'];
          $musicname = $newArray['musicname'];
          $artist = $newArray['artist'];
          $album = $newArray['album'];
          echo "<FORM action=musicplay.php method=post>#n";
          echo "";
          echo "<TD>".$customerid."</TD>";
          echo "<TD>".$musicname."</TD>":
          echo "<TD>".$artist."</TD>":
          echo "<TD>".$a | bum."</TD>";
          echo "<TD><input type=submit value=play></TD>";
          echo "</TR>\mun":
       echo "</Form>\m';
       echo "</Table>\m";
   } else {
       printf("Could not insert record %s\n", mysqli_error(\snysqli));
   mysqli_close($mysqli);
```



# QnA

