## Customer

PK Cust\_Id, Integer

Age, Integer Gender, Varchar(10)

## Product

Cust\_Name, Varchar(255)

PK <u>Product\_Id, Integer</u>

Product\_Category, Varchar(100) Product\_Cost, Decimal(6,2) Product\_Name, Varchar(255) Recom\_Sale\_Price, Decimal(6,2) Serving\_Size, Varchar(50)

#### Online\_Products

PK Product\_Id, Integer

Product\_Category, Varchar(100) Product\_Cost, Decimal(6,2) Product\_Name, Varchar(255) Recom\_Sale\_Price, Decimal(6,2) Serving\_Size, Varchar(50)

# Orders

PK Order\_Id, Integer

FK Cust\_ld, Integer Order\_Status, Varchar(5) Total\_Price, Decimal(10,2) Order\_Date, Date Order\_Priority, ByteInt Clerk, Varchar(50)

FK Store\_Id, ByteInt

Ship\_Priority, ByteInt Order\_Comment, Varchar(50) Order\_Qty, ByteInt

FK Product\_ld, Integer Discount, Decimal(10,2)

## Retail\_Transactions

PK <u>Transaction\_ID, Integer</u>

Coupon\_Type, Varchar(100) Created\_At, Timestamp(6) Customer\_Review, ByteInt Gross\_Margin, Decimal(5,2)

Payment\_Type, Varchar(50)

Serving\_Time, Integer

Txn\_ld, Varchar(50)

FK Product\_Id, Integer

# Retail\_Store

PK Store Id, Integer Brand, Varchar(50) Capacity, Integer City, Varchar(100) Country, Varchar(100) District, Varchar(100) Latitude, Decimal(6,2) Longitude, Decimal(6,2) Outlet\_Design, Varchar(50) Outlet\_Type, Varchar(50) Ownership\_type, Varchar(50) Phone\_Number, Bigint State, Varchar(50) Store\_Name, Varchar(50) Store\_Number, Varchar(50) Steet\_Address, Varchar(100) Territory, Varchar(50)

Timezone, Varchar(50)

Zipcode, Varchar(50)

County, Varchar(50)

State\_name, Varchar(50)

Extract\_dttm, Timstamp(6)

Coupon\_Code, Varchar(100) Customer\_Name, Varchar(100)

Order\_Type, Varchar(50)

Amount, Decimal(5,2)

FK Customer\_id, Integer

FK Store\_Id, Integer