

# **Extracting and Visualizing Stock Data**

## Description

Extracting essential data from a dataset and displaying it is a necessary part of data science; therefore individuals can make correct decisions based on the data. In this assignment, you will extract some stock data, you will then display this data in a graph.

### **Table of Contents**

- Define a Function that Makes a Graph
- Question 1: Use yfinance to Extract Stock Data
- Question 2: Use Webscraping to Extract Tesla Revenue Data
- Question 3: Use yfinance to Extract Stock Data
- Question 4: Use Webscraping to Extract GME Revenue Data
- Question 5: Plot Tesla Stock Graph
- Question 6: Plot GameStop Stock Graph

Estimated Time Needed: 30 min

```
In [2]: !pip install yfinance==0.1.67
!mamba install bs4==4.10.0 -y
!pip install nbformat==4.2.0
```

Collecting yfinance==0.1.67

Downloading yfinance-0.1.67-py2.py3-none-any.whl (25 kB)

Requirement already satisfied: pandas>=0.24 in /home/jupyterlab/conda/envs/pytho n/lib/python3.7/site-packages (from yfinance==0.1.67) (1.3.5)

Requirement already satisfied: numpy>=1.15 in /home/jupyterlab/conda/envs/python/lib/python3.7/site-packages (from yfinance==0.1.67) (1.21.6)

Requirement already satisfied: requests>=2.20 in /home/jupyterlab/conda/envs/pyth on/lib/python3.7/site-packages (from yfinance==0.1.67) (2.29.0)

Collecting multitasking>=0.0.7 (from yfinance==0.1.67)

Downloading multitasking-0.0.11-py3-none-any.whl (8.5 kB)

Requirement already satisfied: lxml>=4.5.1 in /home/jupyterlab/conda/envs/python/lib/python3.7/site-packages (from yfinance==0.1.67) (4.9.2)

Requirement already satisfied: python-dateutil>=2.7.3 in /home/jupyterlab/conda/e nvs/python/lib/python3.7/site-packages (from pandas>=0.24->yfinance==0.1.67) (2.8.2)


Requirement already satisfied: pytz>=2017.3 in /home/jupyterlab/conda/envs/pytho n/lib/python3.7/site-packages (from pandas>=0.24->yfinance==0.1.67) (2023.3) Requirement already satisfied: charset-normalizer<4,>=2 in /home/jupyterlab/cond a/envs/python/lib/python3.7/site-packages (from requests>=2.20->yfinance==0.1.67) (3.1.0)

Requirement already satisfied: idna<4,>=2.5 in /home/jupyterlab/conda/envs/pytho n/lib/python3.7/site-packages (from requests>=2.20->yfinance==0.1.67) (3.4) Requirement already satisfied: urllib3<1.27,>=1.21.1 in /home/jupyterlab/conda/en vs/python/lib/python3.7/site-packages (from requests>=2.20->yfinance==0.1.67) (1.26.15)

Requirement already satisfied: certifi>=2017.4.17 in /home/jupyterlab/conda/envs/python/lib/python3.7/site-packages (from requests>=2.20->yfinance==0.1.67) (2023. 5.7)

Requirement already satisfied: six>=1.5 in /home/jupyterlab/conda/envs/python/lib/python3.7/site-packages (from python-dateutil>=2.7.3->pandas>=0.24->yfinance==0.1.67) (1.16.0)

Installing collected packages: multitasking, yfinance
Successfully installed multitasking-0.0.11 yfinance-0.1.67



mamba (1.4.2) supported by @QuantStack

GitHub: https://github.com/mamba-org/mamba
Twitter: https://twitter.com/QuantStack

Looking for: ['bs4==4.10.0']

[+] 0.1s					
pkgs/main/linux-64 ————————————————————————————————————	- 0.0 B /	7 22.21	1B @	??.?MB/s	0.1s
pkgs/main/noarch ————————————————————————————————————	- 0.0 B /		_		0.1s
pkgs/r/linux-64 ————————————————————————————————————	- 0.0 B /		_		0.1s
pkgs/r/noarch —————	- 0.0 B /		_		0.1s
[+] 0.2s	0.0 5 /		.D @		0.13
pkgs/main/linux-64 —————	- 45.1kB /	, 55.51	IR @	292.1kB/s	0.2s
pkgs/main/noarch ————————————————————————————————————	- 41.0kB /		_	265.9kB/s	0.2s
pkgs/r/linux-64 ————————————————————————————————————			_	371.8kB/s	0.2s
pkgs/r/noarch ————————————————————————————————————	- 28.7kB /		_	186.1kB/s	0.2s
[+] 0.3s	20.7KD /	::•:	1D (W	100.1KD/5	0.23
	- 516.1kB /	, 55.51	ID @	2.0MB/s	0.3s
	- 598.0kB /		_		0.3s
			_		
	- 610.3kB /		_		0.3s
pkgs/r/noarch ————————————————————————————————————	- 520.2kB /		_		-
kgs/main/noarch	851.	4kB @	2.	8MB/s 0.3s	
[+] 0.4s			^	/	
pkgs/main/linux-64	- 1.2MB /		_		
pkgs/r/linux-64 — ————	- 1.3MB /		_		
pkgs/r/noarch ————————————————————————————————————	- 1.1MB /		_	-	•
kgs/r/linux-64		4MB @		6MB/s 0.4s	
pkgs/r/noarch	1	.3MB @	3	.0MB/s 0.5	S
[+] 0.5s					
pkgs/main/linux-64 ————————————————————————————————————	<b>-</b> 1.8MB /	, 55.51	1B @	3.7MB/s	0.5s
[+] 0.6s					
pkgs/main/linux-64 ————————————————————————————————————	- 2.3MB /	, 55.51	IB @	4.0MB/s	0.6s
[+] 0.7s					
pkgs/main/linux-64 ————————————————————————————————————	<b>-</b> 2.9MB /	35.31	1B @	4.2MB/s	0.7s
[+] 0.8s					
pkgs/main/linux-64 ————————————————————————————————————	<b>-</b> 3.4MB /	. 55.51	1B @	4.2MB/s	0.8s
[+] 0.9s					
pkgs/main/linux-64 ————————————————————————————————————	<b>-</b> 3.9MB /	. 55.51	1B @	4.4MB/s	0.9s
[+] 1.0s					
pkgs/main/linux-64 ————————————————————————————————————	<b>-</b> 4.5MB /	. 55.51	1B @	4.5MB/s	1.0s
[+] 1.1s					
pkgs/main/linux-64 ————————————————————————————————————	<b>-</b> 5.0MB /	??.?!	1B @	4.6MB/s	1.1s
[+] 1.2s					
pkgs/main/linux-64 ————	_ 5.3MB /	??.?!	1B @	4.6MB/s	1.2s
[+] 1.3s					
pkgs/main/linux-64 —————			ID A	4.7MB/s	1.3s
	- 5.8MB /	77.7	ID (W	4./110/3	1.35
	- 5.8MB /		и ш	4.7110/3	1.35
[+] 1.4s					
	5.9MB @		s/s	Finalizing	1.4sp

#### Pinned packages:

- python 3.7.\*

#### Transaction

Prefix: /home/jupyterlab/conda/envs/python

### Updating specs:

- bs4==4.10.0
- ca-certificates
- certifi
- openssl

Package	Version	Build	Channel	S
Install:				
+ bs4	4.10.0	hd3eb1b0_0	pkgs/main/noarch	1
Upgrade:				
- ca-certificates	2023.5.7	hbcca054_0	conda-forge	
+ ca-certificates	2023.05.30	h06a4308_0	pkgs/main/linux-64	12
- openssl	1.1.1t	h0b41bf4_0	conda-forge	
+ openssl	1.1.1u	h7f8727e_0	pkgs/main/linux-64	
Downgrade:				
- beautifulsoup4	4.11.1	pyha770c72_0	_	
+ beautifulsoup4	4.10.0	pyh06a4308_0	pkgs/main/noarch	8
Summary:				
Install: 1 packages	5			
Upgrade: 2 packages				
Downgrade: 1 packag	ges			
	3			

[+] 0.0s				
Downloading		0.0 B		0.0s
Extracting		 0		0.0s
[+] 0.1s				
Downloading	(4)	 0.0 B	beautifulsoup4	0.0s
Extracting		 0		0.0sb
s4			10.2kB @ 74.1kB/s 0.	.1s
beautifulsou	p4		86.6kB @ 572.2kB/s @	).2s
[+] 0.2s				
Downloading	(2)	 759.0kB	ca-certificates	0.1s
Extracting	(2)	 0	beautifulsoup4	0.0sc
a-certificat	es		122.6kB @ 675.1kB/s 0.	.2s
openssl			3.9MB @ 14.8MB/s @	∂.3s
[+] 0.3s				
Downloading		 4.1MB		0.2s
Extracting	(4)	 0	beautifulsoup4	0.1s
[+] 0.4s				
Downloading		 4.1MB		0.2s
Extracting	(4)	 0	beautifulsoup4	0.2s
[+] 0.5s				
Downloading		 4.1MB		0.2s
Extracting	(4)	0	beautifulsoup4	0.3s
[+] 0.6s				
Downloading		4.1MB		0.2s
Extracting	(4)	0	bs4	0.4s
[+] 0.7s				
Downloading		 4.1MB		0.2s
Extracting	(4)	0	bs4	0.5s

[.] 0.0-			
[+] 0.8s Downloading		4.1MB	0.2s
Extracting	(4) ———	0 bs4	0.6s
[+] 0.9s	(4)	0 034	0.03
Downloading		4.1MB	0.2s
Extracting	(4) ———	0 bs4	0.23 0.7s
[+] 1.0s	(4)	0 034	0.73
Downloading		4.1MB	0.2s
•	(4)	0 ca-certificates	0.2s 0.8s
Extracting	(4)	o ca-cercificates	0.05
[+] 1.1s		4.1MB	0.2s
Downloading	(4)	———— 4.1MB ———— 0 ca-certificates	0.2s 0.9s
Extracting	(4)	0 Ca-cercificates	0.95
[+] 1.2s		4 1MD	0.2s
Downloading	(4)	4.1MB	
Extracting	(4)	0 ca-certificates	1.0s
[+] 1.3s		4.4115	
Downloading		4.1MB	0.2s
Extracting	(4)	0 ca-certificates	1.1s
[+] 1.4s			
Downloading		4.1MB	0.2s
Extracting	(4)	0 openssl	1.2s
[+] 1.5s			
Downloading		4.1MB	0.2s
Extracting	(4)	0 openssl	1.3s
[+] 1.6s			
Downloading		4.1MB	0.2s
Extracting	(4) ———	0 openssl	1.4s
[+] <b>1.</b> 7s			
Downloading		4.1MB	0.2s
Extracting	(4) ————	0 openssl	1.5s
[+] 1.8s			
Downloading		4.1MB	0.2s
Extracting	(4) —————	0 beautifulsoup4	1.6s
[+] 1.9s			
Downloading		4.1MB	0.2s
Extracting	(4)	0 beautifulsoup4	1.7s
[+] 2.0s			
Downloading			0.2s
Extracting	(4) -	<pre>0 beautifulsoup4</pre>	1.8s
[+] 2.1s			
Downloading			0.2s
Extracting	(4) <del>-</del>	— — 0 beautifulsoup4	1.9s
[+] 2.2s			
Downloading		4.1MB	0.2s
Extracting	(4) —	0 bs4	2.0s
[+] 2.3s			
Downloading		4.1MB	0.2s
Extracting	(4) —	0 bs4	2.1s
[+] 2.4s			
Downloading		4.1MB	0.2s
Extracting	(2)	2 ca-certificates	2.2s
[+] 2.5s			
Downloading		4.1MB	0.2s
Extracting	(2) ———		2.3s
[+] 2.6s	` /	= 33. <b>33. 32. 23. 33. 33.</b>	
Downloading		4.1MB	0.2s
_			2.4s
Extracting		<del></del> 4	7.4

```
Verifying transaction: done
        Executing transaction: done
       Collecting nbformat==4.2.0
         Downloading nbformat-4.2.0-py2.py3-none-any.whl (153 kB)
                                                  - 153.3/153.3 kB 18.8 MB/s eta 0:00:00
        Requirement already satisfied: ipython-genutils in /home/jupyterlab/conda/envs/py
        thon/lib/python3.7/site-packages (from nbformat==4.2.0) (0.2.0)
        Requirement already satisfied: jsonschema!=2.5.0,>=2.4 in /home/jupyterlab/conda/
        envs/python/lib/python3.7/site-packages (from nbformat==4.2.0) (4.17.3)
        Requirement already satisfied: jupyter-core in /home/jupyterlab/conda/envs/pytho
        n/lib/python3.7/site-packages (from nbformat==4.2.0) (4.12.0)
        Requirement already satisfied: traitlets>=4.1 in /home/jupyterlab/conda/envs/pyth
        on/lib/python3.7/site-packages (from nbformat==4.2.0) (5.9.0)
        Requirement already satisfied: attrs>=17.4.0 in /home/jupyterlab/conda/envs/pytho
        n/lib/python3.7/site-packages (from jsonschema!=2.5.0,>=2.4->nbformat==4.2.0) (2
        3.1.0)
        Requirement already satisfied: importlib-metadata in /home/jupyterlab/conda/envs/
        python/lib/python3.7/site-packages (from jsonschema!=2.5.0,>=2.4->nbformat==4.2.
        0) (4.11.4)
        Requirement already satisfied: importlib-resources>=1.4.0 in /home/jupyterlab/con
        da/envs/python/lib/python3.7/site-packages (from jsonschema!=2.5.0,>=2.4->nbforma
        t==4.2.0) (5.12.0)
        Requirement already satisfied: pkgutil-resolve-name>=1.3.10 in /home/jupyterlab/c
       onda/envs/python/lib/python3.7/site-packages (from jsonschema!=2.5.0,>=2.4->nbfor
       mat==4.2.0) (1.3.10)
        Requirement already satisfied: pyrsistent!=0.17.0,!=0.17.1,!=0.17.2,>=0.14.0 in /
        home/jupyterlab/conda/envs/python/lib/python3.7/site-packages (from jsonschema!=
        2.5.0,>=2.4->nbformat==4.2.0) (0.19.3)
        Requirement already satisfied: typing-extensions in /home/jupyterlab/conda/envs/p
       ython/lib/python3.7/site-packages (from jsonschema!=2.5.0,>=2.4->nbformat==4.2.0)
        (4.5.0)
        Requirement already satisfied: zipp>=3.1.0 in /home/jupyterlab/conda/envs/python/
        lib/python3.7/site-packages (from importlib-resources>=1.4.0->jsonschema!=2.5.0,>
        =2.4->nbformat==4.2.0) (3.15.0)
        Installing collected packages: nbformat
         Attempting uninstall: nbformat
            Found existing installation: nbformat 5.8.0
           Uninstalling nbformat-5.8.0:
             Successfully uninstalled nbformat-5.8.0
        ERROR: pip's dependency resolver does not currently take into account all the pac
        kages that are installed. This behaviour is the source of the following dependenc
       y conflicts.
       jupyter-server 1.24.0 requires nbformat>=5.2.0, but you have nbformat 4.2.0 which
       is incompatible.
       nbclient 0.7.4 requires nbformat>=5.1, but you have nbformat 4.2.0 which is incom
       patible.
       nbconvert 7.4.0 requires nbformat>=5.1, but you have nbformat 4.2.0 which is inco
       Successfully installed nbformat-4.2.0
In [14]: import yfinance as yf
         import pandas as pd
         import requests
         from bs4 import BeautifulSoup
         import plotly.graph_objects as go
         from plotly.subplots import make_subplots
```

### **Define Graphing Function**

In this section, we define the function <code>make\_graph</code> . You don't have to know how the function works, you should only care about the inputs. It takes a dataframe with stock data (dataframe must contain Date and Close columns), a dataframe with revenue data (dataframe must contain Date and Revenue columns), and the name of the stock.

```
In [15]:
         def make_graph(stock_data, revenue_data, stock):
             fig = make_subplots(rows=2, cols=1, shared_xaxes=True, subplot_titles=("Hist
             stock_data_specific = stock_data[stock_data.Date <= '2021--06-14']</pre>
             revenue_data_specific = revenue_data[revenue_data.Date <= '2021-04-30']</pre>
             fig.add_trace(go.Scatter(x=pd.to_datetime(stock_data_specific.Date, infer_da
             fig.add_trace(go.Scatter(x=pd.to_datetime(revenue_data_specific.Date, infer_
             fig.update_xaxes(title_text="Date", row=1, col=1)
             fig.update_xaxes(title_text="Date", row=2, col=1)
             fig.update_yaxes(title_text="Price ($US)", row=1, col=1)
             fig.update_yaxes(title_text="Revenue ($US Millions)", row=2, col=1)
             fig.update layout(showlegend=False,
             height=900,
             title=stock,
             xaxis_rangeslider_visible=True)
             fig.show()
```

# **Question 1: Use yfinance to Extract Stock Data**

Using the Ticker function enter the ticker symbol of the stock we want to extract data on to create a ticker object. The stock is Tesla and its ticker symbol is TSLA.

```
In [16]: tesla = yf.Ticker('TSLA')
  tesla_data = tesla.history(period="max")
  tesla_data.reset_index(inplace=True)
  tesla_data.head()
```

Out[16]:

	Date	Open	High	Low	Close	Volume	Dividends	Stock Splits
0	2010- 06-29	1.266667	1.666667	1.169333	1.592667	281494500	0	0.0
1	2010- 06-30	1.719333	2.028000	1.553333	1.588667	257806500	0	0.0
2	2010- 07-01	1.666667	1.728000	1.351333	1.464000	123282000	0	0.0
3	2010- 07-02	1.533333	1.540000	1.247333	1.280000	77097000	0	0.0
4	2010- 07-06	1.333333	1.333333	1.055333	1.074000	103003500	0	0.0

Using the ticker object and the function history extract stock information and save it in a dataframe named tesla\_data. Set the period parameter to max so we get information for the maximum amount of time.

**Reset the index** using the reset\_index(inplace=True) function on the tesla\_data DataFrame and display the first five rows of the tesla\_data dataframe using the head function. Take a screenshot of the results and code from the beginning of Ouestion 1 to the results below.

In [ ]:

# Question 2: Use Webscraping to Extract Tesla Revenue Data

Use the requests library to download the webpage https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDeveloperSkillsNetwork-PY0220EN-SkillsNetwork/labs/project/revenue.htm Save the text of the response as a variable named html\_data.

```
In [23]: url = 'https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDev
html_data = requests.get(url).text
```

Parse the html data using beautiful\_soup.

```
In [25]: soup = BeautifulSoup(html_data)
```

Using BeautifulSoup or the read\_html function extract the table with Tesla Quarterly Revenue and store it into a dataframe named tesla\_revenue . The dataframe should have columns Date and Revenue .

► Click here if you need help locating the table

```
In [31]: tesla_revenue = pd.read_html(html_data, match="Tesla Quarterly Revenue")[0]
   tesla_revenue.rename(inplace=True, columns={"Tesla Quarterly Revenue(Millions of
```

Execute the following line to remove the comma and dollar sign from the Revenue column.

```
In [33]: tesla_revenue["Revenue"] = tesla_revenue['Revenue'].str.replace(',|\$',"",regex=
```

Execute the following lines to remove an null or empty strings in the Revenue column.

```
In [34]: tesla_revenue.dropna(inplace=True)
    tesla_revenue = tesla_revenue[tesla_revenue['Revenue'] != ""]
```

Display the last 5 row of the tesla\_revenue dataframe using the tail function. Take a screenshot of the results.

```
In [35]: tesla_revenue.tail()
```

Out[35]:		Date	Revenue
	48	2010-09-30	31
	49	2010-06-30	28
	50	2010-03-31	21
	52	2009-09-30	46
	53	2009-06-30	27

## Question 3: Use yfinance to Extract Stock Data

Using the Ticker function enter the ticker symbol of the stock we want to extract data on to create a ticker object. The stock is GameStop and its ticker symbol is GME.

```
In [11]: gme = yf.Ticker("GME")
```

Using the ticker object and the function history extract stock information and save it in a dataframe named gme\_data. Set the period parameter to max so we get information for the maximum amount of time.

```
In [12]: gme_data = gme.history(period="max")
```

**Reset the index** using the reset\_index(inplace=True) function on the gme\_data DataFrame and display the first five rows of the gme\_data dataframe using the head function. Take a screenshot of the results and code from the beginning of Question 3 to the results below.

```
In [13]: gme_data.reset_index(inplace=True)
    gme_data.head()
```

Out[13]:

	Date	Open	High	Low	Close	Volume	Dividends	Stock Splits
0	2002- 02-13	1.620129	1.693350	1.603296	1.691667	76216000	0.0	0.0
1	2002- 02-14	1.712707	1.716074	1.670626	1.683251	11021600	0.0	0.0
2	2002- 02-15	1.683250	1.687458	1.658002	1.674834	8389600	0.0	0.0
3	2002- 02-19	1.666417	1.666417	1.578047	1.607504	7410400	0.0	0.0
4	2002- 02-20	1.615921	1.662210	1.603296	1.662210	6892800	0.0	0.0

# Question 4: Use Webscraping to Extract GME Revenue Data

Use the requests library to download the webpage https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDeveloperSkillsNetwork-PY0220EN-SkillsNetwork/labs/project/stock.html. Save the text of the response as a variable named html\_data.

```
In [7]: url = "https://cf-courses-data.s3.us.cloud-object-storage.appdomain.cloud/IBMDev
html_data = requests.get(url).text
```

Parse the html data using beautiful\_soup.

```
In [8]: soup = BeautifulSoup(html_data)
```

Using BeautifulSoup or the read\_html function extract the table with GameStop Quarterly Revenue and store it into a dataframe named gme\_revenue. The dataframe should have columns Date and Revenue. Make sure the comma and dollar sign is removed from the Revenue column using a method similar to what you did in Question 2.

► Click here if you need help locating the table

```
In [9]: gme_revenue = pd.read_html(html_data, match="GameStop Quarterly Revenue")[0]
gme_revenue.rename(inplace=True, columns={"GameStop Quarterly Revenue(Millions of gme_revenue["Revenue"] = gme_revenue['Revenue'].str.replace(',|\$',"",regex=True gme_revenue.dropna(inplace=True)
gme_revenue = gme_revenue[gme_revenue['Revenue'] != ""]
```

Display the last five rows of the <code>gme\_revenue</code> dataframe using the <code>tail</code> function. Take a screenshot of the results.

```
In [37]: gme_revenue.tail()
Out[37]: Date Revenue
```

### **Question 5: Plot Tesla Stock Graph**

Use the make\_graph function to graph the Tesla Stock Data, also provide a title for the graph. The structure to call the make\_graph function is make\_graph(tesla\_data, tesla\_revenue, 'Tesla'). Note the graph will only show data upto June 2021.

```
In [ ]: make_graph(tesla_data, tesla_revenue, 'Tesla'
```

### **Question 6: Plot GameStop Stock Graph**

```
In [ ]:
```

Use the make\_graph function to graph the GameStop Stock Data, also provide a title for the graph. The structure to call the make\_graph function is make\_graph(gme\_data, gme\_revenue, 'GameStop'). Note the graph will only show data upto June 2021.

```
In [ ]: make_graph(tesla_data, tesla_revenue, "Tesla")
```

### **About the Authors:**

Joseph Santarcangelo has a PhD in Electrical Engineering, his research focused on using machine learning, signal processing, and computer vision to determine how videos impact human cognition. Joseph has been working for IBM since he completed his PhD.

Azim Hirjani

# **Change Log**

Date (YYYY-MM-DD)	Version	Changed By	Change Description
2022-02-28	1.2	Lakshmi Holla	Changed the URL of GameStop
2020-11-10	1.1	Malika Singla	Deleted the Optional part
2020-08-27	1.0	Malika Singla	Added lab to GitLab

© IBM Corporation 2020. All rights reserved.