Status	Finished
Started	Wednesday, 21 October 2026, 4:32 PM
Completed	Wednesday, 21 October 2026, 4:41 PM
Duration	9 mins 18 secs
Grade	**15.00** out of 15.00 (**100**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following modes opens a file for writing in binary format?

a. w
b. r+
c. rb
d. wb ✓

The correct answer is: wb

Question **2**

Correct

Mark 1.00 out of 1.00

Which method is used to read a specific number of characters from a file?

a. readchar()
b. read(size) ✓
c. readline()
d. readlines()

The correct answer is: read(size)

Question **3**

Correct

Mark 1.00 out of 1.00

Which method is used to write data to a file?

a. read()
b. write() ✓
c. insert()
d. append()

The correct answer is: write()

Question **4**

Correct

Mark 1.00 out of 1.00

What does the seek() method do in file handling?

a. Deletes the file
b. Reads the file line by line
c. Moves the file cursor to the specified position ✓
d. Writes data to the file

The correct answer is: Moves the file cursor to the specified position

Question **5**

Correct

Mark 1.00 out of 1.00

Which method can be used to read all lines of a file into a list?

a. readlines() ✓
b. readlist()
c. read()
d. readline()

The correct answer is: readlines()

Question **6**

Correct

Mark 1.00 out of 1.00

Select the incorrect file access mode

- a. rw+ ✓
- b. r
- c. ab+
- d. wb+

The correct answer is: rw+

Question **7**

Correct

Mark 1.00 out of 1.00

Which of the following is true about the readlines() method?

- a. It reads a single line from the file
- b. It reads the file and returns it as a dictionary
- c. It reads the entire file and returns it as a string
- d. It reads the entire file and returns it as a list of lines ✓

The correct answer is: It reads the entire file and returns it as a list of lines

Question **8**

Correct

Mark 1.00 out of 1.00

To open a file a.txt for reading, we use _____

- a. infile = open(file = “a.txt”, “r”)
- b. infile = open(“a.txt”, “r”) ✓
- c. infile = open(file = “a.txt”, “r”)
- d. infile = open(file, “a.txt”, “r”)

The correct answer is:
infile = open(“a.txt”, “r”)

Question **9**

Correct

Mark 1.00 out of 1.00

How do you check if a file is closed in Python?

- a. file.closed ✓
- b. file.isclosed()
- c. file.is_closed()
- d. file.closed()

The correct answer is: file.closed

Question **10**

Correct

Mark 1.00 out of 1.00

Which method is used to sets the position of a file pointer

- a. tell()
- b. ftell()
- c. seek() ✓
- d. fseek()

The correct answer is: seek()

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the following code if the file "example.txt" contains "Python Programming"?

```
f = open("example.txt", "r")
print(f.read(6))
f.close()
```

- a. Python ✓
- b. Program
- c. Python Programming
- d. An error is raised

The correct answer is: Python

Question **12**

Correct

Mark 1.00 out of 1.00

What does the following code do?

```
f = open("data.txt", "a")
f.write("Adding new data\n")
f.close()
```

a. Raises an error because the file is opened in append mode

b. Opens the file in read mode

c. Overwrites the file with "Adding new data"

d. Appends "Adding new data" to the end of the file ✓

The correct answer is: Appends "Adding new data" to the end of the file

Question **13**

Correct

Mark 1.00 out of 1.00

Select the correct output of the following code

```
fp.seek(5, 1)
```

a.
- Move file pointer five characters ahead from the current position. ✓

b.
- Move file pointer five characters behind ahead from the end of a file.

c.
- Move file pointer five characters behind from the current position.

d. Move file pointer five characters ahead from the beginning

The correct answer is:

- Move file pointer five characters ahead from the current position.

Question **14**

Correct

Mark 1.00 out of 1.00

What is the output of the following code?

```
f = open("test.txt", "w")
f.write("Hello, world!")
f.close()
f = open("test.txt", "r")
print(f.read())
f.close()
```

a. An error is raised

b. Hello

c. world

d. Hello, world! ✓

The correct answer is: Hello, world!

Question **15**

Correct

Mark 1.00 out of 1.00

What happens if you try to open a file in read mode ('r') that does not exist?

a. The operation is ignored

b. An empty file object is returned

c. A new file is created

d. An error is raised ✓

The correct answer is: An error is raised