GHRaisoni International Skill Tech University, Pune

SYSTEM & UML DIAGRAMS

AI Chatbot for College · BBA Computer Applications

1. Use Case Diagram




Fig 1: Use Case Diagram — primary actors (Student & Administrator), system boundary, and broad secondary database cylinder (SQLite 3 DB) with data-tier associations.

SYSTEM & UML DIAGRAMS

AI Chatbot for College · BBA Computer Applications

2. Class Diagram (With Full Relations & Multiplicities)





Fig 2: Class Diagram — core entities, attributes, operations, and 100% solid association arrows with multiplicities and role verbs.

SYSTEM & UML DIAGRAMS

AI Chatbot for College · BBA Computer Applications

3. Object Diagram (Runtime Instances & Slot Values)

An object diagram using a link and 3 objects



An object of class Admin and an object of class Student are linked to an object of class College.

Object Diagrams | Unified Modeling Language (UML) ⚙ GfG

Fig 3: Object Diagram — runtime object instances (Admin Object, College Object, Student Object) connected via formal UML links matching GeeksforGeeks standard notation.

SYSTEM & UML DIAGRAMS

AI Chatbot for College · BBA Computer Applications

4. Sequence Diagram — Query, Feedback & Session Termination




Fig 4: Sequence Diagram — complete query, feedback ACK, explicit End Chat flow, and standard UML lifeline termination (X).

SYSTEM & UML DIAGRAMS

AI Chatbot for College · BBA Computer Applications

5. Activity Diagram — Chatbot Response & Session Flow





Fig 5: Activity Diagram — 3-Swimlane architecture (Student, Chatbot System, Database) explicitly showing database fetching of student personal records, FAQ matching, and controlled session loop with explicit End states.

SYSTEM & UML DIAGRAMS

AI Chatbot for College · BBA Computer Applications

6. Data Flow Diagram (DFD Level 0 Context & Level 1 Detailed)

Data Flow Diagram (Level 1): AI Chatbot for College



DFD symbols and their uses

Symbol	Name	Use	Example in our project
Student	**External entity**	A person or external system who provides or receives data	**Student (User asking questions)** e.g. Pune campus location, attendance check
1.0 Process	**Process**	A transformation step that operates on data (receives, calculates, finds)	**3.0 Find Answer in FAQs** Evaluates Wagholi/Yerawada & detention rubrics
D1 Store	**Data store**	A repository where persistent data is stored and retrieved	**D2 College FAQs Store & D1 Students** college_chatbot.db (SQLite database)
→	**Data flow**	A directed arrow showing data moving between entities, processes and stores	**query, answer, roll no, student data** Directional data exchange across all 4 steps


Fig 6: Data Flow Diagram (DFD) — First-Level Process Decomposition (1.0 Receive Query to 4.0 Show Answer) with data stores (D1 Students, D2 FAQs, D3 Chat History) and formal DFD symbols reference table.

SYSTEM & UML DIAGRAMS

AI Chatbot for College · BBA Computer Applications

7. Entity-Relationship Diagram (ERD — Database Architecture)

ER Diagram (Classic Notation): AI Chatbot for College



Schema & Project Knowledge Base Defense:

- **Student Entity:** Stores attendance %, CGPA & evaluates 4-tier detention policy.
- **College_Info Entity:** Contains Pune campuses (Wagholi & Yerawada) & exam rules.
- **Chat_History Entity:** Logs each turn with student roll_no FK, query & bot answer.
- **Admin_User Entity:** RBAC authentication for updating college FAQs & detention data.

Verified in 3NF Normalization: Zero transitive dependencies & lossless join preservation.

Key / Legend:

- Entity (Table)
- Attribute (Column) — id = Primary Key
- Relationship
- Link / Cardinality (1:N)

Fig 7: Entity-Relationship Diagram (ERD — Classic Notation) — 4 core entities (Student, Admin_User, Chat_History, College_Info) with attributes, cardinalities (1:N, N:1), and official symbol key.

SYSTEM & UML DIAGRAMS

AI Chatbot for College · BBA Computer Applications

8. Deployment Diagram (Hosting Topology & Artifact Architecture)




Fig 8: Deployment Diagram — Development Environment Model with :Ethernet Hub, 3D hardware nodes with specifications, «deploy» dependency arrows, and resident software component boxes.