



Ontologies in digital twins: A systematic literature review

Erkan Karabulut^{a,*}, Salvatore F. Pileggi^b, Paul Groth^a, Victoria Degeler^a

^a University of Amsterdam, Science Park 904, Amsterdam, 1098 XH, North Holland, The Netherlands

^b University of Technology Sydney, 15 Broadway, Ultimo, 2007, New South Wales, Australia

ARTICLE INFO

Dataset link: <https://doi.org/10.5281/zenodo.8172341>

Keywords:

Digital twin
Ontology
Knowledge graphs
Semantic web
Internet of things
Cyber-physical systems

ABSTRACT

Digital Twins (DT) facilitate monitoring and reasoning processes in cyber-physical systems. They have progressively gained popularity over the past years because of intense research activity and industrial advancements. Cognitive Twins is a novel concept, recently coined to refer to the involvement of Semantic Web technology in DTs. Recent studies address the relevance of ontologies and knowledge graphs in the context of DTs, in terms of knowledge representation, interoperability and automatic reasoning. However, there is no comprehensive analysis of how semantic technologies, and specifically ontologies, are utilized within DTs. This Systematic Literature Review (SLR) is based on the analysis of 82 research articles, that either propose or benefit from ontologies with respect to DT. The paper uses different analysis perspectives, including a structural analysis based on a reference DT architecture, and an application-specific analysis to specifically address the different domains, such as Manufacturing and Infrastructure. The review also identifies open issues and possible research directions on the usage of ontologies and knowledge graphs in DTs.

1. Introduction

Cyber-physical systems of the last decade have transitioned from using traditional system models to using Digital Twins (DTs) [1]. One of the most relevant and distinguishing features of DTs is the real-time connection between the physical and the virtual system. It enables a more sophisticated digital model, which recreates and can update a physical environment faithfully and on the fly, rather than at later stages after simulation or analysis.

DTs are applied to various vertical industries, the most common being manufacturing, agriculture, and construction [2]. Given the variety of application areas, there is no single commonly-accepted definition of a DT. Additionally, the concept is constantly evolving to reflect advances in the field [3]. In line with the broad characteristics of DTs, there is also a variety of approaches to design and develop such systems as and there is, currently, no consensus on specific engineering processes and related architectures for them. Nevertheless, certain architectural patterns, which are discussed later on in this paper, have begun to emerge.

Moreover, considerable gaps can be found in the current structured understanding of data and flow representation and reasoning layers of DTs. One of the most well-known and promising standards for knowledge representation and reasoning is semantic technologies and, in particular, ontologies. An ontology provides a formal machine-processable conceptualization of a given domain [4], including entities,

their types and relationships, normally implemented in standard languages. These languages take advantage of the Web infrastructure to enable interoperability at a global level and to support automatic reasoning. The success of using ontologies for knowledge representation and reasoning, and also the limitations are heavily dependent on the expressiveness of the language used. Some of the criteria that are commonly considered for the languages are ability to handle uncertainty and exceptions, non-monotonicity and decidability [5]. As shown further in this paper, there is a growing popularity of employing ontologies in the DT systems among researchers and engineers. Ontologically-enriched DTs are often called Cognitive Twins [6].

Given this popularity, a number of questions arise: how exactly are DTs employing ontologies being used? In which parts of the DT architecture are ontologies the most beneficial? How can one ensure the biggest gains from using these systems? What are the common barriers and limitations to overcome in utilizing ontologies in DTs?

At present, there are no best practices that have been established that answer the above questions. Additionally, a deeper analysis that provides an overview of the current application trends and of the relationships with the different architectural patterns is missing.

In order to address these gaps, we conducted a Systematic Literature Review (SLR) of recent research in DTs utilizing ontologies. We screened 460 papers and extracted 82 directly relevant papers. These papers have been discussed against a reference architecture that reflects

* Corresponding author.

E-mail address: e.karabulut@uva.nl (E. Karabulut).

the most common patterns in DTs. Our analysis aims to exhaustively address ontologies in the different architectural layers, and includes an inter-layer analysis to provide a more comprehensive framework. A significant number of reviewed articles include an implementation of a knowledge graph [7] in DTs using ontologies, hence, an additional brief analysis of such knowledge graphs implementations was carried out. We also considered an application perspective, looking at the DT domains in which ontologies are most commonly used.

More holistically, we identified a number of discussion points and possible future research directions based on the review.

Structure of the paper. Section 2 provides an overview of the background concepts, while Section 3 presents the related work, focusing on SLRs on DTs. Section 4 addresses methodological aspects. The core part of the paper is composed of 3 sections that deal respectively with the reference architecture (Section 5), the performed analysis (Section 6) and its discussion (Section 7). Finally, Section 8 concludes the paper by summarizing the major findings.

2. Background concepts

This review aims to identify and discuss the body of knowledge associated with the application of ontologies in DTs. This section addresses these two main concepts in order to provide a self-contained concise overview of the relevant background for understanding the subsequent review.

2.1. Digital twins

DT is a term that has become popular especially over the past 5 years. The term is used in multiple disciplines and contexts other than Computer Science, including, among others, several different sub-disciplines in engineering, business and healthcare as found in the literature [2] and in our review. Different definitions have been used over the past 2 decades. D'Amico et al. [3] in their SLR have identified 11 different definitions. The first definition, without explicitly mentioning the term DT is given by Michael Grieves in 2002 [8], as the conceptual ideal for Product Lifecycle Management (PLM): “PLM is an integrated, information driven approach to all aspects of a product's life from its design inception, through its manufacture, deployment and maintenance, and culminating in its removal from service and final disposal”. In the presentation, separation of virtual and real space and the bi-directional communication in between is emphasized as the one of the main characteristic of a DT.

DTs can be used to achieve different goals, such as physical space monitoring, optimizing decisions made by a physical system/asset, and predictive maintenance. Although the definition of DT slightly evolved over the time, the bi-directional communication in between the physical and virtual space remained as one of the distinctive features of a DT. A more recent definition given by Grieves and Vickers in 2017 in [9] is: “Digital Twin is a set of virtual information constructs that fully describes a potential or actual physical manufactured product from the micro atomic level to the macro geometrical level. At its optimum, any information that could be obtained from inspecting a physical manufactured product can be obtained from its Digital Twin”. Besides manufacturing, DTs are now also created for countries [10], plants [11], and construction [12] just to name a few.

Fig. 1, taken from [1], shows a more comprehensive, domain-agnostic definition for DTs. The main difference in such a view is the interpretation part, where data from the physical space is explicitly converted into a format that is processable as part of the virtual space.

Another concept frequently associated with DTs is Digital Shadows (DSs). DS simply refers to a DT without any communication from the digital environment back to the physical environment. Finally a third term which is especially relevant in the context of this review is Cognitive Digital Twin (CDT) [6]. It was defined by Ahmed El Adl in 2016: CDT “is a digital representation, augmentation and intelligent




Fig. 1. A figure from [1] illustrating the DT technology more comprehensively.

companion of its Physical Twin (PT) as a whole including its subsystems and across all of its life cycles and evolution phases”. CDT is also referred as Cognitive Twin (CT) [13] or Cyber Twin [14]. Later definitions of CDT (e.g., [13]) include explicitly Semantic Web technology, such as ontologies and knowledge graphs, as part of the CT technology. Although a Cyber Twin is not synonymous with CT, it still incorporates semantic technologies in a DT, while also considering Industry 4.0 [15] specific data management issues.

2.2. Knowledge representation and ontology

One of the earliest and widest definitions of the term “Ontology” given by Grubert in 1993 is as follows: “An ontology is an explicit specification of a conceptualization” [16]. Ontology has been enabled in computer science to create and work with formal machine-processable specifications of a given domain [4], often referred to as “semantics”. Ontologies became a key notion in the field of Knowledge Engineering [17]. Its popularity in Computer Science consistently increased with the growth of the Semantic Web [18], which adopts the Web infrastructure to establish global identifiers. Indeed, unique identifiers allow a more sophisticated approach to interoperability, that can be established at a semantic level (Semantic Interoperability [19]), as well as to data management and re-use within rich knowledge spaces [20].

The effective application of ontology within modern systems has been further fostered by the availability of specialized languages [21] (e.g. Resource Description Framework (RDF)¹ which enables schema-independent data exchange on the Web and Web Ontology Language (OWL) which allows us to “represent rich and complex knowledge about things, groups of things, and relations between things”²), most of which have been standardized by W3C.³ Such languages provide capability in terms of inference and automated reasoning [22,23], and allow the establishment of semantically enriched data ecosystems, such as Linked Data [24] and Open Data [25].

Ontologies normally work in the background of final systems and their value becomes even more relevant in distributed environments, where they typically contribute in the support of machine-to-machine interaction. However, ontologies may be considered a valuable asset also to support functionalities and representations in a generic context of Human–computer Interaction (HCI) [26].

The popularity of ontologies has progressively increased in the past two decades. The intense research activity within the community has resulted in a relatively consolidated technology that is being applied in a broad range of disciplines and application domains to solve real world problems. Typical examples of a successful application are in biology [27], medicine [28], system engineering [29] and manufacturing [30].

¹ <https://www.w3.org/RDF/>.

² <https://www.w3.org/OWL/>.

³ <https://www.w3.org>.

3. Related work

This section aims to provide a concise overview of related reviews that also focus on DTs and ontologies.

A search on Scopus⁴ in titles, abstracts and keywords with a composed query resulting from the combination of “digital twin”, “ontology” and “review” returned only 5 results. 20 more SLRs identified as a result of applying the methodology described in Section 4. Only 3 out of 25 of them have any analysis of ontologies when used in DTs. Those contributions are summarized in this section together.

D’Amico et al. [3] performed an SLR that includes 59 articles on CDT (CT as per authors’ statement) in the maintenance context. The analysis of DTs assumes 5 different categories: purpose, communication, knowledge representation, computation and microservices. Knowledge Representation is relevant and directly connected to this work. Authors report that 28 of the selected articles adopt ontologies explicitly, with 5 of them referred to be Top-level Ontology (TLO). In order to improve interoperability, the reviewed articles benefit from standardized architectures, ontologies such as Semantic Sensor Network (SSN)[31], or international standards, such as ISO.⁵

Correia et al. [2] carried out an SLR focusing on data management aspect in DTs. Results related to interoperability and data integration are especially relevant in the context of this work. The authors analyzed interoperability in DTs under 3 categories: data interoperability, semantic interoperability and interoperability in the communication level. On the semantic level, domain ontologies are used to provide semantic interoperability as well as for the communication in between different DTs in the same domain. As one of the data integration solutions, the authors found that modeling domain knowledge with an ontological layer in the architecture is also a common approach. Another part of the analysis was to understand for which domains the DT solutions were proposed in the reviewed articles. Industry 4.0, Smart Cities and Healthcare domains are found to be the most common application areas of DTs. In terms of application domains, these results mostly align with our findings with the exception of the Healthcare domain. The top 3 application domains of ontologies used in DTs are Manufacturing (Industry 4.0), Generic (includes smart cities alongside generic IoT and DT ontologies), and Infrastructure.

Shishehgharkhaneh et al. [32] conducted an SLR specific to construction. The goal of the SLR is to understand how Building Information Modeling (BIM), DT and Internet of Things (IoT) technologies are adopted in the construction industry. Although ontologies are not an explicit topic of review, authors identified the concept of “ontology” as one of the most prominent in the reviewed articles. Authors state that ontologies have not yet been developed to address diverse and multi-context construction workflows. Our review has pointed out multiple ontologies being used for different aspects in the construction industry. However, we were also unable to identify concrete application of ontologies to address construction workflows.

Although it is not an SLR, we have also found D’Amico et al.’s earlier work [33] highly relevant as they are also using the same search query as in our review, “digital twin” and “ontology”. Authors briefly review existing scientific papers that use ontologies in the scope of a DT and found out that by the time the paper is written, a limited number of articles mention using an ontology and only a few mentioned using a TLO-based approach. Finally, a TLO-based DT conceptual model is proposed for maintenance operations.

To the best of our knowledge at the time of writing this review, there are no SLRs that exhaustively deal with the adoption of ontologies in DTs. Our SLR differs from the existing work by solely focusing on how existing DT solutions benefit from ontologies. Based on a reference DT architecture that consists of logical layers, organizational context




Fig. 2. PRISMA Workflow showing the identification and screening processes for the SLR.

and knowledge view, this review investigates in which layers of a DT architecture ontologies are used, what is the role of ontologies for each layer and also includes a domain-based analysis. As some of the articles reviewed also construct a knowledge graph that is mostly based on a domain ontology, a brief analysis of knowledge graph implementations in DTs is also performed.

4. Methodology and approach

In order to better understand how ontologies are used in the scope of DTs, we performed a systematic literature review. This section explains the methodology of the review including how the articles are selected and analyzed. The guideline published by Kitchenham et al. for performing a systematic literature review in Software Engineering [34] has been taken as a reference for the review process. Both intermediary and end results of applying the methodology described in this section is made publicly available [35].

4.1. Identification and initial selection of research

Data sources and search query. 5 different relevant research databases (ACM Digital Library, arXiv, IEEEExplore, ScienceDirect, SpringerLink) and 3 search tools (Google Scholar, Semantic Scholar, Zeta Alpha - AI Research Navigator) have been considered.

Relevant papers have been retrieved by the following queries: (i) “digital twin ontology”, (ii) “digital twin” AND “ontology”. Data was collected in the period of March/April 2023.

Initial retrieval. Fig. 2 shows the PRISMA workflow [36] which summarizes the study identification and the screening process. As the initial number of results is considerably high (832,884), only the first 60 studies as ranked by the considered portal are retrieved. This is in line with empirical observations that show the relevancy to be negligible after a certain threshold [37]. In this specific case, the threshold (60) has been decided by skimming. However, not all data sources returned more than 60 results and, finally, 833 papers overall were retrieved.

⁴ <https://www.scopus.com/home.uri>.

⁵ <https://www.iso.org/home.html>.




Fig. 3. Number of relevant publications per year.

After removing 373 duplicates, 460 papers have been selected as an outcome of the initial screening process.

Exclusion/inclusion criterion and relevancy check. Only research articles that explicitly propose a use of an ontology in the scope of a DT are included in this survey. Relevancy of the papers are decided in two analysis rounds. The first round focuses on the focus of the paper by considering title, abstract and keywords; additionally, skimming was performed to further assess the consistency in scope. Only articles written in English were considered. 8 papers only had an abstract in English. 7 of the results were blog posts and 20 of them were surveys which were considered not relevant as this SLR focuses on research articles only. 287 of the papers were either discussing DTs or Ontologies, but not their nexus, or were not actually dealing with ontologies in the scope of a DT. Finally, 138 papers were assessed in detail in the second round. 10 of them did not provide enough detail about the ontology used or the benefit provided by ontology adopted. 46 of the papers were discussing the use and benefits of ontologies in DTs with a holistic short view, rather than actually utilizing ontologies or proposing a way to utilize ontologies in DTs. This resulted in 82 papers in total included in this survey.

4.2. Overview of the selected research and analysis

Fig. 3 shows relevant publications per year. The number of publications increased almost 3 times over the period. This trend is not limited to ontologies only, but also applies to semantic technologies in general and knowledge graphs which are also found to be increasingly used in the scientific literature [38].

Our analysis has been structured according to a reference architecture composed of different logical layers. Section 5 describes such a reference architecture in detail.

In the analysis process, we have identified conceptual and functional patterns of ontologies to be matched with the logical layers of the architecture. As an example, if a concept in an ontology is used to describe a physical entity and that is specific to a domain, for instance floors of a building in building management, then the concept “floor” leads to a physical layer in the reference architecture in a specific domain (building management). As explained later on in the paper, a single ontology is often addressing concepts in the scope of more than one layer. Indeed, ontology often acts as an interface in between layers.

Those considerations led to an inter-layer analysis where the goal is to understand which layers are connected by using ontologies as a semantic interface. Additionally, the domain of each contribution is identified and a domain-based analysis is carried out accordingly. Lastly, even though it was not explicitly among the objectives, we have discussed also Knowledge Graphs because of their relevance and popularity in the reviewed articles.

5. Reference architecture

As far as we know, there is not a commonly accepted reference architecture for DTs since authors tend to propose their own view of a DT architecture as part of their work. However, given the increasing popularity of DTs, common architectural patterns are progressively emerging, although we cannot yet see a proper convergence of the different architectures. A common architecture is often perceived as a need within the community [39].

Most architectures are structured in layers and are normally designed to reflect a seamless coexistence of a physical and a virtual space. That is the case of the architecture proposed by Ashtari et al. [40] that assumes two main layers (physical and cyber layer), while most architectures are structured in a more detailed way.

For instance, the architecture proposed by Souza et al. [41] extends the previous concept by adding a gateway between the physical and the digital layer. Similarly, in the work by Fan et al. [42] the authors integrate cyber-physical components with a human layer to address human-cyber-physical systems. The architecture by Minerva et al. [43] is structured in 4 layers, including data, integration, service and business, while Steindl et al. [44] assumes a service-oriented architecture based on physical and virtual entities to support a given business logic. A full service-oriented approach structured in 5 different layers (Physical, Communication, Digital, Cyber and Application) is proposed by Aheleroff et al. [45].

Schroeder et al. [46] propose five relatively classic layers (device, user interface, Web service, query, and data) integrated with a specific layer for augmented reality. A 5-layer architecture – i.e. Smart-Connection, Data-to-Information, Cyber, Cognition and Configuration – is proposed by Lee et al. [47]. The six-layer architecture described by Redelinghuys et al. [48] includes a double layer for PTs (devices and data), local data repositories, an IoT Gateway, Cloud-based Information repositories and, finally, a layer for Emulation and Simulation.

An explicit cloud-based approach is adopted by Alam and Sadiq [49], with a duality between physical and cloud cyber things, and by Gehrman and Gunnarsson [50], which puts emphasis on Security.

In most mentioned architectures, data is implicitly addressed at different layers, without a specific data view.

The proposed literature review has been conducted looking at the reference architecture in Fig. 4 which consists of 4 logical layers (Physical, Communication, Digital and Application), organizational context and knowledge view.

Logical Layers. These layers are derived from the analyzed papers by looking at their commonalities. The black arrows in between contiguous layers represent data flow.

- **Physical Layer.** Aims to reflect the physical reality by addressing physical elements. Any kind of physical system components such as devices/machines, buildings/sites, organic/inorganic matters are considered to be at this layer.
- **Communication Layer.** Represents the communication both in between physical components as well as physical to upper level digital layers.
- **Digital Layer.** Physical and Communication layers are intuitively complemented by the Digital Layer, which provides a digital representation of the physical world.
- **Application Layer.** Being the most abstracted layer, it addresses application specific aspects and components that are based on the physical reality.

Organizational Context. Our analysis has been performed at a generic level without assuming any specific domain or context. We assume this virtual layer to reflect, represent or specify such specific aspects in a given context. While the main focus is on business and organizations, it may also include elements of system engineering at different levels. Grey arrows on the left side of Fig. 4 shows that organizational context can be applied to any of the logical layers.




Fig. 4. Reference architecture.

Knowledge View. We are assuming a fluid model for knowledge representation as shown on the right side of Fig. 4 in blue, which assumes 3 different kinds of support: (i) *local*, when the representation is in the specific boundaries of one single logical layer (blue squares), (ii) *inter-layer* to interface two contiguous layers (arrows pointing to the communication in between contiguous layers) and (iii) *multi-layer* if involving two or more non-contiguous layers (vertical blue rectangle with local KR from multiple layers).

6. Ontologies in digital twins

This section presents the results of the analysis conducted. Table 2 shows the list of reviewed papers with associated details, including ontology name, application domain, related architecture layer, and whether a given solution utilizes KGs or not. The section is structured in 5 different parts that deal respectively with (i) the value provided by ontologies in DTs, (ii) structural analysis by layer, (iii) inter-layer analysis, (iv) domain analysis and (v) Knowledge Graphs.

6.1. Objectives

There has been 4 different inter-related objectives observed in the reviewed articles: system/data modeling, semantic interoperability, (implicit) semantic relation extraction, and automated reasoning support. These objectives are either explicitly mentioned by the authors as the reason to employ ontologies, or in case it was not mentioned explicitly, we found the purpose of employing ontologies fitting to one or more of the mentioned objectives. Those objectives may be considered to be layer-agnostic, meaning they normally affect a system as a whole.

System/Data modeling. Based on our review, one of the common reasons for incorporating ontologies into DTs is to model the DT system and to integrate heterogeneous data from the various components of a DT [35]. Domain ontologies help modeling parts in a DT, and data structures to be stored or data packages to send other internal/external parts of a system. Since a domain ontology includes all the concepts that belong to a domain, if comprehensive enough, such an abstracted model can effectively drive developments. As an example, Zhang et al. [51] create a DT model for workshops utilizing a proposed domain ontology that consists of 3 main classes: *ResourceInformation*, *TaskInformation* and *ProcessInformation*. A further development assumes the refinement of the main classes to include sub-classes and properties.

Semantic interoperability. It refers to understanding what a piece of data means when sent to a different sub-component in a DT. DTs can also co-exist and even cooperate e.g., to share learned parameters for a common task that is performed in multiple DTs [52]. Ontologies can provide this semantic understanding of the data across sub-systems or DTs. While domain ontologies are usually enough to establish semantic




Fig. 5. Number of articles utilizing ontologies in a DT that has concepts belongs to n (1–4) layers.

interoperability for the entities in the same domain and context [53], Top-Level Ontologies (TLOs) such as Basic Formal Ontology (BFO) can also play a role when used across domains [54].

Semantic relation extraction. Ontologies, especially when used to build knowledge graphs and supported with sensor data, can help extracting implicit semantic relations in DTs. Knowledge graphs are composed of instances of classes that are described in ontologies. Sensors are used to track the latest state of these instances, and rule extraction algorithms can be altered to work with knowledge graphs and sensor data to extract implicit semantic relations [55].

Reasoning facilitation. A rather more generic reason to use ontologies is to facilitate automatic reasoning in the system. Most automated reasoners require data from diverse sources in a DT or across DTs, as well as semantic information about this data to be able to process it. Output of the reasoning is then propagated to respective components in accordance with the used ontology. Hoeber et al. [56] use an ontology-based model of industrial robots and run reasoning algorithms to plan a set of actions to reach a certain goal of the system.

6.2. Structural analysis

Fig. 6 shows the number of publications that uses an ontology in the scope of a DT per layer of the reference DT architecture (inside the circles). The same figure also shows a pairwise analysis of ontologies that addresses more than one layer simultaneously. 63 out of 82 publications use ontologies to describe concepts that belong to the physical layer. 49 of the papers focus on the Digital layer, 15 on the organizational context, 15 on the application layer and 5 on the communication layer.

In most cases, ontologies have a multi-layer focus. Fig. 5 shows the number of papers where ontologies include concepts from 1 or more layers. Ontologies in 30 out of 82 papers include concepts that belong to 1 layer only, where 23 of them are matched to physical layers. These ontologies can be considered as domain-specific, while the rest of the 52 ontologies found in the reviewed articles are more task- and/or application-oriented. 35 of the ontologies include concepts that belong to 2 layers, where majority of them are matched to physical-digital layers. 16 of the reviewed articles include ontologies where concepts belong to 3 layers and only 1 article found where the ontology include concepts from 4 layers.

In some cases, TLOs are taken as a basis and a domain ontology is built on top. This is done by re-using and elaborating concepts from TLOs with domain specific concepts, e.g. adding domain-specific concepts as ‘children’ of the concepts in a TLO. In this way, TLOs facilitate domain-specific ontology construction processes and also ease semantic interoperability as different ontologies will have common concepts as parents. TLOs are marked in Table 2 with “(TLO)” sign.

Table 1
Usage of ontologies in the different layers as per reference architecture.

Layer/Context	Usage
Physical	Physical entities, actions and processes
Communication	Protocols, access parameters
Digital	Generic DT concepts, real or abstract/derived digital terms, assets and operations
Application	Ranges between task-specific terms (e.g., CNC (Computer Numerical Control) cutting machine optimization app) to domain-independent application terms (e.g., top-level requirements validation app)
Organizational context	Production lines, facilities, client and order info, project management, bridging DT and non-DT parts

The following subsections explain how ontologies are specifically used in different layers of the reference DT architecture. A summary of the results are given in Table 1 where the column “Layer/Context” refers to which layers do the concepts used in the mentioned ontology (or ontologies) corresponds to.

6.2.1. Physical layer

Two different usages of ontologies are found that describe concepts in the physical layer. The first one is to utilize ontologies to describe physical components, their physical attributes, states in a system and the relation in between them. Skobelev et al. [57] use an ontology to describe physical parts of a plant, such as root, stem or leaf, and the ontology is then used to extract rules for decision making. Another example in manufacturing is to represent industrial machines or machine parts, personnel, or environmental conditions such as temperature and humidity using an ontology. Liu et al. [53] developed a CNC machine tool ontology that includes concepts such as Material, Personnel, Device and Environment. The ontology is used to aggregate data from diverse sources.

Secondly, ontologies are also used to represent physical actions or processes. Tuli et al. [58] used CORA ontology [59] to represent movements of an industrial robot. Nguyen et al. [60] proposed an ontology model for tactile sensing devices that has concepts describing tactile events such as position, velocity and type of a touch event.

6.2.2. Communication layer

On the communication layer, ontologies are used to represent communication protocols in between far-edge, edge, and more centralized units such as cloud stores, or different parts of a machining system, production line. Chevallier et al. [61] proposed a reference DT architecture for smart buildings and utilizes many ontologies including Sensor, Observation, Sample and Actuator (SOSA) [62] ontology. Authors utilized *Procedure* subclass of SOSA to specify communication protocol used and its attributes such as IP address. Maryasin [63] developed a home automation system ontology that contains communication network-level classes such as *NetworkProtocol* class.

6.2.3. Digital layer

Both generic DT ontologies and ontologies that are used to represent digital entities are included in this category. 3 different usages of ontologies have been identified on the digital layer. The first one relates with representing concepts that generically used in a DT. Duan et al. [64] propose a domain-independent DT ontology that consists of 4 categories of concepts: entity-related, DT-entity related, DT system and application framework dimensions. None of the proposed concepts are domain-specific and can be used in any DT implementation. These ontologies can also be used as a top-level ontology for DTs. The authors use the ontology while creating a reference DT architecture.

The second way of using ontologies is to represent digital assets and operations such as settings of a machine, input that goes to a machine or a software module, operating systems etc. Khan et al. [12] created a construction DT ontology named ConDT ontology. It includes *Data Resources* as a part of a construction DT. According to the ConDT, a data resource has a data source, data format, input method, database and an owner. A third way of using ontologies on the Digital layer

is to represent abstract (usually domain-specific) concepts in terms of digital data. Amar et al. [65] created an ontology for fault management and validates in a power plant scenario. The ontology has a *Component* class which can have a *Fault*, in a power plant. *Component* has *Sensors* which generates *sensor_stream_data*. *DataRules* defined on the *sensor_stream_data* to detect *RootCauses* of faults. In this case, a fault is an abstract term to specify a data rule violation in a sensor of a component due to a root cause.

6.2.4. Application layer

The ontologies used in the application layer ranges between representing concepts that are specific to a certain task in a certain domain to more generic domain-independent application terms of a DT. Zheng et al. [66] introduce the requirements ontology for aircraft assembly systems and benefit from it while designing assembly processes. A set of ontologies are created to be used in construction domain in the scope of COGITO⁶ project. Katsigarakis et al. [67] developed the COGITO ontology with 4 new modules which are then used to create a knowledge graph for construction projects: facility, process, resource and quality modules. Poudel et al. [68] developed a more generic ontology for manufacturing to represent manufacturing resources (e.g., machines), capabilities of the resources, and manufacturing processes. The ontology is used to automatically match resource capabilities to manufacturing processes.

6.2.5. Organizational context

DTs are also created for either entire organizations or parts of an organization. In harmony with this, ontologies created for these DTs either include broader concepts to cover operations and assets in an organization, or concepts that relate with a certain entity which the organization creates a DT for.

Three different usages of ontologies in a DT are identified in an organizational context. The first one applies to representing production lines, facilities, received orders or client information of an organization. Rožanec et al. [69] proposed the term *Actionable Cognitive Twin (ACT)* which is very similar to Cognitive Twins introduced in Section 2.1, however with more concrete PT interaction definitions. In a later work [70], the authors proposed a manufacturing ontology based on BFO [71] to be used in ACT. The ontology focuses on manufacturing concepts that are related to production planning and demand forecasting such as *manufacturing process*, *stock order*, *production line*, *production plant* and *organization*. This is a good example of using ontologies in an organizational context in manufacturing.

Another type of utilization of ontologies in an organizational context is to track ongoing, long-lasting projects of organization(s). Munker et al. [72] proposed Internet of Construction On-Site Ontology (IoC-OSO) that re-uses concepts from 5 other ontologies, including Domain Ontology for Construction Knowledge (DOCK 1.0) [73]. DOCK includes semantic concepts that can be used to refer projects, their stages, states and life-cycle. IoC-OSO is used for resource allocation to construction processes.

⁶ <https://cogito-project.eu/>.




Fig. 6. Pairwise analysis of ontologies used for concepts in different layers of a DT.

Third, Ariansyah et al. [74] focuses on the problem of connecting DTs with other software systems used in an organization such as Computerized Maintenance Management Systems (CMMS) or Enterprise Resource Planning (ERP) systems. The authors propose an ontology to establish semantic interoperability between DT and non-DT software.

6.3. Inter-layer analysis

As reported in Table 2, 30 of the publications use ontologies to describe concepts from 1 single layer only, while the majority of the papers, 52, use ontologies to describe concepts from multiple layers. Fig. 6 shows a pairwise analysis of ontologies used in the scope of DTs, that includes concepts from different layers. Some ontologies include concepts from 3 or more layers.

31 of the ontologies include concepts that belong to both physical and digital layers. This shows that physical and digital layers are semantically the most connected layers. On the other side, there is no ontology that describes concepts from the communication layer and the organizational context at the same time. Therefore these 2 layers are not connected at all.

Physical layer is the one that has the most connections to other layers, while the communication layer has the least connections. Application and communication layers are most connected to the physical layer, while the organization is most connected to the digital layer.

6.4. Domains

This section presents an analysis from an application domain perspective. Table 2 includes domains for each of the paper in the Domain column. An aggregated view of the papers by domain is given in Fig. 7.

The number given as *Generic* is the sum of the papers with *digital twin*, *IoT*, *smart home*, *materials science*, *IT*, *smart city*, *IT security* domains (see Table 2). *Agriculture* refers to *smart farming* and *smart fisheries*. Lastly, *Infrastructure* refers to *building management*, *construction*, *public infrastructure* and *cultural heritage* domains.

D'Amico et al. [3] in their SLR on cognitive DTs in maintenance context, have also reviewed papers based on application domain. Similar to their findings, ontologies in DTs are also mostly used in the Manufacturing domain, which is followed by Generic and Infrastructure domains. There has been only 1 paper found for *Governance*, *Medicine* and *Business* domains. Another SLR on DTs performed by Correia et al. [2] from a data management perspective. The SLR includes both domain and subdomain classification for the reviewed papers and the authors found that there are more papers in *Smart Manufacturing* subdomain.




Fig. 7. Number of papers by domain.

6.5. Knowledge graphs

As defined by Hogan et al. [7], a knowledge graph is “a graph of data intended to accumulate and convey knowledge of the real world, whose nodes represent entities of interest and whose edges represent potentially different relations between these entities”. Tamašauskaitė et al. [38] defined the steps to construct a knowledge graph, and included ontology construction as one of the steps. 17 of the reviewed articles build knowledge graphs using ontologies (see Table 2 where the column *KG* refers to whether a paper includes a knowledge graph implementation or not). Therefore, even though knowledge graphs are not the focus of this SLR (and the search query is not inclusive for knowledge graphs), this section is dedicated to a short analysis of how knowledge graphs are used in the reviewed articles.

3 ways of utilizing knowledge graphs in the scope of a DT are identified. One common way of using knowledge graphs in the reviewed articles is to benefit from the graph structure and run queries on the node and edge properties using ontological terms to extract information, where each node includes metadata about DT components. Banerjee et al. [55] created knowledge graphs for industrial production lines and uses Path Ranking algorithm to extract semantic relations which are not as explicitly exist in the knowledge graph.

The state of each component in a DT is frequently associated and stored together with the knowledge graph. Chukkapalli et al. [75] creates a knowledge graph from fused sensor data (as opposed to metadata about the system components) in the DT of a smart farming use case. In this way, the latest state of the DT is always kept within the knowledge graph. Later, the knowledge graph is used to detect anomalies in the sensor data.

Lastly, another way of utilizing knowledge graphs in DTs is for integrating heterogeneous data from multiple data sources. Proper et al. [76] developed an ontology-based DT for IT infrastructures of organizations. The authors mentioned that there is diverse data streams coming from IT Governance Processes, IT Management Processes and Organizational IT Assets. An ontology named Governed IT Management (GITM) ontology is described and a knowledge graph-based approach is built to handle unify the heterogeneous data.

7. Discussion

We now discuss the main outcomes of our review.

7.1. Ontologies in different layers of a DT

In most of the cases, ontologies used in DTs include concepts that belong to multiple layers (Sections 6.2 and 6.3) based on our reference

architecture (Section 5). In this way, ontologies act as a semantic interface in between different layers.

There are more articles that use an ontology to represent concepts in the physical layer than others (see Fig. 6). One possible reason could be that the physical layer is more tied to respective domain. As an example, an application that checks if certain requirements are satisfied could be required in any domain listed in Fig. 7. Therefore many of the terms in this application would be similar across domains, hence less work is needed to formalize the concepts. However, components of the physical layer tend to be more domain-specific. This could also explain the high number of ontologies (31) that describe concepts from both physical and digital layer. In our review, we have not found an ontology that includes concepts from organizational context and communication layer. One possible reason can be that communication protocols and access parameters are organization-independent, and these are the only usages of ontologies found (see Table 1) for the communication layer.

DTs can be created for single entities (an industrial machine), a set of entities in the same context (machines in a production line), or even entities that are completely in different domains (e.g., Akroyd et al. [10] creates a universal DT for UK). In the last two cases, DTs will have heterogeneous data from multiple sources. To solve this issue using ontologies, a single domain-specific ontology would suffice to unify the data for the second case. In the third case, the data might be representing concepts that belong to different layers in a DT architecture. Matching each domain ontology to a top-level ontology [33] is among one of the popular solutions that can be used in the third case.

7.2. Application domain

Similar to results of other recent SLRs on DTs [2,3], there are more papers published in the manufacturing domain that use an ontology in the scope of a DT than in the other domains (see Fig. 7). A simple query of “ontology” AND “digital twin” on scopus gives 141 results in *Engineering* (the one that is most related with manufacturing and infrastructure among the subject areas on Scopus search results), 16 in *Energy*, 15 in *Business, Management and Accounting* and 3 in *Medicine*. When compared with the mentioned SLRs on different aspects of DTs, usages of ontologies in DTs across domains are proportionate to the number of articles published on DTs in general.

7.3. Knowledge graphs

17 out of 82 papers utilized knowledge graphs. DTs, by nature, are closed systems with limited number of components where each component is somehow in an interaction with other, mostly neighboring, components. Knowledge graphs can reflect these interactions semantically. As presented in Section 6.5, knowledge graphs are actively used as a data store to store both metadata about the DT parts, as well as current state of each part based on sensor data. Knowledge graphs are then queried to extract system parts with certain patterns or simply to get latest system or component state. Therefore, knowledge graphs are also frequently used together with other decision support and reasoning algorithms. However, knowledge graphs so far used only as a metadata or state store, rather than as part of a reasoning process, e.g., guiding a reasoning algorithm based on the extract knowledge. We expect knowledge graphs to be more involved in future DT implementations, not only as a data storage but also actively as a part of reasoning algorithms.

7.4. Multiple ontologies used in a single layer

In Section 6.3, we showed that some ontologies include concepts that belong to multiple layers in the DT architecture. However, in some cases multiple ontologies are also used in a single layer, especially in the case of relatively bigger DT systems. An example would be the smart city use case where multiple ontologies used together to semantically represent an entire city or even a country [10]. In these cases, ontologies are integrated either by matching some of the common terms (or creating common terms) and using namespacing, or utilizing a comprehensive enough top-level ontology [54,124,155].

Besides the semantic aspect of integrating ontologies, there is also the technical aspect of how and where to store and retrieve ontologies or knowledge graphs built using ontologies as well. Apache Jena⁷ is one of the tools that is used in linked data applications, and also in some of the papers reviewed [51,106], to parse ontologies and also to store them in RDF stores such as TDB,⁸ an RDF storage. Besides triple stores, property graphs such as Neo4j⁹ is also among popular choices to store ontologies and knowledge graphs [56].

7.5. Distributed digital twins

A research topic that is just started to be studied by researchers is to have multiple DTs co-exists in a same context. Poudel et al. [68] created a framework with a pool of DTs for various manufacturing devices, where a decision maker unit tries to optimize configurations of DTs. Although we did not encounter it while performing this SLR, federated learning approach also seems promising when having distributed DTs. An example in manufacturing would be to have multiple of the same or similar machines that perform a similar task and optimize its own configuration while running. Each machine then shares the learned parameters with DTs of other machines. Semantic technologies such as ontologies and knowledge graphs are also being studied in the case of having distributed DTs. Kraft et al. [158] used the idea of a dynamic knowledge graph that evolves based on the changes in the real environment in a pharmaceutical scenario where two robots in different countries are linked. Another recent study by Ricci et al. [159] proposed the concept of Web of Digital Twins (WoDTs) where each DT instance has an evolving knowledge graph represented in the form of RDF. One advantage of having a knowledge graph per DT instance is that it can help cross-application/domain interoperability. However, as also stated in the article, the computational aspect of having multiple distributed knowledge graphs is not yet well-studied, e.g. querying graphs of DTs.

7.6. Knowledge engineering and ontology re-use

64 out of 82 of the reviewed articles proposed a new ontology. Only 19 of the 64 articles either re-used concepts from existing ontologies or matched the newly proposed ontology to top-level ontologies. The most commonly re-used ontologies are BFO [112]; a TLO, SSN and SOSA [31]; a TLO for IoT environments, BOT [86], Brick [95], MASON [94]; which are re-used in Infrastructure domain. 2 out of 19 articles that re-use concepts from existing ontologies is an extension to the same author's previous work. More than half of the articles did not mention creating a source file for the ontology and sharing it openly. This shows that the common problem of re-using ontologies in semantic web also exists for ontologies in DTs as well. One reason that we think it could be DT specific is that many ontologies are created for or based on a specific task or specific aspect to better or optimize (e.g., an ontology for energy usage of a particular industrial

⁷ <https://jena.apache.org/>.

⁸ <https://jena.apache.org/documentation/tdb/index.html>.

⁹ <https://neo4j.com/>.

Table 2

List of reviewed papers with proposed/used ontology name, domain, corresponding architecture layer and KG utilization.

Reference	Year	Proposed ontology	Re-used ontology	Domain	Architecture Layer	KG
[51]	2017	Ontology of workshop manufacturing system	–	Manufacturing	DT	No
[55]	2017	Ontology for manufacturing	–	Manufacturing	Physical, DT, Organizational	Yes
[77]	2018	Extension to IoT-Lite ontology (TLO)	–	IoT-Lite (TLO)	Physical, DT	No
[56]	2019	–	Rosetta [78], OntoBREP CAD [79] ontologies	Manufacturing	Physical	No
[80]	2019	OPC UA ontology	OntoBREP CAD ontology [79]	Manufacturing	Physical	No
[81]	2019	Manufacturing, Learning and Pedagogy ontology	–	Manufacturing/Pedagogy	Physical, Application	No
[63]	2019	Home automation ontology	–	Smart home	Physical, Communication, DT	No
[82]	2020	Machine parts ontology for manufacturing	–	Manufacturing	Physical	No
[83]	2020	Digital twin ontology (TLO)	–	Digital twin	DT, Organizational	No
[84]	2020	Mechanical testing ontology	–	Materials science	Physical, Application	No
[53]	2020	CNC Machine ontology	–	Manufacturing	Physical	No
[54]	2020	Upper level city ontology for DT modeling (TLO)	–	Smart City	Physical, DT	No
[14]	2020	A DT ontology (TLO)	SSN (TLO) and SOSA [31] (TLO)	Digital twin	Physical, DT, Application	No
[11]	2020	Plant DT ontology	–	Smart farming	Physical, DT, Application	No
[61]	2020	–	ifcOWL (OWL for Industry Foundation Classes) [85], SSN (TLO) and SOSA (TLO) [31], BOT (Building Ontology Topology) [86] (TLO)	Building management	Physical, Communication, Application	No
[57]	2020	Ontology of plant DT	–	Smart farming	Physical	No
[87]	2020	Manufacturing product ontology	–	Manufacturing	Physical	No
[88]	2020	Manufacturing ontology	SSN (TLO) [31]	Manufacturing	Physical, Application	No
[64]	2020	DT Ontology (TLO)	–	Digital twin	DT	No
[89]	2021	An ontology for DT data management	–	Digital twin	DT	No
[90]	2021	Geometric information ontology	STEP-NC machine tool control language [91]	Manufacturing	Physical, Communication	No
[92]	2021	Assembly workshop ontology	–	Manufacturing	Physical, Organizational	No
[93]	2021	–	MASON [94], Brick [95] and BOT [86]	Manufacturing	Physical, DT	No
[76]	2021	Governed IT Management (GITM) ontology	–	Governance/Management	Organizational	Yes
[96]	2021	Offsite manufacturing production workflow ontology	–	Manufacturing	Physical, Application, Organizational	No
[97]	2021	Mechanical products ontology	–	Manufacturing	Physical	No
[98]	2021	A Plant DT Ontology	–	Smart farming	Physical, DT, Organizational	No
[58]	2021	–	CORA [59], SSN [31] (TLO)	Manufacturing	Physical	No
[10]	2021	–	10+ various domain ontologies	Digital twin	Physical	Yes
[99]	2021	A domain ontology for energy domain and a DT ontology (TLO)	–	Energy	Physical, DT	No

(continued on next page)

Table 2 (continued).

[100]	2021	Extension to COBie [101] and OntoProg [102] ontologies	COBie and OntoProg ontologies	Public infrastructure	Physical, DT, Organizational	No
[103]	2021	A DT ontology for predicting lifecycle cost estimation in manufacturing	–	Manufacturing	DT, Application	No
[104]	2021	An ontology for solar power plants to be used in DTs	–	Energy	Physical	No
[105]	2021	Smart home DT ontology	–	Smart home	Physical	No
[106]	2021	CNC Machining Ontology	–	Manufacturing	Physical, DT	No
[52]	2021	A DT ontology for complexity management	–	Digital twin	DT, Organizational	Yes
[107]	2021	Mechanical products ontology	–	Manufacturing	Physical, DT	No
[108]	2021	Tech infrastructure management ontology	–	IT	DT, Organizational	No
[109]	2021	A DT ontology extending author's earlier work [14], SOSA (TLO) and SSN [31] (TLO) ontologies	Author's previous ontology, SOSA and SSN ontologies	Manufacturing	Physical, Communication, DT	No
[75]	2021	–	Smart farming ontology [110]	Smart farming	DT	Yes
[111]	2021	–	Uses BFO [112] (TLO) as the top-level ontology and then 5 more ontologies that are specific to the use case described, see Table 2 in the paper.	Digital twin	Physical, DT	No
[65]	2021	DT fault management ontology	–	Manufacturing	Physical, DT	No
[113]	2021	Inflammatory bowel disease ontology	Based on 3 existing medical ontologies [114–116]	Medicine	Physical, Application	Yes
[117]	2021	An ontology for fisheries	Platys ontology [118]	Smart fisheries	Physical	No
[119]	2021	–	Brick [95], BOT [86], PROPS [120] and BEO [121] ontologies	Building management	Physical, DT	Yes
[122]	2021	Industrial robot control ontology	–	Manufacturing	Physical, DT, Application	No
[70]	2021	Production planning and demand forecasting ontology	BFO [112] (TLO)	Manufacturing	DT, Application, Organizational	Yes
[123]	2021	An ontology for co-simulation of complex engineered systems	–	Digital twin	Physical, DT	No
[33]	2022	Top-level DT ontology (TLO)	BFO [112] (TLO)	Digital twin	Communication, DT	No
[124]	2022	OntoLandUse, OntoCropMapGML and OntoCropEnergy	–	Digital twin	Physical	Yes
[125]	2022	Top-level ontology of mechatronic systems	–	Manufacturing	DT	No
[126]	2022	Cultural heritage ontology	–	Cultural	Physical	No
[72]	2022	Internet of Construction On-Site Ontology (IoC-OSO)	DOCK, MASON [94], MaRCO [127], MSO (no citation found), and [128]	Construction	Physical, Organizational	No
[129]	2022	–	Uses an existing materials ontology [130]	Materials science	Physical, DT	Yes
[131]	2022	Digital twin Manufacturing Ontology (DTM-Onto)	–	Manufacturing	Physical, DT, Organizational	No
[132]	2022	Railway DT Ontology	–	Public infrastructure	Physical	Yes
[133]	2022	Construction programme & Production control ontology	–	Construction	DT, Organizational	No
[74]	2022	DT and non-DT system interoperability ontology	–	Business	DT, Organizational	No
[60]	2022	Tactile internet ontology for tactile devices	–	IT	Physical	No
[134]	2022	An extended version of RealEstateCore ontology [135]	RealEstateCore	Building management	Physical	No
[136]	2022	SDTP crop ontology	Author's previous work [11,98]	Smart farming	Physical	No

(continued on next page)

Table 2 (continued).

[137]	2022	–	BIM, GIS and IoT ontologies (no specific ontology is cited)	Building management	Physical, DT	No
[68]	2022	A top-level manufacturing ontology	–	Manufacturing	Physical, DT, Application	No
[138]	2022	An IoT device ontology	–	IoT	Communication, DT	No
[139]	2022	–	Brick [95]	Building management	Physical	No
[140]	2022	–	MarCO [127]	Manufacturing	Organizational	No
[141]	2022	–	BFO [112] (TLO), Common Core Ontology (CCO) (TLO) and IoF-Core [142]	Manufacturing	DT	Yes
[143]	2022	Clamping system ontology	–	Manufacturing	Physical, DT	No
[66]	2022	Aircraft assembly system, manufacturing requirements and architecture model ontologies	IoF-Core [142], BFO [112] (TLO)	Manufacturing	Physical, DT, Application	Yes
[144]	2022	Mechanical products and a DT state modification ontology	–	Manufacturing	Physical, DT	No
[12]	2022	Construction DT ontology	–	Construction	Physical, DT	No
[67]	2022	COGITO	BEO [121], BOT [86], GEO [145]	Construction	Physical, DT, Application, Organizational	No
[146]	2022	IoT device ontology (TLO)	SSN [31] (TLO)	IoT	Physical, DT	Yes
[147]	2022	Occupant feedback ontology	–	Building Management	DT, Application	Yes
[148]	2022	O3Pontology	BFO [112] (TLO), GeoCore [149], and IoF-Core [142]	Energy	Physical, DT	No
[150]	2022	System of systems (DTs) ontology	BFO [112] (TLO), IoF specification [151]	Digital twin	Physical, DT	No
[30]	2023	–	Machine tool ontology [152]	Manufacturing	Physical	Yes
[153]	2023	Intrusion detection system ontology	–	IT Security	DT	No
[154]	2023	Heritage DT ontology	–	Cultural	Physical, DT	No
[155]	2023	Building fire protection ontology	–	Building management	Physical, DT	No
[156]	2023	–	RealEstateCore ontology [135]	Building management	Physical, DT	Yes
[157]	2023	–	Brick [95]	Building management	Physical	No

machine) and therefore cannot be generalized to a domain. Matching newly proposed ontologies to top-level ontologies, sharing a source code openly on open access ontology databases can help alleviate the issue.

8. Conclusions

DTs are becoming increasingly popular across many domains as research shows clear benefits in monitoring, decision support and reasoning tasks besides others. Semantic technologies are also being incorporated into DTs for better knowledge representation and to facilitate reasoning. Such DTs are often called Cognitive Twins (CTs). This SLR includes an analysis of 82 scientific papers that use an ontology in the scope of a DT. Its key findings are:

- Ontologies are mostly used to represent concepts in the physical layer, which is interpreted as the physical layer being more tied to the respective domain.
- 30 out of 82 reviewed articles have “domain-specific” ontologies, which at describe concepts from 1 layer, while 52 articles have “application/task oriented” ontologies where concepts stem from multiple layers.
- Both DT and CT implementations and advancements are led by and often limited to the Manufacturing and Infrastructure domains.

- Ontology re-usability issues in semantic web persists for DTs as more than half of the reviewed articles did not re-use an existing ontology, or matched their proposed ontology to a top-level ontology.
- Knowledge graphs are becoming increasingly popular in DTs, due to their expressiveness of semantic relations and their role in facilitating semantic interoperability.

It has been only a couple of years since semantic technologies have been used in the scope of DTs. We believe that the capabilities offered by ontologies and knowledge graphs have yet to be fully leveraged by DTs. Below are some of the promising future research directions based on this SLR:

- *Integration of ontologies into DTs.* This SLR does not cover in detail the manner in which ontologies are integrated into DT knowledge bases both semantically and technically. Analyzing DT specific requirements of the integration process will help researchers and practitioners to employ ontologies faster.
- *Widespread adoption of ontologies in DTs across domains.* This SLR showed that cognitive twins are so far adopted mainly in Manufacturing and Infrastructure domains. However, we believe that there cognitive twins can bring enormous value to other domains where twinning technology is applied.

- *Knowledge graph as a state graph.* Knowledge graphs are mostly used for storing metadata about DT components. However they can also be used as a state graph when combined with aggregated sensor data. This can help reducing further data processing time and can facilitate reasoning process.
- *Knowledge graphs as part of reasoning process.* Besides being used as a data store, we believe that knowledge graphs in DTs can also bring great value to reasoning processes. They have the potential to guide reasoning algorithms, e.g., to decide where in the system should the reasoning be performed.

We hope that this SLR can help researchers and practitioners to understand how ontologies are currently being used in DTs and what are some of the future research directions.

CRedit authorship contribution statement

Erkan Karabulut: Conceptualization, Methodology, Writing – original draft, Visualization. **Salvatore F. Pileggi:** Conceptualization, Validation, Writing – original draft. **Paul Groth:** Writing – review & editing. **Victoria Degeler:** Conceptualization, Validation, Writing – original draft.

Declaration of competing interest

The authors declare the following financial interests/personal relationships which may be considered as potential competing interests: One of the co-authors, Salvatore Flavio Pileggi, has an ongoing research collaboration with one of the Guest Editors (Sadok Ben Yahia).

Data availability

Data is available at the following address: <https://doi.org/10.5281/zenodo.8172341>.

Acknowledgments

This work has received support from The Dutch Research Council (NWO), in the scope of Digital Twin for Evolutionary Changes in water networks (DiTEC) project, file number 19454.

Appendix A. Supplementary data

Supplementary material related to this article can be found online at <https://doi.org/10.1016/j.future.2023.12.013>.

References

- [1] A. Tello, V. Degeler, Digital twins: An enabler for digital transformation, in: The Digital Transformation Handbook, Groningen Digital Business Centre (GDBC), 2022, <http://dx.doi.org/10.5281/zenodo.7647493>.
- [2] J.B. Correia, M. Abel, K. Becker, Data management in digital twins: a systematic literature review, *Knowl. Inf. Syst.* (2023) 1–32.
- [3] R.D. D'Amico, J.A. Erkoyuncu, S. Addepalli, S. Penver, Cognitive digital twin: An approach to improve the maintenance management, *CIRP J. Manuf. Sci. Technol.* 38 (2022) 613–630.
- [4] N. Guarino, Formal ontology, conceptual analysis and knowledge representation, *Int. J. Hum.-Comput. Stud.* 43 (5–6) (1995) 625–640.
- [5] S. Mehla, S. Jain, Rule languages for the semantic web, in: *Emerging Technologies in Data Mining and Information Security: Proceedings of IEMIS 2018*, Vol. 1, Springer, 2019, pp. 825–834.
- [6] D.A.E. Adl, The cognitive digital twins, 2023, URL https://www.slideshare.net/slideshow/embed_code/-key/JB60Xqn7QVyb. Accessed: 2023-06-22.
- [7] A. Hogan, E. Blomqvist, M. Cochez, C. d'Amato, G.d. Melo, C. Gutierrez, S. Kirrane, J.E.L. Gayo, R. Navigli, S. Neumaier, et al., Knowledge graphs, *ACM Comput. Surv.* 54 (4) (2021) 1–37.
- [8] M. Grieves, Completing the cycle: Using PLM information in the sales and service functions, in: *Conference: SME Management Forum*, 2002.
- [9] M. Grieves, J. Vickers, Digital twin: Mitigating unpredictable, undesirable emergent behavior in complex systems, in: *Transdisciplinary Perspectives on Complex Systems: New Findings and Approaches*, Springer, 2017, pp. 85–113.
- [10] J. Akroyd, S. Mosbach, A. Bhawe, M. Kraft, Universal digital twin-a dynamic knowledge graph, *Data-Cent. Eng.* 2 (2021) e14.
- [11] P. Skobelev, I. Mayorov, E. Simonova, O. Goryanin, A. Zhilyaev, A. Tabachinskiy, V. Yalovenko, Development of models and methods for creating a digital twin of plant within the cyber-physical system for precision farming management, in: *Journal of Physics: Conference Series*, Vol. 1703, IOP Publishing, 2020, 012022.
- [12] R. Khan, R. Tomar, T. Hartmann, L. Ungureanu, R.A. Chacón Flores, A. Ibrahim, Platology: a digital twin ontology suite for the complete lifecycle of infrastructure, in: *Proceedings of the 29th EG-ICE International Workshop on Intelligent Computing in Engineering*, 2022, pp. 1–10.
- [13] J. Lu, X. Zheng, A. Gharraei, K. Kalaboukas, D. Kiritis, Cognitive twins for supporting decision-makings of internet of things systems, in: *Proceedings of 5th International Conference on the Industry 4.0 Model for Advanced Manufacturing: AMP 2020*, Springer, 2020, pp. 105–115.
- [14] D. Bamunuarachchi, A. Banerjee, P.P. Jayaraman, D. Georgakopoulos, Cyber twins supporting industry 4.0 application development, in: *Proceedings of the 18th International Conference on Advances in Mobile Computing & Multimedia*, 2020, pp. 64–73.
- [15] H. Lasi, P. Fettke, H.-G. Kemper, T. Feld, M. Hoffmann, *Industry 4.0*, *Bus. Inf. Syst. Eng.* 6 (2014) 239–242.
- [16] T. Gruber, What is an ontology, 1993.
- [17] C. Brewster, K. O'Hara, Knowledge representation with ontologies: the present and future, *IEEE Intell. Syst.* 19 (1) (2004) 72–81.
- [18] T. Berners-Lee, J. Hendler, O. Lassila, The semantic web, *Sci. Amer.* 284 (5) (2001) 34–43.
- [19] L. Obrst, Ontologies for semantically interoperable systems, in: *Proceedings of the Twelfth International Conference on Information and Knowledge Management*, 2003, pp. 366–369.
- [20] Y.-F. Li, G. Kennedy, F. Ngoran, P. Wu, J. Hunter, An ontology-centric architecture for extensible scientific data management systems, *Future Gener. Comput. Syst.* 29 (2) (2013) 641–653.
- [21] J. Pulido, M. Ruiz, R. Herrera, E. Cabello, S. Legrand, D. Elliman, Ontology languages for the semantic web: A never completely updated review, *Knowl.-Based Syst.* 19 (7) (2006) 489–497.
- [22] E. Sirin, B. Parsia, B.C. Grau, A. Kalyanpur, Y. Katz, Pellet: A practical owl-dl reasoner, *J. Web Semant.* 5 (2) (2007) 51–53.
- [23] R.D. Shearer, B. Motik, I. Horrocks, Hermit: A highly-efficient OWL reasoner, in: *Owled*, Vol. 432, 2008, p. 91.
- [24] C. Bizer, T. Heath, T. Berners-Lee, Linked data: The story so far, in: *Semantic Services, Interoperability and Web Applications: Emerging Concepts*, IGI global, 2011, pp. 205–227.
- [25] P. Jain, P. Hitzler, A.P. Sheth, K. Verma, P.Z. Yeh, Ontology alignment for linked open data, in: *The Semantic Web—ISWC 2010: 9th International Semantic Web Conference, ISWC 2010, Shanghai, China, November 7–11, 2010, Revised Selected Papers, Part I* 9, Springer, 2010, pp. 402–417.
- [26] S.D. Costa, M.P. Barcellos, R.d.A. Falbo, Ontologies in human-computer interaction: A systematic literature review, *Appl. Ontol.* 16 (4) (2021) 421–452.
- [27] R. Hoehndorf, P.N. Schofield, G.V. Gkoutos, The role of ontologies in biological and biomedical research: a functional perspective, *Brief. Bioinform.* 16 (6) (2015) 1069–1080.
- [28] P. Manika, E. Xhumari, A. Ktona, A. Demiri, Application of ontologies and semantic web technologies in the field of medicine, in: *RTA-CSIT*, 2018, pp. 24–30.
- [29] D. Dermeval, J. Vilela, I.I. Bittencourt, J. Castro, S. Isotani, P. Brito, A. Silva, Applications of ontologies in requirements engineering: a systematic review of the literature, *Requir. Eng.* 21 (2016) 405–437.
- [30] W. Jia, W. Wang, Z. Zhang, From simple digital twin to complex digital twin part II: Multi-scenario applications of digital twin shop floor, *Adv. Eng. Inform.* 56 (2023) 101915.
- [31] W3C, Semantic sensor network ontology, 2023, URL <https://www.w3.org/TR/vocab-ssn/>. Accessed: 2023-06-26.
- [32] M. Baghalzadeh Shishehgharkhaneh, A. Keivani, R.C. Moehler, N. Jelodari, S. Roshdi Laleh, Internet of things (IoT), building information modeling (BIM), and digital twin (DT) in construction industry: A review, bibliometric, and network analysis, *Buildings* 12 (10) (2022) 1503.
- [33] R.D. D'Amico, P. Addepalli, J.A. Erkoyuncu, Is a top level ontology based digital twin the solution to human-machine interoperability? in: *Proceedings of the 10th International Conference on Through-Life Engineering Services*, 2021.
- [34] B. Kitchenham, S. Charters, et al., Guidelines for performing systematic literature reviews in software engineering, 2007.
- [35] E. Karabulut, S.F. Pileggi, P. Groth, V. Degeler, Data and statistics for the SLR entitled “ontologies in digital twins: A systematic literature review”, 2023, <http://dx.doi.org/10.5281/zenodo.8172341>.
- [36] M.J. Page, D. Moher, P.M. Bossuyt, I. Boutron, T.C. Hoffmann, C.D. Mulrow, L. Shamseer, J.M. Tetzlaff, E.A. Akl, S.E. Brennan, R. Chou, J. Glanville, J.M. Grimshaw, A.R. Hróbjartsson, M.M. Lalu, T. Li, E.W. Loder, E. Mayo-Wilson, S. McDonald, L.A. McGuinness, L.A. Stewart, J. Thomas, A.C. Tricco, V.A. Welch, P. Whiting, J.E. McKenzie, PRISMA 2020 explanation and elaboration: updated guidance and exemplars for reporting systematic reviews,

- BMJ 372 (2021) <http://dx.doi.org/10.1136/bmj.n160>, arXiv:<https://www.bmj.com/content/372/bmj.n160.full.pdf>. URL <https://www.bmj.com/content/372/bmj.n160>.
- [37] A. O'Mara-Eves, J. Thomas, J. McNaught, M. Miwa, S. Ananiadou, Using text mining for study identification in systematic reviews: a systematic review of current approaches, *Syst. Rev.* 4 (1) (2015) 1–22.
 - [38] G. Tamašauskaitė, P. Groth, Defining a knowledge graph development process through a systematic review, *ACM Trans. Softw. Eng. Methodol.* 32 (1) (2023) 1–40.
 - [39] F. Tao, H. Zhang, A. Liu, A.Y. Nee, Digital twin in industry: State-of-the-art, *IEEE Trans. Ind. Inform.* 15 (4) (2018) 2405–2415.
 - [40] B. Ashtari Talkhestani, T. Jung, B. Lindemann, N. Sahlab, N. Jazdi, W. Schloegl, M. Weyrich, An architecture of an intelligent digital twin in a cyber-physical production system, *at-Automatisierungstechnik* 67 (9) (2019) 762–782.
 - [41] V. Souza, R. Cruz, W. Silva, S. Lins, V. Lucena, A digital twin architecture based on the industrial internet of things technologies, in: 2019 IEEE International Conference on Consumer Electronics (ICCE), IEEE, 2019, pp. 1–2.
 - [42] Y. Fan, J. Yang, J. Chen, P. Hu, X. Wang, J. Xu, B. Zhou, A digital-twin visualized architecture for flexible manufacturing system, *J. Manuf. Syst.* 60 (2021) 176–201.
 - [43] R. Minerva, G.M. Lee, N. Crespi, Digital twin in the IoT context: A survey on technical features, scenarios, and architectural models, *Proc. IEEE* 108 (10) (2020) 1785–1824.
 - [44] G. Steindl, M. Stagl, L. Kasper, W. Kastner, R. Hofmann, Generic digital twin architecture for industrial energy systems, *Appl. Sci.* 10 (24) (2020) 8903.
 - [45] S. Ahelerooff, X. Xu, R.Y. Zhong, Y. Lu, Digital twin as a service (DTaaS) in industry 4.0: an architecture reference model, *Adv. Eng. Inform.* 47 (2021) 101225.
 - [46] G. Schroeder, C. Steinmetz, C.E. Pereira, I. Muller, N. Garcia, D. Espindola, R. Rodrigues, Visualising the digital twin using web services and augmented reality, in: 2016 IEEE 14th International Conference on Industrial Informatics (INDIN), IEEE, 2016, pp. 522–527.
 - [47] J. Lee, B. Bagheri, H.-A. Kao, A cyber-physical systems architecture for industry 4.0-based manufacturing systems, *Manuf. Lett.* 3 (2015) 18–23.
 - [48] A. Redelinghuys, A.H. Basson, K. Kruger, A six-layer architecture for the digital twin: a manufacturing case study implementation, *J. Intell. Manuf.* 31 (2020) 1383–1402.
 - [49] K.M. Alam, A. El Saddik, C2PS: A digital twin architecture reference model for the cloud-based cyber-physical systems, *IEEE Access* 5 (2017) 2050–2062.
 - [50] C. Gehrman, M. Gunnarsson, A digital twin based industrial automation and control system security architecture, *IEEE Trans. Ind. Inform.* 16 (1) (2019) 669–680.
 - [51] Q. Zhang, X. Zhang, W. Xu, A. Liu, Z. Zhou, D.T. Pham, Modeling of digital twin workshop based on perception data, in: *Intelligent Robotics and Applications: 10th International Conference, ICIRA 2017, Wuhan, China, August 16–18, 2017, Proceedings, Part III* 10, Springer, 2017, pp. 3–14.
 - [52] J. Lu, X. Zheng, L. Schweiger, D. Kirişis, A cognitive approach to manage the complexity of digital twin systems, in: *Smart Services Summit: Digital as an Enabler for Smart Service Business Development*, Springer, 2021, pp. 105–115.
 - [53] J. Liu, D. Yu, X. Bi, Y. Hu, H. Yu, B. Li, The research of ontology-based digital twin machine tool modeling, in: 2020 IEEE 6th International Conference on Computer and Communications (ICCC), IEEE, 2020, pp. 2130–2134.
 - [54] D. Petrova-Antonova, S. Ilieva, Digital twin modeling of smart cities, in: *Human Interaction, Emerging Technologies and Future Applications III: Proceedings of the 3rd International Conference on Human Interaction and Emerging Technologies: Future Applications (IHET 2020)*, August 27–29, 2020, Paris, France, Springer, 2021, pp. 384–390.
 - [55] A. Banerjee, R. Dalal, S. Mittal, K.P. Joshi, Generating digital twin models using knowledge graphs for industrial production lines, *UMBC Inf. Syst. Dep.* (2017).
 - [56] T. Hoebert, W. Lepuschitz, E. List, M. Merdan, Cloud-based digital twin for industrial robotics, in: *Industrial Applications of Holonic and Multi-Agent Systems: 9th International Conference, HoloMAS 2019, Linz, Austria, August 26–29, 2019, Proceedings 9*, Springer, 2019, pp. 105–116.
 - [57] P. Skobelev, V. Laryukhin, E. Simonova, O. Goryanin, V. Yalovenko, O. Yalovenko, Multi-agent approach for developing a digital twin of wheat, in: 2020 IEEE International Conference on Smart Computing (SMARTCOMP), IEEE, 2020, pp. 268–273.
 - [58] T.B. Tuli, L. Kohl, S.A. Chala, M. Manns, F. Ansari, Knowledge-based digital twin for predicting interactions in human-robot collaboration, in: 2021 26th IEEE International Conference on Emerging Technologies and Factory Automation (ETFA), IEEE, 2021, pp. 1–8.
 - [59] S. Balakirsky, C. Schlenoff, S. Rama Fiorini, S. Redfield, M. Barreto, H. Nakawala, J.L. Carbonera, L. Soldatova, J. Bermejo-Alonso, F. Maikore, et al., Towards a robot task ontology standard, in: *International Manufacturing Science and Engineering Conference*, Vol. 50749, American Society of Mechanical Engineers, 2017, V003T04A049.
 - [60] P. Van Nguyen, V.C. Pham, Y. Tan, et al., Toward a tactile ontology for semantic interoperability of the tactile internet, in: 2022 IEEE 16th International Conference on Semantic Computing (ICSC), IEEE, 2022, pp. 115–118.
 - [61] Z. Chevallier, B. Finance, B.C. Boulakia, A reference architecture for smart building digital twin, in: *SeDiT@ ESWC*, 2020, pp. 1–12.
 - [62] K. Janowicz, A. Haller, S.J. Cox, D. Le Phuoc, M. Lefrançois, SOSA: A lightweight ontology for sensors, observations, samples, and actuators, *J. Web Semant.* 56 (2019) 1–10.
 - [63] O. Maryasin, Home automation system ontology for digital building twin, in: 2019 XXI International Conference Complex Systems: Control and Modeling Problems (CSCMP), IEEE, 2019, pp. 70–74.
 - [64] H. Duan, F. Tian, The development of standardized models of digital twin, *IFAC-PapersOnLine* 53 (5) (2020) 726–731.
 - [65] B. Amar, R. Subhrojyoti, B. Barnali, R. Dhakshinamoorthy, A. Seenivasan, S. Naveenkumar, Knowledge driven rapid development of white box digital twins for industrial plant systems, in: *IECON 2021–47th Annual Conference of the IEEE Industrial Electronics Society*, IEEE, 2021, pp. 1–6.
 - [66] X. Zheng, X. Hu, R. Arista, J. Lu, J. Sorvari, J. Lentens, F. Ubis, D. Kirişis, A semantic-driven tradespace framework to accelerate aircraft manufacturing system design, *J. Intell. Manuf.* (2022) 1–24.
 - [67] K. Katsigarakis, G. Lilis, D. Rovas, S. González-Gerpe, S. Bernardos, A. Cimmino, M. Poveda-Villalón, R. García-Castro, A digital twin platform generating knowledge graphs for construction projects, in: *CEUR Workshop Proceedings*, 2022.
 - [68] L. Poudel, I. Kovalenko, R. Geng, M. Takaharu, Y. Nonaka, N. Takahiro, U. Shota, D.M. Tilbury, K. Barton, An integrated framework for dynamic manufacturing planning to obtain new line configurations, in: 2022 IEEE 18th International Conference on Automation Science and Engineering (CASE), IEEE, 2022, pp. 328–334.
 - [69] J.M. Rozanec, J. Lu, A. Kosmerlj, K. Kenda, K. Dimitris, V. Jovanoski, J. Rupnik, M. Karlovcevic, B. Fortuna, Towards actionable cognitive digital twins for manufacturing, in: *SeDiT@ ESWC*, Vol. 2615, 2020, pp. 1–12.
 - [70] J. Rožanec, J. Lu, J. Rupnik, M. Škrjanc, D. Mladenec, B. Fortuna, D. Kirişis, Actionable cognitive twins for decision making in manufacturing, 2021, arXiv, arXiv preprint arXiv:2103.12854.
 - [71] R. Arp, B. Smith, A.D. Spear, *Building Ontologies with Basic Formal Ontology*, MIT Press, 2015.
 - [72] S. Münker, P.R. Wildemann, A. Göppert, S. Brell-Cokcan, R.H. Schmitt, Online capability-based resource allocation for on-site construction operations utilizing digital twin models, *Constr. Robot.* 5 (3–4) (2021) 211–226.
 - [73] T.E. El-Diraby, Domain ontology for construction knowledge, *J. Constr. Eng. Manage.* 139 (7) (2013) 768–784.
 - [74] D. Ariansyah, B. Pardamean, Enhancing interoperability of digital twin in the maintenance phase of lifecycle, in: 2022 6th International Conference on Information Technology, Information Systems and Electrical Engineering (ICITISEE), IEEE, 2022, pp. 514–518.
 - [75] S.S.L. Chukkappalli, N. Pillai, S. Mittal, A. Joshi, Cyber-physical system security surveillance using knowledge graph based digital twins-a smart farming usecase, in: 2021 IEEE International Conference on Intelligence and Security Informatics (ISI), IEEE, 2021, pp. 1–6.
 - [76] H.A. Proper, D. Bork, G. Poels, Towards an ontology-driven approach for digital twin enabled governed IT management, in: *First Workshop on Ontology-Driven Conceptual Modelling of Digital Twins (ODCM-DT 2021)*, Vol. 2941, CEUR, 2021.
 - [77] C. Steinmetz, A. Rettberg, F.G.C. Ribeiro, G. Schroeder, C.E. Pereira, Internet of things ontology for digital twin in cyber physical systems, in: 2018 VIII Brazilian Symposium on Computing Systems Engineering (SBESC), IEEE, 2018, pp. 154–159.
 - [78] R. Patel, M. Hedelind, P. Lozan-Villegas, Enabling robots in small-part assembly lines: The "ROSETTA approach"-an industrial perspective, in: *Robotik 2012; 7th German Conference on Robotics, VDE*, 2012, pp. 1–5.
 - [79] A. Perzylo, N. Somani, M. Rickert, A. Knoll, An ontology for CAD data and geometric constraints as a link between product models and semantic robot task descriptions, in: 2015 IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS), IEEE, 2015, pp. 4197–4203.
 - [80] A. Perzylo, S. Profanter, M. Rickert, A. Knoll, Opc ua nodeset ontologies as a pillar of representing semantic digital twins of manufacturing resources, in: 2019 24th IEEE International Conference on Emerging Technologies and Factory Automation (ETFA), IEEE, 2019, pp. 1085–1092.
 - [81] J. David, A. Lobov, M. Lanz, Attaining learning objectives by ontological reasoning using digital twins, *Procedia Manuf.* 31 (2019) 349–355.
 - [82] Q. Bao, G. Zhao, Y. Yu, S. Dai, W. Wang, Ontology-based modeling of part digital twin oriented to assembly, *Proc. Inst. Mech. Eng. B* 236 (1–2) (2022) 16–28.
 - [83] L. Barth, M. Ehrat, R. Fuchs, J. Haarmann, Systematization of digital twins: Ontology and conceptual framework, in: *Proceedings of the 3rd International Conference on Information Science and Systems*, 2020, pp. 13–23.
 - [84] J.F. Morgado, E. Ghedini, G. Goldbeck, A. Hashibon, G.J. Schmitz, J. Friis, A.F. de Baas, Mechanical testing ontology for digital-twins: a roadmap based on EMMO, in: *SeDiT@ ESWC*, Vol. 2615, 2020, (10).
 - [85] P. Pauwels, W. Terkaj, EXPRESS to OWL for construction industry: Towards a recommendable and usable ifCOWL ontology, *Autom. Constr.* 63 (2016) 100–133.

- [86] M.H. Rasmussen, M. Lefrançois, G.F. Schneider, P. Pauwels, BOT: The building topology ontology of the W3C linked building data group, *Semant. Web* 12 (1) (2021) 143–161.
- [87] Q. Bao, G. Zhao, Y. Yu, S. Dai, Product information units modeling oriented to digital twin, in: *IOP Conference Series: Earth and Environmental Science*, Vol. 726, IOP Publishing, 2021, 012014.
- [88] C. Liu, P. Jiang, W. Jiang, Web-based digital twin modeling and remote control of cyber-physical production systems, *Robot. Comput.-Integr. Manuf.* 64 (2020) 101956.
- [89] S. Singh, E. Shehab, N. Higgins, K. Fowler, D. Reynolds, J.A. Erkoynucu, P. Gadd, Data management for developing digital twin ontology model, *Proc. Inst. Mech. Eng. B* 235 (14) (2021) 2323–2337.
- [90] S. Dai, G. Zhao, Y. Yu, P. Zheng, Q. Bao, W. Wang, Ontology-based information modeling method for digital twin creation of as-fabricated machining parts, *Robot. Comput.-Integr. Manuf.* 72 (2021) 102173.
- [91] (ISO 14649) Industrial Automation Systems and Integration — Physical Device Control — Data Model for Computerized Numerical Controllers, Standard, International Organization for Standardization, 2004.
- [92] Q. Bao, G. Zhao, Y. Yu, S. Dai, W. Wang, The ontology-based modeling and evolution of digital twin for assembly workshop, *Int. J. Adv. Manuf. Technol.* 117 (2021) 395–411.
- [93] A. Göppert, L. Grahm, J. Rachner, D. Grunert, S. Hort, R.H. Schmitt, Pipeline for ontology-based modeling and automated deployment of digital twins for planning and control of manufacturing systems, *J. Intell. Manuf.* (2021) 1–20.
- [94] S. Lemaignan, A. Siadat, J.-Y. Dantan, A. Semenenko, MASON: A proposal for an ontology of manufacturing domain, in: *IEEE Workshop on Distributed Intelligent Systems: Collective Intelligence and Its Applications (DIS'06)*, IEEE, 2006, pp. 195–200.
- [95] B. Balaji, A. Bhattacharya, G. Fierro, J. Gao, J. Gluck, D. Hong, A. Johansen, J. Koh, J. Ploennigs, Y. Agarwal, et al., Brick: Towards a unified metadata schema for buildings, in: *Proceedings of the 3rd ACM International Conference on Systems for Energy-Efficient Built Environments*, 2016, pp. 41–50.
- [96] K. Ayinla, E. Vakaj, F. Cheung, A.-R.H. Tawil, A semantic offsite construction digital twin-offsite manufacturing production workflow (OPW) ontology, in: *Second International Workshop on Semantic Digital Twins*, 2021.
- [97] M. Zheng, L. Tian, A hierarchical integrated modeling method for the digital twin of mechanical products, *Machines* 10 (1) (2021) 2.
- [98] P. Skobelev, I. Mayorov, E. Simonova, O. Goryanin, A. Zhilyaev, A. Tabachinskiy, V. Yalovenko, Development of digital twin of plant for adaptive calculation of development stage duration and forecasting crop yield in a cyber-physical system for managing precision farming, in: *Cyber-Physical Systems: Digital Technologies and Applications*, Springer, 2021, pp. 83–96.
- [99] L. Massel, A. Massel, Ontologies as a basis for constructing digital twins in energy, in: *2021 International Symposium on Knowledge, Ontology, and Theory (KNOTH)*, IEEE, 2021, pp. 1–5.
- [100] G. Yu, Y. Wang, Z. Mao, M. Hu, V. Sugumaran, Y.K. Wang, A digital twin-based decision analysis framework for operation and maintenance of tunnels, *Tunnel. Undergr. Space Technol.* 116 (2021) 104125.
- [101] K. Schwabe, M. Dichtl, M. König, C. Koch, Cobie: A specification for the construction operations building information exchange, in: *Building Information Modeling: Technology Foundations and Industry Practice*, Springer, 2018, pp. 167–180.
- [102] D.L. Nuñez, M. Borsato, OntoProg: An ontology-based model for implementing prognostics health management in mechanical machines, *Adv. Eng. Inform.* 38 (2018) 746–759.
- [103] M. Parsi, D. Ariansyah, J.A. Erkoynucu, A. Harrison, A digital twin architecture for effective product lifecycle cost estimation, *Procedia CIRP* 100 (2021) 506–511.
- [104] L. Massel, N. Shchukin, A. Cybikov, Digital twin development of a solar power plant, in: *E3S Web of Conferences*, Vol. 289, EDP Sciences, 2021, p. 03002.
- [105] T.Y. Fujii, V.T. Hayashi, R. Arakaki, W.V. Ruggiero, R. Bulla Jr., F.H. Hayashi, K.A. Khalil, A digital twin architecture model applied with MLOps techniques to improve short-term energy consumption prediction, *Machines* 10 (1) (2021) 23.
- [106] L. Zhao, Y. Fang, P. Lou, J. Yan, A. Xiao, Cutting parameter optimization for reducing carbon emissions using digital twin, *Int. J. Precis. Eng. Manuf.* 22 (2021) 933–949.
- [107] M. Zheng, L. Tian, Knowledge-based digital twin model evolution management method for mechanical products, in: *2021 IEEE 1st International Conference on Digital Twins and Parallel Intelligence (DTPDI)*, IEEE, 2021, pp. 312–315.
- [108] G.G. Grebenyuk, G.N. Kalyanov, S.P. Kovalyov, A.A. Krygin, O.V. Lukinova, S.M. Nikishov, Technological infrastructure management models and methods based on digital twins, in: *2021 14th International Conference Management of Large-Scale System Development (MLSD)*, IEEE, 2021, pp. 1–5.
- [109] D. Bamunuarachchi, D. Georgakopoulos, P.P. Jayaraman, A. Banerjee, A framework for enabling cyber-twins based industry 4.0 application development, in: *2021 IEEE International Conference on Services Computing (SCC)*, IEEE, 2021, pp. 340–350.
- [110] S.S.L. Chukkappalli, S. Mittal, M. Gupta, M. Abdelsalam, A. Joshi, R. Sandhu, K. Joshi, Ontologies and artificial intelligence systems for the cooperative smart farming ecosystem, *IEEE Access* 8 (2020) 164045–164064.
- [111] S.D.C. Saratha, C. Grimm, F. Wawrzik, A digital twin with runtime-verification for industrial development-operation integration, in: *2021 IEEE International Conference on Engineering, Technology and Innovation (ICE/ITMC)*, IEEE, 2021, pp. 1–9.
- [112] R. Arp, B. Smith, A.D. Spear, *Building Ontologies with Basic Formal Ontology*, MIT Press, 2015.
- [113] A. Khiaat, M. Elias, A.C. Foldenauer, M. Koehm, I. Blumenstein, G. Napolitano, Towards an ontology representing characteristics of inflammatory bowel disease, in: *Proceedings of the 22nd International Conference on Information Integration and Web-Based Applications & Services*, 2020, pp. 216–222.
- [114] Human disease ontology, 2023, URL <https://github.com/DiseaseOntology/HumanDiseaseOntology>. Accessed: 2023-06-26.
- [115] The foundational model of anatomy ontology, 2023, URL <http://sig.biostr.washington.edu/projects/fm-/AboutFM.html>. Accessed: 2023-06-26.
- [116] Systematized nomenclature of medicine ontology, 2023, URL <https://bioportal.bioontology.org/ontologies/-SNOMEDCT?p=classes&conceptid=root>. Accessed: 2023-06-26.
- [117] S.S.L. Chukkappalli, S.B. Aziz, N. Alotaibi, S. Mittal, M. Gupta, M. Abdelsalam, Ontology driven ai and access control systems for smart fisheries, in: *Proceedings of the 2021 ACM Workshop on Secure and Trustworthy Cyber-Physical Systems*, 2021, pp. 59–68.
- [118] L. Zavala, P.K. Murukannaiah, N. Poosamani, T. Finin, A. Joshi, I. Rhee, M.P. Singh, Playts: From position to place-oriented mobile computing, *AI Mag.* 36 (2) (2015) 50–62.
- [119] D. Mavrokapnidis, K. Katsigarakis, P. Pauwels, E. Petrova, I. Korolija, D. Rovas, A linked-data paradigm for the integration of static and dynamic building data in digital twins, in: *Proceedings of the 8th ACM International Conference on Systems for Energy-Efficient Buildings, Cities, and Transportation*, 2021, pp. 369–372.
- [120] M. Bonduel, J. Oraskari, P. Pauwels, M. Vergauwen, R. Klein, The IFC to linked building data converter-current status, in: *Proceedings of the 6th Linked Data in Architecture and Construction Workshop (LDAC 2018)*, Vol. 2159, CEUR Workshop Proceedings, 2018, pp. 34–43.
- [121] Building element ontology, 2023, URL <https://pi.pauwel.be/voc/buildingelement/-index-en.html>. Accessed: 2023-06-26.
- [122] W. Xu, J. Cui, L. Li, B. Yao, S. Tian, Z. Zhou, Digital twin-based industrial cloud robotics: Framework, control approach and implementation, *J. Manuf. Syst.* 58 (2021) 196–209.
- [123] Y. Li, J. Chen, Z. Hu, H. sheng Zhang, J. Lu, D. Kiritsis, Co-simulation of complex engineered systems enabled by a cognitive twin architecture, *Int. J. Prod. Res.* 60 (2021) 7588–7609.
- [124] J. Akroyd, Z. Harper, D. Soutar, F. Farazi, A. Bhavé, S. Mosbach, M. Kraft, Universal digital twin: Land use, *Data-Cent. Eng.* 3 (2022) e3, <http://dx.doi.org/10.1017/dce.2021.21>.
- [125] N. Sahlab, D. Braun, C. Köhler, N. Jazdi, M. Weyrich, Extending the intelligent digital twin with a context modeling service: A decision support use case, *Procedia CIRP* 107 (2022) 463–468, <http://dx.doi.org/10.1016/j.procir.2022.05.009>, Leading manufacturing systems transformation – Proceedings of the 55th CIRP Conference on Manufacturing Systems 2022.
- [126] F. Niccolucci, A. Felicetti, S. Hermon, Populating the data space for cultural heritage with heritage digital twins, *Data* 7 (8) (2022) URL <https://www.mdpi.com/2306-5729/7/8/105>.
- [127] E. Järvenpää, N. Siltala, O. Hylli, M. Lanz, The development of an ontology for describing the capabilities of manufacturing resources, *J. Intell. Manuf.* 30 (2) (2019) 959–978.
- [128] N. Zeng, M. Dichtl, M. König, A scenario-based simulation framework of on-and off-site construction logistics, in: *2017 Winter Simulation Conference (WSC)*, IEEE, 2017, pp. 2348–2359.
- [129] S.R. Kalidindi, M. Buzzy, B.L. Boyce, R. Dingreville, Digital twins for materials, *Front. Mater.* 9 (2022) 48.
- [130] S.P. Voigt, S.R. Kalidindi, Materials graph ontology, *Mater. Lett.* 295 (2021) 129836.
- [131] M. ABADI, A. Chaimae, A. Asmae, B.-A. Hussain, A smart decision making system for the selection of production parameters using digital twin and ontologies, *Int. J. Adv. Comput. Sci. Appl.* 13 (2) (2022).
- [132] H. Li, Q. Zhu, L. Zhang, Y. Ding, Y. Guo, H. Wu, Q. Wang, R. Zhou, M. Liu, Y. Zhou, Integrated representation of geospatial data, model, and knowledge for digital twin railway, *Int. J. Digit. Earth* 15 (1) (2022) 1657–1675, <http://dx.doi.org/10.1080/17538947.2022.2127949>.
- [133] K. Farghaly, R. Soman, Construction programme & production control (CPPC) ontology: a required integration for construction digital twin, in: *EC3 Conference 2022*, Vol. 3, University of Turin, 2022.
- [134] Z. Ni, Y. Liu, M. Karlsson, S. Gong, Enabling preventive conservation of historic buildings through cloud-based digital twins: A case study in the city theatre, *norrköping*, *IEEE Access* 10 (2022) 90924–90939, <http://dx.doi.org/10.1109/ACCESS.2022.3202181>.
- [135] K. Hammar, E.O. Wallin, P. Karlberg, D. Hälleberg, The realestatecore ontology, in: *The Semantic Web–ISWC 2019: 18th International Semantic Web Conference*, Auckland, New Zealand, October 26–30, 2019, *Proceedings, Part II* 18, Springer, 2019, pp. 130–145.

- [136] P. Skobelev, A. Tabachinskiy, E. Simonova, O. Goryanin, Development of crop-simulation multiagent system for smart digital twin of plant, in: 2022 VIII International Conference on Information Technology and Nanotechnology (ITNT), IEEE, 2022, pp. 1–8.
- [137] A. Kanak, İ. Arif, Ç. Terzibaş, Ö.F. Demir, S. Ergün, Bimiverse: Towards a semantic interpretation of buildings in the city and cities in the universe, in: 2022 IEEE International Conference on Systems, Man, and Cybernetics (SMC), IEEE, 2022, pp. 1072–1077.
- [138] K.K. Karmakar, V. Varadharajan, P. Speirs, M. Hitchens, A. Robertson, SDPM: A secure smart device provisioning and monitoring service architecture for smart network infrastructure, *IEEE Internet Things J.* 9 (24) (2022) 25037–25051.
- [139] G. Fierro, A.K. Prakash, D. Blum, J. Bender, E. Paulson, M. Wetter, Notes paper: enabling building application development with simulated digital twins, in: Proceedings of the 9th ACM International Conference on Systems for Energy-Efficient Buildings, Cities, and Transportation, 2022, pp. 250–253.
- [140] Y. Huang, S. Dhoubi, L.P. Medinaceli, J. Malenfant, Enabling semantic interoperability of asset administration shells through an ontology-based modeling method, in: Proceedings of the 25th International Conference on Model Driven Engineering Languages and Systems: Companion Proceedings, 2022, pp. 497–502.
- [141] R. D'Amico, A. Sarkar, H. Karray, S. Addepalli, J. Erkoyuncu, Detecting failure of a material handling system through a cognitive twin, *IFAC-PapersOnLine* 55 (10) (2022) 2725–2730.
- [142] M. Karray, N. Otte, R. Rai, F. Ameri, B. Kulvatunyou, B. Smith, D. Kiritis, C. Will, R. Arista, et al., The industrial ontologies foundry (IOF) perspectives, 2021.
- [143] G. Wang, Y. Cao, Y. Zhang, Digital twin-driven clamping force control for thin-walled parts, *Adv. Eng. Inform.* 51 (2022) 101468.
- [144] M. Zheng, L. Tian, A blockchain-based cooperative modeling method for digital twin ontology model of the mechanical product, in: MATEC Web of Conferences, Vol. 355, EDP Sciences, 2022, p. 02018.
- [145] WGS84 geo positioning: an RDF vocabulary, 2023, URL https://www.w3.org/2003/01/geo/wgs84_pos. Accessed: 2023-06-26.
- [146] J. Ma, Y. Guo, C. Fang, Q. Zhang, Digital twin-based zero-touch management for IoT, *Electronics* 11 (24) (2022) 4104.
- [147] A. Donkers, B. de Vries, D. Yang, Creating occupant-centered digital twins using the occupant feedback ontology implemented in a smartwatch app, *Semant. Web (Preprint)* 1–26.
- [148] N.O. Santos, M. Abel, F.H. Rodrigues, D. Schmidt, Towards an ontology of offshore petroleum production equipment, 2022.
- [149] L.F. Garcia, M. Abel, M. Perrin, R. dos Santos Alvarenga, The GeoCore ontology: a core ontology for general use in geology, *Comput. Geosci.* 135 (2020) 104387.
- [150] H. Li, G. Wang, J. Lu, D. Kiritis, Cognitive twin construction for system of systems operation based on semantic integration and high-level architecture, *Integr. Comput.-Aided Eng. (Preprint)* (2022) 1–19.
- [151] B. Kulvatunyou, E. Wallace, D. Kiritis, B. Smith, C. Will, The industrial ontologies foundry proof-of-concept project, in: Advances in Production Management Systems. Smart Manufacturing for Industry 4.0: IFIP WG 5.7 International Conference, APMS 2018, Seoul, Korea, August 26–30, 2018, Proceedings, Part II, Springer, 2018, pp. 402–409.
- [152] W. Jia, W. Wang, Z. Zhang, From simple digital twin to complex digital twin part I: A novel modeling method for multi-scale and multi-scenario digital twin, *Adv. Eng. Inform.* 53 (2022) 101706.
- [153] V.V. Gowripeddi, G. Sasirekha, J. Bapat, D. Das, Digital twin and ontology based ddos attack detection in a smart-factory 4.0, in: 2023 International Conference on Artificial Intelligence in Information and Communication (ICAIIIC), IEEE, 2023, pp. 286–291.
- [154] F. Niccolucci, B. Markhoff, M. Theodoridou, A. Felicetti, S. Hermon, The heritage digital twin: a bicycle made for two. The integration of digital methodologies into cultural heritage research, 2023, arXiv preprint [arXiv:2302.07138](https://arxiv.org/abs/2302.07138).
- [155] L. Jiang, J. Shi, C. Wang, Z. Pan, Intelligent control of building fire protection system using digital twins and semantic web technologies, *Autom. Constr.* 147 (2023) 104728.
- [156] A. Arsiwala, F. Elghaish, M. Zoher, Digital twin with machine learning for predictive monitoring of CO2 equivalent from existing buildings, *Energy Build.* 284 (2023) 112851.

- [157] X. Xie, J. Merino, N. Moretti, P. Pauwels, J.Y. Chang, A. Parlikad, Digital twin enabled fault detection and diagnosis process for building HVAC systems, *Autom. Constr.* 146 (2023) 104695.
- [158] M. Kraft, J. Bai, S. Mosbach, C. Taylor, D. Karan, K.F. Lee, S. Rihm, J. Akroyd, A. Lapkin, From platform to knowledge graph: Distributed self-driving laboratories, 2023.
- [159] A. Ricci, A. Croatti, S. Mariani, S. Montagna, M. Picone, Web of digital twins, *ACM Trans. Internet Technol.* 22 (4) (2022) 1–30.



Erkan Karabulut received the B.Sc. degree in computer engineering from Yildiz Technical University, Istanbul, in 2019, and the M.Sc. degree in computer science from TU Munich, in 2022. He is currently pursuing the Ph.D. degree with the Intelligent Data Engineering Laboratory (INDELab), University of Amsterdam. He was a Research Assistant with the fortiss—Research Institute of the Free State of Bavaria for software-intensive services and systems, for two years, until 2022. His current research interests include semantics in the IoT, digital twins, knowledge graphs and rule learning.



Salvatore Flavio Pileggi is a Lecturer (Assistant Professor) in Computer Science at University of Technology Sydney (Australia). Previously he held research-focused positions at leading institutions in Spain, New Zealand, France, and Australia. He received a M.Sc. in Computer Engineering from Università della Calabria (Italy) in 2005 and a Ph.D. (Cum Laude) in Computer Networks from Universidad Politécnica de Valencia (Spain) in 2011. His research is focusing on the application of techniques and methods from Computational/Information Science, with a focus on Ontological Frameworks and Modelling. He has published well over 50 research papers in high-quality journals and top-ranked conferences.



Paul Groth is Professor of Algorithmic Data Science at the University of Amsterdam where he leads the Intelligent Data Engineering Lab (INDELab) and is scientific director of the university's Data Science Centre. He holds a Ph.D. in Computer Science from the University of Southampton (2007) and has done research at the University of Southern California, the Vrije Universiteit Amsterdam and Elsevier Labs. His research focuses on intelligent systems for dealing with large amounts of diverse contextualized knowledge with a particular focus on Web and science applications. This includes research in data provenance, data integration and knowledge sharing.



Victoria Degeler is an Assistant Professor at the University of Amsterdam. She received her Ph.D degree in Computer Science from the University of Groningen. Her research is focused on reasoning and decision making systems for smart environments, activity recognition, digital twins, pervasive systems and context modeling and representation, with particular interest in sustainable applications such as energy and water management. She is also active in promoting research approaches in the industry, and acted as an AI technical mentor for startups.