

Foreign key constraint:

```
create database sale;

use sale;

create table manager_details (
manager_id int primary key,
manager_name varchar(20),
department varchar(20)
);

create table employee_details (
emp_id int primary key,
emp_name varchar (20),
department varchar (20),
manager_id int,
foreign key (manager_id) references manager_details(manager_id)
);

insert into manager_details (manager_id, manager_name,department)
values (111,"sathya","HR"),
(112,"ABI","TL"),
(113,"MANI","IT"),
(114,"DEEPA","HR");

insert into employee_details (emp_id, emp_name,department,manager_id)
values (101,"vinesh","HR",111),
(102,"karthika","TL",112),
(103,"nini","IT",113),
(104,"indhu","HR",114);

select * from manager_details;
select * from employee_details;
```

out put:

Result Grid			
	manager_id	manager_name	department
▶	111	sathya	HR
	112	ABI	TL
	113	MANI	IT
	114	DEEPA	HR
•	NULL	NULL	NULL

Result Grid				
	emp_id	emp_name	department	manager_id
▶	101	vinesh	HR	111
	102	karthika	TL	112
	103	nini	IT	113
	104	indhu	HR	114
•	NULL	NULL	NULL	NULL

Multi row subquery:

create database stude;

use stude;

create table students(

stuname varchar(20),

stusub varchar(20),

stumark int

);

insert into students(stuname,stusub,stumark)

values("SATHYA","TAMIL",90),

("DEEPA","ENGLISH",85),

("KANMANI","MATHS",95),

("KARTHIKA","MATHS",96),

("ANU","ENGLISH",93);

select stuname,stusub,stumark

from students

where stusub in (

select distinct stusub from students

where stusub in("TAMIL","ENGLISH","MATHS"))

);

select stumark from students

where stusub in (

select distinct stusub from students

where stusub in("TAMIL","ENGLISH","MATHS")

);

select *from students;

output:

Result Grid				Filter Rows:	Export:	Wrap Cell Content:
	stuname	stusub	stumark			
▶	SATHYA	TAMIL	90			
	DEEPA	ENGLISH	85			
	KANMANI	MATHS	95			
	KARTHIKA	MATHS	96			
	ANU	ENGLISH	93			