



# Missing Maps

## **Validating for Missing Maps Using JOSM**



This document covers processes for checking data quality in OpenStreetMap, particularly in the context of [Humanitarian OpenStreetMap Team](#) and Red Cross Missing Maps projects. The methods demonstrated may be useful in other contexts as well.

Checking data, or validating, is a key part of Missing Maps mapping, ensuring that the data is complete and correct so that humanitarian groups, local organizations and others can use it for their own projects and planning.

When we are trying to map a complete set of features and attributes in a specified area, we need ways to check for mistakes and ways to assess the accuracy of the work. In this tutorial we will work through several methods of checking data, explaining the steps of the method and the reason behind each. A well-managed mapping project will include each of these three processes, both for evaluating and correcting data and for reporting.

## What to look for

---

For Missing Maps tasks, we are generally only concerned with a few types of features, often buildings and/or roads but sometimes other features as well. The instructions for each task will see what and how to map, and we should use that as a guide for our validating.

Here we will look at some methods for checking data simply using JOSM. Some of the questions we are asking about our data are:

- Are there **geographic** errors (things in the wrong place, overlapping buildings or roads attached to buildings)
- Are there **tagging** errors (misspelled tags, missing tags, incorrect tags)
- Is the data **complete** according to the requirements of the HOT task? Is everything there that should be there?

Let's examine how we can find answers to these questions in JOSM, a powerful OpenStreetMap editing tool. We'll assume that we are examining the work of others, but the same processes will work fine (and should be easier) when analyzing your own work.


# Get Started

First you should download JOSM from <https://josm.openstreetmap.de/> -- there are a few options for download, but JOSM.jnlp generally works well.

Start up JOSM. You may need to right click and pick "Open" the first time you run it. You may also need to go to Preferences->Security to be able to open the file. It may prompt you to update your Java software, go ahead and do that.

When JOSM opens, you'll see a gray screen with some news and updates and a number of buttons. We'll need to add the buildings plugin, which helps us draw buildings quickly.


To do that, click the button that looks like two sliders — that's the preferences window. (It's also on your File or JOSM menu.)



In the Preferences window, the fourth button down looks like a plug, that's the Plug-In menu. Click it. (On some computers these buttons are very small.)



Now search for `buildings` . You'll see one called `buildings_tools` . Check its box then click `OK` at the bottom of the screen. It will download, and you'll need to restart JOSM.



There are a few other settings we need to change also.

Click the Preferences button again. The second button looks like a globe. That's the connection settings.



Make sure you're logged in with your OpenStreetMap username and password.

Then towards the bottom there's a button that looks like a remote control. Click that and make sure Enable Remote Control is checked. This will let the HumanitarianOpenStreetMap Team Tasking Manager use JOSM to download your task.



#### Remote Control

*Settings for the remote control feature.*

Allows JOSM to be controlled from other applications, e.g. from a web browser.

JOSM will always listen at **port 8111** (http) and **port 8112** (https) on localhost.  
These ports are not configurable because they are referenced by external applications talking to JOSM.

☒ Enable remote control

Click  and we're ready to map.

## Understanding your task

---

From the HOT Tasking Manager, [<http://tasks.hotosm.org>](<http://tasks.hotosm.org>) choose a task to validate.

First you must read the Description and Instructions tab for your task to understand what the goal of the project is, and this will tell you what you're looking for. Here is the Description and Instructions for one task:

**HIGH**

4 - Active Mappers

## #3389 - Tanzania Development Trust: Manyoni district mapping project part 2

[SHARE](#)Author: HOT Requesting Organization: **Tanzania Development Trust** Priority: **Medium**

Manyoni district in eastern Tanzania has a high incidence of Female Genital Mutilation, early marriage and Gender Based Violence. NGOs on the ground need better road and residential area data to facilitate their outreach work. There is a video about the importance of this work [here](#), and testimony from a girl at risk [here](#) and more information [here](#).

There is also a slack channel [here](#) where you can post questions, make suggestions and communicate with other mappers.

The Missing Maps project aims to map the most vulnerable places in the world (affected by humanitarian crises: disease epidemics, conflict, natural disasters, poverty, environmental crises). Building on HOT's disaster preparedness projects, the Missing Maps tasks facilitate pre-emptive mapping of priority countries to better facilitate disaster response, medical activities and resource allocation when crises occur.

Status:	PUBLISHED	Created by:	JanetChapman
Last updated:	3 minutes ago	Difficulty:	BEGINNER
Priority:	HIGH	Type(s) of mapping:	ROADS   BUILDINGS
Organisation:	Tanzania Development Trust	Campaign:	Female Genital Mutilation
Mapper level required:	No	Validator role required:	No

[Instructions](#) [Map](#) [Validate](#) [Questions and Comments](#)

### Instructions

**Entities to map**  
road networks and buildings


---

**Changeset Comment**  
#TanzaniaDevelopmentTrust #Tanzania #missingmaps #photosm-project-3389 #crowd2map

---

### Project Specific Mapping Notes

- **Imagery Note** Please use Digital Globe imagery.
- Please trace roads and buildings from the satellite images.
- Each residential area should have a road linking to it, tagged as `highway=unclassified`.
- All highways should join up, even if the exact location is not clear.



# Getting Started

If it's not already open, open JOSM. Next you need to choose a square to validate. Click the Validate tab and you'll have a few options: you can pick a task by clicking on it; pick a random task; select a group of tasks by drawing a polygon; or pick all the tasks worked on by a particular mapper, for example if you want to validate tasks by beginner mappers first. You can see their level listed as well as the number of tasks they worked on.



## Validation

Find a task for validation through one of the options below.

**Option 1:** Select a task by clicking on the map

**Option 2:** [VALIDATE A RANDOM TASK](#)

**Option 3:** [SELECT AREA BY DRAWING A POLYGON](#)

[START VALIDATING](#)

**Option 4:** [RESELECT TASKS LOCKED FOR VALIDATION](#)


**Option 5:** Select by user below

CONTRIBUTOR	LEVEL	#	REGISTERED	LAST VALIDATION	LOCK
zoeb	Beginner	1	3 months ago	19 days ago	<a href="#">Start</a>
Zetel	Advanced	10	3 months ago	9 days ago	<a href="#">Start</a>
zabomil	Advanced	1	a year ago	4 days ago	<a href="#">Start</a>
Yusuf Alma	Beginner	1	20 days ago	19 days ago	<a href="#">Start</a>

Once you've selected a task or tasks to validate "Start Validating" and then choose JOSM from the dropdown and click "Start Editor"

If imagery loads up automatically, you are ready to map. If not, choose what the Task's Description and Instructions specifies from JOSM's Imagery menu. Often it will be either Bing Imagery, Digital Globe, or Mapbox Satellite.

It may be useful to run a quick pre-check of the data using a custom script. First you must activate the **Scripts** plugin.



In [this GitHub Repository](#), download **SelectDuplicateBuildings.js** and save it in a convenient location on your local computer. Open the **Scripting** plugin and click **Run**. Select your downloaded file and run it.

This will select duplicate, or *near duplicate*, area buildings in JOSM's active data layer. A *near duplicate* is a building whose bounding box overlaps another building's bounding box by more than 50%. Only the first building encountered of an overlapping pair is selected. The selected buildings are added to the current selection. It is best practice to review all of these buildings (see section on to-do list plugin) before doing any sort of mass deletion. Duplicate buildings can also be deleted one at a time as they are reviewed.

## Validating Data

---

The first step for checking data is to run the Validation tool in JOSM, which will automatically check the data you have open for suspected mistakes. This tool is especially useful for finding **geography** errors but may not be as useful for finding incorrect tags.


Activate the tool by clicking on the Validation Tool button on the left side of JOSM. (This is unnecessary if the Validation panel is already open)






Next make sure that nothing is selected by clicking in a blank spot on your map. If you have features selected when you run the Validation Tool, only those selected features will be checked. (sometimes you may want to only check certain features, but for now we will check the entire file)

Click the “Validation” button on the panel. That will run a check for a number of potential errors.



You will see a list of warnings appear (your list may vary):




A new layer also appears on your Layers panel, showing where the errors are. You may find it convenient to hide this layer for now by clicking the eye icon next to the name. It's a bit easier to see your data with that layer turned off.



Let's look at a few of the warnings. Most of these we need to fix, but we can ignore "Unnamed ways" since we won't know these road names.

The rest though, we should look at. To zoom into an issue, click the dropdown then right click one of it and click "Zoom to problem" and it will highlight and zoom to the error.



Many times these are errors that we never would have caught without the validation tool.

Usually the error name is pretty straightforward and easy to understand. If not, try asking on the mapper-support channel on the HOT Slack, which is free to join: <http://slack.hotosm.org/>

Some warnings, such as `Crossing waterway/highway`, are not necessarily mistakes. This shows that the validation tool is good at finding possible mistakes, but it requires someone to go and see whether the warning is important or not.

Once you fix an error, run the Validation tool again and it will disappear from the list. However, sometimes a fix can cause other problems, which is why it's important to run many times.

Some common issues you will see with the Validation tool on HOT tasks are untagged ways (a line or polygon that someone forgot to tag) and buildings overlapping other buildings or roads.

For many of the issues, the fixes are fairly easy: for overlapping buildings or roads, move the adjust to the correct location so it's not overlapping; for untagged ways add the correct tag. (NOTE: this is untagged ways or areas, not unnamed ways. We can ignore unnamed ways.)

There are also other issues that the Validation tool won't catch, so we'll have to fix them next.

After fixing all the Validation errors, we need to start browsing our square to find the other errors that the Validation tool won't catch but are also important. Some of these include (but are not limited to) things that are missing or in the wrong place, roads that are attached to buildings, and things that are not tagged properly.

Starting in one corner, zoom in close so you can see the details of the imagery and begin to pan through your square and look for things that should be mapped according to the task instructions. If it's a building task and you find missing buildings, add them. Same with missing roads in a task that calls for them to be mapped. Buildings are generally going to be rectangular. ([You can learn more about drawing buildings in JOSM here.](#))

One useful tool for panning across the task is the `markseen` plugin. This plugin will open the `Markseen Viewer` to show areas of the map that you've already reviewed.



You may also need to move things to to match the imagery that the task says to use.

To delete something, highlight it and click `delete` on your keyboard, or `Fn+delete` on a Mac.

Buildings should generally have squared corners too. There is a quick way to fix them all, using the JOSM search.

## Using JOSM Search

---

Searching in JOSM is a powerful way of reviewing data. It allows you to provide search terms, also known as queries, to select only the features that you want.

To access the search, go to Edit -> Search or press CTRL + F on your keyboard or click the magnifying glass icon on the top of the JOSM window.



There are a great many types of query you can search here, and you can see details and examples in the search box itself and by clicking on the “Help” button.

## Squaring Buildings

---

To square buildings, we must first select them. Click Ctrl-F and put in this text:  
building inview nodes:4-

That will find everything that is a building in your current view that has 4 or more nodes or corners.

Search string:

☒ replace selection  
☐ add to selection  
☐ remove from selection  
☐ find in selection  
☐ case sensitive

basic examples:

basics:

combinators:

Start Search

They will all turn red on your screen. Click the q key on your keyboard and that will square all of their corners.

However, be careful! If there are buildings that should not be square, this will make them square anyway. To make sure, hit undo and redo see if any buildings that are round or other shapes were changed by mistake. If so, go fix them to what they should be.



Another useful tool to find non-squared buildings is the following script.

Navigate to [this GitHub Repository](#). Look for `SelectNonOrthogonalBuilding.js` in the list and download it. Save it in an easy to find directory on your local computer. Open the scripting tab in JOSM and click 'run' and select the downloaded file. After selecting this, run the script. Now all buildings which meet the script's parameters will be highlighted red. You might check them in your task first, then press `Q` to square them all. Run the script again to see if there are any non squared buildings left. Check these first, because there may be instances where buildings are joined together on nodes. Unglue these nodes by pressing `G` and click again on the `Q` button.

## Roads

---

If you are validating a roads task, there are a number of issues that might come up. There may be many roads that are missing or tagged incorrectly. Also, roads may be connected to things they should not be, like buildings.

If roads are missing in your task square, add them using the scheme mentioned in the task's instructions. If the task asks to map residential roads or small tracks, these are commonly missed. Sometimes people map roads as much bigger than they should be – marking something that should be residential, unclassified or even a track as something like a motorway or primary – you should fix those.

Another common issue with roads is naming them something incorrect. For remote mapping, we usually will not know what the name is, since we are not familiar with these areas. But sometimes people will mistakenly name roads “road” or add something else that is a description, not a name. The Name field should be a proper name like “Highway 1” or “North Avenue”. To find all the named roads, click ctrl-F and then type `highway=* name=*`


Search string:

☒ replace selection  
☐ add to selection  
☐ remove from selection  
☐ find in selection  
☐ case sensitive

basic examples:

basics:

combinators:

 Start Search

This will find all the roads that have a name. Click on each one to see what the name is and if it seems correct. If it's something descriptive like "road" or "dirt road" it may be incorrect, the mapper might have meant to tag it but changed the name by mistake. Remove it if it seems wrong. But be careful, we don't want to remove accurate data.

Road classification is also important. Sometimes remote mappers will tag roads as much more important than they should be. Consult the task's instructions and description for how roads should be tagged.

If there are many motorway, trunk, primary, secondary and tertiary roads, especially in a rural area, the tags might be incorrect. These will appear bright colors like blue, yellow, orange and red. If you see those on your task, double check them. Maybe they should be something smaller like tertiary, residential or unclassified.

Roads should not connect with buildings, unless the road goes through the building, which is very rare and usually only seen in large cities.

Here's an example. The building on the right is attached to the road – see the larger slightly larger square where they are attached. That bigger square indicates a joined node.






To disconnect them, click the square, then click g on your keyboard, which stands for “unglue”. Then click on one node and move it to where it should be. You may need to hit **q** on your keyboard to square the building again.

## To-Do List Plugin

---


Another useful plugin available in JOSM is the To-Do list. The To-Do list plugin allows you to add features to a list, investigate that feature, mark it as done and automatically zoom to the next feature on the list.

To use the plugin, you need to download it from the plugins menu like you did for the buildings\_tool. After adding it, activate it by pressing the to-do list icon on the tools menu. You should then see the To-Do List panel open on the right side of the screen.



Using the JOSM search function above, you can select all of the features of a certain type that you would like to look at. Once they are selected, press the **Add** button on the To-Do list panel. This will add all of your features to your list. Select the first feature from the list, ensure that it is correctly mapped, and then press **Mark**, which will move you on to the next feature.

The To-Do list plugin is extremely helpful for beginner mappers who may not yet feel comfortable in scanning the image for features, and helps make sure that each individual feature is looked at.



## Using Paint Styles

---


Paint styles are ways of changing how data is viewed in JOSM. You can use them to highlight certain things that may be incorrect, things that might not come up in the validation checks.

For remote and humanitarian mapping tasks, you often won't know names of features such as buildings and roads. JOSM Paint styles can highlight where those may have been added by mistake: buildings with names, buildings not tagged 'building=yes', roads with names, and roads that have a highway value in the name key (for example 'name=residential'). Sometimes people add what should be a description as the name, like 'dirt road'.

Like the validation warnings, the paint style doesn't necessarily show what is wrong, but it shows what you'll need to look at to see if it's wrong.


It's also important to make sure you don't delete existing accurate data. Maybe someone visited that place and added those names properly. But odds are something like 'name=dirt road' or 'name=building' is not correct.

To add the paint style, click on the Windows menu and go to Map Paint Styles... which will open a menu on JOSM:




Then click the paint style settings button at lower right.

Click the plus sign at upper right to add a new one.



Type a name like Missing Maps Validation or whatever you'd like, and put [https://github.com/MissingMaps/josm\\_styles/archive/master.zip](https://github.com/MissingMaps/josm_styles/archive/master.zip) in the URL field, and the paint style will appear in your Map Paint Styles window.



There are four colors you may see, plus some triangles, corresponding to the errors mentioned earlier:

- buildings with names are **yellow**
- buildings not tagged `building=yes` are **orange**
- roads that are named are **green**
- roads that are named for a description (like `name=residential` ) are **red**
- buildings that are connected to roads or other features are **red triangles**
- buildings that are connected to other buildings are **orange triangles**

For example, you may see something like this:



Or this:



This paint style lets you go through and find these issues quickly and see if they should be fixed or not. Some of these might be OK, but you'll need to check to see if they are correct or not.

You can check the History of that object if you aren't sure if it's correct or not, by clicking on it then ctrl-h - that will show you who edited the feature before and might give a reason why they added a certain name or tag.

When in doubt, go with the existing data and tags.

Inline Validation is another useful map paint style. When you install and activate Inline Validation it will show a number of errors, if they are present. This map paint style can be downloaded from

[https://github.com/osmlab/appliedata/archive/josm\\_paint\\_inline\\_validation.zip](https://github.com/osmlab/appliedata/archive/josm_paint_inline_validation.zip)

More info can be found on GitHub at <https://github.com/osmlab/appliedata/wiki/Inline-Validation-Paint-Style-Information>

The style checks the following:

- Roundabout-Link Check



- Missing Roundabout Tag Check
- Suspicious Roundabout Direction
- Missing One Way on Motorway
- Missing Layer Check
- Building-Road Connection Check
- BuildingSnapped2Building Style
- Building Inside Building Check
- Large Building Check
- Waterway Connected To Bridge
- Continuous Roads Check

## Communicating with those who mapped

---

If everything in the square looks complete and correct go back to the Tasking Manager window, and leave a comment in the comment box.

If there are still things that remain to be done, you can “Invalidate” the square so that others can finish it. Make sure to note what still remains to be done. A good rule of thumb is that if you can fix everything in a square in a few minutes, go ahead and do so and Validate it. Otherwise Invalidate it. You should also check to see if the project is still being worked on – if the last person to edit there did so many months ago, you might be better off finishing what’s left and validating.

Whether you validate or invalidate, you should thank those who have worked on the square so far by typing the @ key on your keyboard and then their username.

You can see the list of people who have worked on the task below the comment box:

**Done editing? Leave a comment and select one of the options below that matches your editing status**

Leave a comment

500 characters remaining

**MARK AS VALID**

**MARK AS INVALID**

**STOP VALIDATING**

## History

Mapped by **Ashley Hart Walker**  
*a month ago*

Locked for mapping by **Ashley Hart Walker**  
*a month ago for a few seconds*

Locked for mapping by **Samara7**  
*a month ago for a few seconds*

Locked for mapping by **danciaralli**  
*a month ago for a few seconds*

Locked for mapping by **Sarouch**

There may have been many people who contributed, so make sure to thank them for their work, even if there are some errors or problems. This can encourage them to come back and map again. If you noticed errors, like any of the validation warnings we saw above or other things like buildings that weren't squared or roads that were missing, note that in the comment too, politely. This can help the mapper learn so next time they'll do a better job.

**Done editing? Leave a comment and select one of the options below that matches your editing status**

Thanks for mapping @[Ashley Hart Walker] @[Samara7] @[danciaralli] @[Sarouch] ! Make sure to square the corners of your buildings with the 's' key!

353 characters remaining

**MARK AS VALID**

**MARK AS INVALID**

**STOP VALIDATING**

Here is a sample message you can use:

Added a few remaining buildings and roads. Thank you @Stanley1260 @Prinzvizzy @GeoAlex104 for mapping! Don't forget to square your buildings using the `s` key

Another rule of thumb is that if you recognize a username from a previous square you validated or invalidated, you don't need to message them again – we don't want to send a ton of messages to the same people. So if you recognize a username from validating before, you can skip them in the message.

Then after you've left your comment, click "Validate" if everything is complete or "Invalidate" if there are still things remaining. Now you can move onto another square.

Thank you! Validating is a key part of HOT mapping and we always need more people to make sure the data is accurate and complete.

## For further reading:

- The OpenStreetMap wiki, the source for all things OSM:  
<http://wiki.openstreetmap.org>

- The OpenStreetMap wiki page on validation  
[https://wiki.openstreetmap.org/wiki/OSM\\_Tasking\\_Manager/Validating\\_data](https://wiki.openstreetmap.org/wiki/OSM_Tasking_Manager/Validating_data)
- LearnOSM's validation page <http://learnosm.org/en/coordination/review/>  
JOSM's validation checks page -