САНКТ-ПЕТЕРБУРГСКИЙ НАЦИОНАЛЬНЫЙ ИССЛЕДОВАТЕЛЬСКИЙ УНИВЕРСИТЕТ ИТМО

Дисциплина: Фронт-энд разработка

Отчет

Домашняя работа №5

Выполнил:

Лядов Дмитрий

K33402

Проверил: Добряков Д. И.

Санкт-Петербург

Задача

Изучить основные команды пакетного менеджера NPM и научиться стартовать проект на Vue.

Ход работы

Первым делом установим node.js и пакетный менеджер npm. Через npm будет происходить вся работа с зависимостями и vue.

node.js и прт у меня уже установлен, просто проверим это

```
○ PS D:\hw5> node
Welcome to Node.js v20.10.0.
Type ".help" for more information.
> ■
```

```
PS D:\hw5> npm
npm <command>

Usage:

npm install install all the dependencies in your project
npm install <foo> add the <foo> dependency to your project
npm test run this project's tests
npm run <foo> run the script named <foo>
npm <command> -h quick help on <command>
npm -l display usage info for all commands
npm help <term> search for help on <term> (in a browser)
npm help npm more involved overview (in a browser)

All commands:

access, adduser, audit, bugs, cache, ci, completion,
```

Далее установим vue. Для того, чтобы установить

глобально:

npm install -g @vue/cli

```
npm WARN deprecated vue@2.7.16: Vue 2 has reached EOL a v2.vuejs.org/eol/ for more details.

added 2 packages, and changed 855 packages in 1m

73 packages are looking for funding

run `npm fund` for details

PS D:\hw5>
```

Далее инициализируем проект с помощью npm init vue@latest

```
Vue.js - The Progressive JavaScript Framework
✓ Project name: ... vue-gussi

√ Add TypeScript? ... No / Yes

√ Add JSX Support? ... No / Yes

√ Add Vue Router for Single Page Application development? ... No / Yes

√ Add Pinia for state management? ... No / Yes

√ Add Vitest for Unit Testing? ... No / Yes

√ Add an End-to-End Testing Solution? » No

√ Add ESLint for code quality? ... No / Yes

√ Add Prettier for code formatting? ... No / Yes
Scaffolding project in D:\hw5\vue-gussi...
Done. Now run:
  cd vue-gussi
  npm install
  npm run format
  npm run dev
```

Устанавливаем все зависимости.

```
PS D:\hw5> cd vue-gussi
PS D:\hw5\vue-gussi> npm install

added 150 packages, and audited 151 packages in 11s

34 packages are looking for funding
run `npm fund` for details

found 0 vulnerabilities
PS D:\hw5\vue-gussi>
```

В файле package.json вносим следующие изменения в секции scripts для старта проекта на нужном нам порту.

Запустим проект.

```
PS D:\hw5\vue-gussi> npm start

> vue-gussi@0.0.0 start

> vite --port 8080


VITE v5.0.11 ready in 644 ms

→ Local: http://localhost:8080/

→ Network: use --host to expose

→ press h + enter to show help
```

После успешного запуска в браузере появляется следующее.



Вывод

В данной домашней работе успешно установили node и npm и запустили проект на vue.