

LinkedIn Learning 4: CSS Essential Training Part 2.

Float: magazine-style layouts with floated images and text flowing around those images

p1: overflow: overflow: hidden; / overflow: auto;
overflow: scroll; → with scroll bar

p2: "clearfix" Hack

```
.clearfix:after {  
  content: " ";  
  display: table;  
  clear: both;  
}
```

p3: display: {
 .parent {
 display: flow-root;
 }

Box-Sizing

```
html {  
  box-sizing: border-box;  
}  
*, *:before, *:after {  
  box-sizing: inherit;  
}
```

Position

static	not positioned
relative	relative to current position
absolute	absolute - relative to containing element
fixed	relative to the viewport
sticky	relative to containing element and viewport

```
.box {  
  position: xxx;  
  top: xpx;  
  right: xpx;  
  bottom: xpx;  
  left: xpx;  
}
```


Flexbox Terminology

flex container: the parent element

flex items: the child element

direction: horizontal by default, means flex items arranged in rows

Declare:
• container {
 display: flex; /... or .../ display: inline-flex;

flex-direction: Determines the direction of the main axis

four values: row, row-reverse, column, column-reverse.

flex-basis: sets the initial size of the flex-items.

flex-grow: determines how items will expand if there is extra space in the container.

flex-shrink: determines how items will shrink if there isn't enough space in the container.

flex shorthand: flex: grow shrink basis;


4a. By study this course, I know what float/overflow, flex, grid is and how to use them to make our webpage more beautiful. A good CSS file will make the webpage more attractive and look neater.

4b. Do more exercise with CSS, more practice can be more proficient in writing CSS.



4c. Every student needs to study this course seriously. CSS is not as difficult as other languages, but CSS is more complicated and cumbersome. Learning this course well will

make a better web page.

4d. This course took me 4 hours to compete. (Including organizing notes and screenshots.)



[illegible][illegible]



Untitled

kanvile

Save

Settings

HTML


1<div class="container">
2<div class="float">Float me!</div>
3<div class="float">Float me!</div>
4</div>

CSS100+ unsaved changes x

1<.clearfix {
2content: "";
3display: table;
4clear: both;
5}
6<.container {
7border: 2px solid black;
8width: 500px;
9margin: 0 auto;
10overflow: hidden;
11/*diaplay: flow-root;*/
12}
13<.float {
14background: lightblue;

JS

1



Untitled

kanvile

Save

Settings

HTML100+ unsaved changes x

1<div class="container clearfix">
2<div class="float">Float me!</div>
3<div class="float">Float me!</div>
4</div>

CSS

1<.clearfix {
2content: "";
3display: table;
4clear: both;
5}
6<.container {
7border: 2px solid black;
8width: 500px;
9margin: 0 auto;
10/*overflow: hidden;*/
11/*diaplay: flow-root;*/
12}
13<.float {
14background: lightblue;

JS

1





```
kanville.github.io | css | resumeStyles.css | Add Configuration... | Git | 14:2 | CRLF | UTF-8 | 4 spaces | main | 60 |  
Project | kanville.github.io | C:\kanville |  
css | resumeStyles.css | styles.css | weatherStyle.css |  
images |  
weathericon |  
backgroundMusic.mp3 |  
index.html |  
README.md |  
resume.html |  
weatherApp.html |  
External Libraries |  
Scratches and Consoles |  
Full Requests |  
Structure |  
Favorites |  
1 | /*-----Global Style-----*/  
2 | html {  
3 |     box-sizing: border-box;  
4 | }  
5 | *, *:before, *:after {  
6 |     box-sizing: inherit;  
7 | }  
8 | body {  
9 |     color: #232323;  
10 |     margin: 0;  
11 |     padding: 0;  
12 |     font-family: 'Montserrat', sans-serif;  
13 |     line-height: 1.5;  
14 | }  
15 | h1 {  
16 |     text-align: center;  
17 |     font-family: 'Pacifico', cursive;  
18 |     font-size: 100px;  
19 |     margin: 0;  
20 | }  
21 | h2 {  
22 |     font-family: 'Pacifico', cursive;  
23 |     font-size: 60px;  
24 |     margin: 0;  
25 | }  
26 | img {  
27 |     width: 300px;  
28 | }  
29 | a {  
30 |     color: aquamarine;  
31 | }  
32 | a:hover {  
33 |     text-decoration: none;  
34 | }  
35 | .content-wrap {  
36 |     width: 600px;  
37 |     body
```

```
44 |> images |  
45 |> weathericon |  
46 |> backgroundMusic.mp3 |  
47 |index.html |  
48 |README.md |  
49 |resume.html |  
50 |weatherApp.html |  
51 |External Libraries |  
52 |Scratches and Consoles |  
53 |/*-----Profile-----*/  
54 |header {  
55 |    background-color: #7A9CC6;  
56 |    color: #F7FFF7;  
57 | }  
58 | .projects a {  
59 |     color: aquamarine;  
60 |     background-color: blue;  
61 | }  
62 | /*-----Project-----*/  
63 | .projects {  
64 |     background-color: #9FB8CC;  
65 | }  
66 | .project-item {  
67 |     overflow: hidden;  
68 | }  
69 | .project-item img {  
70 |     float: left;  
71 | }  
72 |
```

img

flex-wrap: wrap



Featured Projects

View selected projects below. More information can be found at karvile.github.io.

Weather App



A simple Weather App for webpage.

[View project / case study](#)

Featured Projects

View selected projects below. More information can be found at kanvile.github.io.

Weather App



A simple Weather App for webpage.

[View project / case study](#)

Featured Projects

View selected projects below. More information can be found at kanvile.github.io.



Weather App

A simple Weather App for webpage.

[View project / case study](#)

```
.flex-container {  
  background: lightgray;  
  margin-bottom: 10px;  
  width: 500px;  
  height: 200px;  
  display: flex;  
  flex-wrap: wrap;  
  flex-direction: column;  
}  
.flex-item {  
  box-sizing: border-box;  
  border: 1px solid blue;  
  padding: 10px;  
  width: 100px;  
}
```

Untitled kanvile

Save Settings

HTML

1 <div class="flex-container">
2 <div class="flex-item">1</div>
3 <div class="flex-item">2</div>
4 <div class="flex-item">3</div>
5 <div class="flex-item">4
6 <p>Short block of text.</p>
7 </div>
8 <div class="flex-item">5
9 <p>Longer block of text-yguhn kadcbs,v uhdf udak lid ha.audh frm,nuf cah .</p>
10 </div>


CSS 91 unsaved changes x

1 .flex-container {
2 background: lightsteelblue;
3 margin: 10px;
4 width: 400px;
5 display: flex;
6 flex-wrap: wrap;
7 }
8 .flex-item {
9 box-sizing: border-box;
10 border: 1px solid midnightblue;
11 padding: 10px;
12 flex: 1 0 100px;
13 }

JS

1	2	3	4 Short block of text.
5 Longer block of text-yguhn kadcbs,v uhdf udak lid ha.audh frm,nuf cah .			

flex-wrap: wrap-reverse



Untitled

kanvile

SaveSettings

HTML77 unsaved changes

CSS

JS

```
1 <div class="flex-container">
2   <div class="flex-item">1</div>
3   <div class="flex-item">2</div>
4   <div class="flex-item">3</div>
5   <div class="flex-item">4
6     <p>Short block of text.</p>
7   </div>
8   <div class="flex-item">5
9     <p>Longer block of text-yguhmkadcbc,v uhdf
      udak lidha.audhfm,nufcah .</p>
10  </div>
```

```
1 .flex-container {
2   background: lightsteelblue;
3   margin: 10px;
4   width: 600px;
5   display: flex;
6   /*flex-wrap: wrap;*/
7 }
8 .flex-item {
9   box-sizing: border-box;
10  border: 1px solid midnightblue;
11  padding: 10px;
12  flex: 1 1 100px;
13 }
```

```
1
```

1	2	3	4	5
			Short block of text.	Longer block of text- yguhmkadcbc,v uhdf udak lidha.audhfm,nufcah .

Untitled

kanvile

SaveSettings

HTML87 unsaved changes

CSS

JS

```
1 <div class="flex-container">
2   <div class="flex-item">1</div>
3   <div class="flex-item">2</div>
4   <div class="flex-item">3</div>
5   <div class="flex-item">4
6     <p>Short block of text.</p>
7   </div>
8   <div class="flex-item">5
9     <p>Longer block of text-yguh kadc bc,v uhdf udak
      udak lid ha.audh fm,nuf cah .</p>
10  </div>
```

```
1 .flex-container {
2   background: lightsteelblue;
3   margin: 10px;
4   width: 600px;
5   display: flex;
6   /*flex-wrap: wrap;*/
7 }
8 .flex-item {
9   box-sizing: border-box;
10  border: 1px solid midnightblue;
11  padding: 10px;
12  flex: 0 1 100px;
13 }
```

```
1
```

1	2	3	4	5	
			Short block of text.	Longer block of text- yguh kadc bc,v uhdf udak lid ha.audh fm,nuf cah .	

Untitledkanvile

SaveSettings

HTML

```
1 <div class="flex-container">
2   <div class="flex-item">1</div>
3   <div class="flex-item">2</div>
4   <div class="flex-item">3</div>
5   <div class="flex-item">4
6     <p>Short block of text.</p>
7   </div>
8   <div class="flex-item">5
9     <p>Longer block of text-yguhn kadcbs,v uhdf
      udak lid ha.audh fnm,nuf cah .</p>
10  </div>
```

CSS88 unsaved changes x

```
1 .flex-container {
2   background: lightsteelblue;
3   margin: 10px;
4   width: 400px;
5   display: flex;
6   /*flex-wrap: wrap;*/
7 }
8 .flex-item {
9   box-sizing: border-box;
10  border: 1px solid midnightblue;
11  padding: 10px;
12  flex: 0 1 100px;
13 }
```

JS

```
1
```

1	2	3	4	5
			Short block of text.	Longer block of text- yguhn kadcbs,v uhdf udak lid ha.audh fnm,nuf cah .

Untitledkanvile

SaveSettings

HTML

```
1 <div class="flex-container">
2   <div class="flex-item">1</div>
3   <div class="flex-item">2</div>
4   <div class="flex-item">3</div>
5   <div class="flex-item">4
6     <p>Short block of text.</p>
7   </div>
8   <div class="flex-item">5
9     <p>Longer block of text-yguhn kadcbs,v uhdf
      udak lid ha.audh fnm,nuf cah .</p>
10  </div>
```

CSS89 unsaved changes x

```
1 .flex-container {
2   background: lightsteelblue;
3   margin: 10px;
4   width: 400px;
5   display: flex;
6   /*flex-wrap: wrap;*/
7 }
8 .flex-item {
9   box-sizing: border-box;
10  border: 1px solid midnightblue;
11  padding: 10px;
12  flex: 0 0 100px;
13 }
```

JS

```
1
```

1	2	3	4	5
			Short block of text.	Longer block of text- yguhn kadcbs,v uhdf udak lid ha.audh fnm,nuf cah .

Untitled kanvile

Save Settings

HTML

1 <div class="flex-container">
2 <div class="flex-item">1</div>
3 <div class="flex-item">2</div>
4 <div class="flex-item">3</div>
5 <div class="flex-item">4
6 <p>Short block of text.</p>
7 </div>
8 <div class="flex-item">5
9 <p>Longer block of text-yguhn kadcbs,v uhdf
10 udak lid ha,audh fnm,nuf cah .</p>
11 </div>

CSS 90 unsaved changes

1 .flex-container {
2 background: lightsteelblue;
3 margin: 10px;
4 width: 400px;
5 display: flex;
6 flex-wrap: wrap;
7 }
8 .flex-item {
9 box-sizing: border-box;
10 border: 1px solid midnightblue;
11 padding: 10px;
12 flex: 0 0 100px;
13 }

JS

1	2	3	4 Short block of text.
5 Longer block of text- yguhn kadcbs,v uhdf udak lid ha,audh fnm,nuf			

Work Experience

Manicurist

Nail Salon

2012

I used to work in a nail salon. main tasks as follows:

- As a manager, receive guests.
- Customize the staff's work and rest time.


Front Desk

Doctor's Office

2015

I used to work in a physical therapy clinic. main tasks as follows:

- Receiving patients and sorting out their paperwork.
- Communicate with the insurance company to confirm the patient's insurance status.



Let's Keep in Touch!

shengwei.ma79@gmail.com

[kanvile.github.io](https://github.com/kanvile)

[LinkedIn](#)

Untitledkanvile

SaveSettings

HTML

```
1 <div class="grid-container">
2   <div class="grid-item">1</div>
3   <div class="grid-item">2</div>
4   <div class="grid-item">3</div>
5   <div class="grid-item">4</div>
6   <div class="grid-item">5</div>
7   <div class="grid-item">6</div>
8 </div>
```

CSS100+unsaved changes x

```
1 .grid-container {
2   background: lightsteelblue;
3   display: grid;
4   /*grid-template-columns: 100px 100px 100px;*/
5   /*grid-template-rows: 100px 100px; */
6   /*grid-auto-rows: 200px;*/
7   /*grid-auto-columns: 50px;*/
8 }
9 .grid-item {
10
11   border: 2px solid midnightblue;
12   padding: 10px;
13
14 }
```

JS

```
1
```

1
2
3
4
5
6

Untitledkanvile

SaveSettings

HTML

```
1 <div class="grid-container">
2   <div class="grid-item">1</div>
3   <div class="grid-item">2</div>
4   <div class="grid-item">3</div>
5   <div class="grid-item">4</div>
6   <div class="grid-item">5</div>
7   <div class="grid-item">6</div>
8 </div>
```


CSS100+unsaved changes x

```
1 .grid-container {
2   background: lightsteelblue;
3   display: grid;
4   grid-template-columns: 100px 100px 100px;
5   /*grid-template-rows: 100px 100px; */
6   /*grid-auto-rows: 200px;*/
7   /*grid-auto-columns: 50px;*/
8 }
9 .grid-item {
10
11   border: 2px solid midnightblue;
12   padding: 10px;
13
14 }
```

JS

```
1
```

1	2	3
4	5	6



1	2	3			
4	5	6			