

EnvisionRAMA

Microsoft SQL Server Database

Tables:

dbo.AC_ASSIGNMENT	1
dbo.AC_CLASS	2
dbo.AC_ENROLLMENT	3
dbo.AC_EVALUATION	4
dbo.AC_EVALUATIONLOGIC	5
dbo.AC_FINALIZEPRIVILEGE	6
dbo.AC_GRADE	7
dbo.AC_REPORTINGLANGUAGE	8
dbo.AC_YEAR	9
dbo.GBL_ALERT	10
<i>Stores the alert header that will be displayed to the user</i>	
dbo.GBL_ALERTDTL	11
dbo.GBL_BIREPORTS	12
dbo.GBL_BISETTINGS	13
dbo.GBL_EMPSCHEDULE	14
dbo.GBL_EMPSCHEDULECATEGORY	15
dbo.GBL_ENV	16
dbo.GBL_ERRORLOGS	18
dbo.GBL_EXCEPTIONLOG	19
dbo.GBL_GENERAL	20
<i>Stores the alert header that will be displayed to the user</i>	
dbo.GBL_GENERALDTL	21
dbo.GBL_GRANTOBJECT	22
dbo.GBL_GRANTROLE	23
dbo.GBL_GROUP	24
dbo.GBL_GROUPDTL	25
dbo.GBL_HOSPITAL	26
dbo.GBL_LANGUAGE	27
dbo.GBL_MENU	28
dbo.GBL_MESSAGE	29
dbo.GBL_MESSAGERECIPIENT	30
dbo.GBL_MYMENU	31
dbo.GBL_NOTIFICATION	32
dbo.GBL_PRODUCT	33
dbo.GBL_QUICKTEXT	34
dbo.GBL_RADEXPERIENCE	35

dbo.GBL_ROLE	36
dbo.GBL_ROLEDTL	37
dbo.GBL_SEQUENCES	38
dbo.GBL_SESSION	39
dbo.GBL_SESSIONLOG	40
dbo.GBL_SUBMENU	41
dbo.GBL_SUBMENUOBJECTLABEL	42
dbo.GBL_SUBMENUOBJECTS	43
dbo.GBL_SUPPORT	44
dbo.GBL_USERGROUP	45
dbo.GBL_USERGROUPDTL	46
dbo.HIS_ACR	47
dbo.HIS_CPT	48
dbo.HIS_CPT2012	49
dbo.HIS_ICD	50
dbo.HIS_ICD10	51
dbo.HIS_ICD9	52
dbo.HIS_REGISTRATION	53
dbo.HR_EMP	55
dbo.HR_EMPTITLE	57
dbo.HR_JOBTITLE	58
dbo.HR_OCCUPATION	59
dbo.HR_ROOM	60
dbo.HR_UNIT	61
dbo.MIS_ASESSMENTTYPE	62
dbo.MIS_BIOPSYRESULT	63
dbo.MIS_LESIONTYPE	64
dbo.MIS_TECHNIQUETYPE	65
dbo.MWL_LOGS	66
dbo.MWLDTL_LOGS	67
dbo.OLAP_ORDER	68
dbo.OLAP_ORDER_DELETED	69
dbo.ONL_FILTERDESTINATION	70
dbo.ONL_HISLINKLOG	71
dbo.ONL_SEARCHMATCH	72
dbo.RIS_ASSESSMENT	73
dbo.RIS_AUTHLEVEL	74
dbo.RIS_AUTOMERGECONFIG	75

dbo.RIS_BILLINGLOG	76
dbo.RIS_BILLINGLOG_WITH_HIS	77
dbo.RIS_BILLINGLOG_WITH_HIS_ERRORCLINIC	78
dbo.RIS_BILLINGLOGDTL_BY_HIS	79
dbo.RIS_BILLINGTRANSACTIONLOG	80
dbo.RIS_BILLINGTRANSACTIONLOG_AUDIT	81
dbo.RIS_BILLINGTRANSACTIONLOGDTL	82
dbo.RIS_BODYPART	83
dbo.RIS_BPVIEW	84
dbo.RIS_BPVIEWMAPPING	85
dbo.RIS_CLINICALINDICATION	86
dbo.RIS_CLINICALINDICATION_WITH_UNIT	87
dbo.RIS_CLINICALINDICATIONCHECKUPLIST	88
dbo.RIS_CLINICALINDICATIONFAVORITES	89
dbo.RIS_CLINICALINDICATIONLASTVISIT	90
dbo.RIS_CLINICALINDICATIONTYPE	91
dbo.RIS_CLINICALINDICATIONTYPEFAVORITES	92
dbo.RIS_CLINICSESSION	93
dbo.RIS_CLINICSESSIONONLINE	94
dbo.RIS_CLINICTYPE	95
dbo.RIS_COMMENTSONPATIENT	96
dbo.RIS_COMMENTSONPATIENTDTL	97
dbo.RIS_COMMENTSYSTEM	98
dbo.RIS_COMMENTSYSTEM_GROUP	99
dbo.RIS_COMMENTSYSTEM_GROUPDTL	100
dbo.RIS_COMMENTSYSTEMALERT	101
dbo.RIS_COMMENTSYSTEMDTL	102
dbo.RIS_CONFLICTEXAMDTL	103
dbo.RIS_CONFLICTEXAMGROUP	104
dbo.RIS_CONSUMABLETYPE	105
dbo.RIS_ENVISIONONLINEPARAMETERSLOG	106
dbo.RIS_EXAM	107
dbo.RIS_EXAMDF	109
dbo.RIS_EXAMDTL	110
dbo.RIS_EXAMFAVORITES	111
dbo.RIS_EXAMINSTRUCTIONCLINICSESSION	112
dbo.RIS_EXAMINSTRUCTIONS	113
dbo.RIS_EXAMINSTRUCTIONS_NEW	114

dbo.RIS_EXAMINSTRUCTIONSLOG	115
dbo.RIS_EXAMINSTRUCTIONSLOGCAPTURE	116
dbo.RIS_EXAMLOG	117
dbo.RIS_EXAMLOGCAPTURE	119
dbo.RIS_EXAMPANEL	120
dbo.RIS_EXAMPANELPORTABLE	121
dbo.RIS_EXAMRESULT	122
dbo.RIS_EXAMRESULT_FILTERRAD	123
dbo.RIS_EXAMRESULT_FILTERWORKLIST	124
dbo.RIS_EXAMRESULTACCESS	125
dbo.RIS_EXAMRESULTAUTOSAVE	126
dbo.RIS_EXAMRESULTCONSULT	127
dbo.RIS_EXAMRESULTKEYIMAGES	128
dbo.RIS_EXAMRESULTLEGACY	129
dbo.RIS_EXAMRESULTLOCKS	130
dbo.RIS_EXAMRESULTLOG	131
dbo.RIS_EXAMRESULTLOGCAPTURE	132
dbo.RIS_EXAMRESULTNOTE	133
dbo.RIS_EXAMRESULTRADS	134
dbo.RIS_EXAMRESULTSEVERITY	135
dbo.RIS_EXAMRESULTSEVERITY_LOG	136
dbo.RIS_EXAMRESULTSTATREPORT	137
dbo.RIS_EXAMRESULTTEMPLATE	138
dbo.RIS_EXAMRESULTTIME	139
dbo.RIS_EXAMRVU	140
dbo.RIS_EXAMSKILL	141
dbo.RIS_EXAMSKILLMAPPING	142
dbo.RIS_EXAMSKILLTYPE	143
dbo.RIS_EXAMTEMPLATESHARE	144
dbo.RIS_EXAMTRANSFERLOG	145
dbo.RIS_EXAMTYPE	146
dbo.RIS_EXTERNALHL7TRANSLOG	147
dbo.RIS_HL7IELOG	148
dbo.RIS_HL7TRANSACTIONLOG	149
dbo.RIS_HOSPITAL_MAP_DOCTOR	150
dbo.RIS_INSURANCETYPE	151
dbo.RIS_INTEGRATIONCONFIG	152
dbo.RIS_INTEGRATIONSERVICES	153

dbo.RIS_LOADMEDIA	154
dbo.RIS_LOADMEDIADTL	155
dbo.RIS_LOCATIONMAPPING	156
dbo.RIS_MERGELOG	157
dbo.RIS_MESSAGE	158
dbo.RIS_MESSAGEDTL	159
dbo.RIS_MODALITY	160
dbo.RIS_MODALITYAETITLE	161
dbo.RIS_MODALITYCLINICTYPE	162
dbo.RIS_MODALITYCONFIG	163
dbo.RIS_MODALITYEXAM	164
dbo.RIS_MODALITYEXAM_ONL	165
dbo.RIS_MODALITYLOG	166
dbo.RIS_MODALITYLOGCAPTURE	167
dbo.RIS_MODALITYTYPE	168
dbo.RIS_MODALITYUNIT	169
dbo.RIS_NURSESDATA	170
dbo.RIS_NURSESDATADTL	171
dbo.RIS_OPNOTEITEM	172
dbo.RIS_OPNOTEITEMTEMPLATE	173
dbo.RIS_ORDER	174
dbo.RIS_ORDER_BKP	175
dbo.RIS_ORDERCLINICALINDICATION	176
dbo.RIS_ORDERCLINICALINDICATIONTYPE	177
dbo.RIS_ORDERCPT	178
dbo.RIS_ORDERDTL	179
dbo.RIS_ORDEREXAMFLAG	181
dbo.RIS_ORDERICD	182
dbo.RIS_ORDERIMAGES	183
dbo.RIS_PATICD	184
dbo.RIS_PATIENTDESTINATION	185
dbo.RIS_PATIENTPREPARATION	186
dbo.RIS_PATSTATUS	187
dbo.RIS_PRALGORITHM	188
dbo.RIS_PRASSIGNMENT	189
dbo.RIS_PREXAMMAPPING	190
dbo.RIS_PRGRADE	191
dbo.RIS_PRGROUP	192

dbo.RIS_PRGROUPTL	193
dbo.RIS_PRRADMAPPING	194
dbo.RIS_PRREPORTING	195
dbo.RIS_PRREPORTINGLANGUAGE	196
dbo.RIS_PRREVIEW	197
dbo.RIS_PRSTUDIES	198
dbo.RIS_PRSUBSPECIALTY	199
dbo.RIS_QAREASON	200
dbo.RIS_QAWORKS	201
dbo.RIS_QUESTIONS	202
dbo.RIS_RADSTUDYGROUP	203
dbo.RIS_RELEASEMEDIA	204
dbo.RIS_RESULTSTATUSCHANGELOG	205
dbo.RIS_RISKCATEGORIES	206
dbo.RIS_RISKINCIDENTS	207
dbo.RIS_RISKINCIDENTSLOGS	208
dbo.RIS_RISKINCIDENTUSERS	209
dbo.RIS_SCHEDULE	210
dbo.RIS_SCHEDULE_LOG	212
dbo.RIS_SCHEDULE_RESERVATION	213
dbo.RIS_SCHEDULECONFIG	215
dbo.RIS_SCHEDULEDEFAULTDESTINATION	216
dbo.RIS_SCHEDULEDEFAULTMODALITY	217
dbo.RIS_SCHEDULEDTL	218
dbo.RIS_SCHEDULELOGSDTL	219
dbo.RIS_SEARCH	220
dbo.RIS_SEARCH_AUDIT	221
dbo.RIS_SEARCH_DTL	222
dbo.RIS_SERVICETYPE	223
dbo.RIS_SESSIONAPPCOUNT	224
dbo.RIS_SESSIONMAXAPP	225
dbo.RIS_STUDYLIBRARY	226
dbo.RIS_STUDYLIBRARYACR	227
dbo.RIS_STUDYLIBRARYBODYPART	228
dbo.RIS_STUDYLIBRARYCONFERENCE	229
dbo.RIS_STUDYLIBRARYCPT	230
dbo.RIS_STUDYLIBRARYICD	231
dbo.RIS_STUDYLIBRARYSHAREWITH	232

dbo.RIS_STUDYLIBRARYTAGS	233
dbo.RIS_TECHCONSUMPTION	234
dbo.RIS_TECHNOTES	235
dbo.RIS_TECHWORKS	236
dbo.RIS_TECHWORKSDTL	237
dbo.RIS_TIME	238
dbo.RIS_TIMELEVEL	239
dbo.RIS_USERORGMAP	240
dbo.SR_QUESTIONS	241
dbo.SR_QUESTIONSANSWERS	242
dbo.SR_QUESTIONSANSWERSDTL	243
dbo.SR_QUESTIONSANSWERSDTLCHILD	244
dbo.SR_QUESTIONSDTL	245
dbo.SR_QUESTIONSDTLCHILD	246
dbo.SR_QUESTIONTYPE	247
dbo.SR_TEMPLATE	248
dbo.SR_TEMPLATEANSWERSPART	249
dbo.SR_TEMPLATEPART	250
dbo.SR_USERPREFERENCE	251
dbo.XRAYREQ	252
dbo.XRAYREQDTL	253

Views:

dbo.ACV_ASSIGNMENT	254
dbo.ACV_ASSIGNMENT2	255
dbo.ACV_ASSIGNMENT3	256
dbo.ACV_WORKBOOK	257
dbo.AUDIT_UNDO	258
dbo.AUDIT_VIEW	259
dbo.DIM_PERFORMANCE	260
dbo.DIM_STUDYINFO	261
dbo.GBLV_EXAMINSTRUCTIONS	262
dbo.GBLV_FormLanguage	263
dbo.GBLV_GRANTOBJECT	264
dbo.GBLV_GRANTROLE_EMP	265
dbo.GBLV_GRANTROLE_ROLE	266
dbo.GBLV_HISTORY	267
dbo.GBLV_HL7MONITORING	268

dbo.GBLV_HL7MONITORING_BKP	269
dbo.GBLV_ORDERINGDEPARTMENT	270
dbo.GBLV_PATIENTPOSITION	271
dbo.GBLV_RESULTREPRINT	272
dbo.GBLV_SETALERT	273
dbo.GBLV_SETMENU	274
dbo.GBLV_SETROLE	275
dbo.GBLV_SETROLE_BCK	277
dbo.GBLV_SETSUBMENU	280
dbo.GBLV_SETSUBMENUOBJECTLABEL	281
dbo.GBLV_SETSUBMENUOBJECTLABEL_BCK	284
dbo.GBLV_SETSUBMENUOBJECTS	287
dbo.GBLV_SETSUBMENUOBJECTS_BCK	288
dbo.GBLV_WORKLIST	289
dbo.HISV_ICD	290
dbo.HR_EMPDOCTOR	291
dbo.MG_EXAMRESULTSEARCH_US	293
dbo.MGV_EXAMRESULTSEARCH_MG	294
dbo.OLAPV_ORDER	296
dbo.ONLV_WORKLIST_ORD	297
dbo.ONLV_WORKLIST_REQ	299
dbo.ONLV_WORKLIST_SCH	301
dbo.RISV_CLINIC	303
dbo.RISV_CLINICIAN	304
dbo.RISV_CLINICNEW	305
dbo.RISV_DOCTOR	306
dbo.RISV_EXAM	307
dbo.RISV_EXAMRESULT_TRANSFER_SELECT	308
dbo.RISV_EXAMRESULT_WORKLIST_NO_FINALIZE	309
dbo.RISV_EXAMRESULT_WORKLIST_NO_FINALIZE_forTest	310
dbo.RISV_EXAMRESULT_WORKLIST_WITH_FINALIZE	311
dbo.RISV_EXAMRESULTLEGACY	312
dbo.RISV_EXAMRESULTLOG_SELECT	313
dbo.RISV_FINALIZED	314
dbo.RISV_MODALITY	315
dbo.RISV_ORDER_WORKLIST	316
dbo.RISV_ORDERDTLCAPTURE	317
dbo.RISV_ORDERDTLTODAY	318

dbo.RISV_ORDERREPORTALL	319
dbo.RISV_PATIENT_RESULT_TODAY	320
dbo.RISV_PATIENTDTLTODAY	321
dbo.RISV_PATIENTFLOWDATA	322
dbo.RISV_PROCEDURE	323
dbo.RISV_RADIOLOGIST	324
dbo.RISV_RESULT_SP_CLINIC	325
dbo.RISV_RESULTENTRYREPORT	326
dbo.RISV_RPTSUMMARYREPORTBYEXAM	327
dbo.RISV_SCHEDULE_LOG	328
dbo.RISV_SCHEDULE_SEARCH_BY_AGE	329
dbo.RISV_SCHEDULE_WAITING	330
dbo.RISV_SCHEDULE_WAITING_BKP	331
dbo.RISV_SCHEDULE_WORKLIST	332
dbo.RISV_SCHEDULE_WORKLIST_REPORTING	333
dbo.RISV_SCHEDULEDATA	334
dbo.RISV_SCHEDULEDATA_ONEYEAR	335
dbo.RISV_SCHEDULEDATA_ONL	336
dbo.RISV_SCHEDULEDATA_SIXMONTH	337
dbo.RISV_SCHEDULEDATA_TEST	338
dbo.RISV_STUDY	339
dbo.RISV_SYSTEMUNIT	340
dbo.RISV_TEMPLATEGLOBAL	341
dbo.RISV_TEMPLATEPRIVATE	342
dbo.RISV_TEMPLATESHARE	343
dbo.RISV_XRAY_SCHEDULE_AVRRIVAL_WORKLIST	344
dbo.RISV_XRAY_SCHEDULE_AVRRIVAL_WORKLIST_BACKUP20121015	345
dbo.RISV_XRAY_WORKLIST	346
dbo.RISV_XRAYREQ_WORKLIST_REPORTING	347
dbo.RISVO_ORDERWORKLIST	348
dbo.RISVO_TOP10EXAM_BY_ORDER	349
dbo.RISVO_XRAYWORKLIST	350
dbo.RPTV_TECHWORKLOAD	351
dbo.V_STAT_ORDER_Online	352
dbo.VDASH_DIAGNOSIS_TIME	353
dbo.View_ExamLV	354
dbo.View_Exec	355
dbo.View_Performance	356

dbo.VRIS_CTUS_ER	357
dbo.VRIS_EXAMRESULT_2016	358
dbo.VRIS_EXAMRESULT_2017	359

Tables:

Table dbo.AC_ASSIGNMENT

	Column	Data Type	Identity	Nullable	Default
PK	ASSIGNMENT_ID	int	X		
	ENROLL_ID	int			
	ASSIGNED_BY	int		X	
	ASSIGNMENT_TYPE	nvarchar(1)		X	
	ASSIGNED_ON	datetime		X	
	ACCESSION_NO	nvarchar(30)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	ACK_ON	datetime		X	

Table dbo.AC_CLASS

	Column	Data Type	Identity	Nullable	Default
PK	CLASS_ID	int	X		
	CLASS_ALIAS	nvarchar(3)		X	
	CLASS_LABEL	nvarchar(100)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.AC_ENROLLMENT

	Column	Data Type	Identity	Nullable	Default
PK	ENROLL_ID	int	X		
	ENROLL_UID	nvarchar(30)		X	
	YEAR_ID	int			
	CLASS_ID	int			
	EMP_ID	int			
	IS_ACTIVE	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.AC_EVALUATION

	Column	Data Type	Identity	Nullable	Default
PK	EVALUATION_ID	int	X		
PK	ASSIGNMENT_ID	int			
	REPORT_TYPE	nvarchar(1)		X	
	REPORT_TEXT	nvarchar(max)		X	
	REPORTING_TIMESTAMP	datetime		X	
	EVALUATED_BY	int		X	
	EVALUATED_ON	datetime		X	
	GRADE_ID	int		X	
	IS_CLINICALLY_SIGNIFICANT	nvarchar(1)		X	
	COMMENTS	nvarchar(300)		X	
	IS_UPDATED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	LANGUAGE_OF_REPORT	int		X	
	LANGUAGE_OF_REPORT_COMMENTS	nvarchar(300)		X	
	SEVERITY_ID	int		X	

Table dbo.AC_EVALUATIONLOGIC

	Column	Data Type	Identity	Nullable	Default
PK	EVALUATION_LOGIC_ID	int	X		
	EMP_ID	int			
	START_WITH_EVALUATION	nvarchar(1)		X	
	NO_OF_CASES	tinyint		X	
	IS_RANDOM	nvarchar(1)		X	
	EVALUATE_AFTER	nvarchar(1)		X	
	EVALUATE_ALL	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.AC_FINALIZEPRIVILEGE

	Column	Data Type	Identity	Nullable	Default
PK	FINALIZEPRIVILEGE_ID	int	X		
	EMP_ID	int		X	
	EXAM_ID	int		X	
	IS_ACTIVE	nvarchar(1)		X	'N'
	ORG_ID	int		X	
	CREATED_ON	datetime		X	
	CREATED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	

Table dbo.AC_GRADE

	Column	Data Type	Identity	Nullable	Default
PK	GRADE_ID	int	X		
	GRADE_LABEL	nvarchar(500)		X	
	GRADE_VALUE	nvarchar(30)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	SEND_MESSAGE	nvarchar(1)		X	

Table dbo.AC_REPORTINGLANGUAGE

	Column	Data Type	Identity	Nullable	Default
PK	REPORT_LANG_ID	int	X		
	REPORT_LANG_LABEL	nvarchar(500)		X	
	REPORT_LANG_VALUE	nvarchar(30)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	SEND_MESSAGE	nvarchar(1)		X	

Table dbo.AC_YEAR

	Column	Data Type	Identity	Nullable	Default
PK	YEAR_ID	int	X		
	YEAR_UID	nvarchar(100)		X	
	START_DATE	datetime		X	
	END_DATE	datetime		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_ALERT

Stores the alert header that will be displayed to the user

	Column	Data Type	Identity	Nullable	Default
PK	ALT_ID	int	X		
<i>identity column. auto generated</i>					
	ALT_UID	nvarchar(30)		X	
<i>user defined</i>					
	ORG_ID	int		X	
<i>FK</i>					
	CREATED_BY	int		X	
<i>currently logged on employee_id during Insert</i>					
	CREATED_ON	datetime		X	
<i>current DB date time during Insert</i>					
	LAST_MODIFIED_BY	int		X	
<i>currently logged on employee_id during update</i>					
	LAST_MODIFIED_ON	datetime		X	
<i>current DB date time during update</i>					

Table dbo.GBL_ALERTDTL

	Column	Data Type	Identity	Nullable	Default
PK	ALT_DTL_ID	int	X		
	ALT_ID	int			
	LANG_ID	int			
	ALT_TEXT	nvarchar(300)		X	
	ALT_TYPE	nvarchar(1)		X	
	ALT_TITLE	nvarchar(50)		X	
	ALT_BUTTON	int		X	
	CAPTION_BTN1	nvarchar(25)		X	
	CAPTION_BTN2	nvarchar(25)		X	
	CAPTION_BTN3	nvarchar(25)		X	
	DEFAULT_BTN	tinyint		X	
	TIME_SEC	tinyint		X	
	IS_ACTIVE	nvarchar(1)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_BIREPORTS

	Column	Data Type	Identity	Nullable	Default
PK	BIREPORTS_ID	int	X		
	BIREPORTS_UID	nvarchar(30)		X	
	BIREPORTS_NAME	nvarchar(150)		X	
	BIREPORTS_TAG	nvarchar(300)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_BISETTINGS

	Column	Data Type	Identity	Nullable	Default
PK	BISETTINGS_ID	int	X		
	EMP_ID	int			
	BI_NAME	nvarchar(150)		X	
	BI_DESC	nvarchar(300)		X	
	BI_TAG	nvarchar(300)		X	
	IS_GLOBAL	nvarchar(1)		X	
	BI_FIELD_ORDER	nvarchar(max)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	BIREPORT_ID	int		X	

Table dbo.GBL_EMPSCCHEDULE

	Column	Data Type	Identity	Nullable	Default
PK	SCHEDULE_ID	int	X		
	EMP_ID	int		X	
	ALLDAY	bit		X	
	SUBJECT	nvarchar(50)		X	
	STARTDATETIME	datetime		X	
	ENDDATETIME	datetime		X	
	STATUS	int		X	
	LABEL	int		X	
	LOCATION	nvarchar(50)		X	
	EVENTTYPE	int		X	
	DESCRIPTION	nvarchar(max)		X	
	RECCURRENCEINFO	nvarchar(max)		X	
	REMINDERINFO	nvarchar(max)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	SCHEDULE_ID_PARENT	int		X	

Table dbo.GBL_EMPSCCHEDULECATEGORY

	Column	Data Type	Identity	Nullable	Default
PK	CATEGORY_ID	int	X		
	CATEGORY_DESC	nvarchar(300)		X	
	IMAGE_INDEX	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_ENV

	Column	Data Type	Identity	Nullable	Default
PK	ORG_ID	int			
	ORG_UID	nvarchar(30)		X	
	ORG_NAME	nvarchar(100)		X	
	ORG_ALIAS	nvarchar(30)		X	
	ORG_SLOGAN1	nvarchar(100)		X	
	ORG_SLOGAN2	nvarchar(100)		X	
	ORG_ADDR1	nvarchar(100)		X	
	ORG_ADDR2	nvarchar(100)		X	
	ORG_ADDR3	nvarchar(100)		X	
	ORG_ADDR4	nvarchar(100)		X	
	ORG_TEL1	nvarchar(100)		X	
	ORG_TEL2	nvarchar(100)		X	
	ORG_TEL3	nvarchar(100)		X	
	ORG_FAX	nvarchar(100)		X	
	ORG_EMAIL1	nvarchar(100)		X	
	ORG_EMAIL2	nvarchar(100)		X	
	ORG_EMAIL3	nvarchar(100)		X	
	ORG_WEBSITE	nvarchar(100)		X	
	ORG_IMG	image		X	
	WELCOME_DIALOG1	nvarchar(500)		X	
	WELCOME_DIALOG2	nvarchar(500)		X	
	DEFAULT_FONT_FACE	nvarchar(200)		X	
	DEFAULT_FONT_SIZE	tinyint		X	
	REP_SERVER	nvarchar(50)		X	
	REP_FORMAT	nvarchar(30)		X	
	REP_FOOTER1	nvarchar(500)		X	
	REP_FOOTER2	nvarchar(500)		X	
	EMP_IMG_TYPE	nvarchar(4)		X	
	EMP_IMG_MAX_SIZE	nvarchar(4)		X	
	OTHER_MAX_FILE_SIZE	int		X	
	DT_FMT	nvarchar(30)		X	
	TIME_FMT	nvarchar(30)		X	
	LOCAL_CURRENCY_NAME	nvarchar(15)		X	
	LOCAL_CURRENCY_SYMBOL	nvarchar(2)		X	
	CURRENCY_FMT	nvarchar(30)		X	
	RESOURCE_IMAGE_PATH	nvarchar(300)		X	
	SCANNED_IMAGE_PATH	nvarchar(300)		X	
	DOCUMENT_PATH	nvarchar(500)		X	
	BACKUP_PATH	nvarchar(500)		X	
	OTHER_FILE_PATH	nvarchar(300)		X	
	EMP_IMG_PATH	nvarchar(300)		X	
	LAB_DATA_PATH	nvarchar(300)		X	
	USER_DISPLAY_FMT	nvarchar(10)		X	
	VENDOR_H1	nvarchar(300)		X	
	VENDOR_H2	nvarchar(300)		X	
	VENDOR_LOGO_PATH	nvarchar(300)		X	
	PARTNER1_H1	nvarchar(300)		X	
	PARTNER1_H2	nvarchar(300)		X	
	PARTNER1_LOGO_PATH	nvarchar(300)		X	
	PARTNER2_H1	nvarchar(300)		X	
	PARTNER2_H2	nvarchar(300)		X	
	PARTNER2_LOGO_PATH	nvarchar(300)		X	
	RIS_IP	nvarchar(300)		X	
	RIS_PORT	nvarchar(300)		X	
	RIS_USER	nvarchar(300)		X	

RIS_PASS	nvarchar(300)		X	
RIS_URL	nvarchar(300)		X	
PACS_IP	nvarchar(300)		X	
PACS_PORT	nvarchar(300)		X	
PACS_URL1	nvarchar(300)		X	
PACS_URL2	nvarchar(300)		X	
PACS_URL3	nvarchar(300)		X	
PACS_DOMAIN	nvarchar(300)		X	
HIS_IP	nvarchar(300)		X	
HIS_PORT	nvarchar(300)		X	
HIS_DB_NAME	nvarchar(300)		X	
HIS_USER_NAME	nvarchar(300)		X	
HIS_USER_PASS	nvarchar(300)		X	
HIS_FIN_FLAG	nvarchar(300)		X	
WS_IP	nvarchar(300)		X	
WS_IP_PICTURE	nvarchar(300)		X	
WS_VERSION	nvarchar(300)		X	
CREATED_BY	int		X	
CREATED_ON	datetime		X	
LAST_MODIFIED_BY	int		X	
LAST_MODIFIED_ON	datetime		X	
ORM_SYNC_IP	nvarchar(15)		X	
ORM_SYNC_PORT	nvarchar(8)		X	
ORU_SYNC_IP	nvarchar(15)		X	
ORU_SYNC_PORT	nvarchar(8)		X	
HIS_SYNC_IP	nvarchar(15)		X	
HIS_SYNC_PORT	nvarchar(8)		X	
EDIT_ORDER_UNTIL	nvarchar(1)		X	N'C'
SCHEDULE_CONFIRM_TIME	tinyint		X	
SCHEDULE_APPROVAL_TIME	tinyint		X	

Table dbo.GBL_ERRORLOGS

	Column	Data Type	Identity	Nullable	Default
PK	ERROR_ID	int	X		
	USER_LOGIN	nvarchar(50)		X	
	USER_HOST_ADDRESS	nvarchar(50)		X	
	ERROR_MESSAGE	nvarchar(max)		X	
	ERROR_SOURCE	nvarchar(max)		X	
	PIC_PATH	nvarchar(1000)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	

Table dbo.GBL_EXCEPTIONLOG

	Column	Data Type	Identity	Nullable	Default
PK	EXC_ID	int	X		
	EXC_UID	nvarchar(30)		X	
	EXC_TYPE	nvarchar(1)		X	
	EXC_TEXT	nvarchar(300)		X	
	EXC_IP	nvarchar(30)		X	
	EXC_PC_NAME	nvarchar(100)		X	
	CURRENT_FORM_ID	int		X	
	CURRENT_LANG_ID	int		X	
	CONNECTED_EMP_ID	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_GENERAL

Stores the alert header that will be displayed to the user

	Column	Data Type	Identity	Nullable	Default
PK	GEN_ID	int	X		
<i>identity column. auto generated</i>					
	GEN_UID	nvarchar(30)		X	
<i>user defined</i>					
	GEN_TYPE	nvarchar(30)		X	
	ORG_ID	int		X	
<i>FK</i>					
	CREATED_BY	int		X	
<i>currently logged on employee_id during Insert</i>					
	CREATED_ON	datetime		X	
<i>current DB date time during Insert</i>					
	LAST_MODIFIED_BY	int		X	
<i>currently logged on employee_id during update</i>					
	LAST_MODIFIED_ON	datetime		X	
<i>current DB date time during update</i>					

Table dbo.GBL_GENERALDTL

	Column	Data Type	Identity	Nullable	Default
PK	GEN_DTL_ID	int	X		
	GEN_ID	int			
	LANG_ID	int			
	GEN_TEXT	nvarchar(300)		X	
	GEN_TITLE	nvarchar(50)		X	
	IS_ACTIVE	nvarchar(1)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	SL_NO	tinyint		X	

Table dbo.GBL_GRANTOBJECT

	Column	Data Type	Identity	Nullable	Default
PK	GRANTOBJECT_ID	int	X		
	SUBMENU_ID	int			
	EMP_ID	int			
	CAN_VIEW	int		X	
	CAN_MODIFY	int		X	
	CAN_REMOVE	int		X	
	CAN_SHARE	int		X	
	CAN_CREATE	int		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	GRANT_DT	datetime		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_GRANTROLE

	Column	Data Type	Identity	Nullable	Default
PK	GRANTROLE_ID	int	X		
	ROLE_ID	int			
	EMP_ID	int			
	CAN_GRANT	int		X	
	GRANTOR	int		X	
	GRANT_DT	datetime		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_GROUP

	Column	Data Type	Identity	Nullable	Default
PK	GROUP_ID	int	X		
	GROUP_UID	nvarchar(30)		X	
	GROUP_NAME	nvarchar(50)		X	
	GROUP_USER_NAME	nvarchar(50)		X	
	GROUP_PASS	nvarchar(50)		X	
	GROUP_TYPE	nvarchar(5)		X	
	GROUP_HEAD	int		X	
	GROUP_HEAD_NAME	nvarchar(50)		X	
	GROUP_CONTACT_NO	int		X	
	IS_ACTIVE	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_GROUPDTL

	Column	Data Type	Identity	Nullable	Default
PK	GROUP_ID	int			
PK	MEMBER_ID	int			
	SL	tinyint		X	
	IS_ACTIVE	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_HOSPITAL

	Column	Data Type	Identity	Nullable	Default
PK	HOS_ID	int	X		
	HOS_UID	nvarchar(30)		X	
	HOS_NAME	nvarchar(500)		X	
	HOS_NAME_ALIAS	nvarchar(100)		X	
	PHONE_NO	nvarchar(50)		X	
	DESCR	nvarchar(500)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	ORG_ID	int		X	

Table dbo.GBL_LANGUAGE

	Column	Data Type	Identity	Nullable	Default
PK	LANG_ID	int	X		
	LANG_UID	nvarchar(30)		X	
	LANG_NAME	nvarchar(100)		X	
	IS_DEFAULT	nvarchar(1)		X	
	IS_ACTIVE	nvarchar(1)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_MENU

	Column	Data Type	Identity	Nullable	Default
PK	MENU_ID	int	X		
	MENU_UID	nvarchar(30)		X	
	MENU_NAME	nvarchar(50)		X	
	MENU_NAMESPACE	nvarchar(100)		X	
	MENU_ICON	image		X	
	DESCR	nvarchar(100)		X	
	PARENT	int		X	
	SL_NO	int		X	
	IS_ACTIVE	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_MESSAGE

	Column	Data Type	Identity	Nullable	Default
PK	MSG_ID	int	X		
	MSG_DT	datetime		X	
	MSG_FROM	int		X	
	MSG_SUBJECT	nvarchar(500)		X	
	MSG_BODY	nvarchar(max)		X	
	MSG_STATUS	nvarchar(1)		X	
	MSG_PRIORITY	nvarchar(1)		X	
	IS_STARRED	nvarchar(1)		X	
	IS_FORCED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_MESSAGERECIPIENT

	Column	Data Type	Identity	Nullable	Default
PK	MSG_ID	int			
	IS_STARRED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	IS_TRASHED	nvarchar(1)		X	
PK	RECIPIENT_TYPE	nvarchar(1)			
	ACK_ON	datetime		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
PK	MSG_TO	int			

Table dbo.GBL_MYMENU

	Column	Data Type	Identity	Nullable	Default
PK	MYMENU_ID	int	X		
	MYMENU_UID	int		X	
	EMP_ID	int		X	
	SL_NO	int		X	
	SUBMENU_ID	int		X	
	ORG_ID	int		X	
	IS_ACTIVE	nvarchar(1)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_NOTIFICATION

	Column	Data Type	Identity	Nullable	Default
PK	NOTIFICATION_ID	int	X		
	NOTIFICATION_UID	nvarchar(30)		X	
	NOTIFICATION_DESC	nvarchar(max)		X	
	SUBJECT	nvarchar(1000)		X	
	NOTIFICATION_EMP_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_PRODUCT

	Column	Data Type	Identity	Nullable	Default
PK	PROD_ID	int	X		
	PROD_UID	nvarchar(30)		X	
	PROD_NAME	nvarchar(200)		X	
	PROD_DESCR	nvarchar(2000)		X	
	PROD_VERSION	nvarchar(50)		X	
	RELEASE_DT	datetime		X	
	PROD_TYPE	nvarchar(1)		X	
	LICENSED_TO	nvarchar(100)		X	
	LICENSE_TYPE	nvarchar(1)		X	
	VALID_UNTIL	datetime		X	
	FORCE_LICENSE	nvarchar(1)		X	
	COPY_RIGHT	nvarchar(1000)		X	
	ORG_ID	int		X	
	CREATED_BY	nvarchar(30)		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	nvarchar(30)		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_QUICKTEXT

	Column	Data Type	Identity	Nullable	Default
PK	QUICKTEXT_ID	int	X		
	QUICK_TEXT	nvarchar(300)		X	
	QUICK_TAG	nvarchar(150)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	IS_GLOBAL	nvarchar(1)		X	

Table dbo.GBL_RADEXPERIENCE

	Column	Data Type	Identity	Nullable	Default
PK	RADIOLOGIST_ID	int			
	AUTO_REFRESH_WL_SEC	smallint		X	
	DASHBOARD_DEF_SEARCH	nvarchar(1)		X	
	LOAD_FINALIZED_EXAMS	bit		X	
	ALL_EXAM_VISIBLE	bit		X	
	LOAD_ALL_EXAM	bit		X	
	AUTO_START_ORDER_IMG	bit		X	
	AUTO_START_PACS_IMG	bit		X	
	DEF_DATE_RANGE	nvarchar(2)		X	
	REMEMBER_GRID_ORDER	bit		X	
	GRID_DBL_CLICK_TO	nvarchar(1)		X	
	FINISH_WRITING_REFER_TO	nvarchar(1)		X	
	ALLOW_OTHERSTO_FINALIZE	bit		X	
	FONT_FACE	nvarchar(50)		X	
	FONT_SIZE	tinyint		X	
	SIGNATURE_TEXT	nvarchar(max)		X	
	SIGNATURE_RTF	nvarchar(max)		X	
	SIGNATURE_HTML	nvarchar(max)		X	
	SIGNATURE_SCAN	image		X	
	USED_SIGNATURE	nvarchar(1)		X	
	WHEN_GROUP_SIGN_USE	nvarchar(1)		X	
	MINIMIZE_CHARACTER	int		X	
	WORKLIST_GRID_ORDER	nvarchar(max)		X	
	HISTORY_GRID_ORDER	nvarchar(max)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	USED_MENUBAR	nvarchar(1)		X	'N'
	USED_120DPI	nvarchar(1)		X	'N'
	RECONFIRM_PASS_ON_SAVE	nvarchar(1)		X	'N'
	IS_ADDENDUM	nvarchar(1)		X	NULL
	ZOOM_SETTING	int		X	
	ALLOW_MULTIPLE_FINALIZE_UPTO	nvarchar(3)		X	
	SHOW_PRELIM	bit		X	
	ALLOW_MULTIPLE_FINALIZE	bit		X	
	PAPER_KIND	nvarchar(30)		X	
	NO_OF_COPY	int		X	
	AUTO_EXAMNAME	nvarchar(1)		X	
	AUTO_CLINICALINDICATION	nvarchar(1)		X	
	OPEN_PACS_WHEN_MERGE	nvarchar(1)		X	
	MAXIMUM_SHORTPRELIM_CHARECTORS	int		X	

Table dbo.GBL_ROLE

	Column	Data Type	Identity	Nullable	Default
PK	ROLE_ID	int	X		
	ROLE_UID	nvarchar(50)		X	
	ROLE_NAME	nvarchar(50)		X	
	IS_ACTIVE	nvarchar(1)		X	
	DESCR	nvarchar(100)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_ROLEDTL

	Column	Data Type	Identity	Nullable	Default
PK	ROLEDTL_ID	int	X		
	ROLEDTL_UID	nvarchar(30)		X	
	ROLE_ID	int		X	
	SUBMENU_ID	int		X	
	CAN_VIEW	nvarchar(1)		X	
	CAN_MODIFY	nvarchar(1)		X	
	CAN_REMOVE	nvarchar(1)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	CAN_CREATE	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_SEQUENCES

	Column	Data Type	Identity	Nullable	Default
PK	Seq_Name	nvarchar(255)			
	Seed	int			1
	Incr	int			1
	Curr_val	int		X	
	DateStart	datetime		X	
	ORG_ID	int		X	

Table dbo.GBL_SESSION

	Column	Data Type	Identity	Nullable	Default
PK	SESSION_ID	int	X		
	SESSION_STAT	nvarchar(1)		X	
	EMP_ID	int		X	
	SESSION_GUID	nvarchar(50)		X	
	SID	nvarchar(13)		X	
	SERIAL#	nvarchar(13)		X	
	LOGON_TYPE	nvarchar(1)		X	
	LOGON_DT	datetime		X	
	LOGOUT_DT	datetime		X	
	LOGOUT_TYPE	nvarchar(1)		X	
	KILLED_BY	int		X	
	KILL_REASON	nvarchar(500)		X	
	OS_USER_NAME	nvarchar(100)		X	
	OS_NAME	nvarchar(100)		X	
	OS_TIMEZONE	nvarchar(100)		X	
	OS_REGION	nvarchar(100)		X	
	IP_ADDR_OWN	nvarchar(20)		X	
	IP_ADDR_CURR	nvarchar(20)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	PROD_VERSION	nvarchar(50)		X	

Table dbo.GBL_SESSIONLOG

	Column	Data Type	Identity	Nullable	Default
PK	SESSIONLOG_ID	int	X		
	SESSION_ID	int		X	
	SESSION_GUID	nvarchar(50)		X	
	SUBMENU_ID	int		X	
	ACCESSED_ON	datetime		X	
	ACCESSED_OUT	datetime		X	
	ACTIVITY_DESC	nvarchar(300)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_SUBMENU

	Column	Data Type	Identity	Nullable	Default
PK	SUBMENU_ID	int	X		
	SUBMENU_UID	nvarchar(30)		X	
	MENU_ID	int		X	
	SUBMENU_TYPE	nvarchar(1)		X	
	SUBMENU_CLASS_NAME	nvarchar(50)		X	
	SUBMENU_NAME_SYS	nvarchar(50)		X	
	SUBMENU_NAME_USER	nvarchar(50)		X	
	PARENT	int		X	
	DESCR	nvarchar(100)		X	
	SL_NO	int		X	
	IS_ACTIVE	nvarchar(1)		X	
	ADD_TO_HOME	nvarchar(1)		X	
	CAN_VIEW	nvarchar(1)		X	
	CAN_MODIFY	nvarchar(1)		X	
	CAN_REMOVE	nvarchar(1)		X	
	CAN_CREATE	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	SUBMENU_REPORTINGSERVICE_URL	nvarchar(1000)		X	

Table dbo.GBL_SUBMENUOBJECTLABEL

	Column	Data Type	Identity	Nullable	Default
PK	SUBMENU_ID	int			
PK	OBJECT_ID	int			
PK	LANG_ID	int			
	LABEL	nchar(300)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_SUBMENUOBJECTS

	Column	Data Type	Identity	Nullable	Default
PK	SUBMENU_ID	int			
PK	OBJECT_ID	int			
	OBJECT_TYPE	nchar(10)		X	
	OBJECT_NAME	nchar(100)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_SUPPORT

	Column	Data Type	Identity	Nullable	Default
PK	SUPPORT_ID	int	X		
	SUPPORT_UID	nvarchar(30)		X	
	REQUEST_DT	datetime		X	
	USER_ID	int		X	
	USER_IP	nvarchar(15)		X	
	CURRENT_OBJECT	int		X	
	SUBJECT	nvarchar(100)		X	
	MESSAGE	nvarchar(500)		X	
	PRIORITY	nvarchar(1)		X	
	ATTACHMENT	image		X	
	STATUS	nvarchar(1)		X	
	COMMENTS	nvarchar(300)		X	
	REPOSE_BY	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_USERGROUP

	Column	Data Type	Identity	Nullable	Default
PK	GROUP_ID	int	X		
	GROUP_NAME	nvarchar(200)		X	
	GROUP_USER_NAME	nvarchar(50)		X	
	GROUP_PASS	nvarchar(50)		X	
	GROUP_TYPE	nvarchar(1)		X	
	GROUP_HEAD	int		X	
	GROUP_CONTACT_NO	nvarchar(50)		X	
	IS_ACTIVE	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.GBL_USERGROUPDTL

	Column	Data Type	Identity	Nullable	Default
PK	GROUP_ID	int			
PK	MEMBER_ID	int			
	SL	int		X	
	IS_ACTIVE	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.HIS_ACR

	Column	Data Type	Identity	Nullable	Default
PK	ACR_ID	int	X		
	ACR_UID	nvarchar(30)		X	
	ACR_DESC	nvarchar(200)		X	
	ACR_VERSION	nvarchar(50)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.HIS_CPT

	Column	Data Type	Identity	Nullable	Default
PK	CPT_ID	int	X		
	CPT_UID	nvarchar(30)		X	
	CPT_DESC	nvarchar(200)		X	
	CPT_VERSION	nvarchar(50)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.HIS_CPT2012

	Column	Data Type	Identity	Nullable	Default
PK	CPT_ID	int	X		
	Code	nvarchar(50)		X	
	Indicator	nvarchar(1)		X	
	Status	nvarchar(1)		X	
	ShortDesc	nvarchar(250)		X	
	MediumDesc	nvarchar(250)		X	
	LongDesc	nvarchar(3500)		X	
	FileName	nvarchar(50)		X	
	FileType	nvarchar(50)		X	

Table dbo.HIS_ICD

	Column	Data Type	Identity	Nullable	Default
PK	ICD_ID	int	X		
	ICD_UID	nvarchar(30)		X	
	ICD_DESC	nvarchar(200)		X	
	ICD_VERSION	nvarchar(50)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.HIS_ICD10

	Column	Data Type	Identity	Nullable	Default
	code	nvarchar(255)		X	
	gen_desc	nvarchar(255)		X	
	index	nvarchar(255)		X	

Table dbo.HIS_ICD9

	Column	Data Type	Identity	Nullable	Default
PK	ID	int	X		
	Code	nvarchar(50)		X	
	Indicator	nvarchar(1)		X	
	Status	nvarchar(1)		X	
	ShortDesc	nvarchar(250)		X	
	MediumDesc	nvarchar(250)		X	
	LongDesc	nvarchar(250)		X	
	FileName	nvarchar(50)		X	
	FileType	nvarchar(50)		X	

Table dbo.HIS_REGISTRATION

	Column	Data Type	Identity	Nullable	Default
PK	REG_ID	int	X		
	HN	nvarchar(30)			
	TITLE	nvarchar(100)		X	
	REG_DT	datetime		X	
	FNAME	nvarchar(100)		X	
	MNAME	nvarchar(100)		X	
	LNAME	nvarchar(100)		X	
	TITLE_ENG	nvarchar(100)		X	
	FNAME_ENG	nvarchar(100)		X	
	MNAME_ENG	nvarchar(100)		X	
	LNAME_ENG	nvarchar(100)		X	
	SSN	nvarchar(100)		X	
	DOB	datetime		X	
	AGE	int		X	
	ADDR1	nvarchar(100)		X	
	ADDR2	nvarchar(100)		X	
	ADDR3	nvarchar(100)		X	
	ADDR4	nvarchar(100)		X	
	ADDR5	nvarchar(100)		X	
	PHONE1	nvarchar(100)		X	
	PHONE2	nvarchar(100)		X	
	PHONE3	nvarchar(100)		X	
	EMAIL	nvarchar(100)		X	
	GENDER	nvarchar(1)		X	
	MARITAL_STATUS	nvarchar(1)		X	
	OCCUPATION_ID	int		X	
	NATIONALITY	nvarchar(50)		X	
	PASSPORT_NO	nvarchar(50)		X	
	BLOOD_GROUP	nvarchar(20)		X	
	RELIGION	nvarchar(30)		X	
	PATIENT_TYPE	nvarchar(1)		X	
	BLOCK_PATIENT	nvarchar(1)		X	N'N'
	EM_CONTACT_PERSON	nvarchar(100)		X	
	EM_RELATION	nvarchar(50)		X	
	EM_ADDR	nvarchar(100)		X	
	EM_PHONE	nvarchar(100)		X	
	INSURANCE_TYPE	nvarchar(100)		X	
	HL7_FORMAT	nvarchar(4000)		X	
	HL7_SEND	nvarchar(1)		X	'N'
	LINK_DOWN	nvarchar(1)		X	
	ALLERGIES	nvarchar(100)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	IS_DELETED	nvarchar(1)		X	
	IS_UPDATED	nvarchar(1)		X	
	Picture	image		X	
	IS_JOHNDOE	nvarchar(1)		X	
	IS_PREGNANT	nvarchar(1)		X	'N'
	IS_FOREIGNER	nvarchar(1)		X	
	HIS_HN	nvarchar(30)		X	
	EXT_HN	nvarchar(30)		X	
	PatientIdentificationLabel	nvarchar(30)		X	

	PatientIdentificationDetail	nvarchar(300)		X	
	PATIENT_ID_LABEL	nvarchar(30)		X	
	PATIENT_ID_DETAIL	nvarchar(500)		X	

Table dbo.HR_EMP

	Column	Data Type	Identity	Nullable	Default
PK	EMP_ID	int	X		
	EMP_UID	nvarchar(50)		X	
	USER_NAME	nvarchar(50)		X	
	SECURITY_QUESTION	nvarchar(300)		X	
	SECURITY_ANSWER	nvarchar(300)		X	
	PWD	nvarchar(40)		X	
	UNIT_ID	int		X	
	JOBTITLE_ID	int		X	
	JOB_TYPE	nvarchar(1)		X	
<i>'D' for doctor,'N' for nurse,'O' for operator,'T' for Technologist</i>					
	IS_RADIOLOGIST	nvarchar(1)		X	N'N'
	SALUTATION	nvarchar(20)		X	
	FNAME	nvarchar(50)		X	
	MNAME	nvarchar(50)		X	
	LNAME	nvarchar(50)		X	
	TITLE_ENG	nvarchar(20)		X	
	FNAME_ENG	nvarchar(50)		X	
	MNAME_ENG	nvarchar(50)		X	
	LNAME_ENG	nvarchar(50)		X	
	GENDER	nvarchar(1)		X	
	EMAIL_PERSONAL	nvarchar(100)		X	
	EMAIL_OFFICIAL	nvarchar(100)		X	
	PHONE_HOME	nvarchar(30)		X	
	PHONE_MOBILE	nvarchar(30)		X	
	PHONE_OFFICE	nvarchar(30)		X	
	PREFERRED_PHONE	nvarchar(1)		X	
	PABX_EXT	int		X	
	FAX_NO	nvarchar(25)		X	
	DOB	datetime		X	
	BLOOD_GROUP	nvarchar(3)		X	
	DEFAULT_LANG	int		X	
	RELIGION	int		X	
	PE_ADDR1	nvarchar(100)		X	
	PE_ADDR2	nvarchar(100)		X	
	PE_ADDR3	nvarchar(100)		X	
	PE_ADDR4	nvarchar(100)		X	
	AUTH_LEVEL_ID	int		X	
	REPORTING_TO	int		X	
	ALLOW_OTHERS_TO_FINALIZE	nvarchar(1)		X	
	LAST_PWD_MODIFIED	datetime		X	
	LAST_LOGIN	datetime		X	
	CARD_NO	nvarchar(50)		X	
	PLACE_OF_BIRTH	nvarchar(10)		X	
	NATIONALITY	nvarchar(50)		X	
	M_STATUS	nvarchar(1)		X	
	IS_ACTIVE	nvarchar(1)		X	
	SUPPORT_USER	nvarchar(1)		X	
	CAN_KILL_SESSION	nvarchar(1)		X	
	DEFAULT_SHIFT_NO	int		X	
	IMG_FILE_NAME	nvarchar(100)		X	
	EMP_REPORT_FOOTER1	nvarchar(100)		X	
	EMP_REPORT_FOOTER2	nvarchar(100)		X	
	ALLPROPERTIES	varbinary(256)		X	
	VISIBLE	bit		X	
	ORG_ID	int		X	

	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	IS_RESIDENT	nvarchar(1)		X	
	CAN_EXCEED_SCHEDULE	nvarchar(1)		X	'N'
	IS_FELLOW	nvarchar(1)		X	N'N'
	IS_NURSE	nvarchar(1)		X	
	IS_TECHNOLOGIST	nvarchar(1)		X	
	ALIAS_NAME	nvarchar(100)		X	

Table dbo.HR_EMPTITLE

	Column	Data Type	Identity	Nullable	Default
PK	TITLE_ID	int	X		
	TITLE_DESC	nvarchar(100)		X	
	TITLE_DESC_ENG	nvarchar(100)		X	
	SL_NO	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.HR_JOBTITLE

	Column	Data Type	Identity	Nullable	Default
PK	JOB_TITLE_ID	int	X		
	JOB_TITLE_UID	nvarchar(30)		X	
	JOB_TITLE_DESC	nvarchar(300)		X	
	IS_ACTIVE	nchar(10)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	SL_NO	tinyint		X	
	JOB_TITLE_TAG	nvarchar(30)		X	

Table dbo.HR_OCCUPATION

	Column	Data Type	Identity	Nullable	Default
PK	OCCUPATION_ID	int	X		
	OCCUPATION_UID	nvarchar(50)		X	
	OCCUPATION_DESC	nvarchar(200)		X	
	ORG_ID	int		X	
	CREATED_BY	nvarchar(30)		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	nvarchar(30)		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.HR_ROOM

	Column	Data Type	Identity	Nullable	Default
PK	ROOM_ID	int	X		
	ROOM_UID	nvarchar(30)		X	
	IS_ACTIVE	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.HR_UNIT

	Column	Data Type	Identity	Nullable	Default
PK	UNIT_ID	int	X		
	UNIT_UID	nvarchar(30)		X	
	UNIT_ID_PARENT	int		X	
	UNIT_NAME	nvarchar(100)		X	
	UNIT_NAME_ALIAS	nvarchar(100)		X	
	PHONE_NO	nvarchar(50)		X	
	DESCR	nvarchar(500)		X	
	UNIT_ALIAS	nvarchar(30)		X	
	UNIT_TYPE	nvarchar(1)		X	
	<i>S = SYSTEM UNIT</i>				
	UNIT_INS	nvarchar(4000)		X	
	IS_EXTERNAL	nvarchar(1)		X	
	LOC	nvarchar(100)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	getdate()
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	ORG_ID	int		X	
	IS_DELETED	nvarchar(1)		X	
	LOC_ALIAS	nvarchar(30)		X	
	UNIT_PARENT_NAME	nvarchar(300)		X	

Table dbo.MIS_ASESSMENTTYPE

	Column	Data Type	Identity	Nullable	Default
PK	ASESSMENT_TYPE_ID	int	X		
	ASESSMENT_TYPE_UID	nvarchar(30)		X	
	ASESSMENT_TYPE_DESC	nvarchar(300)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.MIS_BIOPSYRESULT

	Column	Data Type	Identity	Nullable	Default
PK	ACCESSION_NO	nvarchar(30)			
	RESULT_DT	datetime		X	
	RADIOLOGIST_ID	int		X	
	LOC_NO_R	nvarchar(3)		X	
	LOC_NO_L	nvarchar(3)		X	
	TISSUE_TYPE	nvarchar(1)		X	NULL
	DEPTH_TYPE_R	nvarchar(1)		X	NULL
	DEPTH_TYPE_L	nvarchar(1)		X	NULL
	WIDTH	nvarchar(20)		X	
	LENGTH	nvarchar(20)		X	
	DEPTH	nvarchar(20)		X	
	PROCEDURE_TYPE	nvarchar(1)		X	N'B'
	NO_OF_CORE	tinyint		X	
	CALCIUM_PCS	tinyint		X	
	IS_SATISFACTORY	nvarchar(1)		X	NULL
	IS_SURGERY	nvarchar(1)		X	NULL
	COMMENTS	nvarchar(450)		X	NULL
	IS_PALPABLE	nvarchar(1)		X	NULL
	LESION_TYPE_ID	int		X	
	ASESSMENT_TYPE_ID	int		X	
	TECHNIQUE_TYPE_ID	int		X	
	LAB_DATA	nvarchar(500)		X	NULL
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
PK	BIOPSY_RESULT_ID	tinyint			

Table dbo.MIS_LESIONTYPE

	Column	Data Type	Identity	Nullable	Default
PK	LESION_TYPE_ID	int	X		
	LESION_TYPE_UID	nvarchar(30)		X	
	LESION_TYPE_DESC	nvarchar(300)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.MIS_TECHNIQUETYPE

	Column	Data Type	Identity	Nullable	Default
PK	TECHNIQUE_TYPE_ID	int	X		
	TECHNIQUE_TYPE_UID	nvarchar(30)		X	
	TECHNIQUE_TYPE_DESC	nvarchar(300)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.MWL_LOGS

	Column	Data Type	Identity	Nullable	Default
PK	MWL_ID	int	X		
	CREATED_ON	datetime		X	
	MODALITY	nvarchar(30)		X	
	ACCESSION_NO	nvarchar(30)		X	
	FROMDATE	nvarchar(30)		X	
	TODATE	nvarchar(30)		X	
	HN	nvarchar(30)		X	
	LOCATION	nvarchar(100)		X	

Table dbo.MWLDTL_LOGS

	Column	Data Type	Identity	Nullable	Default
	MWL_ID	int			
	REG_ID	int		X	
	ORDER_DT	datetime		X	
	EXAM_UID	nvarchar(50)		X	
	EXAM_NAME	nvarchar(500)		X	
	ACCESSION_NO	nvarchar(50)		X	
	MODALITY_UID	nvarchar(50)		X	
	ORDER_ID	int		X	

Table dbo.OLAP_ORDER

	Column	Data Type	Identity	Nullable	Default
PK	OLAP_ORDER_ID	int	X		
	YEAR	int		X	
	MONTH	int		X	
	DAY	int		X	
	HOURL	int		X	
	ORDER_ID	int		X	
	ORDER_DT	datetime		X	
	ENC_TYPE	nvarchar(1000)		X	
	PRIORITY	nvarchar(100)		X	
	STATUS	nvarchar(100)		X	
	ACCESSION_NO	nvarchar(100)		X	
	RATE	numeric(30,2)		X	
	QTY	tinyint		X	
	GROSS_INCOME	numeric(30,2)		X	
	ORDERING_DEPARTMENT	nvarchar(1000)		X	
	ORDERING_DEPARTMENT_ALIAS	nvarchar(1000)		X	
	ORDERING_PHYSICIAN	nvarchar(1000)		X	
	RADIOLOGIST	nvarchar(1000)		X	
	PAT_DEST_UID	nvarchar(1000)		X	
	SEVERITY_NAME	nvarchar(100)		X	
	HN	nvarchar(100)		X	
	NAME	nvarchar(1000)		X	
	EXAM_UID	nvarchar(100)		X	
	EXAM_NAME	nvarchar(1000)		X	
	EXAM_TYPE	nvarchar(100)		X	
	SERVICE_TYPE	nvarchar(100)		X	
	MODALITY_NAME	nvarchar(100)		X	
	MODALITY_TYPE	nvarchar(100)		X	
	CLINIC_TYPE	nvarchar(100)		X	
	IS_SCHEDULE	nvarchar(1)		X	
	IS_REQONLINE	nvarchar(1)		X	
	IS_NOTIFY_ADMIN_WL	nvarchar(1)		X	
	STATUS_TRAN	nvarchar(30)		X	
	ASSIGNED_TO	nvarchar(200)		X	
	AGE	int		X	
	AGE_TEXT	nvarchar(30)		X	
	CLINICAL_INSTRUCTION	nvarchar(2000)		X	
	GENDER	nvarchar(10)		X	
	PATIENT_NAME	nvarchar(300)		X	
	REQUEST_DATETIME	datetime		X	
	COMPLETE_DATETIME	datetime		X	
	PRELIM_DATETIME	datetime		X	
	FINALIZE_DATETIME	datetime		X	
	DIFF_COMPLETE_REQUEST	int		X	
	DIFF_PRELIM_COMPLETE	int		X	
	DIFF_FINALIZE_COMPLETE	int		X	
	PRELIM_BY_NAME	nvarchar(1000)		X	
	FINALIZE_BY_NAME	nvarchar(1000)		X	
	JOB_TITLE	nvarchar(100)		X	

Table dbo.OLAP_ORDER_DELETED

	Column	Data Type	Identity	Nullable	Default
PK	OLAP_ORDER_ID	int	X		
	YEAR	int		X	
	MONTH	int		X	
	DAY	int		X	
	HOURL	int		X	
	ORDER_ID	int		X	
	ORDER_DT	datetime		X	
	ENC_TYPE	nvarchar(1000)		X	
	PRIORITY	nvarchar(100)		X	
	STATUS	nvarchar(100)		X	
	ACCESSION_NO	nvarchar(100)		X	
	RATE	numeric(30,2)		X	
	QTY	tinyint		X	
	GROSS_INCOME	numeric(30,2)		X	
	ORDERING_DEPARTMENT	nvarchar(1000)		X	
	ORDERING_DEPARTMENT_ALIAS	nvarchar(1000)		X	
	ORDERING_PHYSICIAN	nvarchar(1000)		X	
	RADIOLOGIST	nvarchar(1000)		X	
	PAT_DEST_UID	nvarchar(1000)		X	
	SEVERITY_NAME	nvarchar(100)		X	
	HN	nvarchar(100)		X	
	NAME	nvarchar(1000)		X	
	EXAM_UID	nvarchar(100)		X	
	EXAM_NAME	nvarchar(1000)		X	
	EXAM_TYPE	nvarchar(100)		X	
	SERVICE_TYPE	nvarchar(100)		X	
	MODALITY_NAME	nvarchar(100)		X	
	MODALITY_TYPE	nvarchar(100)		X	
	CLINIC_TYPE	nvarchar(100)		X	
	IS_SCHEDULE	nvarchar(1)		X	
	IS_REQONLINE	nvarchar(1)		X	
	IS_NOTIFY_ADMIN_WL	nvarchar(1)		X	
	STATUS_TRAN	nvarchar(30)		X	
	ASSIGNED_TO	nvarchar(200)		X	
	AGE	int		X	
	AGE_TEXT	nvarchar(30)		X	
	CLINICAL_INSTRUCTION	nvarchar(2000)		X	
	GENDER	nvarchar(10)		X	
	PATIENT_NAME	nvarchar(300)		X	
	REQUEST_DATETIME	datetime		X	
	COMPLETE_DATETIME	datetime		X	
	PRELIM_DATETIME	datetime		X	
	FINALIZE_DATETIME	datetime		X	
	DIFF_COMPLETE_REQUEST	int		X	
	DIFF_PRELIM_COMPLETE	int		X	
	DIFF_FINALIZE_COMPLETE	int		X	
	PRELIM_BY_NAME	nvarchar(1000)		X	
	FINALIZE_BY_NAME	nvarchar(1000)		X	
	JOB_TITLE	nvarchar(100)		X	

Table dbo.ONL_FILTERDESTINATION

	Column	Data Type	Identity	Nullable	Default
PK	UNIT_ID	int			
PK	CLINIC_TYPE_ID	int			
PK	PAT_DEST_ID	int			
	REMARK	nvarchar(3000)		X	

Table dbo.ONL_HISLINKLOG

	Column	Data Type	Identity	Nullable	Default
PK	LINK_ID	int	X		
	HIS_URL	nvarchar(max)		X	
	HN	nvarchar(50)		X	
	USER_NAME	nvarchar(50)		X	
	UNIT	nvarchar(500)		X	
	CLINIC	nvarchar(500)		X	
	INSR	nvarchar(500)		X	
	ROLE	nvarchar(50)		X	
	ENC	nvarchar(500)		X	
	FORM	nvarchar(50)		X	
	CREATED_ON	datetime		X	
	LOG_DESC	nvarchar(100)		X	
	BROWSER_TYPE	nvarchar(100)		X	
	USER_HOST_ADDRESS	nvarchar(100)		X	
	ACCESSION_NO	nvarchar(30)		X	
	ZEUS_NO	nvarchar(30)		X	

Table dbo.ONL_SEARCHMATCH

	Column	Data Type	Identity	Nullable	Default
PK	SEARCH_MATCH_ID	int	X		
	MATCH_EXAMTYPE	int		X	
	MATCH_TEXT	nvarchar(300)		X	

Table dbo.RIS_ASSESSMENT

	Column	Data Type	Identity	Nullable	Default
PK	ASSESSMENT_ID	int	X		
	ASSESSMENT_UID	nvarchar(30)		X	
	ASSESSMENT_DESC	nvarchar(100)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_AUTHLEVEL

	Column	Data Type	Identity	Nullable	Default
PK	AUTH_LEVEL_ID	int	X		
	AUTH_LEVEL_UID	nvarchar(30)		X	
	AUTH_LEVEL_DESC	nvarchar(300)		X	
	AUTH_LEVEL_SL	tinyint		X	
	AUTH_LEVEL_TEXT	nvarchar(500)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_AUTOMERGECONFIG

	Column	Data Type	Identity	Nullable	Default
PK	AUTO_MERGE_ID	int	X		
	merger_unit_id	int			
	merger_exam_id	int			
	mergee_unit_id	int			
	mergee_exam_id	int			
	AUTO_APPLY	nvarchar(1)			N'Y'
	CONFIG_NAME	nvarchar(200)		X	
	IS_ACTIVE	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_BILLINGLOG

	Column	Data Type	Identity	Nullable	Default
PK	BILLING_LOG_ID	int	X		
	BILLING_MSG	nvarchar(max)		X	
	BILLING_ACK_MSG	nvarchar(100)		X	
	BILLING_TYPE	nvarchar(20)		X	
	RQID	nvarchar(30)		X	
	HN	nvarchar(30)		X	
	ACCESSION_NO	nvarchar(50)			
	AN	nvarchar(50)		X	
	ISEQ	nvarchar(50)		X	
	Dept_Code	nvarchar(50)		X	
	Date	nvarchar(50)		X	
	Sem	nvarchar(50)		X	
	Status	nvarchar(50)		X	
	Exam_code	nvarchar(50)		X	
	Qty	nvarchar(50)		X	
	Price	nvarchar(50)		X	
	Amt	nvarchar(50)		X	
	Ord_by	nvarchar(50)		X	
	OPID1	nvarchar(50)		X	
	OPID2	nvarchar(50)		X	
	OPID3	nvarchar(50)		X	
	OPID4	nvarchar(50)		X	
	Ord_Date	nvarchar(50)		X	
	Ord_Time	nvarchar(50)		X	
	MSType	nvarchar(50)		X	
	SacType	nvarchar(50)		X	
	Class	nvarchar(50)		X	
	Policy_id	nvarchar(50)		X	
	Sv_DeptCode	nvarchar(50)		X	
	ID	nvarchar(50)		X	
	RegisterBy	nvarchar(50)		X	
	PriceType	nvarchar(50)		X	
	Enc_type	nvarchar(50)		X	

Table dbo.RIS BILLINGLOG WITH HIS

	Column	Data Type	Identity	Nullable	Default
	SOURCE_FROM	nvarchar(30)		X	
	ORDER_ID	int			
	EXAM_ID	int			
	object_id	nvarchar(50)		X	
	enc_id	nvarchar(50)		X	
	enc_type	nvarchar(50)		X	
	mrn	nvarchar(50)		X	
	mrn_type	nvarchar(2)		X	
	sdloc_id	nvarchar(50)		X	
	period	nvarchar(50)		X	
	attender	nvarchar(50)		X	
	enterer	nvarchar(50)		X	
	insurance	nvarchar(50)		X	
	pt_acc_id	nvarchar(50)		X	
	effectivestartdate	datetime		X	
	effectiveenddate	datetime		X	
	statuscode	nvarchar(50)		X	
	productcode	nvarchar(30)		X	
	clinictype	nvarchar(10)		X	
	pricetype	nvarchar(10)		X	
	amtprice	numeric(18,2)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	

Table dbo.RIS BILLINGLOG WITH HIS ERRORCLINIC

	Column	Data Type	Identity	Nullable	Default
PK	BILLINGLOG_ID	int	X		
	UNIT_UID	nvarchar(30)		X	
	CLINIC_TYPE_ALIAS	nvarchar(10)		X	
	EXAM_UID	nvarchar(30)		X	
	HN	nvarchar(30)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	

Table dbo.RIS_BILLINGLOGDTL_BY_HIS

	Column	Data Type	Identity	Nullable	Default
	object_id	nvarchar(50)		X	
	enc_id	nvarchar(50)		X	
	enc_type	nvarchar(50)		X	
	mrn	nvarchar(50)		X	
	mrn_type	nvarchar(2)		X	
	sdloc_id	nvarchar(50)		X	
	period	nvarchar(50)		X	
	attender	nvarchar(50)		X	
	enterer	nvarchar(50)		X	
	insurance	nvarchar(50)		X	
	pt_acc_id	nvarchar(50)		X	
	effectivestartdate	datetime		X	
	effectiveenddate	datetime		X	
	statuscode	nvarchar(50)		X	
	productcode	nvarchar(30)		X	
	clnictype	nvarchar(10)		X	
	pricetype	nvarchar(10)		X	
	amtprice	numeric(18,2)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	

Table dbo.RIS_BILLINGTRANSACTIONLOG

	Column	Data Type	Identity	Nullable	Default
PK	ACCESSION_NO	nvarchar(50)			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_BILLINGTRANSACTIONLOG_AUDIT

	Column	Data Type	Identity	Nullable	Default
	PAY_AUDIT_ID	int	X		
	PAY_START	datetime			
	CREATED_ON	datetime		X	
	CREATED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	

Table dbo.RIS_BILLINGTRANSACTIONLOGDTL

	Column	Data Type	Identity	Nullable	Default
PK	BILL_LOG_ID	int	X		
PK	ACCESSION_NO	nvarchar(50)			
	BILLING_MSG	nvarchar(max)			
	BILLING_ACK_MSG	nvarchar(100)			
	HN	nvarchar(50)		X	
	AN	nvarchar(50)		X	
	ISEQ	nchar(50)		X	
	UNIT_UID	nchar(50)		X	
	ORDER_DT	datetime		X	
	EXAM_UID	nvarchar(50)		X	
	QTY	int		X	
	RATE	decimal(18,2)		X	
	AMOUNT	decimal(18,2)		X	
	HR_UNIT	nvarchar(50)		X	
	MSG_TYPE	nvarchar(5)		X	
	CLINIC_TYPE	nvarchar(50)		X	
	INSURANCE_TYPE_UID	nvarchar(50)		X	
	HR_EMP	nvarchar(50)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	BILLING_TYPE	nvarchar(20)			
	ENC_ID	nvarchar(100)		X	
	ENC_TYPE	nvarchar(10)		X	

Table dbo.RIS_BODYPART

	Column	Data Type	Identity	Nullable	Default
PK	BP_ID	int	X		
	BP_UID	nvarchar(30)		X	
	BP_DESC	nvarchar(50)		X	
	SHORT_NAME	nvarchar(6)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_BPVIEW

	Column	Data Type	Identity	Nullable	Default
PK	BPVIEW_ID	int	X		
	BPVIEW_UID	nvarchar(30)		X	
	BPVIEW_NAME	nvarchar(30)		X	
	BPVIEW_DESC	nvarchar(50)		X	
	NO_OF_EXAM	tinyint		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_BPVIEWMAPPING

	Column	Data Type	Identity	Nullable	Default
PK	EXAM_ID	int			
PK	BPVIEW_ID	int			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	NEED_DETAIL	nvarchar(1)		X	
	SL_NO	tinyint		X	

Table dbo.RIS_CLINICALINDICATION

	Column	Data Type	Identity	Nullable	Default
PK	CI_ID	int	X		
	CI_UID	nvarchar(30)		X	
	CI_DESC	nvarchar(300)		X	
	CI_LEVEL	tinyint		X	
	CI_PARENT	int		X	
	ORG_ID	int			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	IS_USER_DEFINED	nvarchar(1)		X	
	SL_NO	int		X	
	NEED_DETAIL	nvarchar(1)		X	'N'
	NEED_DETAILLIST	nvarchar(1)		X	'N'
	IS_ACTIVE	nvarchar(1)		X	

Table dbo.RIS_CLINICALINDICATION_WITH_UNIT

	Column	Data Type	Identity	Nullable	Default
PK	CI_UNIT_ID	int	X		
	CI_ID	int			
	UNIT_ID	int			
	ORG_ID	int			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_CLINICALINDICATIONCHECKUPLIST

	Column	Data Type	Identity	Nullable	Default
PK	CHECKLIST_ID	int	X		
	CHECKLIST_UID	nvarchar(30)		X	
	CHECKLIST_DESC	nvarchar(1000)		X	
	ORG_ID	int		X	
	CRAETED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_CLINICALINDICATIONFAVORITES

	Column	Data Type	Identity	Nullable	Default
PK	CI_FAV_ID	int	X		
	CI_ID	int			
	EMP_ID	int			
	ORG_ID	int			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_CLINICALINDICATIONLASTVISIT

	Column	Data Type	Identity	Nullable	Default
PK	CI_LASTVISIT_ID	int	X		
	CI_TYPE_ID	int			
	CI_ID	int			
	EMP_ID	int			
	ORG_ID	int			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_CLINICALINDICATIONTYPE

	Column	Data Type	Identity	Nullable	Default
PK	CI_TYPE_ID	int	X		
	CI_UID	nvarchar(50)		X	
	CI_DESC	nvarchar(300)		X	
	PARENT_ID	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	LEVEL	int		X	
	SL_NO	int		X	
	NEED_DETAIL	nvarchar(1)		X	'N'
	NEED_DETAILLIST	nvarchar(1)		X	'N'
	DEFAULT_TEXT	nvarchar(300)		X	"
	IS_ACTIVE	nvarchar(1)		X	
	IS_USER_DEFINED	nvarchar(1)		X	

Table dbo.RIS_CLINICALINDICATIONTYPEFAVORITES

	Column	Data Type	Identity	Nullable	Default
PK	CI_TYPE_FAV_ID	int	X		
	CI_TYPE_ID	int			
	EMP_ID	int			
	ORG_ID	int			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_CLINICSESSION

	Column	Data Type	Identity	Nullable	Default
PK	SESSION_ID	int	X		
	SESSION_UID	nvarchar(30)		X	
	SESSION_NAME	nvarchar(300)		X	
	CLINIC_TYPE_ID	int		X	
	START_TIME	datetime		X	
	END_TIME	datetime		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	SL_NO	tinyint		X	
	IS_ACTIVE	nvarchar(1)		X	
	SESSION_NAME_ALIAS	nvarchar(50)		X	
	SHOW_ONLINE	nvarchar(1)		X	N'N'

Table dbo.RIS_CLINICSESSIONONLINE

	Column	Data Type	Identity	Nullable	Default
PK	SESSION_ID	int			
PK	MODALITY_ID	int			
PK	WEEKDAY	tinyint			
	CLINIC_TYPE_ID	int		X	
	START_TIME	datetime		X	
	END_TIME	datetime		X	
	ORG_ID	int		X	1
	SL_NO	tinyint		X	
	IS_ACTIVE	nvarchar(1)		X	N'Y'
PK	IS_CHILDREN	nvarchar(1)			N'N'
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_CLINICTYPE

	Column	Data Type	Identity	Nullable	Default
PK	CLINIC_TYPE_ID	int	X		
	CLINIC_TYPE_UID	nvarchar(30)		X	
	CLINIC_TYPE_TEXT	nvarchar(200)		X	
	IS_DEFAULT	nvarchar(1)		X	
	IS_ACTIVE	nvarchar(1)		X	
	RATE_INCREASE	numeric(5,2)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	ORG_ID	int		X	
	SL_NO	int		X	
	CLINIC_TYPE_ALIAS	nvarchar(10)		X	

Table dbo.RIS_COMMENTSONPATIENT

	Column	Data Type	Identity	Nullable	Default
PK	COMMENT_ID	int	X		
	PARENT_ID	int		X	
	REG_ID	int			
	SCHEDULE_ID	int		X	
	ORDER_ID	int		X	
	COMMENT_DT	datetime		X	
	COMMENT_FROM	int		X	
	COMMENT_SUBJECT	nvarchar(500)		X	
	COMMENT_BODY	nvarchar(max)		X	
	COMMENT_STATUS	nvarchar(1)		X	
	COMMENT_PRIORITY	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	IS_RISK	nvarchar(1)		X	N'N'
	IS_POPUP	nvarchar(1)		X	N'N'
	POP_USER	nvarchar(1)		X	N'T'
	POP_TIME	tinyint		X	1

Table dbo.RIS_COMMENTSONPATIENTDTL

	Column	Data Type	Identity	Nullable	Default
PK	COMMENT_ID	int			
PK	SL_NO	int			
	EXAM_ID	int		X	
	COMMENT_TO	int		X	
	IS_DELETED	nvarchar(1)		X	
	IS_TRASHED	nvarchar(1)		X	
	RECIPIENT_TYPE	nvarchar(1)		X	NULL
	ACK_ON	datetime		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_COMMENTS

	Column	Data Type	Identity	Nullable	Default
PK	COMMENT_ID	int	X		
	SENDER_ID	int			
	MSG_TEXT	nvarchar(3000)		X	
	MSG_STATUS	nvarchar(50)		X	
	SCHEDULE_ID	int		X	
	ORDER_ID	int		X	
	XRAYREQ_ID	int		X	
	EXAM_ID	int		X	
	ACCESSION_NO	nvarchar(30)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	

Table dbo.RIS_COMMENTS**SYSTEM_GROUP**

	Column	Data Type	Identity	Nullable	Default
PK	GROUP_ID	int	X		
	GROUP_NAME	nvarchar(200)		X	
	GROUP_DESC	nvarchar(500)		X	
	GROUP_TAG	nvarchar(50)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFEID_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	IS_DEFAULT	nvarchar(1)		X	

Table dbo.RIS_COMMENTSSYSTEM_GROUPDTL

	Column	Data Type	Identity	Nullable	Default
PK	GROUPDTL_ID	int	X		
	GROUP_ID	int			
	EMP_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_COMMENTSSYSTEMALERT

	Column	Data Type	Identity	Nullable	Default
PK	COMMENTALERT_ID	int	X		
	COMMENT_ID	int			
	READER_ID	int			
	ACCESSION_NO	nvarchar(30)		X	
	ORDER_ID	int		X	
	SCHEDULE_ID	int		X	
	XRAYREQ_ID	int		X	
	EXAM_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	

Table dbo.RIS_COMMENTSSYSTEMDTL

	Column	Data Type	Identity	Nullable	Default
PK	COMMENTDTL_ID	int	X		
	COMMENT_ID	int			
	READER_ID	int			
	ACCESSION_NO	nvarchar(30)		X	
	ORDER_ID	int		X	
	SCHEDULE_ID	int		X	
	XRAYREQ_ID	int		X	
	EXAM_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	

Table dbo.RIS_CONFLICTEXAMDTL

	Column	Data Type	Identity	Nullable	Default
PK	CONFLICTEXAM_ID	int			
PK	EXAM_ID	int			
	SL_NO	tinyint		X	
	DURATION_MIN_BEFORE	tinyint		X	
	DURATION_MIN_AFTER	tinyint		X	
	IS_DELETED	nvarchar(1)		X	
	IS_UPDATED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	nvarchar(30)		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	nvarchar(30)		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_CONFLICTEXAMGROUP

	Column	Data Type	Identity	Nullable	Default
PK	CONFLICTEXAM_ID	int	X		
	GROUP_NO	smallint		X	
	MEMBER_COUNT	tinyint		X	
	EXAM_ID	int			
	IS_SEQUENTIAL	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	IS_UPDATED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	nvarchar(30)		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	nvarchar(30)		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_CONSUMABLETYPE

	Column	Data Type	Identity	Nullable	Default
PK	CONS_TYPE_ID	int	X		
	CONS_TYPE_UID	nvarchar(30)		X	
	CONS_TYPE_DESC	nvarchar(200)		X	
	IS_ACTIVE	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_ENVISIONONLINEPARAMETERSLOG

	Column	Data Type	Identity	Nullable	Default
PK	LOG_ID	int	X		
	IP	nvarchar(50)		X	
	CLIENT_ACCESS_DATETIME	datetime		X	
	URL	nvarchar(300)		X	
	HN	nvarchar(30)		X	
	USER_NAME	nvarchar(30)		X	
	CLINIC	nvarchar(30)		X	
	UNIT_UID	nvarchar(30)		X	
	INSURANCE_TYPE_UID	nvarchar(30)		X	
	ROLE	nvarchar(1)		X	
	ENC_TYPE	nvarchar(10)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAM

	Column	Data Type	Identity	Nullable	Default
PK	EXAM_ID	int	X		
	EXAM_UID	nvarchar(30)		X	
	GOVT_ID	nvarchar(30)		X	
	EXAM_NAME	nvarchar(300)			
	REPORT_HEADER	nvarchar(300)		X	
	REQ_SAMPLE	nvarchar(20)		X	
	RATE	numeric(13,2)		X	
	GOVT_RATE	numeric(7,2)		X	
	EXAM_TYPE	int		X	
	SERVICE_TYPE	nvarchar(2)			
	CLAIMABLE_AMT	numeric(7,2)		X	
	NONCLAIMABLE_AMT	numeric(7,2)		X	
	FREE_AMT	numeric(7,2)		X	
	SPECIAL_CLINIC	nvarchar(1)		X	
	SPECIAL_RATE	numeric(18,2)		X	
	VAT_APPLICABLE	nvarchar(1)		X	
	VAT_RATE	numeric(7,2)		X	
	UNIT_ID	int		X	
	REV_HEAD_ID	int		X	
	IS_ACTIVE	nvarchar(1)		X	
	AVG_REQ_HRS	numeric(7,2)		X	
	MIN_REQ_HRS	numeric(7,2)		X	
	COST_PRICE	numeric(7,2)		X	
	RELEASE_AUTH_LEVEL	tinyint		X	
	FINALIZE_AUTH_LEVEL	tinyint		X	
	PREPARATION_FLAG	nvarchar(1)		X	
	PREPARATION_TAT	numeric(7,2)		X	
	REPEAT_FLAG	nvarchar(1)		X	
	ICD_ID	int		X	
	ACR_ID	int		X	
	CPT_ID	int		X	
	DEF_CAPTURE	tinyint		X	1
	DEF_IMAGES	tinyint		X	
	IS_STRUCTURED_REPORT	nvarchar(1)		X	'N'
	QA_REQUIRED	nvarchar(1)		X	'Y'
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	nvarchar(30)		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	nvarchar(30)		X	
	LAST_MODIFIED_ON	datetime		X	
	BP_ID	int		X	
	STAT_POSSIBLE	bit		X	
	STAT_TAT_MIN	tinyint		X	
	URGENT_POSSIBLE	bit		X	
	URGENT_TAT_MIN	tinyint		X	
	DEFER_HIS_RECONCILE	nvarchar(1)		X	N'N'
	IS_CHECKUP	nvarchar(1)		X	N'N'
	VIP_RATE	numeric(18,2)		X	
	DF_RAD	numeric(15,2)		X	
	DF_TECH	numeric(15,2)		X	
	EXAM_BARCODE	nvarchar(150)		X	
	CAN_REQONLINE	nvarchar(1)		X	
	AVG_REQ_MIN	int		X	

IS_BIRAD_REPORT	nvarchar(1)		X	
NEED_SCHEDULE	nvarchar(1)		X	
NEED_APPROVE	nvarchar(1)		X	'N'
NEED_SIDE	nvarchar(1)		X	
IS_CONSULT_CASE	nvarchar(1)		X	N'N'
IS_PORTABLE	nvarchar(1)		X	'N'
IS_COMMENTS	nvarchar(1)		X	
FOREIGN_RATE	numeric(18,2)		X	
BPVIEW_ID	int		X	
VISIBLE_REQONLINE	nvarchar(1)		X	
REQONL_DISPLAY	nvarchar(300)		X	
BILLING_CODE	nvarchar(30)		X	
FOREIGN_SPICAL_RATE	numeric(18,2)		X	
FOREIGN_VIP_RATE	numeric(18,2)		X	

Table dbo.RIS_EXAMDF

	Column	Data Type	Identity	Nullable	Default
PK	EXAM_DF_ID	int	X		
	EXAM_ID	int		X	
	SL_NO	tinyint		X	
	JOB_TYPE	nvarchar(1)		X	
	CLINIC_TYPE	nvarchar(1)		X	
	DF	numeric(11,2)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_UPDATED_BY	int		X	
	LAST_UPDATED_ON	datetime		X	
	IS_DELETED	nvarchar(1)		X	
	IS_ACTIVE	nvarchar(1)		X	

Table dbo.RIS_EXAMDTL

	Column	Data Type	Identity	Nullable	Default
	product_id	nvarchar(30)		X	
	product_name	nvarchar(500)		X	
	speciment_id	nvarchar(30)		X	
	unit	nvarchar(50)		X	
	preformunit	nvarchar(50)		X	
	price_type	nvarchar(50)		X	
	price_name	nvarchar(50)		X	
	total_amt	numeric(18,2)		X	
	effective_start_date	datetime		X	
	effective_end_date	datetime		X	

Table dbo.RIS_EXAMFAVORITES

	Column	Data Type	Identity	Nullable	Default
PK	EXAM_ID	int			
PK	EMP_ID	int			
	SL_NO	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMINSTRUCTIONCLINICSESSION

	Column	Data Type	Identity	Nullable	Default
PK	INS_ID	int	X		
	EXAM_ID	int			
	SESSION_ID	int			
	INS_UID	nvarchar(30)		X	
	INS_TEXT	nvarchar(4000)		X	
	INS_TEXT_KID	nvarchar(4000)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMINSTRUCTIONS

	Column	Data Type	Identity	Nullable	Default
PK	INS_ID	int	X		
	EXAM_TYPE_ID	int		X	
	EXAM_ID	int		X	
	INS_UID	nvarchar(30)		X	
	INS_TEXT	nvarchar(4000)		X	
	INHERIT_GROUP	nvarchar(1)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	INS_NAV	nvarchar(4000)		X	

Table dbo.RIS_EXAMINSTRUCTIONS_NEW

	Column	Data Type	Identity	Nullable	Default
PK	INS_ID	int	X		
	EXAM_ID	int		X	
	INS_UID	nvarchar(30)		X	
	INS_TEXT	nvarchar(max)		X	
	INS_KID_TEXT	nvarchar(max)		X	
	INHERIT_GROUP	nvarchar(1)		X	
	LANG_ID	int		X	
	CLINIC_TYPE_ID	int		X	
	SESSION_ID	int		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMINSTRUCTIONSLOG

	Column	Data Type	Identity	Nullable	Default
PK	LOG_ID	int	X		
	EFFECTIVE_DT	datetime			
	START_LSN	binary(10)			
	SEQVAL	binary(10)			
	OPERATION	int			
	UPDATE_MASK	varbinary(128)			
	INS_ID	int			
	EXAM_TYPE_ID	int		X	
	EXAM_ID	int		X	
	INS_UID	nvarchar(30)		X	
	INS_TEXT	nvarchar(4000)		X	
	INHERIT_GROUP	nvarchar(1)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMINSTRUCTIONSLOGCAPTURE

	Column	Data Type	Identity	Nullable	Default
PK	CAPTURE_ID	int	X		
	START_TIME	datetime			
	MIN_LSN	binary(10)			
	MAX_LSN	binary(10)			
	END_TIME	datetime			
	INSERT_COUNT	int			
	UPDATE_COUNT	int			
	DELETE_COUNT	int			
	STATUS_CODE	int			

Table dbo.RIS_EXAMLOG

	Column	Data Type	Identity	Nullable	Default
PK	LOG_ID	int	X		
	EFFECTIVE_DT	datetime			
	START_LSN	binary(10)			
	SEQVAL	binary(10)			
	OPERATION	int			
	UPDATE_MASK	varbinary(128)			
	EXAM_ID	int		X	
	EXAM_UID	nvarchar(30)		X	
	GOVT_ID	nvarchar(30)		X	
	EXAM_NAME	nvarchar(300)		X	
	REPORT_HEADER	nvarchar(300)		X	
	REQ_SAMPLE	nvarchar(20)		X	
	RATE	numeric(18,2)		X	
	GOVT_RATE	numeric(7,2)		X	
	EXAM_TYPE	int		X	
	SERVICE_TYPE	nvarchar(2)		X	
	CLAIMABLE_AMT	numeric(7,2)		X	
	NONCLAIMABLE_AMT	numeric(7,2)		X	
	FREE_AMT	numeric(7,2)		X	
	SPECIAL_CLINIC	nvarchar(1)		X	
	SPECIAL_RATE	numeric(18,2)		X	
	VAT_APPLICABLE	nvarchar(1)		X	
	VAT_RATE	numeric(7,2)		X	
	UNIT_ID	int		X	
	REV_HEAD_ID	int		X	
	IS_ACTIVE	nvarchar(1)		X	
	AVG_REQ_HRS	numeric(7,2)		X	
	MIN_REQ_HRS	numeric(7,2)		X	
	COST_PRICE	numeric(7,2)		X	
	RELEASE_AUTH_LEVEL	tinyint		X	
	FINALIZE_AUTH_LEVEL	tinyint		X	
	PREPARATION_FLAG	nvarchar(1)		X	
	PREPARATION_TAT	numeric(7,2)		X	
	REPEAT_FLAG	nvarchar(1)		X	
	ICD_ID	int		X	
	ACR_ID	int		X	
	CPT_ID	int		X	
	DEF_CAPTURE	tinyint		X	
	DEF_IMAGES	tinyint		X	
	IS_STRUCTURED_REPORT	nvarchar(1)		X	
	QA_REQUIRED	nvarchar(1)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	nvarchar(30)		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	nvarchar(30)		X	
	LAST_MODIFIED_ON	datetime		X	
	BP_ID	int		X	
	STAT_POSSIBLE	bit		X	
	STAT_TAT_MIN	tinyint		X	
	URGENT_POSSIBLE	bit		X	
	URGENT_TAT_MIN	tinyint		X	
	DEFER_HIS_RECONCILE	nvarchar(1)		X	
	IS_CHECKUP	nvarchar(1)		X	

	VIP_RATE	numeric(18,2)		X	
--	----------	---------------	--	---	--

Table dbo.RIS_EXAMLOGCAPTURE

	Column	Data Type	Identity	Nullable	Default
PK	CAPTURE_ID	int	X		
	START_TIME	datetime			
	MIN_LSN	binary(10)			
	MAX_LSN	binary(10)			
	END_TIME	datetime			
	INSERT_COUNT	int			
	UPDATE_COUNT	int			
	DELETE_COUNT	int			
	STATUS_CODE	int			

Table dbo.RIS_EXAMPANEL

	Column	Data Type	Identity	Nullable	Default
PK	EXAM_ID	int			
PK	AUTO_EXAM_ID	int			
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMPANELPORTABLE

	Column	Data Type	Identity	Nullable	Default
PK	EXAM_ID	int			
PK	AUTO_EXAM_ID	int			
PK	CLINIC_TYPE_ID	int			
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMRESULT

	Column	Data Type	Identity	Nullable	Default
PK	ACCESSION_NO	nvarchar(30)			
	ORDER_ID	int			
	EXAM_ID	int			
	RESULT_TEXT_HTML	nvarchar(max)		X	
	RESULT_TEXT_PLAIN	nvarchar(max)		X	
	RESULT_TEXT_RTF	nvarchar(max)		X	
	RESULT_BINARY	binary(1)		X	
	RESULT_STATUS	nvarchar(1)		X	
<i>status like draft, prelim, finalized etc</i>					
	ICD_ID	int		X	
	SEVERITY_ID	int		X	
	HL7_TEXT	nvarchar(max)		X	
	HL7_SEND	nvarchar(1)		X	
	RELEASED_BY	int		X	
<i>releasing radiologist. if used</i>					
	RELEASED_ON	datetime		X	
	FINALIZED_BY	int		X	
<i>finalizing radiologist employee ID</i>					
	FINALIZED_ON	datetime		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	REASON	int		X	
	LAYOUT	nvarchar(5)		X	N'1*1'
	RESULT_TEXT_RTFtoHTML	nvarchar(max)		X	
	SEVERITYLOG_ID	int		X	
	FIRST_RELEASED_ON	datetime		X	

Table dbo.RIS_EXAMRESULT_FILTERRAD

	Column	Data Type	Identity	Nullable	Default
PK	EMP_ID	int			
PK	FILTER_ID	int			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMRESULT_FILTERWORKLIST

	Column	Data Type	Identity	Nullable	Default
PK	FILTER_ID	int	X		
	FILTER_NAME	nvarchar(500)		X	
	FILTER_DETAIL	nvarchar(max)		X	
	CRAETED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMRESULTACCESS

	Column	Data Type	Identity	Nullable	Default
PK	ACCESS_NO	int	X		
	ACCESSION_NO	nvarchar(30)		X	
	ACCESS_BY	int		X	
<i>employee ID that accessing the result</i>					
	ACCESS_ON	datetime		X	
	ACCESS_STATUS	nvarchar(1)		X	
<i>status of the report (draft,prelim, finalized etc.) when accessed</i>					
	ACCESS_TEXT	nvarchar(max)		X	
<i>exact copy of the result when accessed</i>					
	EXIT_ON	datetime		X	
	EXIT_STATUS	nvarchar(1)		X	
<i>status of the report (draft,prelim, finalized etc.) when exit</i>					
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	ACCESS_TEXT_RTF	nvarchar(max)		X	
	ACCESS_TYPE	nvarchar(1)		X	
<i>R=Radiologist, O or null = others</i>					

Table dbo.RIS_EXAMRESULTAUTOSAVE

	Column	Data Type	Identity	Nullable	Default
PK	AUTOSAVE_ID	int	X		
	ACCESSION_NO	nvarchar(30)		X	
	SL_NO	int		X	
	RESULT_TEXT_HTML	nvarchar(max)		X	
	RESULT_TEXT_PLAIN	nvarchar(4000)		X	
	RESULT_TEXT_RTF	nvarchar(max)		X	
	RESULT_STATUS	nvarchar(1)		X	
	FIRST_FINALIZED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMRESULTCONSULT

	Column	Data Type	Identity	Nullable	Default
PK	CONSULT_ID	int	X		
	ACCESSION_NO	nvarchar(30)			
	FINALIZING_RAD	int			
	REQUESTED_BY	int		X	
	REQUESTED_ON	datetime		X	
	CONSULTING_RAD	int			
	CONSULTED_ON	datetime			
	IS_FREE	nvarchar(1)		X	N'Y'
	SEND_IM	nvarchar(1)		X	N'Y'
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	ORIGINAL_RESULT_TEXT	nvarchar(max)		X	
	NEW_RESULT_TEXT	nvarchar(max)		X	
	TRANSFER_TO	int		X	
	ORDER_ID	int		X	

Table dbo.RIS_EXAMRESULTKEYIMAGES

	Column	Data Type	Identity	Nullable	Default
PK	ACCESSION_NO	nvarchar(30)			
PK	SL_NO	tinyint			
	KEY_IMAGE	image		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMRESULTLEGACY

	Column	Data Type	Identity	Nullable	Default
PK	EXAMRESULTLEGACY_ID	int	X		
	HN	nvarchar(30)		X	
	ACCESSION_NO	nvarchar(30)			
	ORDER_UID	nvarchar(30)			
	EXAM_UID	nvarchar(30)			
	RESULT_TEXT_HTML	nvarchar(max)		X	
	RESULT_STATUS	nvarchar(1)		X	
	RELEASED_BY	int		X	
	RELEASED_ON	datetime		X	
	FINALIZED_BY	int		X	
	FINALIZED_ON	datetime		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	USER_NAME	nvarchar(30)		X	

Table dbo.RIS_EXAMRESULTLOCKS

	Column	Data Type	Identity	Nullable	Default
PK	ACCESSION_NO	nvarchar(30)			
PK	SL_NO	tinyint			
	IS_LOCKED	nvarchar(1)		X	
	WORKING_RAD	int		X	
	UNLOCKED_BY	int		X	
	UNLOCKED_ON	datetime		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMRESULTLOG

	Column	Data Type	Identity	Nullable	Default
PK	LOG_ID	int	X		
	EFFECTIVE_DT	datetime			
	START_LSN	binary(10)			
	SEQVAL	binary(10)			
	OPERATION	int			
	UPDATE_MASK	varbinary(10)			
	ACCESSION_NO	nvarchar(30)		X	
	ORDER_ID	int		X	
	EXAM_ID	int		X	
	RESULT_TEXT_HTML	nvarchar(max)		X	
	RESULT_TEXT_PLAIN	nvarchar(max)		X	
	RESULT_TEXT_RTF	nvarchar(max)		X	
	RESULT_BINARY	binary(1)		X	
	RESULT_STATUS	nvarchar(1)		X	
	ICD_ID	int		X	
	SEVERITY_ID	int		X	
	HL7_TEXT	nvarchar(max)		X	
	HL7_SEND	nvarchar(1)		X	
	RELEASED_BY	int		X	
	RELEASED_ON	datetime		X	
	FINALIZED_BY	int		X	
	FINALIZED_ON	datetime		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMRESULTLOGCAPTURE

	Column	Data Type	Identity	Nullable	Default
PK	CAPTURE_ID	int	X		
	START_TIME	datetime			
	MIN_LSN	binary(10)			
	MAX_LSN	binary(10)			
	END_TIME	datetime			
	INSERT_COUNT	int			0
	UPDATE_COUNT	int			0
	DELETE_COUNT	int			0
	STATUS_CODE	int			0

Table dbo.RIS_EXAMRESULTNOTE

	Column	Data Type	Identity	Nullable	Default
	ORDER_ID	int			
	EXAM_ID	int			
PK	ACCESSION_NO	nvarchar(30)			
PK	NOTE_NO	int	X		
<i>auto generate serial no increment by 1</i>					
	NOTE_TEXT	nvarchar(max)		X	
	NOTE_BY	int		X	
	NOTE_ON	datetime		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	NOTE_TEXT_RTF	nvarchar(max)		X	

Table dbo.RIS_EXAMRESULTRADS

	Column	Data Type	Identity	Nullable	Default
	ACCESSION_NO	nvarchar(30)			
	RAD_ID	int			
	CAN_PRELIM	bit		X	
	CAN_FINALIZE	bit		X	
	SL_NO	tinyint		X	
	ORG_ID	int			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
PK	EXAMRESULTRADS_ID	int	X		
	JOB_TITLE_ID	int		X	

Table dbo.RIS_EXAMRESULTSEVERITY

	Column	Data Type	Identity	Nullable	Default
PK	SEVERITY_ID	int	X		
	SEVERITY_UID	nvarchar(30)		X	
	SEVERITY_NAME	nvarchar(50)		X	
	SEVERITY_LABEL	nvarchar(100)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	UNIT_ID	int		X	
	IS_CRITICAL	nvarchar(1)		X	

Table dbo.RIS_EXAMRESULTSEVERITY_LOG

	Column	Data Type	Identity	Nullable	Default
PK	SEVERITYLOG_ID	int	X		
	ACCESSION_NO	nvarchar(30)			
	SEVERITY_ID	int			
	VERBAL_DATETIME	datetime		X	
	VERBAL_TIME	int		X	
	VERBAL_WITH	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	VERBAL_WITH_NAME	nvarchar(500)		X	

Table dbo.RIS_EXAMRESULTSTATREPORT

	Column	Data Type	Identity	Nullable	Default
	ORDER_ID	int			
	EXAM_ID	int			
PK	ACCESSION_NO	nvarchar(30)			
PK	NOTE_NO	int	X		
<i>auto generate serial no increment by 1</i>					
	NOTE_TEXT	nvarchar(max)		X	
	NOTE_BY	int		X	
	NOTE_ON	datetime		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	NOTE_TEXT_RTF	nvarchar(max)		X	
	NOTE_TEXT_HTML	nvarchar(max)		X	
	NOTE_TEXT_RTFToHTML	nvarchar(max)		X	

Table dbo.RIS_EXAMRESULTTEMPLATE

	Column	Data Type	Identity	Nullable	Default
PK	TEMPLATE_ID	int	X		
	TEMPLATE_UID	nvarchar(30)		X	
	EXAM_ID	int			
	TEMPLATE_NAME	varchar(100)		X	
	TEMPLATE_HEADER	nvarchar(100)		X	
	TEMPLATE_TEXT	nvarchar(max)		X	
	TEMPLATE_TEXT_RTF	nvarchar(max)		X	
	TEMPLATE_BINARY	varbinary(max)		X	
	TEMPLATE_TYPE	nvarchar(1)		X	
	SEVERITY_ID	int		X	
	AUTO_APPLY	nvarchar(1)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMRESULTTIME

	Column	Data Type	Identity	Nullable	Default
PK	ACCESSION_NO	nvarchar(30)			
PK	RAD_ID	int			
PK	SL_NO	tinyint			
	START_ON	datetime		X	
	START_STATUS	nvarchar(1)		X	
	LAST_SAVED_ON	datetime		X	
	LAST_SAVED_STATUS	nvarchar(1)		X	
	ORG_ID	int			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMRVU

	Column	Data Type	Identity	Nullable	Default
PK	EXAM_ID	int			
PK	UNIT_ID	int			
PK	CLINIC_TYPE_ID	int			
	RAD_SCORE	decimal(18,2)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMSKILL

	Column	Data Type	Identity	Nullable	Default
PK	EXAM_SKILL_ID	int	X		
	EXAM_SKILL_UID	nvarchar(30)		X	
	EXAM_SKILL_NAME	nvarchar(300)		X	
	EXAM_SKILLTYPE	int		X	
	ORG_ID	int		X	
	CREATED_ON	datetime		X	
	CREATED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	

Table dbo.RIS_EXAMSKILLMAPPING

	Column	Data Type	Identity	Nullable	Default
PK	EXAM_SKILL_ID	int			
PK	EXAM_ID	int			
	ORG_ID	int		X	
	CREATED_ON	datetime		X	
	CREATED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	

Table dbo.RIS_EXAMSKILLTYPE

	Column	Data Type	Identity	Nullable	Default
PK	EXAM_SKILLTYPE_ID	int	X		
	EXAM_SKILLTYPE_UID	nvarchar(30)		X	
	EXAM_SKILLTYPE_NAME	nvarchar(300)		X	
	ORG_ID	int		X	
	CREATED_ON	datetime		X	
	CREATED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	

Table dbo.RIS_EXAMTEMPLATESHARE

	Column	Data Type	Identity	Nullable	Default
PK	TEMPLATE_SHARE_ID	int	X		
	EXAM_ID	int			
	TEMPLATE_ID	int			
	SHARE_WITH	int			
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMTRANSFERLOG

	Column	Data Type	Identity	Nullable	Default
PK	ACCESSION_NO	nvarchar(30)			
PK	SL_NO	tinyint			
	FROM_RAD	int		X	
	TO_RAD	int		X	
	STATUS	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_EXAMTYPE

	Column	Data Type	Identity	Nullable	Default
PK	EXAM_TYPE_ID	int	X		
	EXAM_TYPE_UID	nvarchar(30)		X	
	EXAM_TYPE_TEXT	nvarchar(30)		X	
	EXAM_TYPE_ABBR	nvarchar(50)		X	
	EXAM_TYPE_INS	nvarchar(4000)		X	
	IS_ACTIVE	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	EXAM_TYPE_INS_KID	nvarchar(4000)		X	

Table dbo.RIS_EXTERNALHL7TRANSLOG

	Column	Data Type	Identity	Nullable	Default
PK	TRANSLOG_ID	bigint	X		
	REQUEST_TIMESTAMP	datetime		X	
	REQUESTING_IP	nvarchar(15)		X	
	REQUESTING_USER	nvarchar(100)		X	
	REQUEST_TYPE	nvarchar(1)		X	
	PATIENT_DEMOGRAPHIC	nvarchar(400)		X	
	EXAM_DETAILS	nvarchar(400)		X	
	RESULT_TEXT	nvarchar(max)		X	
	PACS_IP	nvarchar(15)		X	
	PACS_PORT	nvarchar(10)		X	
	GENERATED_HL7	nvarchar(max)		X	
	SENDING_TIMESTAMP	datetime		X	
	IS_SUCCESSFUL	nvarchar(1)		X	
	ACK_TYPE	nvarchar(30)		X	
	ACK_MSG	nvarchar(30)		X	
	ACK_SENDING_IP	nvarchar(15)		X	
	ACK_TIMESTAMP	datetime		X	

Table dbo.RIS_HL7IELOG

	Column	Data Type	Identity	Nullable	Default
PK	LOG_ID	int	X		
	SENDER	nvarchar(30)		X	
	RECEIVER	nvarchar(30)		X	
	MESSAGE_TYPE	nvarchar(3)		X	
	EVENT_TYPE	nvarchar(3)		X	
	HN	nvarchar(30)		X	
	ACCESSION_NO	nvarchar(30)		X	
	COMPARE_VALUE	nvarchar(30)		X	
	STATUS	nvarchar(1)		X	
	HL7_TEXT	nvarchar(max)			
	ACKNOWLEDGMENT_CODE	nvarchar(2)			
	TEXT_MESSAGE	nvarchar(500)			
	IS_LOCK	nvarchar(1)		X	
	ORG_ID	int			
	LAST_MODIFIED_BY	int			
	LAST_MODIFIED_ON	datetime			
	CREATED_BY	int			
	CREATED_ON	datetime			
	IS_DELETED	nvarchar(1)		X	
	SENDER_ID	int		X	
	RECEIVER_ID	int		X	

Table dbo.RIS_HL7TRANSACTIONLOG

	Column	Data Type	Identity	Nullable	Default
PK	LOG_NO	int	X		
	ACCESSION_NO	nvarchar(30)			
	MSG_TYPE	nvarchar(5)			
	TRANS_TYPE	nvarchar(1)		X	N'S'
	TRANS_WITH	nvarchar(100)		X	
	TRANS_TIMESTAMP	datetime		X	
	ACK_MSG	nvarchar(2)			
	ACK_TIMESTAMP	datetime		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_HOSPITAL_MAP_DOCTOR

	Column	Data Type	Identity	Nullable	Default
PK	HOS_ID	int			
PK	EMP_ID	int			
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_INSURANCETYPE

	Column	Data Type	Identity	Nullable	Default
PK	INSURANCE_TYPE_ID	int	X		
	INSURANCE_TYPE_UID	nvarchar(30)		X	
	INSURANCE_TYPE_DESC	nvarchar(200)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_INTEGRATIONCONFIG

	Column	Data Type	Identity	Nullable	Default
PK	WORK_STATION_ID	int			
	WORK_STATION_UID	nvarchar(30)			
	SERVER_ID	int		X	
	USE_SOCKET	bit		X	
	RECEIVER_IP	nvarchar(15)		X	
	RECEIVER_PORT	int		X	
	SENDER_IP	nvarchar(15)		X	
	WEB_SERVICE_URL	nvarchar(50)		X	
	SEND_ADT	bit		X	
	SEND_ADT_RECONCILE	bit		X	
	SEND_ORM	bit		X	
	SEND_ORM_BIDIRECTIONAL	bit		X	
	SEND_ORM_MERGE	bit		X	
	SEND_ORU	bit		X	
	SEND_ORU_WHEN_OWNER	bit		X	
	SEND_PRELIM	bit		X	
	RESULT_TYPE	nvarchar(5)		X	
<i>PLAIN, HTML, RTF</i>					
	IS_ACTIVE	bit		X	

Table dbo.RIS_INTEGRATIONSERVERS

	Column	Data Type	Identity	Nullable	Default
PK	SERVER_ID	int			
	SERVER_UID	nvarchar(50)		X	
	SERVER_TYPE	nvarchar(1)		X	
<i>H(is), P(acs)</i>					

Table dbo.RIS_LOADMEDIA

	Column	Data Type	Identity	Nullable	Default
PK	LOAD_ID	int	X		
	HN	nvarchar(30)		X	
	VISIT_NO	nvarchar(30)		X	
	ADMISSION_NO	nvarchar(30)		X	
	LOAD_DT	datetime			
	LOAD_START_TIME	datetime		X	
	REQ_BY	nvarchar(1)			
	REQ_UNIT	int		X	
	REQ_DOC	int		X	
	MEDIA_TYPE	nvarchar(1)			
	REASON	nvarchar(1)			
	COMMENT	nvarchar(1000)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_LOADMEDIADTL

	Column	Data Type	Identity	Nullable	Default
PK	LOAD_ID	int			
PK	EXAM_ID	int			
	ACCESSION_NO	nvarchar(30)			
	EXAM_DT	datetime		X	
	QTY	tinyint			1
	HL7_TEXT	nvarchar(1000)		X	
	HL7_SENT	nvarchar(1)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_LOCATIONMAPPING

	Column	Data Type	Identity	Nullable	Default
PK	UNIT_ID	int			
PK	PAT_DEST_ID	int			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_MERGELOG

	Column	Data Type	Identity	Nullable	Default
PK	id	int	X		
	ACCESSION_NO	nvarchar(50)		X	
	MERGE	nvarchar(50)		X	
	MERGE_WITH	nvarchar(50)		X	
	CREATED_ON	datetime		X	
	CREATED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	ORG_ID	int		X	

Table dbo.RIS_MESSAGE

	Column	Data Type	Identity	Nullable	Default
PK	MSG_ID	int	X		
	SENDER_ID	int			
	MSG_TEXT	nvarchar(3000)		X	
	MSG_STATUS	nvarchar(50)		X	
	ACCESSION_NO	nvarchar(30)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	

Table dbo.RIS_MESSAGEDTL

	Column	Data Type	Identity	Nullable	Default
PK	MSGDTL_ID	int	X		
	ACCESSION_NO	nvarchar(30)			
	READER_ID	int			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	

Table dbo.RIS_MODALITY

	Column	Data Type	Identity	Nullable	Default
PK	MODALITY_ID	int	X		
	MODALITY_UID	nvarchar(50)		X	
	MODALITY_NAME	nvarchar(100)		X	
	MODALITY_TYPE	int		X	
	ALLPROPERTIES	varbinary(256)		X	
	UNIT_ID	int		X	
	IS_ACTIVE	nvarchar(1)		X	
	START_TIME	datetime		X	
	END_TIME	datetime		X	
	AVG_INV_TIME	tinyint		X	
	ROOM_ID	int		X	
	CASE_PER_DAY	smallint		X	
	RESTRICT_LEVEL	nvarchar(1)		X	N'W'
<i>LEVEL CAN BE 'F'=FORCED, 'W'=WARN DEFAULT W</i>					
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	IS_VISIBLE	nvarchar(1)		X	'Y'
	IS_DEFUALT	nvarchar(1)		X	
	PAT_DEST_ID	int		X	
	IS_DEFAULT	nvarchar(1)		X	N'N'
	IS_REQONLINE	nvarchar(1)		X	
	PATIENT_TYPE	nvarchar(30)		X	
	DEFAULT_SESSION	nvarchar(3)		X	

Table dbo.RIS_MODALITYAETITLE

	Column	Data Type	Identity	Nullable	Default
PK	AE_TITLE_ID	int	X		
	AE_TITLE_NAME	nvarchar(300)		X	
	MODALITY_ID	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_MODALITYCLINICTYPE

	Column	Data Type	Identity	Nullable	Default
PK	MODALITY_CLINICTYPE_ID	int	X		
	CLINIC_TYPE_ID	int		X	
	MODALITY_ID	int		X	
	START_DATETIME	datetime		X	
	END_DATETIME	datetime		X	
	MAX_APP	int		X	0
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_MODALITYCONFIG

	Column	Data Type	Identity	Nullable	Default
PK	MODALITY_CONFIG_ID	int	X		
PK	CLINIC_SESSION_ID	int			
	WEEKDAY	tinyint		X	
	MODALITY_ID	int		X	
	MODALITY_TYPE_TOTAL	int		X	
	MODALITY_TOTAL	int		X	
	ADULT	tinyint		X	
	CHILD	tinyint		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	ORG_ID	int		X	1

Table dbo.RIS_MODALITYEXAM

	Column	Data Type	Identity	Nullable	Default
PK	MODALITY_EXAM_ID	int	X		
	MODALITY_ID	int			
	EXAM_ID	int			
	TECH_BYPASS	nvarchar(1)		X	
	QA_BYPASS	nvarchar(1)		X	
	IS_ACTIVE	nvarchar(1)		X	
	IS_DEFAULT_MODALITY	nvarchar(1)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	PATIENT_TYPE	nvarchar(3)		X	
	MODALITY_CONFIG_ID	int		X	

Table dbo.RIS_MODALITYEXAM_ONL

	Column	Data Type	Identity	Nullable	Default
PK	MODALITY_EXAM_ID	int	X		
	MODALITY_ID	int			
	EXAM_ID	int			
	TECH_BYPASS	nvarchar(1)		X	
	QA_BYPASS	nvarchar(1)		X	
	IS_ACTIVE	nvarchar(1)		X	
	IS_DEFAULT_MODALITY	nvarchar(1)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	PATIENT_TYPE	nvarchar(3)		X	
	MODALITY_CONFIG_ID	int		X	

Table dbo.RIS_MODALITYLOG

	Column	Data Type	Identity	Nullable	Default
PK	LOG_ID	int	X		
	EFFECTIVE_DT	datetime			
	START_LSN	binary(10)			
	SEQVAL	binary(10)			
	OPERATION	int			
	UPDATE_MASK	varbinary(128)			
	MODALITY_ID	int			
	MODALITY_UID	nvarchar(50)		X	
	MODALITY_NAME	nvarchar(100)		X	
	MODALITY_TYPE	int		X	
	ALLPROPERTIES	varbinary(256)		X	
	UNIT_ID	int		X	
	IS_ACTIVE	nvarchar(1)		X	
	START_TIME	datetime		X	
	END_TIME	datetime		X	
	AVG_INV_TIME	tinyint		X	
	ROOM_ID	int		X	
	CASE_PER_DAY	smallint		X	
	RESTRICT_LEVEL	nvarchar(1)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	IS_VISIBLE	nvarchar(1)		X	
	IS_DEFAULT	nvarchar(1)		X	
	PAT_DEST_ID	int		X	

Table dbo.RIS_MODALITYLOGCAPTURE

	Column	Data Type	Identity	Nullable	Default
PK	CAPTURE_ID	int	X		
	START_TIME	datetime			
	MIN_LSN	binary(10)			
	MAX_LSN	binary(10)			
	END_TIME	datetime			
	INSERT_COUNT	int			
	UPDATE_COUNT	int			
	DELETE_COUNT	int			
	STATUS_CODE	int			

Table dbo.RIS_MODALITYTYPE

	Column	Data Type	Identity	Nullable	Default
PK	TYPE_ID	int	X		
	TYPE_UID	nvarchar(30)		X	
	TYPE_NAME	nvarchar(100)		X	
	TYPE_NAME_ALIAS	nvarchar(100)		X	
	DESCR	nvarchar(500)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	ORG_ID	int		X	

Table dbo.RIS_MODALITYUNIT

	Column	Data Type	Identity	Nullable	Default
PK	MODALITY_UNIT_ID	int	X		
	MODALITY_ID	int			
	UNIT_ID	int			
	IS_ACTIVE	nvarchar(1)		X	
	IS_DEFAULT_UNIT	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	PATIENT_TYPE	nvarchar(3)		X	

Table dbo.RIS_NURSESDATA

	Column	Data Type	Identity	Nullable	Default
PK	NURSE_DATA_UK_ID	int	X		
	NURSE_ID	int			
	ACCESSION_NO	nvarchar(30)			
	INPUT_DT	datetime			
	ANESTHESIA_TECHNIQUE	int		X	
	PAST_ILL_DM	nvarchar(1)		X	
	PAST_ILL_HT	nvarchar(1)		X	
	PAST_ILL_HD	nvarchar(1)		X	
	PAST_ILL_ASTHMA	nvarchar(1)		X	
	PAST_ILL_OTHERS	nvarchar(1)		X	
	PROCEDURE	nvarchar(400)		X	
	DIAGNOSIS	nvarchar(400)		X	
	OTHER_DESCRIPTION	nvarchar(500)		X	
	ASSISTANT_ID	int		X	
	OPERATOR_ID	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_NURSESDATADTL

	Column	Data Type	Identity	Nullable	Default
	NURSE_DATA_UK_ID	int			
PK	DETAIL_DATA_ID	int	X		
	DETAIL_TIME	datetime		X	
	HR_MIN	nvarchar(30)		X	
	RR_MIN	nvarchar(30)		X	
	BP_MMHG	nvarchar(30)		X	
	O2_SAT	nvarchar(30)		X	
	CONCIOUS	nvarchar(30)		X	
	PROGRESS_NOTE	nvarchar(100)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_OPNOTEITEM

	Column	Data Type	Identity	Nullable	Default
PK	OP_ITEM_ID	int	X		
	OP_ITEM_UID	nvarchar(50)		X	
	OP_ITEM_NAME	nvarchar(50)			
	UNIT_ID	int		X	
	IS_DELETED	nvarchar(1)		X	
	IS_ACTIVE	nvarchar(1)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_OPNOTEITEMTEMPLATE

	Column	Data Type	Identity	Nullable	Default
PK	OP_ITEM_ID	int			
PK	EXAM_ID	int			
	ITEM_VALUE	nvarchar(max)		X	
	ITEM_UNIT	nvarchar(50)		X	
PK	OPNOTE_TYPE	nvarchar(1)			
	IS_DELETED	nvarchar(1)		X	
	IS_ACTIVE	nvarchar(1)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_ORDER

	Column	Data Type	Identity	Nullable	Default
PK	ORDER_ID	int	X		
	REG_ID	int			
	HN	nvarchar(30)		X	
	VISIT_NO	nvarchar(30)		X	
	ADMISSION_NO	nvarchar(30)		X	
	ORDER_DT	datetime			
	SCHEDULE_ID	int		X	
	INSURANCE_TYPE_ID	int		X	
	ORDER_START_TIME	datetime		X	
	REF_UNIT	int		X	
	REF_DOC	int		X	
	PAT_STATUS	nvarchar(3)		X	
	REF_DOC_INSTRUCTION	nvarchar(500)		X	
	CLINICAL_INSTRUCTION	nvarchar(2000)		X	
	REASON	nvarchar(1000)		X	
	DIAGNOSIS	nvarchar(1000)		X	
	ICD_ID	int		X	
	ARRIVAL_BY	int		X	
	ARRIVAL_ON	datetime		X	
	IS_CANCELED	nvarchar(1)		X	N'N'
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	LMP_DT	datetime		X	
	IS_REQONLINE	nvarchar(1)		X	
	XRAY_NO	nvarchar(30)		X	NULL
	REQUESTNO	nvarchar(50)		X	NULL
	ENC_ID	nvarchar(100)		X	
	ENC_TYPE	nvarchar(10)		X	
	ENC_CLINIC	nvarchar(30)		X	
	IS_PRINTED	nvarchar(1)		X	N'N'
	REQUEST_RESULT_DATETIME	datetime		X	

Table dbo.RIS_ORDER_BKP

	Column	Data Type	Identity	Nullable	Default
	ORDER_ID	int	X		
	REG_ID	int			
	HN	nvarchar(30)		X	
	VISIT_NO	nvarchar(30)		X	
	ADMISSION_NO	nvarchar(30)		X	
	ORDER_DT	datetime			
	SCHEDULE_ID	int		X	
	INSURANCE_TYPE_ID	int		X	
	ORDER_START_TIME	datetime		X	
	REF_UNIT	int		X	
	REF_DOC	int		X	
	PAT_STATUS	nvarchar(3)		X	
	REF_DOC_INSTRUCTION	nvarchar(500)		X	
	CLINICAL_INSTRUCTION	nvarchar(2000)		X	
	REASON	nvarchar(1000)		X	
	DIAGNOSIS	nvarchar(1000)		X	
	ICD_ID	int		X	
	ARRIVAL_BY	int		X	
	ARRIVAL_ON	datetime		X	
	IS_CANCELED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	LMP_DT	datetime		X	
	IS_REQONLINE	nvarchar(1)		X	
	XRAY_NO	nvarchar(30)		X	
	REQUESTNO	nvarchar(50)		X	
	ENC_ID	int		X	
	ENC_TYPE	nvarchar(10)		X	

Table dbo.RIS_ORDERCLINICALINDICATION

	Column	Data Type	Identity	Nullable	Default
PK	ORDER_CI_ID	int	X		
	ORDER_ID	int		X	
	CI_ID	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	SCHEDULE_ID	int		X	
	IS_FREE_TEXT	nvarchar(1)		X	
	IS_REQONLINE	nvarchar(1)		X	

Table dbo.RIS_ORDERCLINICALINDICATIONTYPE

	Column	Data Type	Identity	Nullable	Default
PK	ORDER_CI_TYPE_ID	int	X		
	ORDER_ID	int		X	
	CI_TYPE_ID	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	SCHEDULE_ID	int		X	
	IS_FREE_TEXT	nvarchar(1)		X	
	IS_REQONLINE	nvarchar(1)		X	

Table dbo.RIS_ORDERCPT

	Column	Data Type	Identity	Nullable	Default
PK	ORDER_CPT_ID	int	X		
	ORDER_ID	int		X	
	CPT_ID	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	SCHEDULE_ID	int		X	

Table dbo.RIS_ORDERDTL

	Column	Data Type	Identity	Nullable	Default
PK	ORDER_ID	int			
PK	EXAM_ID	int			
	ACCESSION_NO	nvarchar(30)			
	Q_NO	tinyint		X	
<i>Q no is generated per patient per day per room basis. if an order has exams for the same room, samw Q no. for different room different Q no. Q no is calculated on no of patient already assigned to this room + 1</i>					
	MODALITY_ID	int			
	EXAM_DT	datetime		X	
	SERVICE_TYPE	int		X	
	QTY	tinyint			1
	EST_START_TIME	datetime		X	
	ASSIGNED_TO	int		X	
<i>the radiologist's ID that will do the report</i>					
	HL7_TEXT	nvarchar(1000)		X	
	HL7_SENT	nvarchar(1)		X	
	RATE	numeric(13,2)			
	COMMENTS	nvarchar(200)		X	
	SPECIAL_CLINIC	nvarchar(1)		X	
	SELF_ARRIVAL	nvarchar(1)		X	N'N'
	IMAGE_CAPTURED_BY	int		X	
	IMAGE_CAPTURED_ON	datetime		X	
	QA_BY	int		X	
	QA_ON	datetime		X	
	ORG_ID	int		X	
	PRIORITY	nvarchar(1)		X	
	STATUS	nvarchar(1)		X	N'A'
	IS_DELETED	nvarchar(1)		X	N'N'
	ASSIGNED_BY	int		X	
	ASSIGNED_TIMESTAMP	datetime		X	
	CLINIC_TYPE	int		X	
	BPVIEW_ID	int		X	
	MERGE	nvarchar(3)		X	
	MERGE_WITH	nvarchar(30)		X	
	HIS_SYNC	nvarchar(1)		X	'N'
<i>F = Fail, S = Successful</i>					
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	HIS_ACK	nvarchar(300)		X	
	PREPARATION_ID	int		X	
	ORDER_GUID	nvarchar(200)		X	
	NO_OF_IMAGES	int		X	
	NO_OF_FILMS	int		X	
	MPPS_STATUS	nvarchar(15)		X	
	CAPTURE_START_ON	nvarchar(20)		X	
	CAPTURE_END_ON	nvarchar(20)		X	
	PAT_DEST_ID	int		X	
	HAS_COMMENT	nvarchar(1)		X	'N'
	IS_PORTABLE	nvarchar(1)		X	'N'
	AE_TITLE_ID	int		X	
	COMMENTS_FREERATE	nvarchar(200)		X	
	IMAGECOUNT	int		X	
	INSTANCE_UID	nvarchar(100)		X	
	WORK_STATION_ID	int		X	

IS_DF	nvarchar(1)		X	
DF_ON	datetime		X	
DF_BY	int		X	

Table dbo.RIS_ORDEREXAMFLAG

	Column	Data Type	Identity	Nullable	Default
PK	FLAG_ID	int	X		
	ORDER_ID	int		X	
	SCHEDULE_ID	int		X	
	XRAYREQ_ID	int		X	
	EXAM_ID	int			
	EXAMFLAG_ID	int			
	REASON	nvarchar(500)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_ORDERICD

	Column	Data Type	Identity	Nullable	Default
PK	ORDER_ICD_ID	int	X		
	ORDER_ID	int		X	
	ICD_ID	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	SCHEDULE_ID	int		X	
	IS_REQONLINE	nvarchar(1)		X	

Table dbo.RIS_ORDERIMAGES

	Column	Data Type	Identity	Nullable	Default
PK	ORDER_IMAGE_ID	int	X		
	HN	nvarchar(30)			
	ORDER_ID	int		X	
	SL_NO	tinyint		X	
	IMAGE_NAME	nvarchar(200)		X	
	ORG_ID	int		X	
	IS_DELETED	nvarchar(1)		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	SCHEDULE_ID	int		X	
	IMAGE_NAME_OLD	nvarchar(200)		X	

Table dbo.RIS_PATICD

	Column	Data Type	Identity	Nullable	Default
PK	PAT_ICD_ID	int	X		
	ICD_ID	int		X	
	HN	nvarchar(30)		X	
	ORDER_NO	int		X	
	ACCESSION_NO	nvarchar(50)		X	
	ORDER_RESULT_FLAG	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_PATIENTDESTINATION

	Column	Data Type	Identity	Nullable	Default
PK	PAT_DEST_ID	int	X		
	TYPE	nvarchar(30)		X	
	LABEL	nvarchar(30)		X	
	ENCOUNTER_TYPE	nvarchar(30)		X	
	ENCOUNTER_CLINIC_TYPE	nvarchar(30)		X	
	ORDERING_DEPT	nvarchar(300)		X	
	EXAM_UNIT	int		X	
	ORG_ID	int			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_PATIENTPREPARATION

	Column	Data Type	Identity	Nullable	Default
PK	PREPARATION_ID	int	X		
	PREPARATION_UID	nvarchar(30)		X	
	PREPARATION_DESC	nvarchar(300)		X	

Table dbo.RIS_PATSTATUS

	Column	Data Type	Identity	Nullable	Default
PK	STATUS_ID	int	X		
	STATUS_UID	nvarchar(30)		X	
	STATUS_TEXT	nvarchar(100)		X	
	IS_ACTIVE	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	IS_DEFAULT	nvarchar(1)		X	

Table dbo.RIS_PRALGORITHM

	Column	Data Type	Identity	Nullable	Default
PK	PR_ALGORITHM_ID	int	X		
	ALGORITHM_TEXT	nvarchar(100)		X	
	LOGIC	nvarchar(500)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	PERIOD	nvarchar(50)		X	
	PERCENTAGE_PER_SUBSPECIALTY	int		X	
	MAX_PER_SUBSPECIALTY	int		X	
	PERCENTAGE_PER_RAD	int		X	
	MAX_CASE_PER_MONTH	int		X	
	MAX_ASSIGNMENT_PER_RAD	int		X	

Table dbo.RIS_PRASSIGNMENT

	Column	Data Type	Identity	Nullable	Default
PK	ASSIGNMENT_ID	int	X		
	ACCESSION_NO	nvarchar(30)		X	
	EMP_ID	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	STATUS	varchar(1)		X	
	IS_CONFIRMED	nvarchar(1)		X	
	CONFIRMED_ON	datetime		X	
	SUB_SPECIALTY_ID	int		X	

Table dbo.RIS_PREXAMMAPPING

	Column	Data Type	Identity	Nullable	Default
PK	RIS_EXAMMAPPING_ID	int	X		
	EXAM_ID	int		X	
	SUB_SPECIALTY_ID	int		X	
	ALLOW_PEER_REVIEW	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_PRGRADE

	Column	Data Type	Identity	Nullable	Default
PK	GRADE_ID	int	X		
	GRADE_LABEL	nvarchar(500)		X	
	GRADE_VALUE	nvarchar(30)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	SEND_MESSAGE	nvarchar(1)		X	
	IS_DISAGREE	nvarchar(1)		X	

Table dbo.RIS_PRGROUP

	Column	Data Type	Identity	Nullable	Default
PK	PR_GROUP_ID	int	X		
	PR_GROUP_NAME	nvarchar(100)			
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_PRGROUPDTL

	Column	Data Type	Identity	Nullable	Default
PK	PR_GROUP_ID	int			
PK	RAD_ID	int			
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_PRRADMAPPING

	Column	Data Type	Identity	Nullable	Default
PK	RADMAPPING_ID	int	X		
	EMP_ID	int		X	
	SUB_SPECIALTY_ID	int		X	
	MAX_CASE_PER_MONTH	int		X	
	ALLOW_PEER_REVIEW	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_PRREPORTING

	Column	Data Type	Identity	Nullable	Default
PK	PR_REPORTING_ID	int	X		
	ASSIGNMENT_ID	int		X	
	REPORT_TEXT_HTML	nvarchar(max)		X	
	REPORT_TEXT_PLAIN	nvarchar(max)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	REPORT_STATUS	nvarchar(1)		X	

Table dbo.RIS_PRREPORTINGLANGUAGE

	Column	Data Type	Identity	Nullable	Default
PK	REPORT_LANG_ID	int	X		
	REPORT_LANG_LABEL	nvarchar(500)		X	
	REPORT_LANG_VALUE	nvarchar(30)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	SEND_MESSAGE	nvarchar(1)		X	

Table dbo.RIS_PRREVIEW

	Column	Data Type	Identity	Nullable	Default
PK	PRREVIEW_ID	int	X		
	ASSIGNMENT_ID	int		X	
	REVIEW_SCORE	nvarchar(10)		X	
	COMMENT	nvarchar(1000)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_PRSTUDIES

	Column	Data Type	Identity	Nullable	Default
PK	STUDY_ID	int	X		
	ACCESSION_NO	nvarchar(30)			
	ITERATION	tinyint			
	PR_ALGORITHM_ID	int			
	PR_GROUP_ID	int			
	RAD_ID	int			
	RAD_OPINION	int		X	
	IS_CLINICALLY_SIGNIFICANT	nvarchar(1)		X	
	RAD_COMMENTS	nvarchar(300)		X	
	QA_SCORE	nvarchar(1)		X	
	QA_BY	int		X	
	QA_ON	datetime		X	
	PR_STATUS	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	REPORT_LANG_ID	int		X	
	REPORT_LANG_COMMENTS	nvarchar(300)		X	

Table dbo.RIS_PRSUBSPECIALTY

	Column	Data Type	Identity	Nullable	Default
PK	SUB_SPECIALTY_ID	int	X		
	SUB_SPECIALTY_NAME	nvarchar(30)		X	
	ALLOW_PEER_REVIEW	nchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	SUB_SPECIALTY_TEXT	varchar(50)		X	

Table dbo.RIS_QAREASON

	Column	Data Type	Identity	Nullable	Default
PK	REASON_ID	int	X		
	REASON_UID	nvarchar(30)		X	
	REASON_TEXT	nvarchar(150)		X	
	REASON_ACTION	nvarchar(200)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_QAWORKS

	Column	Data Type	Identity	Nullable	Default
PK	ACCESSION_NO	nvarchar(30)			
PK	SL	tinyint			
	REASON_ID	int		X	
	QA_RESULT	nvarchar(1)		X	
	COMMENTS	nvarchar(250)		X	
	START_TIME	datetime		X	
	END_TIME	datetime		X	
	NO_OF_IMAGES_PRINT	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_QUESTIONS

	Column	Data Type	Identity	Nullable	Default
PK	QUES_ID	int	X		
	QUES_UID	nvarchar(30)		X	
	QUES_TEXT	nvarchar(200)		X	
	ANSWER_TYPE	nvarchar(1)		X	
	DEFAULT_ANSWER	nvarchar(300)		X	
	IS_ACTIVE	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_RADSTUDYGROUP

	Column	Data Type	Identity	Nullable	Default
PK	RADIOLOGIST_ID	int			
PK	ACCESSION_NO	nvarchar(30)			
	IS_FAVOURITE	bit		X	
	IS_TEACHING	bit		X	
	IS_OTHERS	bit		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	TAGS	nvarchar(500)		X	
	LEVEL	nvarchar(1)		X	
	IS_RESEARCH	bit		X	

Table dbo.RIS_RELEASEMEDIA

	Column	Data Type	Identity	Nullable	Default
PK	RELEASE_ID	int	X		
	ORDER_ID	int			
	EXAM_ID	int			
	HN	nvarchar(30)		X	
	RELEASE_DATE	datetime			
	REQUEST_BY	nvarchar(1)			
	REQUEST_BY_ID	int			
	RECEIVED_BY	nvarchar(50)		X	
	REASON	nvarchar(1)			
	COMMENT	nvarchar(1000)		X	
	UNIT_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	QTY	tinyint		X	
	MEDIA_TYPE	nvarchar(1)		X	

Table dbo.RIS_RESULTSTATUSCHANGELOG

	Column	Data Type	Identity	Nullable	Default
PK	STATUS_CHNAGE_ID	int	X		
	HN	nvarchar(30)		X	
	ORDER_ID	int		X	
	ACCESSION_NO	nvarchar(100)		X	
	EXAM_ID	int		X	
	ORIGINAL_STATUS	nvarchar(1)		X	
	CHANGED_STATUS	nvarchar(1)		X	
	REQUEST_BY	int		X	
	CHNAGE_PC	nvarchar(100)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_RISKCATEGORIES

	Column	Data Type	Identity	Nullable	Default
PK	RISK_CAT_ID	int	X		
	RISK_CAT_UID	nvarchar(100)		X	
	RISK_CAT_DESC	nvarchar(150)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_RISKINCIDENTS

	Column	Data Type	Identity	Nullable	Default
PK	INCIDENT_ID	int	X		
	INCIDENT_UID	int		X	
	INCIDENT_DT	datetime			
	RISK_CAT_ID	int		X	
	INCIDENT_SUBJ	nvarchar(150)		X	
	INCIDENT_DESC	nvarchar(500)		X	
	COMMENT_ID	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	PRIORITY	nvarchar(1)		X	
	REG_ID	int		X	
	ORDER_ID	int		X	
	SCHEDULE_ID	int		X	
	XRAYREQ_ID	int		X	
	INCIDENT_CHOOSSED	nvarchar(1)		X	

Table dbo.RIS_RISKINCIDENTSLOGS

	Column	Data Type	Identity	Nullable	Default
PK	LOG_ID	int	X		
	INCIDENT_ID	int		X	
	INCIDENT_UID	int		X	
	INCIDENT_DT	datetime			
	RISK_CAT_ID	int		X	
	INCIDENT_SUBJ	nvarchar(150)		X	
	INCIDENT_DESC	nvarchar(500)		X	
	COMMENT_ID	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	PRIORITY	nvarchar(1)		X	
	REG_ID	int		X	
	ORDER_ID	int		X	
	SCHEDULE_ID	int		X	
	XRAYREQ_ID	int		X	
	INCIDENT_CHOOSSED	nvarchar(1)		X	

Table dbo.RIS_RISKINCIDENTUSERS

	Column	Data Type	Identity	Nullable	Default
PK	INCIDENT_ID	int	X		
PK	EMP_ID	int			
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_SCHEDULE

	Column	Data Type	Identity	Nullable	Default
PK	SCHEDULE_ID	int	X		
	REG_ID	int			
	SCHEDULE_DT	datetime			
	MODALITY_ID	int		X	
	SCHEDULE_DATA	nvarchar(max)		X	
	SESSION_ID	int		X	
	START_DATETIME	datetime			
	END_DATETIME	datetime			
	REF_UNIT	int		X	
	REF_DOC	int		X	
	REF_DOC_INSTRUCTION	nvarchar(max)		X	
	CLINICAL_INSTRUCTION	nvarchar(max)		X	
	REASON	nvarchar(300)		X	
	DIAGNOSIS	nvarchar(300)		X	
	PAT_STATUS	int		X	
	LMP_DT	datetime		X	
	ICD_ID	int		X	
	SCHEDULE_STATUS	nvarchar(1)		X	
	INSURANCE_TYPE_ID	int		X	
	CONFIRMED_BY	int		X	
	CONFIRMED_ON	datetime		X	
	IS_BLOCKED	nvarchar(1)		X	
	BLOCK_REASON	nvarchar(300)		X	
	COMMENTS	nvarchar(500)		X	
	IS_REQONLINE	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	ALLDAY	bit		X	
	EVENTTYPE	int		X	
	RECURRENCEINFO	nvarchar(max)		X	
	LABEL	int		X	
	LOCATION	nvarchar(50)		X	
	STATUS	int		X	
	IS_BUSY	nvarchar(1)		X	
	REQUESTED_SCHEDULE_DT	datetime		X	
	SCHEDULE_EXCEED_BY	int		X	
	WL_CONFIRMED_BY	int		X	
	WL_CONFIRMED_ON	datetime		X	
	ENC_ID	int		X	
	ENC_TYPE	nvarchar(10)		X	
	ENC_CLINIC	nvarchar(30)		X	
	NOTIFY_ADMIN_WL	nvarchar(1)			'N'
	HIS_SYNC	nvarchar(1)		X	'N'
	ADMISSION_NO	nvarchar(30)		X	
	PENDING_BY	int		X	
	PENDING_ON	datetime		X	
	IS_COMMENTS	nvarchar(1)		X	
	BUSY_BY	int		X	
	BUSY_ON	datetime		X	
	PENDING_COMMENTS	nvarchar(3000)		X	
	TEXT_SHOW	nvarchar(1000)		X	
	IS_PRINT_CONSENTFORM	nvarchar(1)		X	

	REQUEST_RESULT_DATETIME	datetime		X	
--	-------------------------	----------	--	---	--

Table dbo.RIS_SCHEDULE_LOG

	Column	Data Type	Identity	Nullable	Default
	ID	int	X		
	SCHEDULE_ID	int		X	
	REG_ID	int		X	
	HN	nvarchar(30)		X	
	MODALITY_ID	int		X	
	EXAM_ID	int		X	
	START_DATETIME	datetime		X	
	END_DATETIME	datetime		X	
	REF_UNIT	int		X	
	REF_DOC	int		X	
	STATUS	nvarchar(1)		X	N'U'
	REASON	nvarchar(1000)		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	getdate()
	SESSION_ID	int		X	
	LOGS_DESC	nvarchar(50)		X	

Table dbo.RIS_SCHEDULE_RESERVATION

	Column	Data Type	Identity	Nullable	Default
PK	SCHEDULE_ID	int	X		
	REG_ID	int			
	SCHEDULE_DT	datetime			
	MODALITY_ID	int		X	
	SCHEDULE_DATA	nvarchar(max)		X	
	SESSION_ID	int		X	
	START_DATETIME	datetime			
	END_DATETIME	datetime			
	REF_UNIT	int		X	
	REF_DOC	int		X	
	REF_DOC_INSTRUCTION	nvarchar(max)		X	
	CLINICAL_INSTRUCTION	nvarchar(max)		X	
	REASON	nvarchar(300)		X	
	DIAGNOSIS	nvarchar(300)		X	
	PAT_STATUS	int		X	
	LMP_DT	datetime		X	
	ICD_ID	int		X	
	SCHEDULE_STATUS	nvarchar(1)		X	
	INSURANCE_TYPE_ID	int		X	
	CONFIRMED_BY	int		X	
	CONFIRMED_ON	datetime		X	
	IS_BLOCKED	nvarchar(1)		X	
	BLOCK_REASON	nvarchar(300)		X	
	COMMENTS	nvarchar(500)		X	
	IS_REQONLINE	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	ALLDAY	bit		X	
	EVENTTYPE	int		X	
	RECURRENCEINFO	nvarchar(max)		X	
	LABEL	int		X	
	LOCATION	nvarchar(50)		X	
	STATUS	int		X	
	IS_BUSY	nvarchar(1)		X	
	REQUESTED_SCHEDULE_DT	datetime		X	
	SCHEDULE_EXCEED_BY	int		X	
	WL_CONFIRMED_BY	int		X	
	WL_CONFIRMED_ON	datetime		X	
	ENC_ID	int		X	
	ENC_TYPE	nvarchar(10)		X	
	ENC_CLINIC	nvarchar(30)		X	
	NOTIFY_ADMIN_WL	nvarchar(1)			'N'
	HIS_SYNC	nvarchar(1)		X	'N'
	ADMISSION_NO	nvarchar(30)		X	
	PENDING_BY	int		X	
	PENDING_ON	datetime		X	
	IS_COMMENTS	nvarchar(1)		X	
	BUSY_BY	int		X	
	BUSY_ON	datetime		X	
	PENDING_COMMENTS	nvarchar(3000)		X	
	TEXT_SHOW	nvarchar(1000)		X	
	IS_PRINT_CONSENTFORM	nvarchar(1)		X	

Table dbo.RIS_SCHEDULECONFIG

	Column	Data Type	Identity	Nullable	Default
PK	SCHEDULE_CONFIG_ID	int	X		
	SCHEDULE_CONFIRM_TIME	tinyint		X	
	CAN_OVERLAP	nvarchar(1)		X	N'N'
	CAN_EXCEED_MAX	nvarchar(1)		X	N'Y'
	SHOW_ALERT	nvarchar(1)		X	N'Y'
	NEED_CONFIRMATION	nvarchar(1)		X	N'N'
	DEFAULT_SEARCH	nvarchar(3)		X	
	DEFAULT_ONLINE_ACTION	nvarchar(3)		X	
	START_WORK_TIME	time		X	
	END_WORK_TIME	time		X	
	WORK_TIME_IS_CHECKED	nvarchar(1)		X	N'Y'
	DEFAULT_CALENDAR_VIEW	nvarchar(3)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	ALLOW_UNTIMED_SCHEDULE	nvarchar(1)		X	'N'
	TIME_SCALE	time		X	
	SCHEDULE_REFRESH_TIME	tinyint		X	

Table dbo.RIS_SCHEDULEDEFAULTDESTINATION

	Column	Data Type	Identity	Nullable	Default
PK	SCH_DEF_DEST_ID	int	X		
	EMP_ID	int			
	PAT_DEST_ID	int			
	ORG_ID	int			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_SCHEDULEDEFAULTMODALITY

	Column	Data Type	Identity	Nullable	Default
PK	SCH_DEF_DEST_ID	int			
PK	MODALITY_ID	int			
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_SCHEDULEDTL

	Column	Data Type	Identity	Nullable	Default
PK	SCHEDULE_ID	int			
PK	EXAM_ID	int			
	QTY	int			1
	RATE	numeric(13,2)		X	
	GEN_DTL_ID	int		X	
	RAD_ID	int		X	
	PREPARATION_ID	int		X	
	BPVIEW_ID	int		X	
	AVG_REQ_MIN	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	PAT_DEST_ID	int		X	
	IS_PORTABLE	nvarchar(1)		X	'N'
	SCHEDULE_PRIORITY	nvarchar(1)		X	

Table dbo.RIS_SCHEDULELOGSDTL

	Column	Data Type	Identity	Nullable	Default
	SCHEDULELOG_ID	int			
	SCHEDULE_ID	int			
	EXAM_ID	int			
	QTY	int			
	RATE	numeric(13,2)		X	
	GEN_DTL_ID	int		X	
	RAD_ID	int		X	
	PREPARATION_ID	int		X	
	BPVIEW_ID	int		X	
	AVG_REQ_MIN	int		X	
	PAT_DEST_ID	int		X	
	IS_PORTABLE	nvarchar(1)		X	
	SCHEDULE_PRIORITY	nvarchar(1)		X	

Table dbo.RIS_SEARCH

	Column	Data Type	Identity	Nullable	Default
PK	ID	int	X		
	KEYWORD	nvarchar(100)			
	FREQUENCY	int		X	
	WEIGHT	float		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_ON	datetime		X	
	SOUNDEX	nvarchar(10)		X	

Table dbo.RIS_SEARCH_AUDIT

	Column	Data Type	Identity	Nullable	Default
	SEARCH_AUDIT_ID	int	X		
	SEARCH_START	datetime			
	CREATED_ON	datetime		X	
	CREATED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	

Table dbo.RIS_SEARCH_DTL

	Column	Data Type	Identity	Nullable	Default
PK	ACCESSION_NO	nvarchar(30)			
PK	KEY_ID	int			
	KEY_FREQ	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_SERVICETYPE

	Column	Data Type	Identity	Nullable	Default
PK	SERVICE_TYPE_ID	int	X		
	SERVICE_TYPE_UID	nvarchar(50)		X	
	IS_UPDATED	nvarchar(1)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	IS_ACTIVE	nvarchar(1)		X	
	SERVICE_TYPE_TEXT	nvarchar(500)		X	

Table dbo.RIS_SESSIONAPPCOUNT

	Column	Data Type	Identity	Nullable	Default
	MODALITY_ID	int			
	SESSION_ID	int			
	WEEKDAY	tinyint			
	MAX_APP	tinyint			
	APP_DATE	datetime			
	APP_COUNT	int			
	ORG_ID	int			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	MAX_ONLINE_APP	tinyint		X	
	ONLINE_APP_COUNT	int		X	
	MAX_IPD_APP	tinyint		X	
	IS_BLOCKED	nvarchar(1)		X	

Table dbo.RIS_SESSIONMAXAPP

	Column	Data Type	Identity	Nullable	Default
	MODALITY_ID	int			
	SESSION_ID	int			
	WEEKDAY	tinyint			
	MAX_APP	tinyint			
	ORG_ID	int			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	MAX_ONLINE_APP	tinyint		X	
	MAX_IPD_APP	tinyint		X	

Table dbo.RIS_STUDYLIBRARY

	Column	Data Type	Identity	Nullable	Default
PK	RADIOLOGIST_ID	int			
PK	ACCESSION_NO	nvarchar(30)			
	IS_FAVORITE	bit		X	
	IS_TEACHING	bit		X	
	IS_RESEARCH	bit		X	
	IS_OTHERS	bit		X	
	TAGS	nvarchar(500)		X	
	DIFFICULTY_LEVEL	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	SUMMARY_ACR	nvarchar(500)		X	
	SUMMARY_BODYPART	nvarchar(500)		X	
	SUMMARY_CPT	nvarchar(500)		X	
	SUMMARY_ICD	nvarchar(500)		X	
	SUMMARY_SHARED_WITH	nvarchar(500)		X	
	SHARE_TYPE	nvarchar(1)		X	'P'

Table dbo.RIS_STUDYLIBRARYACR

	Column	Data Type	Identity	Nullable	Default
PK	RADIOLOGIST_ID	int			
PK	ACCESSION_NO	nvarchar(30)			
PK	ACR_ID	int			
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_STUDYLIBRARYBODYPART

	Column	Data Type	Identity	Nullable	Default
PK	RADIOLOGIST_ID	int			
PK	ACCESSION_NO	nvarchar(30)			
PK	EXAM_SKILL_ID	int			
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_STUDYLIBRARYCONFERENCE

	Column	Data Type	Identity	Nullable	Default
PK	LIBRARY_CONFERENCE_ID	int	X		
PK	RADIOLOGIST_ID	int			
PK	ACCESSION_NO	nvarchar(30)			
PK	CONFERENCE_ID	int			
	CONFERENCE_DATE	datetime			
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_STUDYLIBRARYCPT

	Column	Data Type	Identity	Nullable	Default
PK	RADIOLOGIST_ID	int			
PK	ACCESSION_NO	nvarchar(30)			
PK	CPT_ID	int			
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_STUDYLIBRARYICD

	Column	Data Type	Identity	Nullable	Default
PK	RADIOLOGIST_ID	int			
PK	ACCESSION_NO	nvarchar(30)			
PK	ICD_ID	int			
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_STUDYLIBRARYSHAREWITH

	Column	Data Type	Identity	Nullable	Default
PK	RADIOLOGIST_ID	int			
PK	ACCESSION_NO	nvarchar(30)			
PK	EMP_ID	int			
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_STUDYLIBRARYTAGS

	Column	Data Type	Identity	Nullable	Default
PK	RADIOLOGIST_ID	int			
PK	ACCESSION_NO	nvarchar(30)			
PK	TAGS	nvarchar(100)			
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_TechConsumption

	Column	Data Type	Identity	Nullable	Default
PK	ACCESSION_NO	nvarchar(30)			
PK	TAKE	tinyint			
PK	EXAM_ID	int			
	QTY	numeric(5,2)		X	
	RATE	numeric(11,2)		X	
	IS_DELETED	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_TECHNOTES

	Column	Data Type	Identity	Nullable	Default
PK	TECHNOTE_ID	int	X		
	TECHNOTE_DESC	nvarchar(max)		X	
	PRIORITY	nvarchar(1)		X	
PK	ACCESSION_NO	nvarchar(30)			
	CREATED_BY	int			
	CREATED_ON	datetime		X	

Table dbo.RIS_TECHWORKS

	Column	Data Type	Identity	Nullable	Default
PK	ACCESSION_ON	nvarchar(30)			
PK	TAKE	tinyint			
	START_TIME	datetime		X	
	END_TIME	datetime		X	
	EXPOSURE_TECHNIQUE	nvarchar(200)		X	
	PROTOCOL	nvarchar(200)		X	
	KV	nvarchar(20)		X	
	mA	nvarchar(20)		X	
	SEC	nvarchar(20)		X	
	STATUS	nvarchar(1)		X	
	COMMENTS	nvarchar(200)		X	
	NO_OF_IMAGES	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	PERFORMANCED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_TECHWORKSDTL

	Column	Data Type	Identity	Nullable	Default
PK	ACCESSION_NO	nvarchar(30)			
PK	TAKE	tinyint			
PK	TECHNOLOGIST_ID	int			
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.RIS_TIME

	Column	Data Type	Identity	Nullable	Default
PK	PK_Date	datetime			
	Date_Name	nvarchar(50)		X	
	Year	datetime		X	
	Year_Name	nvarchar(50)		X	
	Month	datetime		X	
	Month_Name	nvarchar(50)		X	
	Day_Of_Year	int		X	
	Day_Of_Year_Name	nvarchar(50)		X	
	Day_Of_Month	int		X	
	Day_Of_Month_Name	nvarchar(50)		X	
	Month_Of_Year	int		X	
	Month_Of_Year_Name	nvarchar(50)		X	

Table dbo.RIS_TIMELEVEL

	Column	Data Type	Identity	Nullable	Default
PK	DateTime	nvarchar(10)			
	DatetimeOnCreate	datetime		X	
	EnglishDay	nvarchar(50)		X	
	ThaiDay	nvarchar(50)		X	
	DayNumberOfMonth	int		X	
	EnglishMonth	nvarchar(50)		X	
	ThaiMonth	nvarchar(50)		X	
	MonthNumberOfYear	int		X	
	EnglishYear	int		X	
	ThaiYear	int		X	
	DayOfWeek	int		X	
	CalendarHalfYear	int		X	
	CalendarQuarter	int		X	

Table dbo.RIS_USERORGMAP

	Column	Data Type	Identity	Nullable	Default
PK	EMP_ID	int			
PK	ACCESS_ORG_ID	int			
PK	UNIT_ID	int			
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.SR_QUESTIONS

	Column	Data Type	Identity	Nullable	Default
PK	Q_ID	int	X		
	Q_TYPE_ID	int		X	
	PART_ID	int		X	
	QUESTION_TEXT	varchar(300)		X	
	QUESTION_SIDE	nvarchar(1)		X	
	SPACE_BEGIN	int		X	
	IS_BOLD	nvarchar(1)		X	
	IS_ITALIC	nvarchar(1)		X	
	IS_UNDERLINE	nvarchar(1)		X	
	LABEL	nvarchar(100)		X	
	DEFAULT_VALUE	nvarchar(300)		X	
	APPEND_NEXT	nvarchar(1)		X	'N'
	IS_DEFAULT	nvarchar(1)		X	N'N'
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.SR_QUESTIONSANSWERS

	Column	Data Type	Identity	Nullable	Default
PK	ACCESSION_NO	nvarchar(30)			
PK	Q_ID	int			
	Q_TYPE_ID	int		X	
	PART_ID	int		X	
	QUESTION_TEXT	nvarchar(300)		X	
	ANSWER	nvarchar(300)		X	
	QUESTION_SIDE	nvarchar(1)		X	
	SPACE_BEGIN	int		X	
	IS_BOLD	nvarchar(1)		X	
	IS_ITALIC	nvarchar(1)		X	
	IS_UNDERLINE	nvarchar(1)		X	
	LABEL	nvarchar(100)		X	
	DEFAULT_VALUE	nvarchar(300)		X	
	APPEND_NEXT	nvarchar(1)		X	
	IS_DEFAULT	nvarchar(1)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.SR_QUESTIONSANSWERSDTL

	Column	Data Type	Identity	Nullable	Default
PK	ACCESSION_NO	nvarchar(30)			
PK	Q_ID	int			
PK	Q_ID_DTL	int			
	LABEL	nvarchar(100)		X	
	DEFAULT_VALUE	nvarchar(1000)		X	
	ANSWER	nvarchar(1000)		X	
	IS_DEFAULT	nvarchar(1)		X	
	HAS_CHILD	nvarchar(1)		X	
	IMG_POSITION	nvarchar(1)		X	
	IMG_DATA	image		X	
	PROP1	nvarchar(30)		X	
	TEXT_SIZE	nvarchar(30)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.SR_QUESTIONSANSWERSDTLCHILD

	Column	Data Type	Identity	Nullable	Default
PK	ACCESSION_NO	nvarchar(30)			
PK	Q_ID	int			
PK	Q_ID_DTL	int			
PK	Q_ID_DTL_CHD	int			
	Q_TYPE_ID	int		X	
	LABEL	nvarchar(100)		X	
	DEFAULT_VALUE	nvarchar(1000)		X	
	ANSWER	nvarchar(1000)		X	
	IS_DEFAULT	nvarchar(1)		X	
	IMG_POSITION	nvarchar(1)		X	
	IMG_DATA	image		X	
	PROP1	nvarchar(30)		X	
	QUESTION_SIDE	nvarchar(1)		X	
	TEXT_SIZE	nvarchar(30)		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.SR_QUESTIONSDDL

	Column	Data Type	Identity	Nullable	Default
PK	Q_ID	int			
PK	Q_ID_DTL	int	X		
	LABEL	nvarchar(100)		X	
	DEFAULT_VALUE	nvarchar(300)		X	
	IS_DEFAULT	nvarchar(1)		X	
	HAS_CHILD	nvarchar(1)		X	N'N'
	IMG_POSITION	nvarchar(1)		X	
	IMG_DATA	image		X	
	PROP1	nvarchar(30)		X	
	TEXT_SIZE	nvarchar(30)		X	N'N'
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.SR_QUESTIONS_DTLCHILD

	Column	Data Type	Identity	Nullable	Default
PK	Q_ID	int			
PK	Q_ID_DTL	int			
PK	Q_ID_DTL_CHD	int	X		
	Q_TYPE_ID	int		X	
	LABEL	nvarchar(100)		X	
	DEFAULT_VALUE	nvarchar(300)		X	
	IS_DEFAULT	nvarchar(1)		X	
	IMG_POSITION	nvarchar(1)		X	
	IMG_DATA	image		X	
	PROP1	nvarchar(30)		X	
	QUESTION_SIDE	nvarchar(1)		X	N'V'
	TEXT_SIZE	nvarchar(30)		X	N'N'
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.SR_QUESTIONTYPE

	Column	Data Type	Identity	Nullable	Default
PK	Q_TYPE_ID	int	X		
	Q_TYPE_NAME	nvarchar(50)		X	
	Q_TYPE_DESC	nvarchar(200)		X	
	IS_ACTIVE	nvarchar(1)		X	N'N'
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.SR_TEMPLATE

	Column	Data Type	Identity	Nullable	Default
PK	TEMPLATE_ID	int	X		
	TEMPLATE_NAME	nvarchar(100)		X	
	IS_ACTIVE	nvarchar(1)		X	N'N'
	EXAM_ID	int		X	
	BP_ID	int		X	
	DESCRIPTION	nvarchar(500)		X	
	RSNA_URL	nvarchar(100)		X	
	LANG_ID	int		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.SR_TEMPLATEANSWERSPART

	Column	Data Type	Identity	Nullable	Default
PK	ACCESSION_NO	nvarchar(30)			
PK	PART_ID	int			
	PART_NAME	nvarchar(100)		X	
	TEMPLATE_ID	int		X	
	SL	tinyint		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.SR_TEMPLATEPART

	Column	Data Type	Identity	Nullable	Default
PK	PART_ID	int	X		
	PART_NAME	nvarchar(100)		X	
	TEMPLATE_ID	int		X	
	SL	tinyint		X	
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.SR_USERPREFERENCE

	Column	Data Type	Identity	Nullable	Default
PK	TEMPLATE_ID	int			
PK	EXAM_ID	int			
PK	EMP_ID	int			
	STATUS	nvarchar(1)		X	N'N'
	IS_DEFAULT	nvarchar(1)		X	N'N'
	ORG_ID	int		X	
	CREATED_BY	int		X	
	CREATED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	

Table dbo.XRAYREQ

	Column	Data Type	Identity	Nullable	Default
PK	ORDER_ID	int	X		
	REQUESTNO	nvarchar(100)		X	
	FACILITYRMSNO	nvarchar(30)		X	
	HN	nvarchar(30)			
	FULLNAME	nvarchar(250)		X	
	ORDER_DT	datetime			
	INSURANCE_TYPE_ID	int		X	
	ORDER_START_TIME	datetime		X	
	REQUEST_DATE	datetime		X	
	REF_UNIT	int		X	
	EMP_UID	nvarchar(30)		X	
	DOCNAME	nvarchar(250)		X	
	PAT_STATUS	nvarchar(3)		X	
	REF_DOC_INSTRUCTION	nvarchar(max)		X	
	CLINICAL_INSTRUCTION	nvarchar(max)		X	
	STATUS	nvarchar(1)		X	
	REF_DOC_TITLE	nvarchar(50)		X	
	REF_DOC_FNAME	nvarchar(250)		X	
	REF_DOC_LNAME	nvarchar(250)		X	
	REF_DOC_ID	int		X	
	CREATED_ON	datetime		X	
	CREATED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	LAST_MODIFIED_BY	int		X	
	IS_CANCELED	nvarchar(1)		X	
	ORG_ID	int		X	
	REG_ID	int		X	
	ENC_CLINIC	nvarchar(30)		X	
	ENC_ID	int		X	
	ENC_TYPE	nvarchar(10)		X	
	REASON	nvarchar(1000)		X	
	CONFIRM_ORDER_ID	int		X	
	REQUEST_RESULT_DATETIME	datetime		X	

Table dbo.XRAYREQDTL

	Column	Data Type	Identity	Nullable	Default
PK	ORDER_ID	int			
PK	EXAM_ID	int			
	EXAM_UID	nvarchar(50)		X	
	MODALITY_ID	int		X	
	EXAM_DT	datetime		X	
	PRIORITY	nvarchar(1)		X	
	STATUS	nvarchar(1)		X	
	ASSIGN_TO	int		X	
	ASSIGN_TO_TITLE	nvarchar(50)		X	
	ASSIGN_TO_FNAME	nvarchar(250)		X	
	ASSIGN_TO_LNAME	nvarchar(250)		X	
	ASSIGN_TO_UID	nvarchar(50)		X	
	CREATED_ON	datetime		X	
	QTY	int		X	
	RATE	decimal(18,2)		X	
	CLINIC_TYPE	int		X	
	BP_VIEW	nvarchar(50)		X	
	HIS_SYNC	nvarchar(1)		X	
	HIS_ACK	nvarchar(300)		X	
	PREPARATION_ID	int		X	
	ACCESSION_NO	nvarchar(30)		X	
	IS_DELETED	nvarchar(1)		X	
	LAST_MODIFIED_BY	int		X	
	LAST_MODIFIED_ON	datetime		X	
	COMMENTS	nvarchar(200)		X	
	CREATED_BY	int		X	
	ORG_ID	int		X	
	BPVIEW_ID	int		X	
	PAT_DEST_ID	int		X	
	IS_PORTABLE	nvarchar(1)		X	'N'
	REASON	nvarchar(1000)		X	

Views:

View dbo.ACV_ASSIGNMENT

Column	Data Type	Nullable
ASSIGNMENT_ID	int	
HN	nvarchar(30)	
PATIENT_NAME	nvarchar(201)	
AGE	nvarchar(max)	X
GENDER	nvarchar(1)	X
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
EXAM_TYPE	int	X
STATUS	varchar(9)	
ACCESSION_NO	nvarchar(30)	
PRIORITY	nvarchar(1)	X
RESULT_STATUS	nvarchar(1)	X
EVALUATED_BY	int	X
EVALUATED_NAME	nvarchar(max)	X
GRADE_VALUE	nvarchar(30)	X
REPORT_LANG_VALUE	nvarchar(30)	X
EVALUATED_ON	datetime	X
REPORT_TEXT	nvarchar(max)	X
ACK_ON	datetime	X
FINALIZED_NAME	nvarchar(max)	X
FINALIZED_ON	datetime	X
RESULT_TEXT_PLAIN	nvarchar(max)	X
SEVERITY_ID	int	X
SVID	int	
EXAM_DT	datetime	X
ENROLL_ID	int	
ORDER_DT	datetime	

View dbo.ACV_ASSIGNMENT2

Column	Data Type	Nullable
ASSIGNEMENT_ID	int	
HN	nvarchar(30)	
PATIENT_NAME	nvarchar(201)	
AGE	nvarchar(max)	X
GENDER	nvarchar(1)	X
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
EXAM_TYPE	int	X
STATUS	varchar(9)	
ACCESSION_NO	nvarchar(30)	
PRIORITY	nvarchar(1)	X
RESULT_STATUS	nvarchar(1)	X
EVALUATED_BY	int	X
EVALUATED_NAME	nvarchar(max)	X
GRADE_VALUE	nvarchar(2)	X
REPORT_LANG_VALUE	nvarchar(2)	X
EVALUATED_ON	datetime	X
REPORT_TEXT	nvarchar(max)	X
ACK_ON	datetime	X
FINALIZED_NAME	nvarchar(max)	X
FINALIZED_ON	datetime	X
RESULT_TEXT_PLAIN	nvarchar(max)	X
SEVERITY_ID	int	X
SVID	int	
EXAM_DT	datetime	X
ENROLL_ID	int	
ORDER_DT	datetime	

View dbo.ACV_ASSIGNMENT3

Column	Data Type	Nullable
ASSIGNEMENT_ID	int	
HN	nvarchar(30)	
PATIENT_NAME	nvarchar(201)	
AGE	nvarchar(max)	X
GENDER	nvarchar(1)	X
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
EXAM_TYPE	int	X
STATUS	varchar(9)	
ACCESSION_NO	nvarchar(30)	
PRIORITY	nvarchar(1)	X
RESULT_STATUS	nvarchar(1)	X
EVALUATED_BY	int	X
EVALUATED_NAME	nvarchar(max)	X
GRADE_VALUE	nvarchar(2)	X
REPORT_LANG_VALUE	nvarchar(2)	X
EVALUATED_ON	datetime	X
ACK_ON	datetime	X
FINALIZED_NAME	nvarchar(max)	X
FINALIZED_ON	datetime	X
SEVERITY_ID	int	X
SVID	int	
EXAM_DT	datetime	X
ENROLL_ID	int	
ORDER_DT	datetime	

View dbo.ACV_WORKBOOK

Column	Data Type	Nullable
PRIORITY	nvarchar(1)	X
EXAM_UID	nvarchar(100)	X
EXAM_NAME	nvarchar(100)	X
ACCESSION_NO	nvarchar(30)	X
STATUS	varchar(9)	
HN	nvarchar(30)	X
EVALUATED_ON	datetime	X
EVALUATED_BY	int	X
ACK_ON	datetime	X
PATIENT_NAME	nvarchar(500)	X
AGE	nvarchar(max)	X
FINALIZED_NAME	nvarchar(300)	X
FINALIZED_ON	datetime	X
GRADE_VALUE	nvarchar(30)	X
REPORT_LANG_VALUE	nvarchar(30)	X
EVALUATED_NAME	nvarchar(max)	X
REPORT_TEXT	varchar(1)	
SVID	int	
ASSIGNMENT_ID	int	
ENROLL_ID	int	
ORDER_DT	datetime	

View dbo.AUDIT_UNDO

Column	Data Type	Nullable
AUDIT_LOG_TRANSACTION_ID	int	
TABLE_NAME	nvarchar(261)	
TABLE_SCHEMA	nvarchar(261)	
ACTION_NAME	varchar(6)	X
HOST_NAME	varchar(128)	
APP_NAME	varchar(128)	
MODIFIED_BY	varchar(128)	
MODIFIED_DATE	datetime	
AFFECTED_ROWS	int	
AUDIT_LOG_DATA_ID	int	X
PRIMARY_KEY	nvarchar(1500)	X
COL_NAME	nvarchar(128)	X
OLD_VALUE	nvarchar(4000)	X
NEW_VALUE	nvarchar(4000)	X
DATA_TYPE	char(1)	X

View dbo.AUDIT_VIEW

Column	Data Type	Nullable
TABLE_NAME	nvarchar(261)	X
ACTION	varchar(6)	X
MODIFIED_BY	varchar(128)	X
PRIMARY_KEY	nvarchar(1500)	X
REC_COUNT	int	X
MODIFIED_DATE	varchar(20)	X
COMPUTER	varchar(128)	X
APPLICATION	varchar(128)	X

View dbo.DIM_PERFORMANCE

Column	Data Type	Nullable
ACCESSION_NO	nvarchar(30)	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
EXAM_TYPE	nvarchar(100)	X
MODALITY_NAME	nvarchar(100)	X
REF_UNIT	nvarchar(max)	X
REF_DOC	nvarchar(max)	X
PAT_STATUS	nvarchar(max)	X
PRIORITY	varchar(8)	
STATUS	nvarchar(max)	X
CLINIC_TYPE	nvarchar(100)	X
UNIT	nvarchar(max)	X
SEVERITY_NAME	nvarchar(50)	X
ORDER_BY	nvarchar(max)	X
TECHWORK_BY	nvarchar(max)	X
FIRSTSAVE_BY	nvarchar(max)	X
PRELIM_BY	nvarchar(max)	X
FINALIZED_BY	nvarchar(max)	X
ORDER_ON	datetime	X
TECHWORK_ON	datetime	X
FIRSTSAVE_ON	datetime	X
PRELIM_ON	datetime	X
FINALIZED_ON	datetime	X

View dbo.DIM_STUDYINFO

Column	Data Type	Nullable
ACCESSION_NO	nvarchar(30)	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
EXAM_TYPE	nvarchar(100)	X
MODALITY_NAME	nvarchar(100)	X
REF_UNIT	nvarchar(max)	X
REF_DOC	nvarchar(max)	X
PAT_STATUS	nvarchar(max)	X
PRIORITY	varchar(8)	
STATUS	nvarchar(max)	X
CLINIC_TYPE	nvarchar(100)	X
UNIT	nvarchar(max)	X
SEVERITY_NAME	nvarchar(50)	X
ORDER_BY	nvarchar(max)	X
ORDER_ON	datetime	X
GROUPTECHWORK_BY	nvarchar(max)	X
ASSIGNED_TO	nvarchar(max)	X

View dbo.GBLV_EXAMINSTRUCTIONS

Column	Data Type	Nullable
INS_ID	int	
INS_UID	nvarchar(30)	X
EXAM_UID	nvarchar(30)	X
INS_TEXT	nvarchar(4000)	X
INHERIT_GROUP	nvarchar(1)	X
IS_DELETED	nvarchar(1)	X
GOVT_ID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
SERVICE_TYPE	nvarchar(2)	
UNIT_ID	int	
UNIT_UID	nvarchar(30)	X
UNIT_NAME	nvarchar(100)	X
EXAM_TYPE_ID	int	X
ORG_ID	int	X
EXAM_ID	int	X
EXAM_TYPE_UID	nvarchar(30)	X
EXAM_TYPE_TEXT	nvarchar(30)	X
IS_ACTIVE	nvarchar(1)	X
UNIT_INS	nvarchar(4000)	X
EXAM_TYPE_INS	nvarchar(4000)	X
EXAM_TYPE_INS_KID	nvarchar(4000)	X

View dbo.GBLV_FormLanguage

Column	Data Type	Nullable
SUBMENU_ID	int	
SUBMENU_NAME_USER	nvarchar(50)	X
OBJECT_ID	int	
OBJECT_TYPE	nchar(10)	X
OBJECT_NAME	nchar(100)	X
LANG_ID	int	
LANG_NAME	nvarchar(100)	X
LABEL	nchar(300)	X
IS_DEFAULT	nvarchar(1)	X
IS_ACTIVE	nvarchar(1)	X
ORG_ID	int	X

View dbo.GBLV_GRANTOBJECT

Column	Data Type	Nullable
EMP_ID	int	
ORG_ID	int	
GRANTOBJECT_ID	int	
SUBMENU_ID	int	
CAN_VIEW	int	X
CAN_MODIFY	int	X
CAN_REMOVE	int	X
CAN_SHARE	int	X
CAN_CREATE	int	X
IS_DELETED	nvarchar(1)	X
IS_UPDATED	nvarchar(1)	X

View dbo.GBLV_GRANTROLE_EMP

Column	Data Type	Nullable
GRANTROLE_ID	int	X
CAN_GRANT	int	X
EMP_ID	int	
EMP_UID	nvarchar(50)	X
USER_NAME	nvarchar(50)	X
UNIT_ID	int	X
JOBTITLE_ID	int	X
ROLE_ID	int	X
ROLE_UID	nvarchar(50)	X
ROLE_NAME	nvarchar(50)	X
ORG_ID	int	X
IS_DELETED	nvarchar(1)	X

View dbo.GBLV_GRANTROLE_ROLE

Column	Data Type	Nullable
GRANTROLE_ID	int	X
CAN_GRANT	int	X
EMP_ID	int	X
EMP_UID	nvarchar(50)	X
USER_NAME	nvarchar(50)	X
UNIT_ID	int	X
JOBTITLE_ID	int	X
ROLE_ID	int	
ROLE_UID	nvarchar(50)	X
ROLE_NAME	nvarchar(50)	X
ORG_ID	int	X
IS_DELETED	nvarchar(1)	X

View dbo.GBLV_HISTORY

Column	Data Type	Nullable
ORDER_ID	int	
HN	nvarchar(30)	X
ORDER_DT	datetime	
EXAM_ID	int	
ACCESSION_NO	nvarchar(30)	
ASSIGNED_TO	int	X
CREATED_ON	datetime	X
PRIORITY	nvarchar(1)	X
FNAME	nvarchar(100)	X
LNAME	nvarchar(100)	X
EXAM_NAME	nvarchar(300)	
RESULT_TEXT_HTML	nvarchar(max)	X
RESULT_STATUS	nvarchar(1)	X
UNIT_NAME	nvarchar(100)	X
Expr1	datetime	X
EXAM_UID	nvarchar(30)	X
TITLE	nvarchar(100)	X
RFNAME	nvarchar(50)	X
RLNAME	nvarchar(50)	X
FINALIZED_ON	datetime	X
TITLE_ENG	nvarchar(20)	X
FNAME_ENG	nvarchar(50)	X
LNAME_ENG	nvarchar(50)	X
EMP_UID	nvarchar(50)	X

View dbo.GBLV_HL7MONITORING

Column	Data Type	Nullable
HN	nvarchar(30)	X
NAME	nvarchar(500)	X
EXAM CODE	nvarchar(100)	X
EXAM NAME	nvarchar(100)	X
ACCESSION NO	nvarchar(30)	
HL7 SEND	nvarchar(1)	
ORDER TIME	datetime	
MSG TYPE	varchar(3)	
Report Date	datetime	X
ORDER_ID	int	
HL7_TEXT	nvarchar(max)	X
MERGE	nvarchar(3)	X
MERGE_WITH	nvarchar(30)	X
RESULT_TEXT_HTML	nvarchar(max)	X
RESULT_TEXT_RTF	nvarchar(max)	X

View dbo.GBLV_HL7MONITORING_BKP

Column	Data Type	Nullable
HN	nvarchar(30)	X
NAME	nvarchar(500)	X
EXAM CODE	nvarchar(100)	X
EXAM NAME	nvarchar(100)	X
ACCESSION NO	nvarchar(30)	
HL7 SEND	nvarchar(1)	
ORDER TIME	datetime	
MSG TYPE	varchar(3)	
Report Date	datetime	X
ORDER_ID	int	
HL7_TEXT	nvarchar(max)	X
MERGE	nvarchar(3)	X
MERGE_WITH	nvarchar(30)	X
RESULT_TEXT_HTML	nvarchar(max)	X
RESULT_TEXT_RTF	nvarchar(max)	X

View dbo.GBLV_ORDERINGDEPARTMENT

Column	Data Type	Nullable
FNAME	nvarchar(50)	X
MNAME	nvarchar(50)	X
LNAME	nvarchar(50)	X
UNIT_NAME	nvarchar(100)	X
ACCESSION_NO	nvarchar(30)	
REF_UNIT	int	X
REF_DOC	int	X
PHONE_NO	nvarchar(50)	X

View dbo.GBLV_PATIENTPOSITION

Column	Data Type	Nullable
REG_ID	int	
HN	nvarchar(30)	
REG_DT	datetime	X
NAME	nvarchar(403)	X
ENGLISH_NAME	nvarchar(403)	X
SSN	nvarchar(100)	X
DOB	datetime	X
PHONE1	nvarchar(100)	X
GENDER	nvarchar(1)	X
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
ORDER_ID	int	
ORDER_DT	datetime	
ORDERING_UNIT	nvarchar(100)	X
ORDERING_DOC	nvarchar(54)	X
ACCESSION_NO	nvarchar(30)	
EST_START_TIME	datetime	X
RESULT_TEXT_HTML	nvarchar(max)	X
RADIOLOGIST	nvarchar(54)	X
FINALIZED_ON	datetime	X

View dbo.GBLV_RESULTREPRINT

Column	Data Type	Nullable
ORDER_ID	int	
HN	nvarchar(30)	X
ORDER_DT	datetime	
EXAM_ID	int	
ACCESSION_NO	nvarchar(30)	
ASSIGNED_TO	int	X
CREATED_ON	datetime	X
PRIORITY	nvarchar(1)	X
FNAME	nvarchar(100)	X
LNAME	nvarchar(100)	X
EXAM_NAME	nvarchar(300)	
RESULT_TEXT_HTML	nvarchar(max)	X
RESULT_STATUS	nvarchar(1)	X
UNIT_NAME	nvarchar(100)	X
Expr1	datetime	X
EXAM_UID	nvarchar(30)	X
TITLE	nvarchar(100)	X
RFNAME	nvarchar(50)	X
RLNAME	nvarchar(50)	X
FINALIZED_ON	datetime	X
STATUS	nvarchar(1)	X

View dbo.GBLV_SETALERT

Column	Data Type	Nullable
ALT_ID	int	
ALT_UID	nvarchar(30)	X
ORG_ID	int	X
LANG_ID	int	
ALT_TEXT	nvarchar(300)	X
ALT_TYPE	nvarchar(1)	X
ALT_TITLE	nvarchar(50)	X
ALT_BUTTON	int	X
CAPTION_BTN1	nvarchar(25)	X
CAPTION_BTN2	nvarchar(25)	X
CAPTION_BTN3	nvarchar(25)	X
IS_ACTIVE	nvarchar(1)	X
IS_DELETED	nvarchar(1)	X
ALT_DTL_ID	int	
DEFAULT_BTN	tinyint	X
TIME_SEC	tinyint	X

View dbo.GBLV_SETMENU

Column	Data Type	Nullable
ORG_ID	int	
ROLE_ID	int	
ROLE_UID	nvarchar(50)	X
ROLE_NAME	nvarchar(50)	X
ROLE_IS_ACTIVE	nvarchar(1)	X
EMP_ID	int	
USER_NAME	nvarchar(50)	X
EMP_IS_ACTIVE	nvarchar(1)	X
SUBMENU_ID	int	
SUBMENU_CLASS_NAME	nvarchar(50)	X
SUBMENU_NAME_USER	nvarchar(50)	X
SUBMENU_SL_NO	int	X
SUBMENU_TYPE	nvarchar(1)	X
SUBMENU_IS_ACTIVE	nvarchar(1)	X
MENU_ID	int	
MENU_SL_NO	int	X
MENU_NAME	nvarchar(50)	X
MENU_NAMESPACE	nvarchar(100)	X
MENU_IS_ACTIVE	nvarchar(1)	X
IS_UPDATED	nvarchar(1)	X
IS_DELETED	nvarchar(1)	X
GRANTROLE_IS_DELETED	nvarchar(1)	X
GRANTROLE_IS_UPDATED	nvarchar(1)	X
SUBMENU_REPORTINGSERVICE_URL	nvarchar(1000)	X

View dbo.GBLV_SETROLE

Column	Data Type	Nullable
ROLE_ID	int	
ROLE_UID	nvarchar(50)	X
ROLE_NAME	nvarchar(50)	X
IS_ACTIVE	nvarchar(1)	X
DESCR	nvarchar(100)	X
ORG_ID	int	X
CREATED_BY	int	X
CREATED_ON	datetime	X
LAST_MODIFIED_BY	int	X
LAST_MODIFIED_ON	datetime	X
ROLEDTL_ID	int	X
ROLEDTL_UID	nvarchar(30)	X
Expr1	int	X
SUBMENU_ID	int	X
CAN_VIEW	nvarchar(1)	X
CAN_MODIFY	nvarchar(1)	X
CAN_REMOVE	nvarchar(1)	X
IS_UPDATED	nvarchar(1)	X
IS_DELETED	nvarchar(1)	X
CAN_CREATE	nvarchar(1)	X
Expr4	int	X
Expr5	int	X
Expr6	datetime	X
Expr7	int	X
Expr8	datetime	X
Expr9	int	X
ORG_UID	nvarchar(30)	X
ORG_NAME	nvarchar(100)	X
ORG_ALIAS	nvarchar(30)	X
ORG_SLOGAN1	nvarchar(100)	X
ORG_SLOGAN2	nvarchar(100)	X
ORG_ADDR1	nvarchar(100)	X
ORG_ADDR2	nvarchar(100)	X
ORG_ADDR3	nvarchar(100)	X
ORG_ADDR4	nvarchar(100)	X
ORG_TEL1	nvarchar(100)	X
ORG_TEL2	nvarchar(100)	X
ORG_TEL3	nvarchar(100)	X
ORG_FAX	nvarchar(100)	X
ORG_EMAIL1	nvarchar(100)	X
ORG_EMAIL2	nvarchar(100)	X
ORG_EMAIL3	nvarchar(100)	X
ORG_WEBSITE	nvarchar(100)	X
WELCOME_DIALOG1	nvarchar(500)	X
WELCOME_DIALOG2	nvarchar(500)	X
REP_SERVER	nvarchar(50)	X
REP_FORMAT	nvarchar(30)	X
REP_FOOTER1	nvarchar(500)	X
REP_FOOTER2	nvarchar(500)	X
EMP_IMG_TYPE	nvarchar(4)	X
EMP_IMG_MAX_SIZE	nvarchar(4)	X
OTHER_MAX_FILE_SIZE	int	X
DT_FMT	nvarchar(30)	X
TIME_FMT	nvarchar(30)	X
LOCAL_CURRENCY_NAME	nvarchar(15)	X

LOCAL_CURRENCY_SYMBOL	nvarchar(2)	X
CURRENCY_FMT	nvarchar(30)	X
RESOURCE_IMAGE_PATH	nvarchar(300)	X
SCANNED_IMAGE_PATH	nvarchar(300)	X
DOCUMENT_PATH	nvarchar(500)	X
BACKUP_PATH	nvarchar(500)	X
OTHER_FILE_PATH	nvarchar(300)	X
EMP_IMG_PATH	nvarchar(300)	X
LAB_DATA_PATH	nvarchar(300)	X
USER_DISPLAY_FMT	nvarchar(10)	X
VENDOR_H1	nvarchar(300)	X
VENDOR_H2	nvarchar(300)	X
VENDOR_LOGO_PATH	nvarchar(300)	X
PARTNER1_H1	nvarchar(300)	X
PARTNER1_H2	nvarchar(300)	X
PARTNER1_LOGO_PATH	nvarchar(300)	X
PARTNER2_H1	nvarchar(300)	X
PARTNER2_H2	nvarchar(300)	X
PARTNER2_LOGO_PATH	nvarchar(300)	X
RIS_IP	nvarchar(300)	X
RIS_PORT	nvarchar(300)	X
RIS_USER	nvarchar(300)	X
RIS_PASS	nvarchar(300)	X
RIS_URL	nvarchar(300)	X
PACS_IP	nvarchar(300)	X
PACS_PORT	nvarchar(300)	X
PACS_URL1	nvarchar(300)	X
PACS_URL2	nvarchar(300)	X
PACS_DOMAIN	nvarchar(300)	X
HIS_IP	nvarchar(300)	X
HIS_PORT	nvarchar(300)	X
HIS_DB_NAME	nvarchar(300)	X
HIS_USER_NAME	nvarchar(300)	X
HIS_USER_PASS	nvarchar(300)	X
HIS_FIN_FLAG	nvarchar(300)	X
WS_IP	nvarchar(300)	X
WS_VERSION	nvarchar(300)	X
Expr10	int	X
Expr11	datetime	X
Expr12	int	X
Expr13	datetime	X

View dbo.GBLV_SETROLE_BCK

Column	Data Type	Nullable
ROLE_ID	int	
ROLE_UID	nvarchar(50)	X
ROLE_NAME	nvarchar(50)	X
IS_ACTIVE	nvarchar(1)	X
DESCR	nvarchar(100)	X
ORG_ID	int	X
CREATED_BY	int	X
CREATED_ON	datetime	X
LAST_MODIFIED_BY	int	X
LAST_MODIFIED_ON	datetime	X
ROLEDTL_ID	int	X
ROLEDTL_UID	nvarchar(30)	X
Expr1	int	X
SUBMENU_ID	int	X
CAN_VIEW	nvarchar(1)	X
CAN_MODIFY	nvarchar(1)	X
CAN_REMOVE	nvarchar(1)	X
IS_UPDATED	nvarchar(1)	X
IS_DELETED	nvarchar(1)	X
CAN_CREATE	nvarchar(1)	X
Expr4	int	X
Expr5	int	X
Expr6	datetime	X
Expr7	int	X
Expr8	datetime	X
Expr9	int	X
ORG_UID	nvarchar(30)	X
ORG_NAME	nvarchar(100)	X
ORG_ALIAS	nvarchar(30)	X
ORG_SLOGAN1	nvarchar(100)	X
ORG_SLOGAN2	nvarchar(100)	X
ORG_ADDR1	nvarchar(100)	X
ORG_ADDR2	nvarchar(100)	X
ORG_ADDR3	nvarchar(100)	X
ORG_ADDR4	nvarchar(100)	X
ORG_TEL1	nvarchar(100)	X
ORG_TEL2	nvarchar(100)	X
ORG_TEL3	nvarchar(100)	X
ORG_FAX	nvarchar(100)	X
ORG_EMAIL1	nvarchar(100)	X
ORG_EMAIL2	nvarchar(100)	X
ORG_EMAIL3	nvarchar(100)	X
ORG_WEBSITE	nvarchar(100)	X
WELCOME_DIALOG1	nvarchar(500)	X
WELCOME_DIALOG2	nvarchar(500)	X
REP_SERVER	nvarchar(50)	X
REP_FORMAT	nvarchar(30)	X
REP_FOOTER1	nvarchar(500)	X
REP_FOOTER2	nvarchar(500)	X
EMP_IMG_TYPE	nvarchar(4)	X
EMP_IMG_MAX_SIZE	nvarchar(4)	X
OTHER_MAX_FILE_SIZE	int	X
DT_FMT	nvarchar(30)	X
TIME_FMT	nvarchar(30)	X
LOCAL_CURRENCY_NAME	nvarchar(15)	X

LOCAL_CURRENCY_SYMBOL	nvarchar(2)	X
CURRENCY_FMT	nvarchar(30)	X
RESOURCE_IMAGE_PATH	nvarchar(300)	X
SCANNED_IMAGE_PATH	nvarchar(300)	X
DOCUMENT_PATH	nvarchar(500)	X
BACKUP_PATH	nvarchar(500)	X
OTHER_FILE_PATH	nvarchar(300)	X
EMP_IMG_PATH	nvarchar(300)	X
LAB_DATA_PATH	nvarchar(300)	X
USER_DISPLAY_FMT	nvarchar(10)	X
VENDOR_H1	nvarchar(300)	X
VENDOR_H2	nvarchar(300)	X
VENDOR_LOGO_PATH	nvarchar(300)	X
PARTNER1_H1	nvarchar(300)	X
PARTNER1_H2	nvarchar(300)	X
PARTNER1_LOGO_PATH	nvarchar(300)	X
PARTNER2_H1	nvarchar(300)	X
PARTNER2_H2	nvarchar(300)	X
PARTNER2_LOGO_PATH	nvarchar(300)	X
RIS_IP	nvarchar(300)	X
RIS_PORT	nvarchar(300)	X
RIS_USER	nvarchar(300)	X
RIS_PASS	nvarchar(300)	X
RIS_URL	nvarchar(300)	X
PACS_IP	nvarchar(300)	X
PACS_PORT	nvarchar(300)	X
PACS_URL1	nvarchar(300)	X
PACS_URL2	nvarchar(300)	X
PACS_DOMAIN	nvarchar(300)	X
HIS_IP	nvarchar(300)	X
HIS_PORT	nvarchar(300)	X
HIS_DB_NAME	nvarchar(300)	X
HIS_USER_NAME	nvarchar(300)	X
HIS_USER_PASS	nvarchar(300)	X
HIS_FIN_FLAG	nvarchar(300)	X
WS_IP	nvarchar(300)	X
WS_VERSION	nvarchar(300)	X
Expr10	int	X
Expr11	datetime	X
Expr12	int	X
Expr13	datetime	X
EMP_ID	int	X
EMP_UID	nvarchar(50)	X
USER_NAME	nvarchar(50)	X
SECURITY_QUESTION	nvarchar(300)	X
SECURITY_ANSWER	nvarchar(300)	X
PWD	nvarchar(40)	X
UNIT_ID	int	X
JOBTITLE_ID	int	X
SALUTATION	nvarchar(20)	X
FNAME	nvarchar(50)	X
MNAME	nvarchar(50)	X
LNAME	nvarchar(50)	X
GENDER	nvarchar(1)	X
EMAIL_PERSONAL	nvarchar(100)	X
EMAIL_OFFICIAL	nvarchar(100)	X
PHONE_HOME	nvarchar(30)	X
PHONE_MOBILE	nvarchar(30)	X

PHONE_OFFICE	nvarchar(30)	X
PREFERRED_PHONE	nvarchar(1)	X
PABX_EXT	int	X
FAX_NO	nvarchar(25)	X
DOB	datetime	X
BLOOD_GROUP	nvarchar(3)	X
DEFAULT_LANG	int	X
RELIGION	int	X
PE_ADDR1	nvarchar(100)	X
PE_ADDR2	nvarchar(100)	X
PE_ADDR3	nvarchar(100)	X
PE_ADDR4	nvarchar(100)	X
REPORTING_TO	int	X
LAST_PWD_MODIFIED	datetime	X
LAST_LOGIN	datetime	X
CARD_NO	nvarchar(50)	X
PLACE_OF_BIRTH	nvarchar(10)	X
NATIONALITY	nvarchar(50)	X
M_STATUS	nvarchar(1)	X
Expr14	nvarchar(1)	X
DEFAULT_SHIFT_NO	int	X
IMG_FILE_NAME	nvarchar(100)	X
Expr15	int	X
Expr16	int	X
Expr17	datetime	X
Expr18	int	X
Expr19	datetime	X

View dbo.GBLV_SETSUBMENU

Column	Data Type	Nullable
MENU_ID	int	
MENU_UID	nvarchar(30)	X
MENU_NAME	nvarchar(50)	X
MENU_NAMESPACE	nvarchar(100)	X
Menu_Descr	nvarchar(100)	X
PARENT1	int	
Menu_SLNO	int	X
MenuIsActive	nvarchar(1)	X
ORG_ID	int	X
CREATED_BY	int	X
CREATED_ON	datetime	X
LAST_MODIFIED_BY	int	X
LAST_MODIFIED_ON	datetime	X
SUBMENU_ID	int	
SUBMENU_UID	nvarchar(30)	X
Expr1	int	X
SUBMENU_TYPE	nvarchar(1)	X
SUBMENU_CLASS_NAME	nvarchar(50)	X
SUBMENU_NAME_SYS	nvarchar(50)	X
SUBMENU_NAME_USER	nvarchar(50)	X
PARENT	int	
DESCR	nvarchar(100)	X
SL_NO	int	X
IS_ACTIVE	nvarchar(1)	X
ADD_TO_HOME	nvarchar(1)	X
CAN_VIEW	nvarchar(1)	X
CAN_MODIFY	nvarchar(1)	X
CAN_REMOVE	nvarchar(1)	X
CAN_CREATE	nvarchar(1)	X

View dbo.GBLV_SETSUBMENUOBJECTLABEL

Column	Data Type	Nullable
SUBMENU_ID	int	
OBJECT_ID	int	
LANG_ID	int	
LABEL	nchar(300)	X
ORG_ID	int	X
CREATED_BY	int	X
CREATED_ON	datetime	X
LAST_MODIFIED_BY	int	X
LAST_MODIFIED_ON	datetime	X
OBJECT_TYPE	nchar(10)	X
OBJECT_NAME	nchar(100)	X
Expr3	int	X
Expr4	int	X
Expr5	datetime	X
Expr6	int	X
Expr7	datetime	X
Expr8	int	
SUBMENU_UID	nvarchar(30)	X
MENU_ID	int	X
SUBMENU_TYPE	nvarchar(1)	X
SUBMENU_CLASS_NAME	nvarchar(50)	X
SUBMENU_NAME_SYS	nvarchar(50)	X
SUBMENU_NAME_USER	nvarchar(50)	X
PARENT	int	X
DESCR	nvarchar(100)	X
SL_NO	int	X
IS_ACTIVE	nvarchar(1)	X
ADD_TO_HOME	nvarchar(1)	X
CAN_VIEW	nvarchar(1)	X
CAN_MODIFY	nvarchar(1)	X
CAN_REMOVE	nvarchar(1)	X
CAN_CREATE	nvarchar(1)	X
Expr9	int	X
Expr10	int	X
Expr11	datetime	X
Expr12	int	X
Expr13	datetime	X
Expr14	int	
LANG_UID	nvarchar(30)	X
LANG_NAME	nvarchar(100)	X
IS_DEFAULT	nvarchar(1)	X
Expr15	nvarchar(1)	X
IS_UPDATED	nvarchar(1)	X
IS_DELETED	nvarchar(1)	X
Expr16	int	X
Expr17	int	X
Expr18	datetime	X
Expr19	int	X
Expr20	datetime	X
Expr21	int	
ORG_UID	nvarchar(30)	X
ORG_NAME	nvarchar(100)	X
ORG_ALIAS	nvarchar(30)	X
ORG_SLOGAN1	nvarchar(100)	X
ORG_SLOGAN2	nvarchar(100)	X

ORG_ADDR1	nvarchar(100)	X
ORG_ADDR2	nvarchar(100)	X
ORG_ADDR3	nvarchar(100)	X
ORG_ADDR4	nvarchar(100)	X
ORG_TEL1	nvarchar(100)	X
ORG_TEL2	nvarchar(100)	X
ORG_TEL3	nvarchar(100)	X
ORG_FAX	nvarchar(100)	X
ORG_EMAIL1	nvarchar(100)	X
ORG_EMAIL2	nvarchar(100)	X
ORG_EMAIL3	nvarchar(100)	X
ORG_WEBSITE	nvarchar(100)	X
WELCOME_DIALOG1	nvarchar(500)	X
WELCOME_DIALOG2	nvarchar(500)	X
REP_SERVER	nvarchar(50)	X
REP_FORMAT	nvarchar(30)	X
REP_FOOTER1	nvarchar(500)	X
REP_FOOTER2	nvarchar(500)	X
EMP_IMG_TYPE	nvarchar(4)	X
EMP_IMG_MAX_SIZE	nvarchar(4)	X
OTHER_MAX_FILE_SIZE	int	X
DT_FMT	nvarchar(30)	X
TIME_FMT	nvarchar(30)	X
LOCAL_CURRENCY_NAME	nvarchar(15)	X
LOCAL_CURRENCY_SYMBOL	nvarchar(2)	X
CURRENCY_FMT	nvarchar(30)	X
RESOURCE_IMAGE_PATH	nvarchar(300)	X
SCANNED_IMAGE_PATH	nvarchar(300)	X
DOCUMENT_PATH	nvarchar(500)	X
BACKUP_PATH	nvarchar(500)	X
OTHER_FILE_PATH	nvarchar(300)	X
EMP_IMG_PATH	nvarchar(300)	X
LAB_DATA_PATH	nvarchar(300)	X
USER_DISPLAY_FMT	nvarchar(10)	X
VENDOR_H1	nvarchar(300)	X
VENDOR_H2	nvarchar(300)	X
VENDOR_LOGO_PATH	nvarchar(300)	X
PARTNER1_H1	nvarchar(300)	X
PARTNER1_H2	nvarchar(300)	X
PARTNER1_LOGO_PATH	nvarchar(300)	X
PARTNER2_H1	nvarchar(300)	X
PARTNER2_H2	nvarchar(300)	X
PARTNER2_LOGO_PATH	nvarchar(300)	X
RIS_IP	nvarchar(300)	X
RIS_PORT	nvarchar(300)	X
RIS_USER	nvarchar(300)	X
RIS_PASS	nvarchar(300)	X
RIS_URL	nvarchar(300)	X
PACS_IP	nvarchar(300)	X
PACS_PORT	nvarchar(300)	X
PACS_URL1	nvarchar(300)	X
PACS_URL2	nvarchar(300)	X
PACS_DOMAIN	nvarchar(300)	X
HIS_IP	nvarchar(300)	X
HIS_PORT	nvarchar(300)	X
HIS_DB_NAME	nvarchar(300)	X
HIS_USER_NAME	nvarchar(300)	X
HIS_USER_PASS	nvarchar(300)	X

HIS_FIN_FLAG	nvarchar(300)	X
WS_IP	nvarchar(300)	X
WS_VERSION	nvarchar(300)	X
Expr22	int	X
Expr23	datetime	X
Expr24	int	X
Expr25	datetime	X

View dbo.GBLV_SETSUBMENUOBJECTLABEL_BCK

Column	Data Type	Nullable
SUBMENU_ID	int	
OBJECT_ID	int	
LANG_ID	int	
LABEL	nchar(300)	X
ORG_ID	int	X
CREATED_BY	int	X
CREATED_ON	datetime	X
LAST_MODIFIED_BY	int	X
LAST_MODIFIED_ON	datetime	X
OBJECT_TYPE	nchar(10)	X
OBJECT_NAME	nchar(100)	X
Expr3	int	X
Expr4	int	X
Expr5	datetime	X
Expr6	int	X
Expr7	datetime	X
Expr8	int	
SUBMENU_UID	nvarchar(30)	X
MENU_ID	int	X
SUBMENU_TYPE	nvarchar(1)	X
SUBMENU_CLASS_NAME	nvarchar(50)	X
SUBMENU_NAME_SYS	nvarchar(50)	X
SUBMENU_NAME_USER	nvarchar(50)	X
PARENT	int	X
DESCR	nvarchar(100)	X
SL_NO	int	X
IS_ACTIVE	nvarchar(1)	X
ADD_TO_HOME	nvarchar(1)	X
CAN_VIEW	nvarchar(1)	X
CAN_MODIFY	nvarchar(1)	X
CAN_REMOVE	nvarchar(1)	X
CAN_CREATE	nvarchar(1)	X
Expr9	int	X
Expr10	int	X
Expr11	datetime	X
Expr12	int	X
Expr13	datetime	X
Expr14	int	
LANG_UID	nvarchar(30)	X
LANG_NAME	nvarchar(100)	X
IS_DEFAULT	nvarchar(1)	X
Expr15	nvarchar(1)	X
IS_UPDATED	nvarchar(1)	X
IS_DELETED	nvarchar(1)	X
Expr16	int	X
Expr17	int	X
Expr18	datetime	X
Expr19	int	X
Expr20	datetime	X
Expr21	int	
ORG_UID	nvarchar(30)	X
ORG_NAME	nvarchar(100)	X
ORG_ALIAS	nvarchar(30)	X
ORG_SLOGAN1	nvarchar(100)	X
ORG_SLOGAN2	nvarchar(100)	X

ORG_ADDR1	nvarchar(100)	X
ORG_ADDR2	nvarchar(100)	X
ORG_ADDR3	nvarchar(100)	X
ORG_ADDR4	nvarchar(100)	X
ORG_TEL1	nvarchar(100)	X
ORG_TEL2	nvarchar(100)	X
ORG_TEL3	nvarchar(100)	X
ORG_FAX	nvarchar(100)	X
ORG_EMAIL1	nvarchar(100)	X
ORG_EMAIL2	nvarchar(100)	X
ORG_EMAIL3	nvarchar(100)	X
ORG_WEBSITE	nvarchar(100)	X
WELCOME_DIALOG1	nvarchar(500)	X
WELCOME_DIALOG2	nvarchar(500)	X
REP_SERVER	nvarchar(50)	X
REP_FORMAT	nvarchar(30)	X
REP_FOOTER1	nvarchar(500)	X
REP_FOOTER2	nvarchar(500)	X
EMP_IMG_TYPE	nvarchar(4)	X
EMP_IMG_MAX_SIZE	nvarchar(4)	X
OTHER_MAX_FILE_SIZE	int	X
DT_FMT	nvarchar(30)	X
TIME_FMT	nvarchar(30)	X
LOCAL_CURRENCY_NAME	nvarchar(15)	X
LOCAL_CURRENCY_SYMBOL	nvarchar(2)	X
CURRENCY_FMT	nvarchar(30)	X
RESOURCE_IMAGE_PATH	nvarchar(300)	X
SCANNED_IMAGE_PATH	nvarchar(300)	X
DOCUMENT_PATH	nvarchar(500)	X
BACKUP_PATH	nvarchar(500)	X
OTHER_FILE_PATH	nvarchar(300)	X
EMP_IMG_PATH	nvarchar(300)	X
LAB_DATA_PATH	nvarchar(300)	X
USER_DISPLAY_FMT	nvarchar(10)	X
VENDOR_H1	nvarchar(300)	X
VENDOR_H2	nvarchar(300)	X
VENDOR_LOGO_PATH	nvarchar(300)	X
PARTNER1_H1	nvarchar(300)	X
PARTNER1_H2	nvarchar(300)	X
PARTNER1_LOGO_PATH	nvarchar(300)	X
PARTNER2_H1	nvarchar(300)	X
PARTNER2_H2	nvarchar(300)	X
PARTNER2_LOGO_PATH	nvarchar(300)	X
RIS_IP	nvarchar(300)	X
RIS_PORT	nvarchar(300)	X
RIS_USER	nvarchar(300)	X
RIS_PASS	nvarchar(300)	X
RIS_URL	nvarchar(300)	X
PACS_IP	nvarchar(300)	X
PACS_PORT	nvarchar(300)	X
PACS_URL1	nvarchar(300)	X
PACS_URL2	nvarchar(300)	X
PACS_DOMAIN	nvarchar(300)	X
HIS_IP	nvarchar(300)	X
HIS_PORT	nvarchar(300)	X
HIS_DB_NAME	nvarchar(300)	X
HIS_USER_NAME	nvarchar(300)	X
HIS_USER_PASS	nvarchar(300)	X

HIS_FIN_FLAG	nvarchar(300)	X
WS_IP	nvarchar(300)	X
WS_VERSION	nvarchar(300)	X
Expr22	int	X
Expr23	datetime	X
Expr24	int	X
Expr25	datetime	X
EMP_ID	int	

View dbo.GBLV_SETSUBMENUOBJECTS

Column	Data Type	Nullable
SUBMENU_ID	int	
OBJECT_ID	int	
OBJECT_TYPE	nchar(10)	X
OBJECT_NAME	nchar(100)	X
ORG_ID	int	X
CREATED_BY	int	X
CREATED_ON	datetime	X
LAST_MODIFIED_BY	int	X
LAST_MODIFIED_ON	datetime	X
Expr1	int	
SUBMENU_UID	nvarchar(30)	X
MENU_ID	int	X
SUBMENU_TYPE	nvarchar(1)	X
SUBMENU_CLASS_NAME	nvarchar(50)	X
SUBMENU_NAME_SYS	nvarchar(50)	X
SUBMENU_NAME_USER	nvarchar(50)	X
PARENT	int	X
DESCR	nvarchar(100)	X
SL_NO	int	X
IS_ACTIVE	nvarchar(1)	X
ADD_TO_HOME	nvarchar(1)	X
CAN_VIEW	nvarchar(1)	X
CAN_MODIFY	nvarchar(1)	X
CAN_REMOVE	nvarchar(1)	X
CAN_CREATE	nvarchar(1)	X
Expr2	int	X
Expr3	int	X
Expr4	datetime	X
Expr5	int	X
Expr6	datetime	X

View dbo.GBLV_SETSUBMENUOBJECTS_BCK

Column	Data Type	Nullable
SUBMENU_ID	int	
OBJECT_ID	int	
OBJECT_TYPE	nchar(10)	X
OBJECT_NAME	nchar(100)	X
ORG_ID	int	X
CREATED_BY	int	X
CREATED_ON	datetime	X
LAST_MODIFIED_BY	int	X
LAST_MODIFIED_ON	datetime	X
Expr1	int	
SUBMENU_UID	nvarchar(30)	X
MENU_ID	int	X
SUBMENU_TYPE	nvarchar(1)	X
SUBMENU_CLASS_NAME	nvarchar(50)	X
SUBMENU_NAME_SYS	nvarchar(50)	X
SUBMENU_NAME_USER	nvarchar(50)	X
PARENT	int	X
DESCR	nvarchar(100)	X
SL_NO	int	X
IS_ACTIVE	nvarchar(1)	X
ADD_TO_HOME	nvarchar(1)	X
CAN_VIEW	nvarchar(1)	X
CAN_MODIFY	nvarchar(1)	X
CAN_REMOVE	nvarchar(1)	X
CAN_CREATE	nvarchar(1)	X
Expr2	int	X
Expr3	int	X
Expr4	datetime	X
Expr5	int	X
Expr6	datetime	X
EMP_ID	int	

View dbo.GBLV_WORKLIST

Column	Data Type	Nullable
HN	nvarchar(30)	X
FNAME	nvarchar(100)	X
LNAME	nvarchar(100)	X
ACCESSION_NO	nvarchar(30)	
EXAM_ID	int	
EXAM_NAME	nvarchar(300)	
UNIT_NAME	nvarchar(100)	X
CREATED_ON	datetime	X
ORDER_ID	int	
ORDER_DT	datetime	
PRIORITY	nvarchar(1)	X
ASSIGNED_TO	int	X
RESULT_STATUS	nvarchar(1)	X
RADIOLOGIST	nvarchar(50)	X
SUPPORT_USER	nvarchar(1)	X
IS_CANCELED	nvarchar(1)	X
IS_DELETED	nvarchar(1)	X
RADIOLOGISTLASTNAME	nvarchar(50)	X
EXAM_UID	nvarchar(30)	X
TITLE	nvarchar(100)	X

View dbo.HISV_ICD

Column	Data Type	Nullable
ICD_ID	int	
ICD_UID	nvarchar(30)	X
ICD_DESC	nvarchar(200)	X
ICD_VERSION	nvarchar(50)	X
IS_UPDATED	nvarchar(1)	X
IS_DELETED	nvarchar(1)	X
ORG_ID	int	X
CREATED_BY	int	X
CREATED_ON	datetime	X
LAST_MODIFIED_BY	int	X
LAST_MODIFIED_ON	datetime	X

View dbo.HR_EMPDOCTOR

Column	Data Type	Nullable
EMP_ID	int	
EMP_UID	nvarchar(50)	X
USER_NAME	nvarchar(50)	X
SECURITY_QUESTION	nvarchar(300)	X
SECURITY_ANSWER	nvarchar(300)	X
PWD	nvarchar(40)	X
UNIT_ID	int	X
JOBTITLE_ID	int	X
JOB_TYPE	nvarchar(1)	X
IS_RADIOLOGIST	nvarchar(1)	X
SALUTATION	nvarchar(20)	X
FNAME	nvarchar(50)	X
MNAME	nvarchar(50)	X
LNAME	nvarchar(50)	X
TITLE_ENG	nvarchar(20)	X
FNAME_ENG	nvarchar(50)	X
MNAME_ENG	nvarchar(50)	X
LNAME_ENG	nvarchar(50)	X
GENDER	nvarchar(1)	X
EMAIL_PERSONAL	nvarchar(100)	X
EMAIL_OFFICIAL	nvarchar(100)	X
PHONE_HOME	nvarchar(30)	X
PHONE_MOBILE	nvarchar(30)	X
PHONE_OFFICE	nvarchar(30)	X
PREFERRED_PHONE	nvarchar(1)	X
PABX_EXT	int	X
FAX_NO	nvarchar(25)	X
DOB	datetime	X
BLOOD_GROUP	nvarchar(3)	X
DEFAULT_LANG	int	X
RELIGION	int	X
PE_ADDR1	nvarchar(100)	X
PE_ADDR2	nvarchar(100)	X
PE_ADDR3	nvarchar(100)	X
PE_ADDR4	nvarchar(100)	X
AUTH_LEVEL_ID	int	X
REPORTING_TO	int	X
ALLOW_OTHERS_TO_FINALIZE	nvarchar(1)	X
LAST_PWD_MODIFIED	datetime	X
LAST_LOGIN	datetime	X
CARD_NO	nvarchar(50)	X
PLACE_OF_BIRTH	nvarchar(10)	X
NATIONALITY	nvarchar(50)	X
M_STATUS	nvarchar(1)	X
IS_ACTIVE	nvarchar(1)	X
SUPPORT_USER	nvarchar(1)	X
CAN_KILL_SESSION	nvarchar(1)	X
DEFAULT_SHIFT_NO	int	X
IMG_FILE_NAME	nvarchar(100)	X
EMP_REPORT_FOOTER1	nvarchar(100)	X
EMP_REPORT_FOOTER2	nvarchar(100)	X
ALLPROPERTIES	varbinary(256)	X
VISIBLE	bit	X
ORG_ID	int	X
CREATED_BY	int	X

CREATED_ON	datetime	X
LAST_MODIFIED_BY	int	X
LAST_MODIFIED_ON	datetime	X
IS_RESIDENT	nvarchar(1)	X
CAN_EXCEED_SCHEDULE	nvarchar(1)	X
IS_FELLOW	nvarchar(1)	X
IS_NURSE	nvarchar(1)	X
IS_TECHNOLOGIST	nvarchar(1)	X
RadioName	nvarchar(172)	

View dbo.MG_EXAMRESULTSEARCH_US

Column	Data Type	Nullable
PATIENT_TYPE	nvarchar(1)	X
BREAST_COMPOSITION	nvarchar(1)	X
NO_OF_MASS	tinyint	X
IS_MULTIPLE_MASS	nvarchar(1)	X
IS_MG_NEGATIVE	nvarchar(1)	X
IS_US_NEGATIVE	nvarchar(1)	X
PERSONAL_HISTORY_OF_BREAST_CANCER	nvarchar(1)	X
PERSONAL_HISTORY_OF_BREAST_CANCER_BREAST_SIDE	nvarchar(1)	X
FAMILY_HISTORY_OF_BREAST_CANCER	nvarchar(1)	X
FAMILY_HISTORY_OF_BREAST_CANCER_TYPE_DEGREE	nvarchar(1)	X
CLINICAL_HISTORY_TYPE	nvarchar(1)	X
FINAL_ASSESSMENT_TYPE	nvarchar(1)	X
RECOMMENDATION_TYPE	nvarchar(1)	X
REPORT_STATUS	nvarchar(1)	X
REPORT_STATUS_TEXT	varchar(9)	
PRELIM_BY	int	X
FINALIZED_BY	int	X
RADIOLOGIST_NAME	nvarchar(max)	X
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
EXAM_ID	int	
REF_UNIT	int	X
UNIT_NAME	nvarchar(100)	X
REPORTING_DATE	datetime	X
ACCESSION_NO	nvarchar(30)	
HN	nvarchar(30)	X
PATIENT_NAME	nvarchar(201)	X
PREVIEW	varchar(1)	
PASC	varchar(1)	
BREAST_TYPE	nvarchar(1)	X
FINDING_TYPE	nvarchar(1)	X
MASS_LOCATION_CLOCK	nvarchar(300)	X
MASS_TYPE	nvarchar(1)	X
MASS_CYST_TYPE	nvarchar(1)	X
MASS_ORIENTATION	nvarchar(1)	X
MASS_LESION_BOUNDARY	nvarchar(1)	X
MASS_MARGIN	nvarchar(1)	X
MASS_ECHO_PATTERN	nvarchar(1)	X
MASS_POSTERIOR_ACOUSTIC_FEATURES	nvarchar(1)	X

View dbo.MGV_EXAMRESULTSEARCH_MG

Column	Data Type	Nullable
PATIENT_TYPE	nvarchar(1)	X
BREAST_COMPOSITION	nvarchar(1)	X
NO_OF_MASS	tinyint	X
IS_MULTIPLE_MASS	nvarchar(1)	X
IS_MG_NEGATIVE	nvarchar(1)	X
IS_US_NEGATIVE	nvarchar(1)	X
PERSONAL_HISTORY_OF_BREAST_CANCER	nvarchar(1)	X
PERSONAL_HISTORY_OF_BREAST_CANCER_BREAST_SIDE	nvarchar(1)	X
FAMILY_HISTORY_OF_BREAST_CANCER	nvarchar(1)	X
FAMILY_HISTORY_OF_BREAST_CANCER_TYPE_DEGREE	nvarchar(1)	X
CLINICAL_HISTORY_TYPE	nvarchar(1)	X
FINAL_ASSESSMENT_TYPE	nvarchar(1)	X
RECOMMENDATION_TYPE	nvarchar(1)	X
REPORT_STATUS	nvarchar(1)	X
REPORT_STATUS_TEXT	varchar(9)	
PRELIM_BY	int	X
FINALIZED_BY	int	X
RADIOLOGIST_NAME	nvarchar(max)	X
BREAST_TYPE	nvarchar(1)	X
FINDING_TYPE	nvarchar(1)	X
MASS_LOCATION_CLOCK	nvarchar(300)	X
MASS_SHAPE	nvarchar(1)	X
MASS_MARGIN	nvarchar(1)	X
MASS_DENSITY	nvarchar(1)	X
MASS_DENSITY_TYPE	nvarchar(1)	X
MASS_HAS_CALCIFICATION	nvarchar(1)	X
NO_OF_CALCIFICATION_OBJECTS	nvarchar(200)	X
TYPE_OF_CALCIFICATION_OBJECT	nvarchar(1)	X
TYPICALLY_BENIGN_SKIN	nvarchar(1)	X
TYPICALLY_BENIGN_VASCULAR	nvarchar(1)	X
TYPICALLY_BENIGN_COARSE_OR_POPCORN_LIKE	nvarchar(1)	X
TYPICALLY_BENIGN_LARGE_ROD_LIKE	nvarchar(1)	X
TYPICALLY_BENIGN_ROUND	nvarchar(1)	X
TYPICALLY_BENIGN_LUCENT_CENTERED	nvarchar(1)	X
TYPICALLY_BENIGN_EGGSHELL_OR_RIM	nvarchar(1)	X
TYPICALLY_BENIGN_MILK_OF_CALCIUM	nvarchar(1)	X
TYPICALLY_BENIGN_SUTURE	nvarchar(1)	X
TYPICALLY_BENIGN_DYSTROPHIC	nvarchar(1)	X
INTERMEDIATE_CONCERN_SUSPICIOUS_AMORPHOUS_OR_INDISTINCT	nvarchar(1)	X
INTERMEDIATE_CONCERN_SUSPICIOUS_COARSE_HETEROGENOUS	nvarchar(1)	X
HIGHER_PROBABILITY_OF_MALIGNANCY_FINE_PLEOMORPHIC	nvarchar(1)	X
HIGHER_PROBABILITY_OF_MALIGNANCY_FINE_LINEAR	nvarchar(1)	X
DISTRIBUTION_MODIFIER_DIFFUSE_SCATTERED	nvarchar(1)	X
DISTRIBUTION_MODIFIER_REGIONAL	nvarchar(1)	X
DISTRIBUTION_MODIFIER_GROUPED_OR_CLUSTERED	nvarchar(1)	X
DISTRIBUTION_MODIFIER_LINEAR	nvarchar(1)	X
DISTRIBUTION_MODIFIER_SEGMENTAL	nvarchar(1)	X
NO_OF_ARCHITECTURAL_DISTORTION	nvarchar(200)	X
ARCHITECTURAL_DISTORTION_OBJECT_TYPE	nvarchar(1)	X
ARCHITECTURAL_DISTORTION_TYPE	nvarchar(1)	X
ASSOCIATE_FINDING_TYPE	nvarchar(1)	X
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
EXAM_ID	int	
REF_UNIT	int	X

UNIT_NAME	nvarchar(100)	X
REPORTING_DATE	datetime	X
ACCESSION_NO	nvarchar(30)	
HN	nvarchar(30)	X
PATIENT_NAME	nvarchar(201)	X
PREVIEW	varchar(1)	
PASC	varchar(1)	

View dbo.OLAPV_ORDER

Column	Data Type	Nullable
OLAP_ORDER_ID	int	
YEAR	int	X
MONTH	int	X
DAY	int	X
HOURL	int	X
ORDER_ID	int	X
ORDER_DT	datetime	X
ENC_TYPE	nvarchar(1000)	X
PRIORITY	nvarchar(100)	X
STATUS	nvarchar(100)	X
ACCESSION_NO	nvarchar(100)	X
RATE	numeric(30,2)	X
QTY	tinyint	X
GROSS_INCOME	numeric(30,2)	X
ORDERING_DEPARTMENT	nvarchar(1000)	X
ORDERING_DEPARTMENT_ALIAS	nvarchar(1000)	X
ORDERING_PHYSICIAN	nvarchar(1000)	X
RADIOLOGIST	nvarchar(1000)	X
PAT_DEST_UID	nvarchar(1000)	X
SEVERITY_NAME	nvarchar(100)	X
HN	nvarchar(100)	X
NAME	nvarchar(1000)	X
EXAM_UID	nvarchar(100)	X
EXAM_NAME	nvarchar(1000)	X
EXAM_TYPE	nvarchar(100)	X
SERVICE_TYPE	nvarchar(100)	X
MODALITY_NAME	nvarchar(100)	X
MODALITY_TYPE	nvarchar(100)	X
CLINIC_TYPE	nvarchar(100)	X
IS_SCHEDULE	nvarchar(1)	X
IS_REQONLINE	nvarchar(1)	X
IS_NOTIFY_ADMIN_WL	nvarchar(1)	X
STATUS_TRAN	nvarchar(30)	X
ASSIGNED_TO	nvarchar(200)	X
AGE	int	X
AGE_TEXT	nvarchar(30)	X
CLINICAL_INSTRUCTION	nvarchar(2000)	X
GENDER	nvarchar(10)	X
PATIENT_NAME	nvarchar(300)	X
REQUEST_DATETIME	datetime	X
COMPLETE_DATETIME	datetime	X
PRELIM_DATETIME	datetime	X
FINALIZE_DATETIME	datetime	X
DIFF_COMPLETE_REQUEST	int	X
DIFF_PRELIM_COMPLETE	int	X
DIFF_FINALIZE_COMPLETE	int	X
PRELIM_BY_NAME	nvarchar(1000)	X
FINALIZE_BY_NAME	nvarchar(1000)	X
JOB_TITLE	nvarchar(100)	X

View dbo.ONLY_WORKLIST_ORD

Column	Data Type	Nullable
ORDER_ID	int	
HN	nvarchar(30)	X
REG_ID	int	
PATIENT_NAME	nvarchar(500)	X
STATUS	nvarchar(1)	X
STATUS_TEXT	nvarchar(30)	X
PRIORITY	nvarchar(1)	X
PRIORITY_TEXT	nvarchar(30)	X
ORDER_DT	datetime	
EXAM_DT	datetime	X
strEXAM_DT	nvarchar(30)	X
MODALITY_ID	int	
MODALITY_UID	nvarchar(50)	X
MODALITY_NAME	nvarchar(100)	X
EXAM_ID	int	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
REF_UNIT	int	X
UNIT_ALIAS	nvarchar(30)	X
REF_UNIT_DESC	nvarchar(max)	X
REF_DOC	int	X
REF_DOCNAME	nvarchar(max)	X
ASSIGNED_TO	int	X
ASSIGNED_NAME	nvarchar(max)	X
PAT_STATUS	nvarchar(3)	X
PAT_STATUS_TEXT	nvarchar(max)	X
BPVIEW_ID	int	X
BPVIEW_NAME	nvarchar(100)	X
INSURANCE_TYPE_ID	int	X
INSURANCE_TYPE_UID	nvarchar(100)	X
CLINIC_TYPE	int	X
CLINIC_TYPE_UID	nvarchar(30)	X
RATE	numeric(13,2)	
CREATED_BY	int	X
CREATED_NAME	nvarchar(max)	X
CREATED_ON	datetime	X
COMMENTS	nvarchar(200)	X
REF_DOC_INSTRUCTION	nvarchar(500)	X
CLINICAL_INSTRUCTION	nvarchar(2000)	X
PAT_DEST_DESC	nvarchar(30)	X
PAT_DEST_ID	int	X
ENC_TYPE	nvarchar(10)	X
ENC_CLINIC	nvarchar(30)	X
SEVERITY_ID	int	X
SEVERITY_TEXT	nvarchar(100)	X
TYPE_NAME_ALIAS	nvarchar(100)	X
REQUESTNO	nvarchar(50)	X
ONL_REQ	varchar(5)	
NEED_SCHEDULE	nvarchar(1)	X
SCHEDULE_FLAG	varchar(5)	
NEED_APPROVE	nvarchar(1)	X
NEED_SIDE	nvarchar(1)	X
IS_PORTABLE	nvarchar(1)	X
SCHEDULE_ID	int	
IS_SCHEDULE	varchar(1)	

SESSION_ID	nvarchar(250)	X
START_DATETIME	varchar(1)	
END_DATETIME	varchar(1)	
ACCESSION_NO	nvarchar(30)	
AVG_INV_TIME	tinyint	X
QTY	tinyint	
TOTAL_RATE	numeric(17,2)	X
EXAM_TYPE	int	X
IS_PRINT_CONSENTFORM	varchar(1)	

View dbo.ONLY_WORKLIST_REQ

Column	Data Type	Nullable
ORDER_ID	int	
HN	nvarchar(30)	
REG_ID	int	X
PATIENT_NAME	nvarchar(500)	X
STATUS	nvarchar(1)	X
STATUS_TEXT	nvarchar(30)	X
PRIORITY	nvarchar(1)	X
PRIORITY_TEXT	nvarchar(30)	X
ORDER_DT	datetime	
EXAM_DT	datetime	X
strEXAM_DT	nvarchar(30)	X
MODALITY_ID	int	X
MODALITY_UID	nvarchar(50)	X
MODALITY_NAME	nvarchar(100)	X
EXAM_ID	int	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
REF_UNIT	int	X
UNIT_ALIAS	nvarchar(30)	X
REF_UNIT_DESC	nvarchar(max)	X
REF_DOC	int	X
REF_DOCNAME	nvarchar(max)	X
ASSIGNED_TO	int	X
ASSIGNED_NAME	nvarchar(max)	X
PAT_STATUS	nvarchar(3)	X
PAT_STATUS_TEXT	nvarchar(max)	X
BPVIEW_ID	int	X
BPVIEW_NAME	nvarchar(100)	X
INSURANCE_TYPE_ID	int	X
INSURANCE_TYPE_UID	nvarchar(100)	X
CLINIC_TYPE	int	X
CLINIC_TYPE_UID	nvarchar(30)	X
RATE	decimal(18,2)	X
CREATED_BY	int	X
CREATED_NAME	nvarchar(max)	X
CREATED_ON	datetime	X
COMMENTS	nvarchar(200)	X
REF_DOC_INSTRUCTION	nvarchar(max)	X
CLINICAL_INSTRUCTION	nvarchar(max)	X
PAT_DEST_DESC	nvarchar(30)	X
PAT_DEST_ID	int	X
ENC_TYPE	nvarchar(10)	X
ENC_CLINIC	nvarchar(30)	X
SEVERITY_ID	int	
SEVERITY_TEXT	varchar(1)	
TYPE_NAME_ALIAS	nvarchar(100)	X
REQUESTNO	nvarchar(100)	X
ONL_REQ	varchar(4)	
NEED_SCHEDULE	nvarchar(1)	X
SCHEDULE_FLAG	varchar(5)	
NEED_APPROVE	nvarchar(1)	X
NEED_SIDE	nvarchar(1)	X
IS_PORTABLE	nvarchar(1)	X
SCHEDULE_ID	int	
IS_SCHEDULE	varchar(1)	

SESSION_ID	nvarchar(250)	X
START_DATETIME	varchar(1)	
END_DATETIME	varchar(1)	
ACCESSION_NO	nvarchar(30)	X
AVG_INV_TIME	tinyint	X
QTY	int	X
TOTAL_RATE	decimal(29,2)	X
EXAM_TYPE	int	X
IS_PRINT_CONSENTFORM	varchar(1)	

View dbo.ONLY_WORKLIST_SCH

Column	Data Type	Nullable
ORDER_ID	int	
HN	nvarchar(30)	X
REG_ID	int	
PATIENT_NAME	nvarchar(500)	X
STATUS	nvarchar(1)	X
STATUS_TEXT	varchar(8)	X
PRIORITY	nvarchar(1)	
PRIORITY_TEXT	nvarchar(30)	X
ORDER_DT	datetime	
EXAM_DT	datetime	
strEXAM_DT	nvarchar(30)	X
MODALITY_ID	int	X
MODALITY_UID	nvarchar(50)	X
MODALITY_NAME	nvarchar(100)	X
EXAM_ID	int	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
REF_UNIT	int	X
UNIT_ALIAS	nvarchar(30)	X
REF_UNIT_DESC	nvarchar(max)	X
REF_DOC	int	X
REF_DOCNAME	nvarchar(max)	X
ASSIGNED_TO	int	X
ASSIGNED_NAME	nvarchar(max)	X
PAT_STATUS	int	X
PAT_STATUS_TEXT	nvarchar(max)	X
BPVIEW_ID	int	X
BPVIEW_NAME	nvarchar(100)	X
INSURANCE_TYPE_ID	int	X
INSURANCE_TYPE_UID	nvarchar(100)	X
CLINIC_TYPE	int	X
CLINIC_TYPE_UID	nvarchar(100)	X
RATE	numeric(13,2)	X
CREATED_BY	int	X
CREATED_NAME	nvarchar(max)	X
CREATED_ON	datetime	X
COMMENTS	nvarchar(500)	X
REF_DOC_INSTRUCTION	nvarchar(max)	X
CLINICAL_INSTRUCTION	nvarchar(max)	X
PAT_DEST_DESC	nvarchar(30)	X
PAT_DEST_ID	int	X
ENC_TYPE	nvarchar(10)	X
ENC_CLINIC	nvarchar(30)	X
SEVERITY_ID	int	
SEVERITY_TEXT	varchar(1)	
TYPE_NAME_ALIAS	nvarchar(100)	X
REQUESTNO	varchar(1)	
ONL_REQ	varchar(4)	
NEED_SCHEDULE	nvarchar(1)	X
SCHEDULE_FLAG	varchar(4)	
NEED_APPROVE	nvarchar(1)	X
NEED_SIDE	nvarchar(1)	X
IS_PORTABLE	nvarchar(1)	X
SCHEDULE_ID	int	
IS_SCHEDULE	varchar(1)	

SESSION_ID	int	
START_DATETIME	datetime	
END_DATETIME	datetime	
ACCESSION_NO	varchar(1)	
AVG_INV_TIME	tinyint	X
QTY	int	
TOTAL_RATE	numeric(24,2)	X
EXAM_TYPE	int	X
IS_PRINT_CONSENTFORM	nvarchar(1)	

View dbo.RISV_CLINIC

Column	Data Type	Nullable
CLINIC_TYPE_TEXT	nvarchar(200)	X
IS_ACTIVE	nvarchar(1)	X
ORG_ID	int	X
CLINIC_TYPE_UID	nvarchar(30)	X
CLINIC_TYPE_ID	int	
SESSION_NAME	nvarchar(300)	X

View dbo.RISV_CLINICIAN

Column	Data Type	Nullable
FULLNAME	nvarchar(172)	
FULLNAME_ENG	nvarchar(152)	
EMP_ID	int	
EMP_UID	nvarchar(50)	X

View dbo.RISV_CLINICNEW

Column	Data Type	Nullable
SESSION_NAME	nvarchar(300)	X
START_TIME	datetime	X
END_TIME	datetime	X
ORG_ID	int	X
LAST_MODIFIED_BY	int	X
LAST_MODIFIED_ON	datetime	X
SL_NO	tinyint	X
IS_ACTIVE	nvarchar(1)	X
CLINIC_TYPE_TEXT	nvarchar(200)	X
CLINIC_TYPE_ID	int	
SESSION_ID	int	

View dbo.RISV_DOCTOR

Column	Data Type	Nullable
EMP_ID	int	
EMP_UID	nvarchar(50)	X
USER_NAME	nvarchar(50)	X
UNIT_UID	nvarchar(30)	X
UNIT_NAME	nvarchar(100)	X
SALUTATION	nvarchar(20)	X
FNAME	nvarchar(50)	X
MNAME	nvarchar(50)	X
LNAME	nvarchar(50)	X
TITLE_ENG	nvarchar(20)	X
FNAME_ENG	nvarchar(50)	X
MNAME_ENG	nvarchar(50)	X
LNAME_ENG	nvarchar(50)	X
GENDER	nvarchar(1)	X
PHONE_NO	nvarchar(50)	X
FULLNAME	nvarchar(172)	
FULLNAME_ENG	nvarchar(152)	
AGE_ENG	nvarchar(max)	X
AGE	nvarchar(max)	X
AUTH_LEVEL_ID	int	X
SUPPORT_USER	nvarchar(1)	X

View dbo.RISV_EXAM

Column	Data Type	Nullable
EXAM_ID	int	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
EXAM_TYPE_UID	nvarchar(30)	X
EXAM_TYPE_TEXT	nvarchar(30)	X

View dbo.RISV_EXAMRESULT_TRANSFER_SELECT

Column	Data Type	Nullable
Status	varchar(8)	
Order No	int	
Accession No	nvarchar(30)	
HN	nvarchar(30)	X
Patient Name	nvarchar(403)	
EXAM_ID	int	
Exam Code	nvarchar(30)	X
Exam Name	nvarchar(300)	
ASSIGNED_TO	int	X
Transfer To	int	X
LAST_MODIFIED_BY	int	X
ORDER_ID	int	

View dbo.RISV_EXAMRESULT_WORKLIST_NO_FINALIZE

Column	Data Type	Nullable
PRIORITY	nvarchar(1)	X
PRIORITY_ID	int	X
S	nvarchar(1)	X
ORDER_DT	datetime	
ACCESSION_NO	nvarchar(30)	
HN	nvarchar(30)	
PatientName	nvarchar(403)	
AGE	nvarchar(max)	X
AGE_YEAR	int	X
EXAM_ID	int	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
ORDER_ID	int	
XRAY_NO	nvarchar(30)	X
Radiologist	nvarchar(203)	X
Unit	nvarchar(131)	
ASSIGNED_TO	int	X
CLINIC_TYPE_TEXT	nvarchar(200)	X
TIMEDIFF	nvarchar(max)	X
MERGE	nvarchar(3)	X
MERGE_WITH	nvarchar(30)	X
CHK	varchar(1)	
EXAM_TYPE	int	X
RESULT_MODIFIED_BY	nvarchar(max)	X
BPVIEW_NAME	nvarchar(100)	X
REF_UNIT	int	X
NO_OF_IMAGES	int	X
IS_BIRAD_REPORT	nvarchar(1)	X
HAS_COMMENT	nvarchar(1)	X
REG_ID	int	
BP_ID	int	X
SCHEDULE_ID	int	X
IS_DF	nvarchar(1)	

View dbo.RISV_EXAMRESULT_WORKLIST_NO_FINALIZE_forTest

Column	Data Type	Nullable
PRIORITY	nvarchar(1)	X
PRIORITY_ID	int	X
S	nvarchar(1)	X
ORDER_DT	datetime	
ACCESSION_NO	nvarchar(30)	
HN	nvarchar(30)	
PatientName	nvarchar(403)	
AGE	nvarchar(max)	X
AGE_YEAR	int	X
EXAM_ID	int	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
ORDER_ID	int	
XRAY_NO	nvarchar(30)	X
Radiologist	nvarchar(100)	X
Unit	nvarchar(131)	
ASSIGNED_TO	int	X
CLINIC_TYPE_TEXT	nvarchar(200)	X
TIMEDIFF	nvarchar(max)	X
MERGE	nvarchar(3)	X
MERGE_WITH	nvarchar(30)	X
CHK	varchar(1)	
EXAM_TYPE	int	X
RESULT_MODIFIED_BY	nvarchar(max)	X
BPVIEW_NAME	nvarchar(100)	X
REF_UNIT	int	X
NO_OF_IMAGES	int	X
IS_BIRAD_REPORT	nvarchar(1)	X

View dbo.RISV_EXAMRESULT_WORKLIST_WITH_FINALIZE

Column	Data Type	Nullable
PRIORITY	nvarchar(1)	X
PRIORITY_ID	int	X
S	nvarchar(1)	X
ORDER_DT	datetime	
ACCESSION_NO	nvarchar(30)	
HN	nvarchar(30)	
PatientName	nvarchar(403)	
AGE	nvarchar(max)	X
AGE_YEAR	int	X
EXAM_ID	int	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
ORDER_ID	int	
XRAY_NO	nvarchar(30)	X
Radiologist	nvarchar(203)	X
Unit	nvarchar(131)	
ASSIGNED_TO	int	X
CLINIC_TYPE_TEXT	nvarchar(200)	X
TIMEDIFF	nvarchar(max)	X
MERGE	nvarchar(3)	X
MERGE_WITH	nvarchar(30)	X
CHK	varchar(1)	
EXAM_TYPE	int	X
RESULT_MODIFIED_BY	nvarchar(max)	X
BPVIEW_NAME	nvarchar(100)	X
REF_UNIT	int	X
NO_OF_IMAGES	int	X
IS_BIRAD_REPORT	nvarchar(1)	X
HAS_COMMENT	nvarchar(1)	X
REG_ID	int	
BP_ID	int	X
SCHEDULE_ID	int	X
IS_DF	nvarchar(1)	

View dbo.RISV_EXAMRESULTLEGACY

Column	Data Type	Nullable
Status	varchar(9)	
HN	nvarchar(30)	X
Accession No	nvarchar(30)	
Exam Code	nvarchar(30)	
Exam Name	nvarchar(300)	X
Radiologist	nvarchar(152)	
Result Time	datetime	X
Released by	nvarchar(152)	
Released Time	datetime	X
Finalized by	nvarchar(152)	
Finalized Time	datetime	X
RESULT_TEXT_HTML	nvarchar(max)	X

View dbo.RISV_EXAMRESULTLOG_SELECT

Column	Data Type	Nullable
LOG_ID	int	
EFFECTIVE_DT	datetime	
ORDER_ID	int	X
ACCESSION_NO	nvarchar(30)	X
RESULT_STATUS	varchar(9)	
RESULT_TEXT_RTF	nvarchar(max)	X
HL7_SEND	varchar(3)	
OPERATION_STATUS	varchar(14)	X
OPERATION	int	
CREATED_BY	nvarchar(152)	
CREATED_ON	datetime	X
RELEASED_BY	nvarchar(152)	
RELEASED_ON	datetime	X
FINALIZED_BY	nvarchar(152)	
FINALIZED_ON	datetime	X
LAST_MODIFIED_BY	nvarchar(152)	
LAST_MODIFIED_ON	datetime	X
HN	nvarchar(30)	X
PATIENTNAME	nvarchar(302)	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	X
SEVERITY_UID	nvarchar(30)	X
SEVERITY_NAME	nvarchar(50)	X
ICD_UID	nvarchar(30)	X
RAD_ID	int	X

View dbo.RISV_FINALIZED

Column	Data Type	Nullable
FULLNAME	nvarchar(172)	X
EMP_UID	nvarchar(50)	X
FINALIZED_ON	datetime	X
SEVERITY_ID	int	X
RESULT_STATUS	nvarchar(1)	X
RESULT_TEXT_PLAIN	nvarchar(max)	X
HN	nvarchar(30)	X
ORDER_START_TIME	datetime	X
MODALITY_ID	int	
REF_UNIT	int	X
REF_DOC	int	X
PAT_STATUS	nvarchar(3)	X
CLINIC_TYPE	int	X
PRIORITY	varchar(7)	X
STATUS	varchar(11)	X
INSURANCE_TYPE_ID	int	X
ASSIGNED_TO	int	X
FINALIZED_DATE	datetime	X
ORDER_ID	int	
FINALIZED_BY	int	X
ACCESSION_NO	nvarchar(30)	
EXAM_ID	int	
RATE	numeric(13,2)	

View dbo.RISV_MODALITY

Column	Data Type	Nullable
MODALITY_ID	int	
MODALITY_UID	nvarchar(50)	X
MODALITY_NAME	nvarchar(100)	X
TYPE_UID	nvarchar(30)	X
TYPE_NAME	nvarchar(100)	X

View dbo.RISV_ORDER_WORKLIST

Column	Data Type	Nullable
ORDER_ID	int	
SEVERITY_NAME	nvarchar(50)	X
STATUS	varchar(9)	X
PRIORITY	varchar(7)	X
EXAM_DT	datetime	X
ACCESSION_NO	nvarchar(30)	
MODALITY_ID	int	
TYPE_NAME_ALIAS	nvarchar(100)	X
EXAM_ID	int	
EXAM_TEXT	nvarchar(333)	X
RATE	numeric(13,2)	X
SPECIAL_RATE	numeric(18,2)	X
VIP_RATE	numeric(18,2)	X
NEED_SCHEDULE	nvarchar(1)	
EXAM_TYPE	int	
BPVIEW_NAME	nvarchar(30)	X
BPVIEW_ID	int	
REF_DOC_ID	int	
ORDERING_DOCTOR	nvarchar(max)	X
REF_UNIT_ID	int	
REF_UNIT_UID	nvarchar(max)	X
ORDERING_DEPT	nvarchar(max)	X
RADIOLOGIST	nvarchar(max)	X
INSURANCE_TYPE_ID	int	
PAT_STATUS	nvarchar(3)	
CLINICAL_INSTRUCTION	nvarchar(2000)	X
CLINIC_TYPE	int	
COMMENTS	nvarchar(200)	X
ORDER_BY	nvarchar(max)	X
LABEL	nvarchar(30)	
PAT_DEST_ID	int	
NEED_APPROVE	nvarchar(1)	
IS_REQUEST_PORTABLE	nvarchar(1)	X
SERVICE_TYPE	nvarchar(2)	
IS_PORTABLE	nvarchar(1)	
REG_ID	int	
ORG_ID	int	X
IS_DELETED	nvarchar(1)	X

View dbo.RISV_ORDERDTLCAPTURE

Column	Data Type	Nullable
ORDER_ID	int	
PRIORITY	varchar(7)	X
HN	nvarchar(30)	X
PatientName	nvarchar(301)	
GENDER	varchar(6)	X
AGE	int	
PAT_STATUS	nvarchar(3)	X
STATUS_TEXT	nvarchar(100)	X
ACCESSION_NO	nvarchar(30)	
EXAM_ID	int	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
MODALITY_ID	int	
MODALITY_NAME	nvarchar(100)	X
ORDER_START_TIME	datetime	X
EST_START_TIME	datetime	X
STATUS	varchar(1)	
TAKE	int	X
AGEText	nvarchar(max)	X
TIMEDIFF	nvarchar(max)	X
UNIT_ID	int	X
CLINIC_TYPE	nvarchar(200)	X
MERGE	nvarchar(3)	X
MERGE_WITH	nvarchar(30)	X
ORDER_STATUS	nvarchar(1)	X
IS_REQONLINE	nvarchar(1)	
HAS_COMMENT	nvarchar(1)	X
ORDER_DT	datetime	
CREATED_ON	datetime	X

View dbo.RISV_ORDERDTLTODAY

Column	Data Type	Nullable
ACCESSION_NO	nvarchar(30)	
ORDER_ID	int	
EXAM_ID	int	
HL7_SENT	nvarchar(1)	
HIS_SYNC	nvarchar(1)	
STATUS	nvarchar(1)	X
IS_DELETED	nvarchar(1)	
LAST_EDIT	datetime	X

View dbo.RISV_ORDERREPORTALL

Column	Data Type	Nullable
ORDER_DT	datetime	
HN	nvarchar(30)	X
PATNAME	nvarchar(402)	
DOB	datetime	X
AGE	nvarchar(max)	X
PAT_STATUS	nvarchar(3)	X
UNIT_UID	nvarchar(30)	X
UNIT_NAME	nvarchar(100)	X
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
PREPARATION_UID	nvarchar(30)	X
PREPARATION_DESC	nvarchar(300)	X
RADNAME	nvarchar(172)	
STATUS_TEXT	nvarchar(100)	X
MODALITY_ID	int	
MODALITY_NAME	nvarchar(100)	X
MODALITY_UID	nvarchar(50)	X

View dbo.RISV_PATIENT_RESULT_TODAY

Column	Data Type	Nullable
ORDER_ID	int	
ACCESSION_NO	nvarchar(30)	
HL7_SEND	nvarchar(1)	X
RESULT_STATUS	nvarchar(1)	X

View dbo.RISV_PATIENTDTLTODAY

Column	Data Type	Nullable
ACCESSION_NO	nvarchar(30)	

View dbo.RISV_PATIENTFLOWDATA

Column	Data Type	Nullable
ORDER_DT	datetime	
HN	nvarchar(30)	X
ORDER_ID	int	
ORDERING_DEPT	nvarchar(100)	X
EXAM_ID	int	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
ACCESSION_NO	nvarchar(30)	
MODALITY_NAME	nvarchar(100)	X
ORDERING_BY	nvarchar(122)	
ORDER_ENTERED_ON	datetime	X
CAPTURED_BY	nvarchar(122)	
IMAGE_CAPTURED_ON	datetime	X
QA_BY	nvarchar(122)	
QA_ON	datetime	X
PRELIM_BY	nvarchar(122)	
PRELIM_ON	datetime	X
FINALIZE_BY	nvarchar(122)	
FINALIZED_ON	datetime	X
RAD_ID	nvarchar(122)	
APPOINT_DT	datetime	X
SCHEDULE_DT	datetime	X
SCHEDULE_ON	datetime	X
SCHEDULE_BY	nvarchar(max)	X
PERFORMANCED_BY	nvarchar(max)	X
PERFORMANCED_ON	datetime	X
ORDER_LAST_MODIFIED_BY	nvarchar(max)	X
ORDER_LAST_MODIFIED_ON	datetime	X

View dbo.RISV_PROCEDURE

Column	Data Type	Nullable
EXAM_UID	nvarchar(30)	X
GOVT_ID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
RATE	numeric(13,2)	X
GOVT_RATE	numeric(7,2)	X
EXAM_TYPE_TEXT	nvarchar(30)	X
EXAM_TYPE_UID	nvarchar(30)	X
SERVICE_TYPE_TEXT	nvarchar(500)	X
CLAIMABLE_AMT	numeric(7,2)	X
NONCLAIMABLE_AMT	numeric(7,2)	X
SPECIAL_CLINIC	nvarchar(1)	X
SPECIAL_RATE	numeric(18,2)	X
UNIT_ID	int	X
EXAM_FULLNAME	nvarchar(333)	X
EXAM_ID	int	

View dbo.RISV_RADIOLOGIST

Column	Data Type	Nullable
EMP_ID	int	
EMP_UID	nvarchar(50)	X
USER_NAME	nvarchar(50)	X
UNIT_UID	nvarchar(30)	X
UNIT_NAME	nvarchar(100)	X
SALUTATION	nvarchar(20)	X
FNAME	nvarchar(50)	X
MNAME	nvarchar(50)	X
LNAME	nvarchar(50)	X
TITLE_ENG	nvarchar(20)	X
FNAME_ENG	nvarchar(50)	X
MNAME_ENG	nvarchar(50)	X
LNAME_ENG	nvarchar(50)	X
GENDER	nvarchar(1)	X
PHONE_NO	nvarchar(50)	X
FULLNAME	nvarchar(172)	
FULLNAME_ENG	nvarchar(152)	
AGE_ENG	nvarchar(max)	X
AGE	nvarchar(max)	X
SUPPORT_USER	nvarchar(1)	X
AUTH_LEVEL	varchar(11)	

View dbo.RISV_RESULT_SP_CLINIC

Column	Data Type	Nullable
ORG_NAME	nvarchar(100)	X
ORG_SLOGAN1	nvarchar(100)	X
ORG_SLOGAN2	nvarchar(100)	X
ORG_ADDR1	nvarchar(100)	X
ORG_ADDR2	nvarchar(100)	X
ORG_ADDR3	nvarchar(100)	X
ORG_ADDR4	nvarchar(100)	X
ORG_TEL1	nvarchar(100)	X
ORG_TEL2	nvarchar(100)	X
ORG_FAX	nvarchar(100)	X
ORG_EMAIL1	nvarchar(100)	X
ORG_WEBSITE	nvarchar(100)	X
VENDOR_H2	nvarchar(300)	X
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
UNIT_UID	nvarchar(30)	
UNIT_NAME	nvarchar(100)	
RATE	numeric(13,2)	X
CREATED_ON	datetime	X
EXAM_TYPE_UID	nvarchar(30)	X
EXAM_TYPE_TEXT	nvarchar(30)	X
MODALITY_UID	nvarchar(50)	X
MODALITY_NAME	nvarchar(100)	X
CLINIC_TYPE_UID	nvarchar(30)	X
CLINIC_TYPE_TEXT	nvarchar(200)	X
FINALIZED_BY	int	X
EMP_UID	nvarchar(50)	X
FullName	nvarchar(101)	X
CLINIC_TYPE_ID	int	
RESULT_CREATED_ON	datetime	X
ORG_IMG	varchar(1)	

View dbo.RISV_RESULTENTRYREPORT

Column	Data Type	Nullable
HN	nvarchar(30)	X
ORDER_ID	int	
ORDER_DT	datetime	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
PATIENT_NAME	nvarchar(513)	X
DOB	datetime	X
UNIT_NAME_ALIAS	nvarchar(100)	X
ACCESSION_NO	nvarchar(30)	
RESULT_STATUS	nvarchar(1)	X
RESULT_TEXT_PLAIN	nvarchar(max)	X
PRELIM_BY	int	X
PRELIM_FOOTER1	nvarchar(223)	X
PRELIM_FOOTER2	nvarchar(223)	X
FINALIZED_ON	datetime	X
FINALIZED_BY	int	X
FINAL_FOOTER1	nvarchar(223)	X
FINAL_FOOTER2	nvarchar(223)	X
UNIT_NAME	nvarchar(100)	X
Age	nvarchar(max)	X
RefDoctor	nvarchar(max)	X
ResultDoctor	nvarchar(max)	X
VN	varchar(1)	
CreateOrder	varchar(1)	
Expr1	varchar(1)	
INSURANCE_TYPE_DESC	nvarchar(200)	X
ORG_NAME	nvarchar(100)	X
ORG_SLOGAN1	nvarchar(100)	X
ORG_SLOGAN2	nvarchar(100)	X
ORG_ADDR1	nvarchar(100)	X
ORG_ADDR2	nvarchar(100)	X
ORG_ADDR3	nvarchar(100)	X
ORG_ADDR4	nvarchar(100)	X
ORG_TEL1	nvarchar(100)	X
ORG_TEL2	nvarchar(100)	X
ORG_FAX	nvarchar(100)	X
ORG_EMAIL1	nvarchar(100)	X
ORG_WEBSITE	nvarchar(100)	X
ORG_IMG	image	X

View dbo.RISV_RPTSUMMARYREPORTBYEXAM

Column	Data Type	Nullable
UNIT_UID	nvarchar(30)	
UNIT_NAME	nvarchar(100)	
MODALITY_UID	nvarchar(50)	X
MODALITY_NAME	nvarchar(100)	X
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
CLINIC_TYPE_UID	nvarchar(30)	X
CLINIC_TYPE_TEXT	nvarchar(200)	X
ACCESSION_NO	nvarchar(30)	
EXAM_TYPE_UID	nvarchar(30)	X
EXAM_TYPE_TEXT	nvarchar(511)	X
CREATED_ON	datetime	X
RATE	numeric(13,2)	
ORG_NAME	nvarchar(100)	X
ORG_SLOGAN1	nvarchar(100)	X
ORG_SLOGAN2	nvarchar(100)	X
ORG_ADDR1	nvarchar(100)	X
ORG_ADDR2	nvarchar(100)	X
ORG_ADDR3	nvarchar(100)	X
ORG_ADDR4	nvarchar(100)	X
ORG_TEL1	nvarchar(100)	X
ORG_TEL2	nvarchar(100)	X
ORG_FAX	nvarchar(100)	X
ORG_EMAIL1	nvarchar(100)	X
ORG_WEBSITE	nvarchar(100)	X
ORG_IMG	varchar(1)	
VENDOR_H2	nvarchar(300)	X
ORDER_DT	datetime	

View dbo.RISV_SCHEDULE_LOG

Column	Data Type	Nullable
SCHEDULE_ID	int	X
HN	nvarchar(30)	
START_DATETIME	datetime	X
STATUS	varchar(6)	X
REASON	nvarchar(1000)	X
LAST_MODIFIED_ON	datetime	X
USER_NAME	nvarchar(50)	X
FULLNAME	nvarchar(max)	X
MODALITY	nvarchar(153)	X
EXAM	nvarchar(333)	X

View dbo.RISV_SCHEDULE_SEARCH_BY_AGE

Column	Data Type	Nullable
APP_DATE	date	X
APP_COUNT	int	X
MODALITY_TYPE	int	X
MODALITY_ID	int	
SESSION_ID	int	X
AGE	int	X

View dbo.RISV_SCHEDULE_WAITING

Column	Data Type	Nullable
SCHEDULE_ID	int	
SCHEDULE_DATA	nvarchar(max)	X
REQUEST_BY	nvarchar(max)	X
CREATED_ON	datetime	X
START_DATETIME	datetime	
END_DATETIME	datetime	
HN	nvarchar(30)	X
MODALITY_ID	int	X
MIN_TEXT	nvarchar(max)	X
MIN_TEXT_THAI	nvarchar(max)	X
PATIENT_NAME	nvarchar(500)	X
NOTIFY_ADMIN_WL	nvarchar(1)	
REF_UNIT_NAME	nvarchar(max)	X
PAT_DEST_LABEL	nvarchar(100)	X

View dbo.RISV_SCHEDULE_WAITING_BKP

Column	Data Type	Nullable
SCHEDULE_ID	int	
SCHEDULE_DATA	nvarchar(max)	X
REQUEST_BY	nvarchar(max)	X
CREATED_ON	datetime	X
START_DATETIME	datetime	
END_DATETIME	datetime	
HN	nvarchar(30)	
MODALITY_ID	int	X
MIN_TEXT	nvarchar(max)	X
MIN_TEXT_THAI	nvarchar(max)	X
PATIENT_NAME	nvarchar(201)	

View dbo.RISV_SCHEDULE_WORKLIST

Column	Data Type	Nullable
SCHEDULE_ID	int	
STATUS	varchar(9)	X
PRIORITY	varchar(7)	
START_DATETIME	datetime	
ACCESSION_NO	varchar(1)	
MODALITY_ID	int	
TYPE_NAME_ALIAS	nvarchar(100)	X
EXAM_ID	int	
EXAM_TEXT	nvarchar(333)	X
RATE	numeric(13,2)	X
SPECIAL_RATE	numeric(18,2)	X
VIP_RATE	numeric(18,2)	X
NEED_SCHEDULE	nvarchar(1)	
EXAM_TYPE	int	
BPVIEW_NAME	nvarchar(30)	X
BPVIEW_ID	int	
REF_DOC_ID	int	
ORDERING_DOCTOR	nvarchar(max)	X
REF_UNIT_ID	int	
REF_UNIT_UID	nvarchar(max)	X
ORDERING_DEPT	nvarchar(max)	X
INSURANCE_TYPE_ID	int	
PAT_STATUS	int	
CLINICAL_INSTRUCTION	nvarchar(max)	X
CLINIC_TYPE	varchar(1)	
COMMENTS	nvarchar(500)	X
END_DATETIME	datetime	
ORDER_BY	nvarchar(max)	X
LABEL	nvarchar(30)	
PAT_DEST_ID	int	
NEED_APPROVE	nvarchar(1)	
IS_REQUEST_PORTABLE	nvarchar(1)	X
SERVICE_TYPE	nvarchar(2)	
IS_PORTABLE	nvarchar(1)	
REG_ID	int	
ORG_ID	int	X
SCHEDULE_STATUS	nvarchar(1)	X
SCHEDULE_DT	datetime	

View dbo.RISV_SCHEDULE_WORKLIST_REPORTING

Column	Data Type	Nullable
PRIORITY	nvarchar(1)	
PRIORITY_ID	int	X
S	nvarchar(1)	X
SCHEDULE_DT	datetime	
HN	nvarchar(30)	
PatientName	nvarchar(403)	
AGE	nvarchar(max)	X
AGE_YEAR	int	X
EXAM_ID	int	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
SCHEDULE_ID	int	
Radiologist	nvarchar(203)	X
Unit	nvarchar(131)	
ASSIGNED_TO	int	X
CLINIC_TYPE_TEXT	nvarchar(200)	X
EXAM_TYPE	int	X
BPVIEW_NAME	nvarchar(100)	X
REF_UNIT	int	X
REG_ID	int	
BP_ID	int	X
XRAYREQ_ID	int	
ORDER_ID	int	

View dbo.RISV_SCHEDULEDATA

Column	Data Type	Nullable
SCHEDULE_ID	int	
REG_ID	int	
HN	nvarchar(30)	X
SCHEDULE_DT	datetime	
MODALITY_ID	int	X
SCHEDULE_DATA	nvarchar(max)	X
LABEL	int	X
LOCATION	nvarchar(50)	X
EVENTTYPE	int	X
SESSION_ID	int	X
START_DATETIME	datetime	
END_DATETIME	datetime	
REF_UNIT	int	X
REF_DOC	int	X
REF_DOC_INSTRUCTION	nvarchar(max)	X
CLINICAL_INSTRUCTION	nvarchar(max)	X
REASON	nvarchar(300)	X
DIAGNOSIS	nvarchar(300)	X
PAT_STATUS	int	X
LMP_DT	datetime	X
ICD_ID	int	X
SCHEDULE_STATUS	nvarchar(1)	X
INSURANCE_TYPE_ID	int	X
CONFIRMED_BY	int	X
CONFIRMED_ON	datetime	X
IS_BLOCKED	nvarchar(1)	X
BLOCK_REASON	nvarchar(300)	X
COMMENTS	nvarchar(500)	X
ORG_ID	int	X
CREATED_BY	int	X
CREATED_ON	datetime	X
LAST_MODIFIED_BY	int	X
LAST_MODIFIED_ON	datetime	X
IS_REQONLINE	nvarchar(1)	X
COMMANDTYPE	varchar(1)	
NOTIFY_ADMIN_WL	nvarchar(1)	
WL_CONFIRMED_BY	int	X
PENDING_BY	int	X

View dbo.RISV_SCHEDULEDATA_ONEYEAR

Column	Data Type	Nullable
SCHEDULE_ID	int	
REG_ID	int	
HN	nvarchar(30)	X
SCHEDULE_DT	datetime	
MODALITY_ID	int	X
SCHEDULE_DATA	nvarchar(max)	X
LABEL	int	X
LOCATION	nvarchar(50)	X
EVENTTYPE	int	X
SESSION_ID	int	X
START_DATETIME	datetime	
END_DATETIME	datetime	
REF_UNIT	int	X
REF_DOC	int	X
REF_DOC_INSTRUCTION	nvarchar(max)	X
CLINICAL_INSTRUCTION	nvarchar(max)	X
REASON	nvarchar(300)	X
DIAGNOSIS	nvarchar(300)	X
PAT_STATUS	int	X
LMP_DT	datetime	X
ICD_ID	int	X
SCHEDULE_STATUS	nvarchar(1)	X
INSURANCE_TYPE_ID	int	X
CONFIRMED_BY	int	X
CONFIRMED_ON	datetime	X
IS_BLOCKED	nvarchar(1)	X
BLOCK_REASON	nvarchar(300)	X
COMMENTS	nvarchar(500)	X
ORG_ID	int	X
CREATED_BY	int	X
CREATED_ON	datetime	X
LAST_MODIFIED_BY	int	X
LAST_MODIFIED_ON	datetime	X
IS_REQONLINE	nvarchar(1)	X
COMMANDTYPE	varchar(1)	
WL_CONFIRMED_BY	int	X
PENDING_BY	int	X

View dbo.RISV_SCHEDULEDATA_ONL

Column	Data Type	Nullable
SCHEDULE_ID	int	
REG_ID	int	
HN	nvarchar(30)	X
SCHEDULE_DT	datetime	
MODALITY_ID	int	X
SCHEDULE_DATA	nvarchar(max)	X
LABEL	int	X
LOCATION	nvarchar(50)	X
EVENTTYPE	int	X
SESSION_ID	int	X
START_DATETIME	datetime	
END_DATETIME	datetime	
REF_UNIT	int	X
REF_DOC	int	X
REF_DOC_INSTRUCTION	nvarchar(max)	X
CLINICAL_INSTRUCTION	nvarchar(max)	X
REASON	nvarchar(300)	X
DIAGNOSIS	nvarchar(300)	X
PAT_STATUS	int	X
LMP_DT	datetime	X
ICD_ID	int	X
SCHEDULE_STATUS	nvarchar(1)	X
INSURANCE_TYPE_ID	int	X
CONFIRMED_BY	int	X
CONFIRMED_ON	datetime	X
IS_BLOCKED	nvarchar(1)	X
BLOCK_REASON	nvarchar(300)	X
COMMENTS	nvarchar(500)	X
ORG_ID	int	X
CREATED_BY	int	X
CREATED_ON	datetime	X
LAST_MODIFIED_BY	int	X
LAST_MODIFIED_ON	datetime	X
IS_REQONLINE	nvarchar(1)	X
COMMANDTYPE	varchar(1)	
NOTIFY_ADMIN_WL	nvarchar(1)	
PENDING_BY	int	X

View dbo.RISV_SCHEDULEDATA_SIXMONTH

Column	Data Type	Nullable
SCHEDULE_ID	int	
REG_ID	int	
HN	nvarchar(30)	X
SCHEDULE_DT	datetime	
MODALITY_ID	int	X
SCHEDULE_DATA	nvarchar(max)	X
LABEL	int	X
LOCATION	nvarchar(50)	X
EVENTTYPE	int	X
SESSION_ID	int	X
START_DATETIME	datetime	
END_DATETIME	datetime	
REF_UNIT	int	X
REF_DOC	int	X
REF_DOC_INSTRUCTION	nvarchar(max)	X
CLINICAL_INSTRUCTION	nvarchar(max)	X
REASON	nvarchar(300)	X
DIAGNOSIS	nvarchar(300)	X
PAT_STATUS	int	X
LMP_DT	datetime	X
ICD_ID	int	X
SCHEDULE_STATUS	nvarchar(1)	X
INSURANCE_TYPE_ID	int	X
CONFIRMED_BY	int	X
CONFIRMED_ON	datetime	X
IS_BLOCKED	nvarchar(1)	X
BLOCK_REASON	nvarchar(300)	X
COMMENTS	nvarchar(500)	X
ORG_ID	int	X
CREATED_BY	int	X
CREATED_ON	datetime	X
LAST_MODIFIED_BY	int	X
LAST_MODIFIED_ON	datetime	X
IS_REQONLINE	nvarchar(1)	X
COMMANDTYPE	varchar(1)	
WL_CONFIRMED_BY	int	X
PENDING_BY	int	X

View dbo.RISV_SCHEDULEDATA_TEST

Column	Data Type	Nullable
SCHEDULE_ID	int	
REG_ID	int	
HN	nvarchar(30)	
SCHEDULE_DT	datetime	
MODALITY_ID	int	X
SCHEDULE_DATA	nvarchar(max)	X
LABEL	int	X
LOCATION	nvarchar(50)	X
EVENTTYPE	int	X
SESSION_ID	int	X
START_DATETIME	datetime	
END_DATETIME	datetime	
REF_UNIT	int	X
REF_DOC	int	X
REF_DOC_INSTRUCTION	nvarchar(max)	X
CLINICAL_INSTRUCTION	nvarchar(max)	X
REASON	nvarchar(300)	X
DIAGNOSIS	nvarchar(300)	X
PAT_STATUS	int	X
LMP_DT	datetime	X
ICD_ID	int	X
SCHEDULE_STATUS	nvarchar(1)	X
INSURANCE_TYPE_ID	int	X
CONFIRMED_BY	int	X
CONFIRMED_ON	datetime	X
IS_BLOCKED	nvarchar(1)	X
BLOCK_REASON	nvarchar(300)	X
COMMENTS	nvarchar(500)	X
ORG_ID	int	X
CREATED_BY	int	X
CREATED_ON	datetime	X
LAST_MODIFIED_BY	int	X
LAST_MODIFIED_ON	datetime	X
IS_REQONLINE	nvarchar(1)	X
COMMANDTYPE	varchar(1)	

View dbo.RISV_STUDY

Column	Data Type	Nullable
ORDER_ID	int	
HN	nvarchar(30)	X
ORDER_DT	datetime	
ORDER_START_TIME	datetime	X
ACCESSION_NO	nvarchar(30)	
IS_DELETED	nvarchar(1)	X
IS_CANCELED	nvarchar(1)	X
MODALITY_ID	int	
REF_UNIT	int	X
REF_DOC	int	X
PAT_STATUS	nvarchar(3)	X
ASSIGNED_BY	int	X
ASSIGNED_TIMESTAMP	datetime	X
CLINIC_TYPE	int	X
CREATED_BY	int	X
CREATED_ON	datetime	X
LAST_MODIFIED_BY	int	X
LAST_MODIFIED_ON	datetime	X
PRIORITY	varchar(7)	X
STATUS	varchar(11)	X
INSURANCE_TYPE_ID	int	X
QA_ON	datetime	X
QA_BY	int	X
REG_ID	int	
HIS_SYNC	nvarchar(1)	X
HIS_ACK	nvarchar(300)	X
ASSIGNED_TO	int	X
EXAM_ID	int	
LASTMODIFIED_DATE	datetime	X
RATE	numeric(13,2)	

View dbo.RISV_SYSTEMUNIT

Column	Data Type	Nullable
UNIT_UID	nvarchar(30)	X
UNIT_NAME	nvarchar(100)	X
UNIT_NAME_ALIAS	nvarchar(100)	X
PHONE_NO	nvarchar(50)	X
DESCR	nvarchar(500)	X
UNIT_ALIAS	nvarchar(30)	X
UNIT_TYPE	nvarchar(1)	X
UNIT_ID	int	

View dbo.RISV_TEMPLATEGLOBAL

Column	Data Type	Nullable
TEMPLATE_ID	int	
TEMPLATE_UID	nvarchar(30)	X
EXAM_ID	int	
TEMPLATE_NAME	varchar(100)	X
TEMPLATE_HEADER	nvarchar(100)	X
TEMPLATE_TEXT	nvarchar(max)	X
TEMPLATE_TEXT_RTF	nvarchar(max)	X
TEMPLATE_BINARY	varbinary(max)	X
SEVERITY_ID	int	X
CREATED_BY	int	X
TEMPLATE_TYPE	nvarchar(1)	X
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(331)	X
TP_TEXT	varchar(7)	X
AT_TEXT	varchar(3)	X
BY_TEXT	nvarchar(max)	X
AUTO_APPLY	nvarchar(1)	X

View dbo.RISV_TEMPLATEPRIVATE

Column	Data Type	Nullable
TEMPLATE_ID	int	
TEMPLATE_UID	nvarchar(30)	X
EXAM_ID	int	
TEMPLATE_NAME	varchar(100)	X
TEMPLATE_HEADER	nvarchar(100)	X
TEMPLATE_TEXT	nvarchar(max)	X
TEMPLATE_TEXT_RTF	nvarchar(max)	X
TEMPLATE_BINARY	varbinary(max)	X
SEVERITY_ID	int	X
CREATED_BY	int	X
TEMPLATE_TYPE	nvarchar(1)	X
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(331)	X
TP_TEXT	varchar(7)	X
AT_TEXT	varchar(3)	X
BY_TEXT	nvarchar(max)	X
AUTO_APPLY	nvarchar(1)	X
CREATED_ON	datetime	X

View dbo.RISV_TEMPLATESHARE

Column	Data Type	Nullable
TEMPLATE_ID	int	
TEMPLATE_UID	nvarchar(30)	X
EXAM_ID	int	
TEMPLATE_NAME	varchar(100)	X
TEMPLATE_HEADER	nvarchar(100)	X
TEMPLATE_TEXT	nvarchar(max)	X
TEMPLATE_TEXT_RTF	nvarchar(max)	X
TEMPLATE_BINARY	varbinary(max)	X
SEVERITY_ID	int	X
CREATED_BY	int	X
TEMPLATE_TYPE	nvarchar(1)	X
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(331)	X
TP_TEXT	varchar(7)	X
AT_TEXT	varchar(3)	X
BY_TEXT	nvarchar(max)	X
AUTO_APPLY	nvarchar(1)	X
SHARE_WITH	int	

View dbo.RISV_XRAY_SCHEDULE_AVRRIVAL_WORKLIST

Column	Data Type	Nullable
ORDER_ID	int	
SCHEDULE_ID	int	
UNIT_UID	nvarchar(30)	X
HN	nvarchar(30)	
PATIENT_NAME	nvarchar(403)	
STATUS_TEXT	nvarchar(100)	X
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
PRIORITY	varchar(7)	X
ONLINE_DATETIME	datetime	X
EXAM_DATETIME	datetime	X
MODALITY_NAME	nvarchar(100)	X
CLINIC_TYPE_TEXT	nvarchar(200)	X
COMMENTS	nvarchar(500)	X
UNIT_ID_PARENT	int	X
UNIT	nvarchar(30)	X
ORG_ID	int	X
IS_SCHEDULE	varchar(1)	
ENC_TYPE	nvarchar(30)	X
ENC_CLINIC	varchar(7)	
MODALITY_ID	int	X
LABEL	nvarchar(30)	X
PAT_DEST_ID	int	X
IS_REQONLINE	nvarchar(1)	X
CLINICAL_INSTRUCTION	nvarchar(max)	X
EXAM_ID	int	
EXAM_TYPE	int	X
REG_ID	int	
STATUS	nvarchar(1)	X
PATIENT_ID_DETAIL	nvarchar(500)	X
PATIENT_ID_LABEL	nvarchar(30)	X

View dbo.RISV_XRAY_SCHEDULE_AVRRIVAL_WORKLIST_BACKUP20121015

Column	Data Type	Nullable
ORDER_ID	int	
SCHEDULE_ID	int	
UNIT_UID	nvarchar(30)	X
HN	nvarchar(30)	
PATIENT_NAME	nvarchar(403)	
STATUS_TEXT	nvarchar(100)	X
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
PRIORITY	varchar(7)	X
ONLINE_DATETIME	datetime	X
EXAM_DATETIME	datetime	X
MODALITY_NAME	nvarchar(100)	X
CLINIC_TYPE_TEXT	nvarchar(200)	X
COMMENTS	nvarchar(500)	X
UNIT_ID_PARENT	int	X
UNIT	nvarchar(30)	X
ORG_ID	int	X
IS_SCHEDULE	varchar(1)	
ENC_TYPE	varchar(10)	
ENC_CLINIC	varchar(7)	
MODALITY_ID	int	X
LABEL	nvarchar(30)	X
PAT_DEST_ID	int	X
IS_REQONLINE	nvarchar(1)	X
CLINICAL_INSTRUCTION	nvarchar(max)	X
EXAM_ID	int	
EXAM_TYPE	int	X
REG_ID	int	
STATUS	nvarchar(1)	X

View dbo.RISV_XRAY_WORKLIST

Column	Data Type	Nullable
ORDER_ID	int	
STATUS	varchar(9)	X
PRIORITY	varchar(7)	X
EXAM_DT	datetime	X
ACCESSION_NO	nvarchar(30)	X
MODALITY_ID	int	
TYPE_NAME_ALIAS	nvarchar(100)	X
EXAM_ID	int	
EXAM_TEXT	nvarchar(333)	X
RATE	numeric(13,2)	X
SPECIAL_RATE	numeric(18,2)	X
VIP_RATE	numeric(18,2)	X
NEED_SCHEDULE	nvarchar(1)	
EXAM_TYPE	int	
BPVIEW_NAME	nvarchar(30)	X
BPVIEW_ID	int	
REF_DOC_ID	int	
ORDERING_DOCTOR	nvarchar(max)	X
REF_UNIT_ID	int	
REF_UNIT_UID	nvarchar(max)	X
ORDERING_DEPT	nvarchar(max)	X
INSURANCE_TYPE_ID	int	
PAT_STATUS	nvarchar(3)	
CLINICAL_INSTRUCTION	nvarchar(max)	X
CLINIC_TYPE	int	
COMMENTS	nvarchar(200)	X
ORDER_BY	nvarchar(max)	X
LABEL	nvarchar(30)	
PAT_DEST_ID	int	
NEED_APPROVE	nvarchar(1)	
HN	nvarchar(30)	
ORG_ID	int	X
IS_DELETED	nvarchar(1)	
SERVICE_TYPE	nvarchar(2)	

View dbo.RISV_XRAYREQ_WORKLIST_REPORTING

Column	Data Type	Nullable
PRIORITY	nvarchar(1)	X
PRIORITY_ID	int	X
S	nvarchar(1)	X
SCHEDULE_DT	datetime	
HN	nvarchar(30)	
PatientName	nvarchar(403)	
AGE	nvarchar(max)	X
AGE_YEAR	int	X
EXAM_ID	int	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
SCHEDULE_ID	int	
Radiologist	nvarchar(203)	X
Unit	nvarchar(131)	
ASSIGNED_TO	int	X
CLINIC_TYPE_TEXT	nvarchar(200)	X
EXAM_TYPE	int	X
BPVIEW_NAME	nvarchar(100)	X
REF_UNIT	int	X
REG_ID	int	X
BP_ID	int	X
XRAYREQ_ID	int	
ORDER_ID	int	X

View dbo.RISVO_ORDERWORKLIST

Column	Data Type	Nullable
ACCESSION_NO	nvarchar(30)	
ORDER_DT	datetime	
PAT_STATUS_ID	nvarchar(3)	X
PAT_STATUS_TEXT	nvarchar(max)	X
REF_UNIT_ID	int	X
STATUS	nvarchar(1)	X
HN	nvarchar(30)	X
REF_UNIT_NAME	nvarchar(max)	X
REF_DOC_NAME	nvarchar(max)	X
EXAM_ID	int	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(331)	X
MODALITY_ID	int	
MODALITY_UID	nvarchar(50)	X
MODALITY_NAME	nvarchar(100)	X
TYPE_NAME_ALIAS	nvarchar(100)	X
ORDER_ID	int	
RATE	numeric(13,2)	
PRIORITY	nvarchar(1)	X
REF_DOC	int	X
BPVIEW_NAME	nvarchar(30)	X
CLINICAL_INSTRUCTION	nvarchar(2000)	
REF_UNIT_UID	nvarchar(max)	X
SEVERITY_NAME	nvarchar(50)	
RADIOLOGIST	nvarchar(max)	
IS_CANCELED	nvarchar(1)	X
IS_DELETED	nvarchar(1)	X
CLINIC_TYPE_TEXT	nvarchar(200)	X
CLINIC_TYPE	int	X
FULLNAME	nvarchar(201)	X
MODALITY_TYPE	int	X

View dbo.RISVO_TOP10EXAM_BY_ORDER

Column	Data Type	Nullable
EXAM_ID	int	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
RATE	numeric(13,2)	X
SPECIAL_RATE	numeric(18,2)	X
IS_ACTIVE	nvarchar(1)	X
DEFER_HIS_RECONCILE	nvarchar(1)	X
EXAM_TYPE	int	X
MODALITY_ID	int	
MODALITY_NAME	nvarchar(100)	X
ORDER_DT	datetime	
REF_UNIT	int	X
SERVICE_TYPE	nvarchar(2)	
MODALITY_TYPE	int	X
ORDER_ID	int	
IS_DEFAULT_MODALITY	nvarchar(1)	X

View dbo.RISVO_XRAYWORKLIST

Column	Data Type	Nullable
ACCESSION_NO	nvarchar(30)	X
ORDER_DT	datetime	
STATUS	nvarchar(1)	X
PAT_STATUS	nvarchar(3)	X
STATUS_TEXT	nvarchar(100)	X
REF_UNIT	int	X
REF_UNIT_NAME	nvarchar(max)	X
DOCNAME	nvarchar(250)	X
FULLNAME	nvarchar(250)	X
HN	nvarchar(30)	
EXAM_ID	int	
EXAM_UID	nvarchar(50)	X
EXAM_NAME	nvarchar(351)	X
MODALITY_ID	int	X
MODALITY_TYPE	int	X
MODALITY_NAME	nvarchar(100)	X
TYPE_NAME_ALIAS	nvarchar(100)	X
ORDER_ID	int	
RATE	decimal(18,2)	X
PRIORITY	nvarchar(1)	X
CLINIC_TYPE_TEXT	nvarchar(200)	X
CLINIC_TYPE	int	X
REF_DOC_ID	int	X
BP_VIEW	nvarchar(50)	X
CLINICAL_INSTRUCTION	nvarchar(max)	
REF_UNIT_UID	nvarchar(max)	X
SEVERITY_NAME	nvarchar(50)	
RADIOLOGIST	nvarchar(max)	
IS_CANCELED	nvarchar(1)	X
IS_DELETED	nvarchar(1)	X
SERVICE_TYPE	nvarchar(2)	
Expr1	int	

View dbo.RPTV_TECHWORKLOAD

Column	Data Type	Nullable
HN	nvarchar(30)	X
REG_ID	int	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
EXAM_TYPE_UID	nvarchar(30)	X
EXAM_TYPE_TEXT	nvarchar(30)	X
EXAM_TYPE_ID	int	
EXAM_ID	int	
ACCESSION_NO	nvarchar(30)	
EMP_ID	int	
EMP_UID	nvarchar(50)	X
TECH_NAME	nvarchar(101)	X
WORK_ON	datetime	X
ORDER_DT	datetime	

View dbo.V_STAT_ORDER_Online

Column	Data Type	Nullable
ORDER_ID	int	
SCHEDULE_ID	int	X
ref_unit	int	X
PAT_DEST_ID	int	X
ORDER_DT	datetime	
IS_REQONLINE	nvarchar(1)	X
UNIT_PARENT_NAME	nvarchar(300)	X
UNIT_NAME	nvarchar(100)	X
LOC_ALIAS	nvarchar(30)	X
UNIT_UID	nvarchar(30)	X
CLINIC_TYPE_TEXT	nvarchar(200)	X

View dbo.VDASH_DIAGNOSIS_TIME

Column	Data Type	Nullable
EXAM_TYPE_UID	nvarchar(30)	X
EXAM_TYPE_TEXT	nvarchar(30)	X
FINALIZED_ON	datetime	X
ACCESSION_NO	nvarchar(30)	
CREATED_ON	datetime	X
LAST_MODIFIED_ON	datetime	X
EMP_ID	int	
lockTime	int	X

View dbo.View_ExamLV

Column	Data Type	Nullable
EXAM_ID	int	
EXAM_UID	nvarchar(30)	X
EXAM_NAME	nvarchar(300)	
EXAM_TYPE_UID	nvarchar(30)	X
EXAM_TYPE_TEXT	nvarchar(30)	X
EXAM_TYPE_ABBR	nvarchar(50)	X

View dbo.View_Exec

Column	Data Type	Nullable
ORDER_ID	int	
EXAM_NAME	nvarchar(300)	
CLINIC_TYPE_TEXT	nvarchar(200)	X
EXAM_TYPE_TEXT	nvarchar(30)	
EXAM_TYPE_ABBR	nvarchar(50)	
UNIT_NAME	nvarchar(100)	

View dbo.View_Performance

Column	Data Type	Nullable
ORDER_ID	int	
EXAM_ID	int	
EXAM_TYPE	int	
CLINIC_TYPE	int	X
MODALITY_ID	int	X
MODALITY_TYPE	int	X
REF_UNIT	int	
ORDER_CREATE_BY	int	X
PRELIM_BY	int	X
FINALIZED_BY	int	X
INSURANCE_TYPE_ID	int	X
NumberOfPrelim	int	
NumberOfFinalized	int	
NumberOfOrder	int	
Hour_Of_PRELIM	int	X
Hour_Of_FINALIZED	int	X
RATE	numeric(13,2)	X
OrderCreate	nvarchar(10)	X
FINALIZED_ON	datetime	X
RELEASED_ON	datetime	X

View dbo.VRIS_CTUS_ER

Column	Data Type	Nullable
HN	nvarchar(30)	X
□□□□	nvarchar(500)	X
□□□□	int	X
□□□□Study□□□□	datetime	
□□□□□□□PACS□□□□□□□	datetime	X
□□□□□□□□□□	nvarchar(201)	X
modality	nvarchar(max)	X
□□finalized	datetime	X
□finalized	nvarchar(max)	X
□□prelim	datetime	X
□prelim	nvarchar(max)	X
radiologist □finalize	nvarchar(100)	X
ER clinical indication	nvarchar(2000)	X

View dbo.VRIS_EXAMRESULT_2016

Column	Data Type	Nullable
HN	nvarchar(30)	X
Name	nvarchar(201)	X
□□□□□□□□□□	nvarchar(100)	X
□□□□□□□□□□	nvarchar(201)	X
□□□□□□□□□□	datetime	
Severity	nvarchar(100)	X
□□□□□□□□□□□□□□	datetime	X
□□□□(□□)	int	X
□□□	nvarchar(1)	X
Result Report	nvarchar(max)	X

View dbo.VRIS_EXAMRESULT_2017

Column	Data Type	Nullable
HN	nvarchar(30)	X
Name	nvarchar(201)	X
□□□□□□□□□□	nvarchar(100)	X
□□□□□□□□□□	nvarchar(201)	X
□□□□□□□□□□	datetime	
Severity	nvarchar(100)	X
□□□□□□□□□□□□□□	datetime	X
□□□□(□□)	int	X
□□□	nvarchar(1)	X
Result Report	nvarchar(max)	X