



## Struggling with your mental health medications?

Talk with your healthcare provider about the GeneSight® test.

It's time to finally feel like yourself again.

**If you are struggling with medications for mental health conditions like depression, anxiety, or ADHD, you are not alone.**



Fewer than  
**50%**

of individuals with  
depression respond to  
their first medication.\*

\*Rush AJ, et al. 2006 Am J Psychiatry


We know the process of finding medication that works can be frustrating, time-consuming and debilitating. The GeneSight® test provides genetic insights to inform your doctor's treatment plan, potentially reducing medication trial and error and shortening your road to recovery.

Tens of thousands of clinicians have ordered the GeneSight test for 1.5 million patients and counting. Read on to learn if the test is right for you.

## What is GeneSight?

The GeneSight Psychotropic test is a genetic test that shows your provider how your genes may affect medication outcomes. The GeneSight test may reveal which medications require dose adjustments, be less likely to work, or have an increased risk of side effects based on your DNA.

### Taking the test is simple:



Your DNA sample is collected by swabbing the inside of your cheek. No bloodwork or needles are involved.



The sample is sent to our lab for analysis, and test results are typically returned to your doctor approximately 2 days after we receive your sample.



Your doctor will review your results with you on your next visit and use them to inform your treatment plan.

### SEEING YOUR DOCTOR VIRTUALLY?

Ask your doctor about **GeneSight at Home**, which allows your doctor to discretely send a sample collection kit right to your doorstep.



# The GeneSight® Psychotropic Report

The GeneSight Psychotropic test is a genetic test that shows your provider how your genes may respond to or metabolize certain medications.

## GeneSight® Psychotropic Pharmacogenomic Test



**Patient, Sample**  
Date of Birth: 7/22/1984  
Clinician: Sample Clinician

**Order Number:** 3740219  
**Report Date:** 5/12/2021  
**Reference:** 145CIP

**Questions about report interpretation?**  
**Contact our medical information team:**  
855.891.9415 | [medinfo@genesight.com](mailto:medinfo@genesight.com)

### Antidepressants

| Use as Directed            | Moderate Gene-drug Interaction | Significant Gene-drug Interaction |
|----------------------------|--------------------------------|-----------------------------------|
| desvenlafaxine (Pristiq®)  | trazodone (Desyrel®) 1         | selegiline (Emsam®) 2             |
| levomilnacipran (Fetzima®) | venlafaxine (Effexor®) 1       | mirtazapine (Remeron®) 1,6        |
| vilazodone (Viibryd®)      | fluoxetine (Prozac®) 1,4       | sertraline (Zoloft®) 2,4          |
|                            | bupropion (Wellbutrin®) 1,6    | amitriptyline (Elavil®) 1,6,8     |
|                            | citalopram (Celexa®) 3,4       | clomipramine (Anafranil®) 1,6,8   |
|                            | escitalopram (Lexapro®) 3,4    | desipramine (Norpramin®) 1,6,8    |
|                            |                                | doxepin (Sinequan®) 1,6,8         |
|                            |                                | duloxetine (Cymbalta®) 1,6,8      |
|                            |                                | imipramine (Tofranil®) 1,6,8      |
|                            |                                | nortriptyline (Pamelor®) 1,6,8    |
|                            |                                | vortioxetine (Trintellix®) 1,6,8  |
|                            |                                | fluvoxamine (Luvox®) 1,4,6,8      |
|                            |                                | paroxetine (Paxil®) 1,4,6,8       |

#### Clinical Considerations

- 1: Serum level may be too high, lower doses may be required.
- 2: Serum level may be too low, higher doses may be required.
- 3: Difficult to predict dose adjustments due to conflicting variations in metabolism.
- 4: Genotype may impact drug mechanism of action and result in moderately reduced efficacy.
- 6: Use of this drug may increase risk of side effects.
- 8: FDA label identifies a potential gene-drug interaction for this medication.

**All psychotropic medications require clinical monitoring. Medications should not be changed based solely on the test results. The results of this test are intended to supplement other clinical information considered by a healthcare provider within the context of a comprehensive medical evaluation.**

This report is not intended to imply that the drugs listed are approved for the same indications or that they are comparable in safety or efficacy. The brand name is shown for illustrative purposes only; other brand names may be available. The prescribing physician should review the prescribing information for the drug(s) being considered and make treatment decisions based on the patient's individual needs, the characteristics of the drug prescribed, and the risk and safety information provided in the drug's labeling. Propranolol and ocarbazepine prescribed for neuropsychiatric disorders might be considered off-label. Please consult their respective FDA drug labels for specific guidelines regarding their use.

The GeneSight Psychotropic test interpretations are based on a thorough review of published peer-reviewed literature, internal research, and FDA label information when applicable. The clinical validity and utility of the GeneSight Psychotropic test have been evaluated for patients with major depressive disorder who failed at least one psychotropic medication in multiple clinical studies.

CONFIDENTIAL HEALTHCARE INFORMATION  
© 2021 Assurex Health, Inc. doing business as Myriad Neuroscience.

Patient, Sample  
Page 1 of 12

The report classifies over 60 mental health medications into four categories:

green

Use as Directed

yellow

Moderate Gene-Drug Interaction

red

Significant Gene-Drug Interaction

gray

No Proven Genetic Markers

Your provider will review the results as a part of your overall exam to help inform your unique treatment plan.

Please do not make any medication decisions without consulting your provider.



Learn more about the report and see a sample at [genesight.com/product](https://genesight.com/product)

# The Cost of The GeneSight® Test

**Cost shouldn't be a barrier to your mental wellness.** Insurance can be complicated, and we want you to feel comfortable knowing what you'll owe.



**We Bill Your Insurance** for the cost of the GeneSight test.

**Medicare (Part B) Covered Tests:** You will have a \$0 out of pocket cost.

**Medicare Advantage Covered Tests:** You may be expected to cover a portion of the cost (typically \$330 or less) and the GeneSight Promise applies.

**Medicaid:** Typically, you will have a \$0 out of pocket cost.

**Commercial or Other Insurance:** Plans vary, but you may be expected to cover a portion of the cost (typically \$330 or less) and the GeneSight Promise applies.

**Uninsured?** Please contact us to find out how we can help.



Learn more about covered tests at  
[GeneSight.com/cost/insurance](https://genesight.com/cost/insurance)

## THE GENESIGHT® PROMISE

We promise that if your cost could be more than \$330, we'll call you before we process your test.



More than  
**95%**  
of patients pay  
**\$330**  
or less



We also offer payment plans and financial assistance plans. **To see if you qualify, visit [genesight.com/cost](https://genesight.com/cost)**

# Is the GeneSight® test right for you?

- ✓ Has a medication failed you in the past?
- ✓ Is your current medication not working?
- ✓ Does your medication cause unwanted side effects?

If you've been diagnosed with depression, anxiety, ADHD, or other psychiatric conditions and answered yes to any of these questions, talk to your healthcare provider about GeneSight or **visit GeneSight.com.**



Hear stories from others like you at [genesight.com/patient-stories](https://genesight.com/patient-stories).



Customer Service  
866.757.9204  
[info@genesight.com](mailto:info@genesight.com)

Not all patients who receive the GeneSight test will have improved outcomes. The GeneSight test is intended to supplement a healthcare provider's comprehensive medical assessment.