

Display Time	User	Description
4/23/13 5:15:12 PM	CURRAN,CHRISTINA	Patient admitted to 'TRG-C'
4/23/13 5:18:27 PM		Monitor status: On
4/23/13 5:18:27 PM		Monitor ID: M1350B, protocol Revision: A20, software revision: C.01.03, serial number: 3650G18176
4/23/13 5:18:27 PM		Recorder status: On
4/23/13 5:18:27 PM		FHR1 measurement method: US
4/23/13 5:18:27 PM		FHR2 measurement method: No transducer
4/23/13 5:18:27 PM		FHR3 measurement method: No transducer
4/23/13 5:18:27 PM		MHR measurement method: No transducer
4/23/13 5:18:27 PM		FMP Status: On
4/23/13 5:18:27 PM		Toco measurement method: external
4/23/13 5:18:37 PM	CURRAN,CHRISTINA	Remarks: HEATHER JOHNSON HERE FOR R/O LABOR FROM THE OFFICE. DR. MCCULLEN SENT PT OVER, 4 CM IN THE OFFICE AT ABOUT 1620 PER PT. PT FEELING CTXS Q 3 MIN. DENIES VAGINAL LEAKING. NORMAL BLOODY SHOW PRESENT AFTER VISIT AT THE OFFICE. BABY MOVING.
4/23/13 5:18:52 PM		ALARM SETTINGS Basic Alarming Severe Tachy 180 bpm for 300 sec Tachy 160 bpm for 300 sec Brady 110 bpm for 30 sec Severe Brady 100 bpm for 30 sec Signal Loss 25 % within 2 min Alarm reactivation after 10 min Behaviour when calculating low/high FHR alarms: classic NST Off
4/23/13 5:19:02 PM	CURRAN,CHRISTINA	Alarm acknowledged
4/23/13 5:19:26 PM		FM: FMP % start
4/23/13 5:20:09 PM	CURRAN,CHRISTINA	Maternal respiration: 20 / min
4/23/13 5:20:18 PM	CURRAN,CHRISTINA	Remarks: DR. APONTE AT BEDSIDE
4/23/13 5:20:20 PM	CURRAN,CHRISTINA	Maternal temperature (Oral): 99.1°F
4/23/13 5:20:26 PM		Maternal blood pressure: 135 / 71 mmHg, Mean value: 95 mmHg
4/23/13 5:22:00 PM	CURRAN,CHRISTINA	Membranes: Intact.
4/23/13 5:22:00 PM	CURRAN,CHRISTINA	Fetal station: -2
4/23/13 5:22:00 PM	CURRAN,CHRISTINA	Cervical dilation (examined by APONTE, EDGARDO): 4
4/23/13 5:22:00 PM	CURRAN,CHRISTINA	Cervical effacement: 100
4/23/13 5:23:57 PM		Recorder status: Off
4/23/13 5:24:58 PM	CURRAN,CHRISTINA	Remarks: TOCO ADJUSTED
4/23/13 5:25:00 PM	CURRAN,CHRISTINA	Maternal activity: bedrest with BRP
4/23/13 5:25:00 PM	CURRAN,CHRISTINA	Maternal position: left lateral
4/23/13 5:25:00 PM	CURRAN,CHRISTINA	Pain: 6
4/23/13 5:25:00 PM	CURRAN,CHRISTINA	Maternal reflexes: left: 2, clonus: absent, right: 2, clonus: absent
4/23/13 5:25:00 PM	CURRAN,CHRISTINA	Maternal edema: left: absent, pitting: no, right: absent, pitting: no
4/23/13 5:25:00 PM	CURRAN,CHRISTINA	Lung sounds: left: clear and equal bilaterally, right: clear and equal bilaterally
4/23/13 5:26:42 PM	CURRAN,CHRISTINA	Remarks: DENIES S/S PIH.
4/23/13 5:27:34 PM		Maternal blood pressure: 124 / 72 mmHg, Mean value: 90 mmHg
4/23/13 5:27:34 PM		Maternal heart rate (NIBP): 79 BPM
4/23/13 5:27:34 PM		Recorder status: On
4/23/13 5:27:47 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 5:28:05 PM	MCLELAND, DEB	Alarm acknowledged
4/23/13 5:28:18 PM		Recorder status: Off
4/23/13 5:30:34 PM	MCLELAND, DEB	Remarks: RN AT BEDSIDE

Display Time	User	Description
4/23/13 5:30:37 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 5:30:56 PM	MCLELAND, DEB	Alarm acknowledged
4/23/13 5:34:09 PM		FHR1 measurement method: No transducer
4/23/13 5:34:10 PM		Toco measurement method: No transducer
4/23/13 5:34:21 PM		FHR1 measurement method: US
4/23/13 5:34:21 PM		FMP Status: On
4/23/13 5:34:21 PM		Toco measurement method: external
4/23/13 5:34:27 PM		ALARM SETTINGS Basic Alarming Severe Tachy 180 bpm for 300 sec Tachy 160 bpm for 300 sec Brady 110 bpm for 30 sec Severe Brady 100 bpm for 30 sec Signal Loss 25 % within 2 min Alarm reactivation after 10 min Behaviour when calculating low/high FHR alarms: classic NST Off
4/23/13 5:57:56 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 5:58:48 PM	MCLELAND, DEB	Alarm acknowledged
4/23/13 6:00:00 PM	CURRAN, CHRISTINA	Contraction duration: 60 - 150 seconds
4/23/13 6:00:00 PM	CURRAN, CHRISTINA	Contraction intensity: mild
4/23/13 6:00:00 PM	CURRAN, CHRISTINA	Contraction resting tone: palpates soft between uc
4/23/13 6:00:00 PM	CURRAN, CHRISTINA	Contractions: every 2 - 5 minutes
4/23/13 6:00:00 PM	CURRAN, CHRISTINA	Accelerations: present
4/23/13 6:00:00 PM	CURRAN, CHRISTINA	Decelerations: Variable
4/23/13 6:00:00 PM	CURRAN, CHRISTINA	Baseline: 130 bpm in last 15 minutes
4/23/13 6:00:00 PM	CURRAN, CHRISTINA	Long term variability: moderate 6-25bpm
4/23/13 6:05:51 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 6:06:18 PM	MCLELAND, DEB	Alarm acknowledged
4/23/13 6:11:09 PM	MCLELAND, DEB	Remarks: RN NOTIFIED OF SKETCHY TRACING
4/23/13 6:11:11 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 6:11:27 PM	MCLELAND, DEB	Alarm acknowledged
4/23/13 6:15:51 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 6:16:06 PM	MCLELAND, DEB	Alarm acknowledged
4/23/13 6:20:06 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 6:20:23 PM	CURRAN, CHRISTINA	Alarm acknowledged
4/23/13 6:24:26 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 6:24:38 PM	CURRAN, CHRISTINA	Alarm acknowledged
4/23/13 6:30:46 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 6:31:10 PM	CURRAN, CHRISTINA	Remarks: BABY HAS HICCUPS
4/23/13 6:31:19 PM	MONTEFALCON, RUBY	Alarm acknowledged
4/23/13 6:31:22 PM	CURRAN, CHRISTINA	Alarm acknowledged
4/23/13 6:31:46 PM	CURRAN, CHRISTINA	Remarks: CONTRACTIONS HAVE INCREASED FROM 6/10 TO 6-7/10. BABY "VERY ACTIVE RIGHT NOW MOVING AROUND A WHOLE BUNCH"
4/23/13 6:35:00 PM	CURRAN, CHRISTINA	Membranes: GBS positive. Fluid: no fluid.

Display Time	User	Description
4/23/13 6:35:00 PM	CURRAN,CHRISTINA	Fetal station: -2
4/23/13 6:35:00 PM	CURRAN,CHRISTINA	Cervical dilation (examined by CURRAN,CHRISTINA): 4
4/23/13 6:35:00 PM	CURRAN,CHRISTINA	Cervical effacement: 100
4/23/13 6:47:17 PM	CURRAN,CHRISTINA	Remarks: PT TRANSFERRED TO ROOM 111 IN STABLE CONDITION AMBULATORY
4/23/13 6:47:19 PM		FHR1 measurement method: No transducer
4/23/13 6:47:19 PM		Toco measurement method: No transducer
4/23/13 6:49:07 PM		Monitor status: Off
4/23/13 6:52:21 PM	CURRAN,CHRISTINA	Patient transferred from 'TRG-C' to '111'.
4/23/13 6:53:01 PM		Monitor status: On
4/23/13 6:53:01 PM		Monitor ID: M1350B, protocol Revision: A20, software revision: C.01.03, serial number: 3650G18175
4/23/13 6:53:01 PM		Recorder status: Off
4/23/13 6:53:01 PM		FHR1 measurement method: US
4/23/13 6:53:01 PM		FHR2 measurement method: No transducer
4/23/13 6:53:01 PM		FHR3 measurement method: No transducer
4/23/13 6:53:01 PM		MHR measurement method: No transducer
4/23/13 6:53:01 PM		FMP Status: On
4/23/13 6:53:01 PM		Toco measurement method: external
4/23/13 6:53:23 PM		ALARM SETTINGS Basic Alarming Severe Tachy 180 bpm for 300 sec Tachy 160 bpm for 300 sec Brady 110 bpm for 30 sec Severe Brady 100 bpm for 30 sec Signal Loss 25 % within 2 min Alarm reactivation after 10 min Behaviour when calculating low/high FHR alarms: classic NST Off
4/23/13 6:54:41 PM	CURRAN,CHRISTINA	Alarm acknowledged
4/23/13 7:00:00 PM	CURRAN,CHRISTINA	Accelerations: present
4/23/13 7:00:00 PM	CURRAN,CHRISTINA	Decelerations: absent
4/23/13 7:00:00 PM	CURRAN,CHRISTINA	Baseline: 140 bpm in last 15 minutes
4/23/13 7:00:00 PM	CURRAN,CHRISTINA	Long term variability: moderate 6-25bpm
4/23/13 7:00:00 PM	CURRAN,CHRISTINA	Contraction intensity: mild-moderate
4/23/13 7:00:00 PM	CURRAN,CHRISTINA	Contraction resting tone: palpates soft between uc
4/23/13 7:00:00 PM	CURRAN,CHRISTINA	Contractions: every 2 - 6 minutes
4/23/13 7:00:00 PM	CURRAN,CHRISTINA	Contraction duration: 50 - 90 seconds
4/23/13 7:00:11 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 7:00:24 PM	MCLELAND, DEB	Alarm acknowledged
4/23/13 7:02:08 PM		Maternal blood pressure: 113 / 76 mmHg, Mean value: 89 mmHg
4/23/13 7:02:08 PM		Maternal heart rate (NIBP): 80 BPM
4/23/13 7:02:09 PM		Recorder status: On
4/23/13 7:02:19 PM		Recorder status: Off
4/23/13 7:02:57 PM		FHR1 measurement method: No transducer
4/23/13 7:02:58 PM		Toco measurement method: No transducer
4/23/13 7:08:00 PM		FHR1 measurement method: US
4/23/13 7:08:00 PM		FMP Status: On

Display Time	User	Description
4/23/13 7:08:03 PM		ALARM SETTINGS Basic Alarming Severe Tachy 180 bpm for 300 sec Tachy 160 bpm for 300 sec Brady 110 bpm for 30 sec Severe Brady 100 bpm for 30 sec Signal Loss 25 % within 2 min Alarm reactivation after 10 min Behaviour when calculating low/high FHR alarms: classic NST Off
4/23/13 7:08:03 PM		Toco measurement method: external
4/23/13 7:15:00 PM	MAITRET, DENISE	LR: Started (--- mL/h, --- mL)
4/23/13 7:22:25 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 7:22:50 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 7:25:15 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 7:25:25 PM	ALBANESE, LINDSAY	Alarm acknowledged
4/23/13 7:27:20 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 7:27:32 PM	ALBANESE, LINDSAY	Alarm acknowledged
4/23/13 7:30:00 PM	MAITRET, DENISE	Contractions: every 2 - 4 minutes
4/23/13 7:30:00 PM	MAITRET, DENISE	Contraction duration: 60 - 120 seconds
4/23/13 7:30:00 PM	MAITRET, DENISE	Contraction intensity: mild-moderate
4/23/13 7:30:00 PM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/23/13 7:30:00 PM	MAITRET, DENISE	Accelerations: present
4/23/13 7:30:00 PM	MAITRET, DENISE	Decelerations: absent
4/23/13 7:30:00 PM	MAITRET, DENISE	Baseline: 140 bpm in last 15 minutes
4/23/13 7:30:00 PM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/23/13 7:30:20 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 7:30:35 PM	ALBANESE, LINDSAY	Alarm acknowledged
4/23/13 7:37:58 PM	ALBANESE, LINDSAY	Remarks: TOCO AND US READJUSTED
4/23/13 7:38:25 PM		Maternal blood pressure: 109 / 63 mmHg, Mean value: 80 mmHg
4/23/13 7:38:25 PM		Maternal heart rate (NIBP): 75 BPM
4/23/13 7:38:25 PM		Recorder status: On
4/23/13 7:38:46 PM	ALBANESE, LINDSAY	Event: Alert acknowledgements: RN at bedside
4/23/13 7:38:46 PM	ALBANESE, LINDSAY	Event: Alert acknowledgements: Active Fetus
4/23/13 7:39:08 PM		Recorder status: Off
4/23/13 7:40:15 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 7:40:59 PM	VUJISIC, SUE	Alarm acknowledged
4/23/13 7:42:11 PM		MHR measurement method: SpO2
4/23/13 7:42:16 PM		Maternal SpO2: 95%
4/23/13 7:42:16 PM		Maternal heart rate (SpO2): 74 BPM
4/23/13 7:44:47 PM		Coincidence status: On
4/23/13 7:45:00 PM	MAITRET, DENISE	Maternal respiration: 14 / min
4/23/13 7:45:00 PM	MAITRET, DENISE	Maternal temperature (Oral): 97.5°F
4/23/13 7:45:00 PM	MAITRET, DENISE	Penicilin G (IV): 5 munit, 100 mL
4/23/13 7:47:24 PM		Maternal SpO2: 94%
4/23/13 7:47:24 PM		Maternal heart rate (SpO2): 80 BPM
4/23/13 7:52:31 PM		Maternal SpO2: 95%

Display Time	User	Description
4/23/13 7:52:31 PM		Maternal heart rate (SpO2): 79 BPM
4/23/13 7:57:16 PM		Coincidence status: On
4/23/13 7:57:39 PM		Maternal SpO2: 96%
4/23/13 7:57:39 PM		Maternal heart rate (SpO2): 81 BPM
4/23/13 7:57:40 PM		FHR1: BRADYCARDIA Severe bradycardia detected.
4/23/13 7:57:52 PM	ALBANESE, LINDSAY	Alarm acknowledged
4/23/13 7:58:10 PM		COINCIDENCE Coincidence detected by fetal monitor.
4/23/13 7:58:21 PM	ALBANESE, LINDSAY	Alarm acknowledged
4/23/13 8:00:00 PM	MAITRET, DENISE	Contractions: every 2 - 4 minutes
4/23/13 8:00:00 PM	MAITRET, DENISE	Contraction duration: 60 - 100 seconds
4/23/13 8:00:00 PM	MAITRET, DENISE	Contraction intensity: mild-moderate
4/23/13 8:00:00 PM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/23/13 8:00:00 PM	MAITRET, DENISE	Accelerations: present
4/23/13 8:00:00 PM	MAITRET, DENISE	Decelerations: absent
4/23/13 8:00:00 PM	MAITRET, DENISE	Baseline: 120 bpm in last 15 minutes
4/23/13 8:00:00 PM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/23/13 8:02:47 PM		Maternal SpO2: 95%
4/23/13 8:02:47 PM		Maternal heart rate (SpO2): 79 BPM
4/23/13 8:04:50 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 8:05:15 PM	VUJISIC, SUE	Alarm acknowledged
4/23/13 8:07:55 PM		Maternal SpO2: 94%
4/23/13 8:07:55 PM		Maternal heart rate (SpO2): 75 BPM
4/23/13 8:08:18 PM		Maternal blood pressure: 117 / 66 mmHg, Mean value: 84 mmHg
4/23/13 8:08:18 PM		Maternal heart rate (NIBP): 76 BPM
4/23/13 8:08:18 PM		Recorder status: On
4/23/13 8:08:38 PM		Coincidence status: On
4/23/13 8:08:58 PM		Coincidence status: On
4/23/13 8:09:02 PM		Recorder status: Off
4/23/13 8:09:40 PM		COINCIDENCE Coincidence detected by fetal monitor.
4/23/13 8:10:00 PM		FHR1: BRADYCARDIA Severe bradycardia detected.
4/23/13 8:10:10 PM	VUJISIC, SUE	Alarm acknowledged
4/23/13 8:10:46 PM		Coincidence status: On
4/23/13 8:11:50 PM		FHR1: BRADYCARDIA Severe bradycardia detected.
4/23/13 8:12:23 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 8:13:58 PM		Maternal SpO2: 96%
4/23/13 8:13:58 PM		Maternal heart rate (SpO2): 77 BPM
4/23/13 8:14:25 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 8:14:50 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 8:18:05 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 8:18:48 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 8:19:00 PM		Coincidence status: On
4/23/13 8:19:05 PM		Maternal SpO2: 96%
4/23/13 8:19:05 PM		Maternal heart rate (SpO2): 81 BPM

Display Time	User	Description
4/23/13 8:22:45 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 8:24:06 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 8:24:13 PM		Maternal SpO2: 96%
4/23/13 8:24:13 PM		Maternal heart rate (SpO2): 77 BPM
4/23/13 8:26:55 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 8:27:43 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 8:27:45 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 8:29:21 PM		Maternal SpO2: 96%
4/23/13 8:29:21 PM		Maternal heart rate (SpO2): 77 BPM
4/23/13 8:30:00 PM	MAITRET, DENISE	Contractions: every 2 - 3 minutes
4/23/13 8:30:00 PM	MAITRET, DENISE	Contraction duration: 60 - 120 seconds
4/23/13 8:30:00 PM	MAITRET, DENISE	Contraction intensity: mild-moderate
4/23/13 8:30:00 PM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/23/13 8:30:00 PM	MAITRET, DENISE	Accelerations: present
4/23/13 8:30:00 PM	MAITRET, DENISE	Decelerations: absent
4/23/13 8:30:00 PM	MAITRET, DENISE	Baseline: 120 bpm in last 15 minutes
4/23/13 8:30:00 PM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/23/13 8:34:29 PM		Maternal SpO2: 96%
4/23/13 8:34:29 PM		Maternal heart rate (SpO2): 86 BPM
4/23/13 8:35:00 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 8:35:16 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 8:38:11 PM		Maternal SpO2: 95%
4/23/13 8:38:11 PM		Maternal heart rate (SpO2): 79 BPM
4/23/13 8:38:28 PM		Recorder status: On
4/23/13 8:38:28 PM		Maternal blood pressure: 115 / 64 mmHg, Mean value: 82 mmHg
4/23/13 8:38:28 PM		Maternal heart rate (NIBP): 88 BPM
4/23/13 8:39:12 PM		Recorder status: Off
4/23/13 8:40:30 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 8:40:51 PM	VUJISIC, SUE	Alarm acknowledged
4/23/13 8:43:45 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 8:43:56 PM		Monitor status: Off
4/23/13 8:44:31 PM	VUJISIC, SUE	Alarm acknowledged
4/23/13 8:45:00 PM	MAITRET, DENISE	Contractions: every 2 - 3 minutes
4/23/13 8:45:00 PM	MAITRET, DENISE	Contraction duration: 50 - 80 seconds
4/23/13 8:45:00 PM	MAITRET, DENISE	Contraction intensity: mild-moderate
4/23/13 8:45:00 PM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/23/13 8:45:00 PM	MAITRET, DENISE	Accelerations: present
4/23/13 8:45:00 PM	MAITRET, DENISE	Decelerations: absent
4/23/13 8:45:00 PM	MAITRET, DENISE	Baseline: 125 bpm in last 15 minutes
4/23/13 8:45:00 PM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/23/13 8:50:33 PM	MAITRET, DENISE	Remarks: EFM OFF, PT UP TO WALK IN HALLS ET TO GET SOME APPLE JC. PT STATES CTX'S FEEL MUCH BETTER WHILE OUT OF BED. PT LAUGHING WHILE WALKING IN HALLS.
4/23/13 9:30:12 PM		Monitor status: On. Switched off for 46 min.
4/23/13 9:30:12 PM		MHR measurement method: No transducer
4/23/13 9:30:13 PM		MHR measurement method: SpO2

Display Time	User	Description
4/23/13 9:30:20 PM		ALARM SETTINGS Basic Alarming Severe Tachy 180 bpm for 300 sec Tachy 160 bpm for 300 sec Brady 110 bpm for 30 sec Severe Brady 100 bpm for 30 sec Signal Loss 25 % within 2 min Alarm reactivation after 10 min Behaviour when calculating low/high FHR alarms: classic NST Off
4/23/13 9:30:47 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 9:30:56 PM	MCCART, PATTI	Alarm acknowledged
4/23/13 9:30:57 PM	MCCART, PATTI	Acknowledged: Fetal Monitor on
4/23/13 9:32:35 PM	MAITRET, DENISE	Remarks: PT RETURNS TO ROOM, EFM REAPPLIED.
4/23/13 9:36:22 PM		Maternal blood pressure: 106 / 51 mmHg, Mean value: 66 mmHg
4/23/13 9:36:22 PM		Maternal heart rate (NIBP): 81 BPM
4/23/13 9:36:22 PM		Recorder status: On
4/23/13 9:37:05 PM		Recorder status: Off
4/23/13 9:40:44 PM	MAITRET, DENISE	Remarks: TURNED TO LEFT SIDE
4/23/13 9:45:00 PM	MAITRET, DENISE	Contractions: every 3 - 5 minutes
4/23/13 9:45:00 PM	MAITRET, DENISE	Contraction duration: 50 - 90 seconds
4/23/13 9:45:00 PM	MAITRET, DENISE	Contraction intensity: mild-moderate
4/23/13 9:45:00 PM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/23/13 9:45:00 PM	MAITRET, DENISE	Accelerations: absent
4/23/13 9:45:00 PM	MAITRET, DENISE	Decelerations: absent
4/23/13 9:45:00 PM	MAITRET, DENISE	Baseline: 120 bpm in last 15 minutes
4/23/13 9:45:00 PM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/23/13 10:00:00 PM	MAITRET, DENISE	Contractions: every 2 - 3 minutes
4/23/13 10:00:00 PM	MAITRET, DENISE	Contraction duration: 80 - 100 seconds
4/23/13 10:00:00 PM	MAITRET, DENISE	Contraction intensity: mild-moderate
4/23/13 10:00:00 PM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/23/13 10:00:00 PM	MAITRET, DENISE	Accelerations: present
4/23/13 10:00:00 PM	MAITRET, DENISE	Decelerations: absent
4/23/13 10:00:00 PM	MAITRET, DENISE	Baseline: 115 bpm in last 15 minutes
4/23/13 10:00:00 PM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/23/13 10:06:42 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 10:07:19 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 10:30:00 PM	MAITRET, DENISE	Pain: 5
4/23/13 10:30:00 PM	MAITRET, DENISE	Contractions: every 3 - 5 minutes
4/23/13 10:30:00 PM	MAITRET, DENISE	Contraction duration: 60 - 100 seconds
4/23/13 10:30:00 PM	MAITRET, DENISE	Contraction intensity: mild-moderate
4/23/13 10:30:00 PM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/23/13 10:30:00 PM	MAITRET, DENISE	Accelerations: present
4/23/13 10:30:00 PM	MAITRET, DENISE	Decelerations: absent
4/23/13 10:30:00 PM	MAITRET, DENISE	Baseline: 120 bpm in last 15 minutes
4/23/13 10:30:00 PM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/23/13 10:38:42 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 10:39:11 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 10:43:00 PM	MCCART, PATTI	Cervical dilation: 5

Display Time	User	Description
4/23/13 10:43:00 PM	MCCART, PATTI	Cervical effacement (examined by MCCART, PATTI): 100
4/23/13 10:43:00 PM	MCCART, PATTI	Cervical consistency: soft
4/23/13 10:43:00 PM	MCCART, PATTI	Fetal position: anterior
4/23/13 10:51:52 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 10:52:28 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 10:57:12 PM		FHR1: BRADYCARDIA Severe bradycardia detected.
4/23/13 10:57:26 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 10:58:12 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 10:58:42 PM		FHR1: BRADYCARDIA Severe bradycardia detected.
4/23/13 10:58:42 PM		Maternal SpO2: 98%
4/23/13 10:58:42 PM		Maternal heart rate (SpO2): 72 BPM
4/23/13 10:58:45 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 10:58:50 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 10:59:37 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 10:59:57 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 11:00:00 PM	MAITRET, DENISE	Pain: 7
4/23/13 11:00:00 PM	MAITRET, DENISE	Contractions: every 2 - 4 minutes
4/23/13 11:00:00 PM	MAITRET, DENISE	Contraction duration: 60 - 100 seconds
4/23/13 11:00:00 PM	MAITRET, DENISE	Contraction intensity: moderate
4/23/13 11:00:00 PM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/23/13 11:00:00 PM	MAITRET, DENISE	Accelerations: present
4/23/13 11:00:00 PM	MAITRET, DENISE	Decelerations: absent
4/23/13 11:00:00 PM	MAITRET, DENISE	Baseline: 125 bpm in last 15 minutes
4/23/13 11:00:00 PM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/23/13 11:00:52 PM		FHR1 measurement method: No transducer
4/23/13 11:00:53 PM		FHR1 measurement method: US
4/23/13 11:00:53 PM		FMP Status: On
4/23/13 11:02:27 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 11:02:55 PM	MCCART, PATTI	Alarm acknowledged
4/23/13 11:03:38 PM		Coincidence status: On
4/23/13 11:03:50 PM		Maternal SpO2: 98%
4/23/13 11:03:50 PM		Maternal heart rate (SpO2): 75 BPM
4/23/13 11:03:57 PM		FHR1: BRADYCARDIA Bradycardia detected.
4/23/13 11:04:13 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 11:08:17 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 11:08:33 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 11:08:58 PM		Maternal SpO2: 98%
4/23/13 11:08:58 PM		Maternal heart rate (SpO2): 73 BPM
4/23/13 11:14:06 PM		Maternal SpO2: 97%
4/23/13 11:14:06 PM		Maternal heart rate (SpO2): 86 BPM
4/23/13 11:16:02 PM		FHR1: SIGNAL LOSS Critical FHR. Please check patient and FHR sensor.
4/23/13 11:16:19 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 11:17:08 PM		Coincidence status: On

Display Time	User	Description
4/23/13 11:18:13 PM		Coincidence status: On
4/23/13 11:18:40 PM		Coincidence status: On
4/23/13 11:19:13 PM		Maternal SpO2: 97%
4/23/13 11:19:13 PM		Maternal heart rate (SpO2): 71 BPM
4/23/13 11:24:21 PM		Maternal SpO2: 97%
4/23/13 11:24:21 PM		Maternal heart rate (SpO2): 79 BPM
4/23/13 11:26:22 PM		FHR1: SIGNAL LOSS Critical FHR. Please check patient and FHR sensor.
4/23/13 11:26:57 PM	MAITRET, DENISE	Alarm acknowledged
4/23/13 11:29:06 PM	MCCART, PATTI	LR: Updated (1000 mL)
4/23/13 11:29:19 PM	MCCART, PATTI	LR: Stopped
4/23/13 11:29:23 PM	MCCART, PATTI	LR: Started (--- mL/h, 1000 mL)
4/23/13 11:29:29 PM		Maternal SpO2: 99%
4/23/13 11:29:29 PM		Maternal heart rate (SpO2): 75 BPM
4/23/13 11:30:00 PM	MAITRET, DENISE	Contractions: every 2 - 4 minutes
4/23/13 11:30:00 PM	MAITRET, DENISE	Contraction duration: 60 - 80 seconds
4/23/13 11:30:00 PM	MAITRET, DENISE	Contraction intensity: moderate
4/23/13 11:30:00 PM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/23/13 11:30:00 PM	MAITRET, DENISE	Accelerations: absent
4/23/13 11:30:00 PM	MAITRET, DENISE	Decelerations: absent
4/23/13 11:30:00 PM	MAITRET, DENISE	Baseline: 120 bpm in last 15 minutes
4/23/13 11:30:00 PM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/23/13 11:30:41 PM		MHR measurement method: No transducer
4/23/13 11:33:39 PM		Toco measurement method: No transducer
4/23/13 11:33:40 PM		FHR1 measurement method: No transducer
4/23/13 11:39:00 PM		Toco measurement method: external
4/23/13 11:39:05 PM		FHR1 measurement method: US
4/23/13 11:39:05 PM		FMP Status: On
4/23/13 11:39:06 PM		ALARM SETTINGS Basic Alarming Severe Tachy 180 bpm for 300 sec Tachy 160 bpm for 300 sec Brady 110 bpm for 30 sec Severe Brady 100 bpm for 30 sec Signal Loss 25 % within 2 min Alarm reactivation after 10 min Behaviour when calculating low/high FHR alarms: classic NST Off
4/23/13 11:39:50 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 11:40:17 PM	ALBANESE, LINDSAY	Alarm acknowledged
4/23/13 11:40:45 PM		FHR1: BRADYCARDIA Bradycardia detected.
4/23/13 11:41:38 PM	ALBANESE, LINDSAY	Event: Alert acknowledgements: RN at bedside
4/23/13 11:41:38 PM	ALBANESE, LINDSAY	Event: Alert acknowledgements: Monitor adjusted
4/23/13 11:41:38 PM	VUJISIC, SUE	Alarm acknowledged
4/23/13 11:41:50 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 11:42:05 PM	ALBANESE, LINDSAY	Alarm acknowledged
4/23/13 11:43:16 PM		MHR measurement method: SpO2
4/23/13 11:44:33 PM		Maternal SpO2: 96%
4/23/13 11:44:33 PM		Maternal heart rate (SpO2): 94 BPM

Display Time	User	Description
4/23/13 11:45:00 PM	MAITRET, DENISE	Accelerations: present
4/23/13 11:45:00 PM	MAITRET, DENISE	Decelerations: absent
4/23/13 11:45:00 PM	MAITRET, DENISE	Baseline: 125 bpm in last 15 minutes
4/23/13 11:45:00 PM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/23/13 11:47:30 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 11:48:04 PM	ALBANESE, LINDSAY	Alarm acknowledged
4/23/13 11:49:37 PM		Maternal SpO2: 96%
4/23/13 11:49:37 PM		Maternal heart rate (SpO2): 75 BPM
4/23/13 11:51:05 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/23/13 11:51:28 PM	ALBANESE, LINDSAY	Alarm acknowledged
4/23/13 11:55:25 PM		FHR1: SIGNAL LOSS Critical FHR. Please check patient and FHR sensor.
4/23/13 11:55:39 PM	ALBANESE, LINDSAY	Alarm acknowledged
4/23/13 11:56:31 PM		Maternal SpO2: 99%
4/23/13 11:56:31 PM		Maternal heart rate (SpO2): 77 BPM
4/24/13 12:00:00 AM	MAITRET, DENISE	Penicilin G (IV): 3 munit, 50 mL
4/24/13 12:00:00 AM	MAITRET, DENISE	Contractions: every 2 - 5 minutes
4/24/13 12:00:00 AM	MAITRET, DENISE	Contraction duration: 50 - 100 seconds
4/24/13 12:00:00 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 12:00:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 12:00:00 AM	MAITRET, DENISE	Accelerations: present
4/24/13 12:00:00 AM	MAITRET, DENISE	Decelerations: absent
4/24/13 12:00:00 AM	MAITRET, DENISE	Baseline: 115 bpm in last 15 minutes
4/24/13 12:00:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 12:00:00 AM	MAITRET, DENISE	Maternal temperature: 97.5°F
4/24/13 12:01:39 AM		Maternal SpO2: 96%
4/24/13 12:01:39 AM		Maternal heart rate (SpO2): 78 BPM
4/24/13 12:02:21 AM		Maternal blood pressure: 114 / 48 mmHg, Mean value: 74 mmHg
4/24/13 12:02:44 AM		Recorder status: On
4/24/13 12:03:28 AM		Recorder status: Off
4/24/13 12:07:22 AM		Maternal blood pressure: 112 / 60 mmHg, Mean value: 78 mmHg
4/24/13 12:07:22 AM		Maternal heart rate (NIBP): 88 BPM
4/24/13 12:07:22 AM		Maternal SpO2: 99%
4/24/13 12:07:22 AM		Maternal heart rate (SpO2): 81 BPM
4/24/13 12:07:23 AM		Recorder status: On
4/24/13 12:08:06 AM		Recorder status: Off
4/24/13 12:10:00 AM	MAITRET, DENISE	LR: Updated (1000 mL)
4/24/13 12:10:00 AM	MAITRET, DENISE	LR: Started (--- mL/h, --- mL)
4/24/13 12:13:02 AM		Maternal SpO2: 99%
4/24/13 12:13:02 AM		Maternal heart rate (SpO2): 94 BPM
4/24/13 12:13:14 AM	MAITRET, DENISE	Event: Alert acknowledgements: RN at bedside
4/24/13 12:13:14 AM	MAITRET, DENISE	Event: Alert acknowledgements: Monitor adjusted
4/24/13 12:13:14 AM	MAITRET, DENISE	Event: Alert acknowledgements: Sitting up for epidural
4/24/13 12:13:23 AM	MAITRET, DENISE	Event: Anesthesia: anesthesia informing pt of risks & benefits
4/24/13 12:13:23 AM	MAITRET, DENISE	Event: Anesthesia: positioned for epidural
4/24/13 12:14:29 AM	WOODS, NICOLE	Remarks: RN AT BEDSIDE
4/24/13 12:14:41 AM		Maternal blood pressure: 126 / 70 mmHg, Mean value: 87 mmHg
4/24/13 12:14:41 AM		Maternal heart rate (NIBP): 93 BPM

Display Time	User	Description
4/24/13 12:14:41 AM		Recorder status: On
4/24/13 12:14:45 AM		FHR1: BRADYCARDIA Severe bradycardia detected.
4/24/13 12:14:50 AM		Coincidence status: On
4/24/13 12:15:00 AM	MAITRET, DENISE	Accelerations: absent
4/24/13 12:15:00 AM	MAITRET, DENISE	Decelerations: absent
4/24/13 12:15:00 AM	MAITRET, DENISE	Baseline: 115 bpm in last 15 minutes
4/24/13 12:15:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 12:15:12 AM	WOODS, NICOLE	Alarm acknowledged
4/24/13 12:15:25 AM		Recorder status: Off
4/24/13 12:15:55 AM	CAFFREY, SINA	Remarks: SITTING UP FOR EPIDURAL
4/24/13 12:16:10 AM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/24/13 12:16:26 AM		Maternal SpO2: 96%
4/24/13 12:16:26 AM		Maternal heart rate (SpO2): 73 BPM
4/24/13 12:17:00 AM		Recorder status: On
4/24/13 12:17:00 AM		Maternal blood pressure: 125 / 65 mmHg, Mean value: 86 mmHg
4/24/13 12:17:00 AM		Maternal heart rate (NIBP): 78 BPM
4/24/13 12:17:41 AM	CAFFREY, SINA	Alarm acknowledged
4/24/13 12:17:46 AM		Recorder status: Off
4/24/13 12:17:56 AM		Coincidence status: On
4/24/13 12:18:40 AM		Recorder status: On
4/24/13 12:18:40 AM		Maternal blood pressure: 122 / 69 mmHg, Mean value: 85 mmHg
4/24/13 12:18:40 AM		Maternal heart rate (NIBP): 82 BPM
4/24/13 12:19:24 AM		Recorder status: Off
4/24/13 12:19:27 AM		Maternal SpO2: 94%
4/24/13 12:19:27 AM		Maternal heart rate (SpO2): 83 BPM
4/24/13 12:20:35 AM		Recorder status: On
4/24/13 12:20:35 AM		Maternal blood pressure: 133 / 71 mmHg, Mean value: 94 mmHg
4/24/13 12:20:35 AM		Maternal heart rate (NIBP): 80 BPM
4/24/13 12:21:19 AM		Recorder status: Off
4/24/13 12:22:05 AM		FHR1: SIGNAL LOSS Critical FHR. Please check patient and FHR sensor.
4/24/13 12:22:27 AM	ALBANESE, LINDSAY	Alarm acknowledged
4/24/13 12:22:30 AM		Maternal SpO2: 98%
4/24/13 12:22:30 AM		Maternal heart rate (SpO2): 79 BPM
4/24/13 12:22:40 AM		Maternal blood pressure: 136 / 64 mmHg, Mean value: 89 mmHg
4/24/13 12:22:40 AM		Maternal heart rate (NIBP): 82 BPM
4/24/13 12:22:41 AM		Recorder status: On
4/24/13 12:23:24 AM		Recorder status: Off
4/24/13 12:24:45 AM		Maternal blood pressure: 126 / 67 mmHg, Mean value: 88 mmHg
4/24/13 12:24:45 AM		Maternal heart rate (NIBP): 72 BPM
4/24/13 12:24:45 AM		Recorder status: On
4/24/13 12:25:29 AM		Recorder status: Off
4/24/13 12:26:40 AM		Maternal blood pressure: 135 / 69 mmHg, Mean value: 93 mmHg
4/24/13 12:26:40 AM		Maternal heart rate (NIBP): 77 BPM
4/24/13 12:26:40 AM		Maternal SpO2: 99%
4/24/13 12:26:40 AM		Maternal heart rate (SpO2): 82 BPM
4/24/13 12:26:41 AM		Recorder status: On
4/24/13 12:26:44 AM	MAITRET, DENISE	Event: Anesthesia: epidural cath placed

Display Time	User	Description
4/24/13 12:27:25 AM		Recorder status: Off
4/24/13 12:28:40 AM		Maternal blood pressure: 126 / 71 mmHg, Mean value: 88 mmHg
4/24/13 12:28:40 AM		Maternal heart rate (NIBP): 82 BPM
4/24/13 12:28:41 AM		Recorder status: On
4/24/13 12:28:52 AM	MAITRET, DENISE	Event: Anesthesia: test dose
4/24/13 12:29:24 AM		Recorder status: Off
4/24/13 12:30:00 AM	MAITRET, DENISE	Contractions: every 2 - 4 minutes
4/24/13 12:30:00 AM	MAITRET, DENISE	Contraction duration: 50 - 90 seconds
4/24/13 12:30:00 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 12:30:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 12:30:35 AM		Maternal blood pressure: 134 / 78 mmHg, Mean value: 97 mmHg
4/24/13 12:30:35 AM		Maternal heart rate (NIBP): 99 BPM
4/24/13 12:30:35 AM		Maternal SpO2: 99%
4/24/13 12:30:35 AM		Maternal heart rate (SpO2): 97 BPM
4/24/13 12:30:35 AM		Recorder status: On
4/24/13 12:31:19 AM		Recorder status: Off
4/24/13 12:32:30 AM		FHR1: SIGNAL LOSS Critical FHR. Please check patient and FHR sensor.
4/24/13 12:32:42 AM	WOODS, NICOLE	Remarks: RN AT BEDSIDE
4/24/13 12:32:43 AM		Recorder status: On
4/24/13 12:32:43 AM		Maternal blood pressure: 125 / 67 mmHg, Mean value: 84 mmHg
4/24/13 12:32:43 AM		Maternal heart rate (NIBP): 92 BPM
4/24/13 12:33:08 AM	WOODS, NICOLE	Alarm acknowledged
4/24/13 12:33:27 AM		Recorder status: Off
4/24/13 12:33:46 AM		Maternal SpO2: 99%
4/24/13 12:33:46 AM		Maternal heart rate (SpO2): 105 BPM
4/24/13 12:34:45 AM	MAITRET, DENISE	Remarks: TO BACK AFTER EPIDURAL PLACEMENT, TOLERATED WELL.
4/24/13 12:34:58 AM		Maternal blood pressure: 112 / 71 mmHg, Mean value: 84 mmHg
4/24/13 12:34:58 AM		Maternal heart rate (NIBP): 95 BPM
4/24/13 12:34:58 AM		Recorder status: On
4/24/13 12:35:43 AM		Recorder status: Off
4/24/13 12:36:42 AM		Recorder status: On
4/24/13 12:36:42 AM		Maternal blood pressure: 115 / 60 mmHg, Mean value: 79 mmHg
4/24/13 12:36:42 AM		Maternal heart rate (NIBP): 77 BPM
4/24/13 12:37:14 AM		Maternal SpO2: 98%
4/24/13 12:37:14 AM		Maternal heart rate (SpO2): 76 BPM
4/24/13 12:37:26 AM		Recorder status: Off
4/24/13 12:38:39 AM		Maternal blood pressure: 116 / 73 mmHg, Mean value: 86 mmHg
4/24/13 12:38:39 AM		Maternal heart rate (NIBP): 74 BPM
4/24/13 12:38:39 AM		Recorder status: On
4/24/13 12:39:23 AM		Recorder status: Off
4/24/13 12:40:32 AM		Maternal SpO2: 98%
4/24/13 12:40:32 AM		Maternal heart rate (SpO2): 75 BPM
4/24/13 12:40:46 AM		Maternal blood pressure: 116 / 62 mmHg, Mean value: 80 mmHg
4/24/13 12:40:46 AM		Maternal heart rate (NIBP): 73 BPM
4/24/13 12:40:46 AM		Recorder status: On
4/24/13 12:41:29 AM		Recorder status: Off
4/24/13 12:43:13 AM	MAITRET, DENISE	Remarks: ABD PALPATED, TETANIC CTX NOTED.
4/24/13 12:44:39 AM	MAITRET, DENISE	Remarks: TO LEFT SIDE

Display Time	User	Description
4/24/13 12:44:55 AM		FHR1: BRADYCARDIA Bradycardia detected.
4/24/13 12:45:00 AM	MAITRET, DENISE	Fetal station (examined by MAITRET, DENISE): -2
4/24/13 12:45:00 AM	MAITRET, DENISE	Cervical dilation: 5
4/24/13 12:45:00 AM	MAITRET, DENISE	Cervical effacement: 100
4/24/13 12:45:00 AM	MAITRET, DENISE	Contractions: every 1 minutes
4/24/13 12:45:00 AM	MAITRET, DENISE	Contraction duration: 60 - 240 seconds
4/24/13 12:45:00 AM	MAITRET, DENISE	Contraction intensity: moderate; strong; tetanic; tachysystole
4/24/13 12:45:00 AM	MAITRET, DENISE	Contraction resting tone: not relaxing between uc
4/24/13 12:45:00 AM	MAITRET, DENISE	Accelerations: present
4/24/13 12:45:00 AM	MAITRET, DENISE	Decelerations: Prolonged; *See notes
4/24/13 12:45:00 AM	MAITRET, DENISE	Baseline: 115 bpm in last 15 minutes
4/24/13 12:45:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 12:45:55 AM		FHR1: BRADYCARDIA Severe bradycardia detected.
4/24/13 12:46:02 AM		Coincidence status: On
4/24/13 12:46:04 AM	MCCART, PATTI	Alarm acknowledged
4/24/13 12:46:55 AM		COINCIDENCE Coincidence detected by fetal monitor.
4/24/13 12:47:00 AM	MAITRET, DENISE	Event: MD/CNM notified
4/24/13 12:47:19 AM	MCCART, PATTI	Alarm acknowledged
4/24/13 12:47:41 AM		Maternal SpO2: 99%
4/24/13 12:47:41 AM		Maternal heart rate (SpO2): 76 BPM
4/24/13 12:48:00 AM	MAITRET, DENISE	Terbutaline (subQ): 0.25 mg
4/24/13 12:48:33 AM	CAFFREY, SINA	Remarks: TERBUTALINE .25 MG LEFT ARM.
4/24/13 12:48:40 AM		FHR1: BRADYCARDIA Severe bradycardia detected.
4/24/13 12:49:40 AM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/24/13 12:49:43 AM	MAITRET, DENISE	Remarks: TO RIGHT SIDE
4/24/13 12:49:57 AM		Recorder status: On
4/24/13 12:49:57 AM		Maternal blood pressure: 131 / 69 mmHg, Mean value: 91 mmHg
4/24/13 12:49:57 AM		Maternal heart rate (NIBP): 88 BPM
4/24/13 12:50:40 AM		FHR1: BRADYCARDIA Severe bradycardia detected.
4/24/13 12:50:41 AM		Recorder status: Off
4/24/13 12:51:13 AM	CAFFREY, SINA	Remarks: KNEE CHEST
4/24/13 12:51:16 AM	CAFFREY, SINA	Remarks: KNEE CHEST
4/24/13 12:52:33 AM	CAFFREY, SINA	Alarm acknowledged
4/24/13 12:52:45 AM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/24/13 12:53:55 AM		FHR1: BRADYCARDIA Severe bradycardia detected.
4/24/13 12:54:15 AM	MCCART, PATTI	Alarm acknowledged
4/24/13 12:55:00 AM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/24/13 12:55:00 AM	MAITRET, DENISE	Membranes: AROM, GBS positive. Fluid: clear. Quantity: normal. (examined by APONTE, EDGARDO)
4/24/13 12:55:00 AM	MAITRET, DENISE	Fetal station: -2
4/24/13 12:55:00 AM	MAITRET, DENISE	Cervical dilation: 5-6
4/24/13 12:55:00 AM	MAITRET, DENISE	Cervical effacement: 100
4/24/13 12:55:00 AM	MAITRET, DENISE	Event: Assist MD/CNM with AROM
4/24/13 12:55:00 AM	MAITRET, DENISE	Event: MD/CNM at bedside

Display Time	User	Description
4/24/13 12:55:00 AM	MAITRET, DENISE	Event: Scalp electrode applied
4/24/13 12:55:00 AM	MAITRET, DENISE	Event: Vaginal exam
4/24/13 12:55:35 AM		FHR1: BRADYCARDIA Bradycardia detected.
4/24/13 12:55:36 AM		Maternal SpO2: 99%
4/24/13 12:55:36 AM		Maternal heart rate (SpO2): 105 BPM
4/24/13 12:55:45 AM	MCCART, PATTI	Alarm acknowledged
4/24/13 12:56:20 AM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/24/13 12:56:35 AM		FHR2 measurement method: DECG
4/24/13 12:57:10 AM		FHR2: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/24/13 12:58:03 AM	MCCART, PATTI	Alarm acknowledged
4/24/13 12:58:05 AM		FHR1 measurement method: No transducer
4/24/13 12:58:12 AM		FHR1 measurement method: US
4/24/13 12:58:12 AM		FMP Status: On
4/24/13 12:58:13 AM		FHR1 measurement method: No transducer
4/24/13 12:58:14 AM		FHR1 measurement method: DECG
4/24/13 12:58:14 AM		FHR2 measurement method: No transducer
4/24/13 12:58:21 AM		FHR1 measurement method: No transducer
4/24/13 12:58:22 AM		FHR1 measurement method: US
4/24/13 12:58:22 AM		FMP Status: On
4/24/13 12:58:23 AM		FHR2 measurement method: DECG
4/24/13 12:58:55 AM		FHR2: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/24/13 12:59:19 AM		FHR2 measurement method: No transducer
4/24/13 12:59:25 AM	MCCART, PATTI	Alarm acknowledged
4/24/13 1:00:00 AM	MAITRET, DENISE	Contractions: every 1 - 2 minutes
4/24/13 1:00:00 AM	MAITRET, DENISE	Contraction duration: 60 - 180 seconds
4/24/13 1:00:00 AM	MAITRET, DENISE	Contraction intensity: moderate; tetanic; tachysystole
4/24/13 1:00:00 AM	MAITRET, DENISE	Contraction resting tone: not relaxing between uc
4/24/13 1:00:00 AM	MAITRET, DENISE	Accelerations: absent
4/24/13 1:00:00 AM	MAITRET, DENISE	Decelerations: Prolonged; *See notes
4/24/13 1:00:00 AM	MAITRET, DENISE	Long term variability: minimal < or = 5bpm
4/24/13 1:00:00 AM	MAITRET, DENISE	Baseline (DECG): 125 bpm in last 15 minutes
4/24/13 1:00:43 AM		FHR2 measurement method: DECG
4/24/13 1:01:01 AM		FHR1 measurement method: No transducer
4/24/13 1:01:03 AM		FHR2 measurement method: No transducer
4/24/13 1:01:04 AM		FHR1 measurement method: DECG
4/24/13 1:01:09 AM		Maternal SpO2: 99%
4/24/13 1:01:09 AM		Maternal heart rate (SpO2): 105 BPM
4/24/13 1:02:26 AM		FHR1 measurement method: No transducer
4/24/13 1:02:28 AM		FHR2 measurement method: DECG
4/24/13 1:02:29 AM		FHR1 measurement method: US
4/24/13 1:02:29 AM		FMP Status: On
4/24/13 1:03:02 AM		FHR2 measurement method: No transducer
4/24/13 1:03:09 AM		FHR2 measurement method: DECG
4/24/13 1:03:11 AM		FHR1 measurement method: No transducer
4/24/13 1:03:33 AM		FHR1 measurement method: US
4/24/13 1:03:33 AM		FMP Status: On

Display Time	User	Description
4/24/13 1:03:54 AM		Coincidence status: On
4/24/13 1:04:15 AM		FHR2: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/24/13 1:04:28 AM	MCCART, PATTI	Alarm acknowledged
4/24/13 1:04:44 AM		Maternal SpO2: 99%
4/24/13 1:04:44 AM		Maternal heart rate (SpO2): 104 BPM
4/24/13 1:04:53 AM		Maternal blood pressure: 155 / 106 mmHg, Mean value: 127 mmHg
4/24/13 1:05:06 AM		FHR1 measurement method: No transducer
4/24/13 1:05:52 AM		Recorder status: On
4/24/13 1:06:38 AM		Recorder status: Off
4/24/13 1:10:00 AM		Maternal SpO2: 99%
4/24/13 1:10:00 AM		Maternal heart rate (SpO2): 101 BPM
4/24/13 1:10:13 AM		Maternal blood pressure: 119 / 61 mmHg, Mean value: 82 mmHg
4/24/13 1:10:13 AM		Maternal heart rate (NIBP): 98 BPM
4/24/13 1:10:13 AM		Recorder status: On
4/24/13 1:10:59 AM		Recorder status: Off
4/24/13 1:15:00 AM	MAITRET, DENISE	LR: Updated (1000 mL)
4/24/13 1:15:00 AM	MAITRET, DENISE	Contractions: every 2 - 3 minutes
4/24/13 1:15:00 AM	MAITRET, DENISE	Contraction duration: 60 - 80 seconds
4/24/13 1:15:00 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 1:15:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 1:15:00 AM	MAITRET, DENISE	Accelerations: absent
4/24/13 1:15:00 AM	MAITRET, DENISE	Decelerations: absent
4/24/13 1:15:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 1:15:00 AM	MAITRET, DENISE	Baseline (DECG): 125 bpm in last 15 minutes
4/24/13 1:15:53 AM		Maternal SpO2: 99%
4/24/13 1:15:53 AM		Maternal heart rate (SpO2): 96 BPM
4/24/13 1:21:00 AM		Maternal SpO2: 99%
4/24/13 1:21:00 AM		Maternal heart rate (SpO2): 89 BPM
4/24/13 1:24:55 AM		Maternal SpO2: 99%
4/24/13 1:24:55 AM		Maternal heart rate (SpO2): 88 BPM
4/24/13 1:25:11 AM		Maternal blood pressure: 108 / 68 mmHg, Mean value: 81 mmHg
4/24/13 1:25:11 AM		Maternal heart rate (NIBP): 90 BPM
4/24/13 1:25:11 AM		Recorder status: On
4/24/13 1:25:55 AM		Recorder status: Off
4/24/13 1:30:00 AM	MAITRET, DENISE	Contractions: every 1 - 2 minutes
4/24/13 1:30:00 AM	MAITRET, DENISE	Contraction duration: 50 - 80 seconds
4/24/13 1:30:00 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 1:30:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 1:30:00 AM	MAITRET, DENISE	Accelerations: present
4/24/13 1:30:00 AM	MAITRET, DENISE	Decelerations: absent
4/24/13 1:30:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 1:30:00 AM	MAITRET, DENISE	Remarks: TO RIGHT SIDE
4/24/13 1:30:00 AM	MAITRET, DENISE	Maternal temperature (Oral): 97.8°F
4/24/13 1:30:00 AM	MAITRET, DENISE	Baseline (DECG): 125 bpm in last 15 minutes
4/24/13 1:30:51 AM		Maternal SpO2: 98%
4/24/13 1:30:51 AM		Maternal heart rate (SpO2): 86 BPM
4/24/13 1:35:59 AM		Maternal SpO2: 99%
4/24/13 1:35:59 AM		Maternal heart rate (SpO2): 89 BPM

Display Time	User	Description
4/24/13 1:40:10 AM		Maternal blood pressure: 117 / 63 mmHg, Mean value: 82 mmHg
4/24/13 1:40:10 AM		Maternal heart rate (NIBP): 78 BPM
4/24/13 1:40:10 AM		Maternal SpO2: 99%
4/24/13 1:40:10 AM		Maternal heart rate (SpO2): 79 BPM
4/24/13 1:40:10 AM		Recorder status: On
4/24/13 1:40:54 AM		Recorder status: Off
4/24/13 1:43:45 AM	MAITRET, DENISE	Contractions: every 2 - 3 minutes
4/24/13 1:43:49 AM	MAITRET, DENISE	Contraction duration: 40 - 60 seconds
4/24/13 1:43:59 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 1:44:01 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 1:45:00 AM	MAITRET, DENISE	Accelerations: absent
4/24/13 1:45:00 AM	MAITRET, DENISE	Decelerations: absent
4/24/13 1:45:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 1:45:00 AM	MAITRET, DENISE	Baseline (DECG): 130 bpm in last 15 minutes
4/24/13 1:45:50 AM		Maternal SpO2: 98%
4/24/13 1:45:50 AM		Maternal heart rate (SpO2): 80 BPM
4/24/13 1:50:58 AM		Maternal SpO2: 99%
4/24/13 1:50:58 AM		Maternal heart rate (SpO2): 81 BPM
4/24/13 1:55:12 AM		Maternal blood pressure: 113 / 63 mmHg, Mean value: 78 mmHg
4/24/13 1:55:12 AM		Maternal heart rate (NIBP): 78 BPM
4/24/13 1:55:12 AM		Maternal SpO2: 98%
4/24/13 1:55:12 AM		Maternal heart rate (SpO2): 81 BPM
4/24/13 1:55:12 AM		Recorder status: On
4/24/13 1:55:55 AM		Recorder status: Off
4/24/13 2:00:00 AM	MAITRET, DENISE	Contractions: every 2 - 3 minutes
4/24/13 2:00:00 AM	MAITRET, DENISE	Contraction duration: 50 - 80 seconds
4/24/13 2:00:00 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 2:00:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 2:00:00 AM	MAITRET, DENISE	Accelerations: absent
4/24/13 2:00:00 AM	MAITRET, DENISE	Decelerations: absent
4/24/13 2:00:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 2:00:00 AM	MAITRET, DENISE	Baseline (DECG): 130 bpm in last 15 minutes
4/24/13 2:00:00 AM	MAITRET, DENISE	Event: Foley catheter inserted without difficulty.
4/24/13 2:00:52 AM		Maternal SpO2: 99%
4/24/13 2:00:52 AM		Maternal heart rate (SpO2): 81 BPM
4/24/13 2:04:52 AM	MAITRET, DENISE	Event: Nursing Interventions: position change - LEFT
4/24/13 2:05:59 AM		Maternal SpO2: 98%
4/24/13 2:05:59 AM		Maternal heart rate (SpO2): 87 BPM
4/24/13 2:09:59 AM		Maternal SpO2: 98%
4/24/13 2:09:59 AM		Maternal heart rate (SpO2): 87 BPM
4/24/13 2:10:18 AM		Maternal blood pressure: 110 / 54 mmHg, Mean value: 75 mmHg
4/24/13 2:10:18 AM		Maternal heart rate (NIBP): 77 BPM
4/24/13 2:10:19 AM		Recorder status: On
4/24/13 2:11:02 AM		Recorder status: Off
4/24/13 2:15:00 AM	MAITRET, DENISE	LR: Updated (1000 mL)
4/24/13 2:15:00 AM	MAITRET, DENISE	Contractions: every 2 - 4 minutes
4/24/13 2:15:00 AM	MAITRET, DENISE	Contraction duration: 50 - 100 seconds
4/24/13 2:15:00 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 2:15:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc

Display Time	User	Description
4/24/13 2:15:00 AM	MAITRET, DENISE	Accelerations: present
4/24/13 2:15:00 AM	MAITRET, DENISE	Decelerations: absent
4/24/13 2:15:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 2:15:00 AM	MAITRET, DENISE	Baseline (DECG): 135 bpm in last 15 minutes
4/24/13 2:15:58 AM		Maternal SpO2: 98%
4/24/13 2:15:58 AM		Maternal heart rate (SpO2): 83 BPM
4/24/13 2:17:11 AM		Maternal blood pressure: 110 / 49 mmHg, Mean value: 71 mmHg
4/24/13 2:17:11 AM		Maternal heart rate (NIBP): 79 BPM
4/24/13 2:17:12 AM		Recorder status: On
4/24/13 2:17:55 AM		Recorder status: Off
4/24/13 2:19:00 AM		Maternal SpO2: 99%
4/24/13 2:19:00 AM		Maternal heart rate (SpO2): 81 BPM
4/24/13 2:19:11 AM		Maternal blood pressure: 115 / 51 mmHg, Mean value: 74 mmHg
4/24/13 2:19:11 AM		Maternal heart rate (NIBP): 79 BPM
4/24/13 2:19:11 AM		Recorder status: On
4/24/13 2:19:55 AM		Recorder status: Off
4/24/13 2:21:11 AM		Recorder status: On
4/24/13 2:21:11 AM		Maternal blood pressure: 107 / 55 mmHg, Mean value: 73 mmHg
4/24/13 2:21:11 AM		Maternal heart rate (NIBP): 89 BPM
4/24/13 2:21:55 AM		Recorder status: Off
4/24/13 2:23:05 AM		Maternal SpO2: 98%
4/24/13 2:23:05 AM		Maternal heart rate (SpO2): 89 BPM
4/24/13 2:23:18 AM		Maternal blood pressure: 109 / 47 mmHg, Mean value: 70 mmHg
4/24/13 2:23:18 AM		Maternal heart rate (NIBP): 84 BPM
4/24/13 2:23:18 AM		Recorder status: On
4/24/13 2:24:00 AM	MAITRET, DENISE	Event: Anesthesia: Epidural Maintenance Dose
4/24/13 2:24:00 AM	MAITRET, DENISE	Event: Anesthesia: epidural redosed
4/24/13 2:24:02 AM		Recorder status: Off
4/24/13 2:25:15 AM		Maternal blood pressure: 0 / 0 mmHg, Mean value: 79 mmHg
4/24/13 2:25:15 AM		Maternal heart rate (NIBP): 95 BPM
4/24/13 2:25:15 AM		Recorder status: On
4/24/13 2:25:58 AM		Recorder status: Off
4/24/13 2:26:05 AM		Maternal blood pressure: 105 / 49 mmHg, Mean value: 65 mmHg
4/24/13 2:26:05 AM		Maternal heart rate (NIBP): 81 BPM
4/24/13 2:26:05 AM		Recorder status: On
4/24/13 2:26:06 AM		Maternal SpO2: 98%
4/24/13 2:26:06 AM		Maternal heart rate (SpO2): 88 BPM
4/24/13 2:26:49 AM		Recorder status: Off
4/24/13 2:28:08 AM		Maternal blood pressure: 105 / 45 mmHg, Mean value: 65 mmHg
4/24/13 2:28:08 AM		Maternal heart rate (NIBP): 95 BPM
4/24/13 2:28:09 AM		Recorder status: On
4/24/13 2:28:52 AM		Recorder status: Off
4/24/13 2:30:00 AM	MAITRET, DENISE	Contractions: every 2 - 3 minutes
4/24/13 2:30:00 AM	MAITRET, DENISE	Contraction duration: 60 - 100 seconds
4/24/13 2:30:00 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 2:30:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 2:30:00 AM	MAITRET, DENISE	Accelerations: present
4/24/13 2:30:00 AM	MAITRET, DENISE	Decelerations: absent
4/24/13 2:30:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm

Display Time	User	Description
4/24/13 2:30:00 AM	MAITRET, DENISE	Baseline (DECG): 140 bpm in last 15 minutes
4/24/13 2:30:07 AM		Maternal blood pressure: 107 / 51 mmHg, Mean value: 71 mmHg
4/24/13 2:30:07 AM		Maternal heart rate (NIBP): 83 BPM
4/24/13 2:30:07 AM		Maternal SpO2: 97%
4/24/13 2:30:07 AM		Maternal heart rate (SpO2): 81 BPM
4/24/13 2:30:07 AM		Recorder status: On
4/24/13 2:30:51 AM		Recorder status: Off
4/24/13 2:32:10 AM		Maternal blood pressure: 96 / 44 mmHg, Mean value: 65 mmHg
4/24/13 2:32:10 AM		Maternal heart rate (NIBP): 91 BPM
4/24/13 2:32:10 AM		Recorder status: On
4/24/13 2:32:54 AM		Recorder status: Off
4/24/13 2:34:02 AM		Recorder status: On
4/24/13 2:34:02 AM		Maternal blood pressure: 100 / 50 mmHg, Mean value: 64 mmHg
4/24/13 2:34:02 AM		Maternal heart rate (NIBP): 86 BPM
4/24/13 2:34:02 AM		Maternal SpO2: 97%
4/24/13 2:34:02 AM		Maternal heart rate (SpO2): 85 BPM
4/24/13 2:34:25 AM		Event: Nursing Interventions: position change - RIGHT
4/24/13 2:34:46 AM		Recorder status: Off
4/24/13 2:36:39 AM		Maternal blood pressure: 109 / 46 mmHg, Mean value: 69 mmHg
4/24/13 2:36:39 AM		Maternal heart rate (NIBP): 93 BPM
4/24/13 2:36:40 AM		Recorder status: On
4/24/13 2:37:12 AM		Maternal SpO2: 97%
4/24/13 2:37:12 AM		Maternal heart rate (SpO2): 93 BPM
4/24/13 2:37:23 AM		Recorder status: Off
4/24/13 2:38:10 AM		Maternal blood pressure: 110 / 62 mmHg, Mean value: 79 mmHg
4/24/13 2:38:10 AM		Maternal heart rate (NIBP): 84 BPM
4/24/13 2:38:10 AM		Recorder status: On
4/24/13 2:38:54 AM		Recorder status: Off
4/24/13 2:40:23 AM		Maternal blood pressure: 93 / 66 mmHg, Mean value: 73 mmHg
4/24/13 2:40:23 AM		Maternal heart rate (NIBP): 93 BPM
4/24/13 2:40:23 AM		Maternal SpO2: 97%
4/24/13 2:40:23 AM		Maternal heart rate (SpO2): 101 BPM
4/24/13 2:40:23 AM		Recorder status: On
4/24/13 2:41:09 AM		Recorder status: Off
4/24/13 2:42:08 AM		Maternal blood pressure: 93 / 65 mmHg, Mean value: 75 mmHg
4/24/13 2:42:08 AM		Maternal heart rate (NIBP): 85 BPM
4/24/13 2:42:08 AM		Recorder status: On
4/24/13 2:42:53 AM		Recorder status: Off
4/24/13 2:44:08 AM		Maternal blood pressure: 102 / 64 mmHg, Mean value: 77 mmHg
4/24/13 2:44:08 AM		Maternal heart rate (NIBP): 92 BPM
4/24/13 2:44:08 AM		Maternal SpO2: 97%
4/24/13 2:44:08 AM		Maternal heart rate (SpO2): 86 BPM
4/24/13 2:44:08 AM		Recorder status: On
4/24/13 2:44:53 AM		Recorder status: Off
4/24/13 2:45:00 AM	MAITRET, DENISE	Contractions: every 2 - 4 minutes
4/24/13 2:45:00 AM	MAITRET, DENISE	Contraction duration: 50 - 80 seconds
4/24/13 2:45:00 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 2:45:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 2:45:00 AM	MAITRET, DENISE	Accelerations: present

Display Time	User	Description
4/24/13 2:45:00 AM	MAITRET, DENISE	Decelerations: absent
4/24/13 2:45:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 2:45:00 AM	MAITRET, DENISE	Baseline (DECG): 145 bpm in last 15 minutes
4/24/13 2:46:06 AM		Recorder status: On
4/24/13 2:46:06 AM		Maternal blood pressure: 97 / 61 mmHg, Mean value: 73 mmHg
4/24/13 2:46:06 AM		Maternal heart rate (NIBP): 89 BPM
4/24/13 2:46:50 AM		Recorder status: Off
4/24/13 2:48:11 AM		Maternal blood pressure: 105 / 60 mmHg, Mean value: 77 mmHg
4/24/13 2:48:11 AM		Maternal heart rate (NIBP): 83 BPM
4/24/13 2:48:11 AM		Maternal SpO2: 97%
4/24/13 2:48:11 AM		Maternal heart rate (SpO2): 85 BPM
4/24/13 2:48:12 AM		Recorder status: On
4/24/13 2:48:55 AM		Recorder status: Off
4/24/13 2:50:07 AM		Maternal blood pressure: 104 / 62 mmHg, Mean value: 76 mmHg
4/24/13 2:50:07 AM		Maternal heart rate (NIBP): 89 BPM
4/24/13 2:50:08 AM		Recorder status: On
4/24/13 2:50:51 AM		Recorder status: Off
4/24/13 2:52:24 AM		Maternal blood pressure: 110 / 55 mmHg, Mean value: 77 mmHg
4/24/13 2:52:24 AM		Maternal heart rate (NIBP): 97 BPM
4/24/13 2:52:24 AM		Maternal SpO2: 96%
4/24/13 2:52:24 AM		Maternal heart rate (SpO2): 97 BPM
4/24/13 2:52:25 AM		Recorder status: On
4/24/13 2:53:08 AM		Recorder status: Off
4/24/13 2:54:12 AM		Maternal blood pressure: 103 / 66 mmHg, Mean value: 78 mmHg
4/24/13 2:54:12 AM		Maternal heart rate (NIBP): 88 BPM
4/24/13 2:54:13 AM		Recorder status: On
4/24/13 2:54:56 AM		Recorder status: Off
4/24/13 2:56:07 AM		Maternal blood pressure: 100 / 65 mmHg, Mean value: 76 mmHg
4/24/13 2:56:07 AM		Maternal heart rate (NIBP): 82 BPM
4/24/13 2:56:07 AM		Maternal SpO2: 96%
4/24/13 2:56:07 AM		Maternal heart rate (SpO2): 83 BPM
4/24/13 2:56:07 AM		Recorder status: On
4/24/13 2:56:51 AM		Recorder status: Off
4/24/13 2:58:10 AM		Maternal blood pressure: 101 / 66 mmHg, Mean value: 77 mmHg
4/24/13 2:58:10 AM		Maternal heart rate (NIBP): 85 BPM
4/24/13 2:58:11 AM		Recorder status: On
4/24/13 2:58:54 AM		Recorder status: Off
4/24/13 3:00:00 AM	MAITRET, DENISE	Contractions: every 2 - 4 minutes
4/24/13 3:00:00 AM	MAITRET, DENISE	Contraction duration: 50 - 80 seconds
4/24/13 3:00:00 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 3:00:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 3:00:00 AM	MAITRET, DENISE	Accelerations: present
4/24/13 3:00:00 AM	MAITRET, DENISE	Decelerations: absent
4/24/13 3:00:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 3:00:00 AM	MAITRET, DENISE	Baseline (DECG): 140 bpm in last 15 minutes
4/24/13 3:00:09 AM		Maternal blood pressure: 98 / 67 mmHg, Mean value: 76 mmHg
4/24/13 3:00:58 AM		Recorder status: On
4/24/13 3:00:58 AM		Maternal SpO2: 97%
4/24/13 3:00:58 AM		Maternal heart rate (SpO2): 96 BPM

Display Time	User	Description
4/24/13 3:01:42 AM		Recorder status: Off
4/24/13 3:02:08 AM		Maternal blood pressure: 97 / 64 mmHg, Mean value: 73 mmHg
4/24/13 3:02:08 AM		Maternal heart rate (NIBP): 85 BPM
4/24/13 3:02:08 AM		Recorder status: On
4/24/13 3:02:52 AM		Recorder status: Off
4/24/13 3:04:10 AM		Maternal blood pressure: 99 / 59 mmHg, Mean value: 73 mmHg
4/24/13 3:04:10 AM		Maternal heart rate (NIBP): 86 BPM
4/24/13 3:04:10 AM		Maternal SpO2: 97%
4/24/13 3:04:10 AM		Maternal heart rate (SpO2): 86 BPM
4/24/13 3:04:11 AM		Recorder status: On
4/24/13 3:04:54 AM		Recorder status: Off
4/24/13 3:06:11 AM		Maternal blood pressure: 103 / 64 mmHg, Mean value: 77 mmHg
4/24/13 3:06:11 AM		Maternal heart rate (NIBP): 79 BPM
4/24/13 3:06:11 AM		Recorder status: On
4/24/13 3:06:55 AM		Recorder status: Off
4/24/13 3:08:09 AM		Maternal blood pressure: 107 / 66 mmHg, Mean value: 81 mmHg
4/24/13 3:08:09 AM		Maternal heart rate (NIBP): 76 BPM
4/24/13 3:08:09 AM		Maternal SpO2: 97%
4/24/13 3:08:09 AM		Maternal heart rate (SpO2): 75 BPM
4/24/13 3:08:09 AM		Recorder status: On
4/24/13 3:08:53 AM		Recorder status: Off
4/24/13 3:10:12 AM		Maternal blood pressure: 106 / 64 mmHg, Mean value: 77 mmHg
4/24/13 3:10:12 AM		Maternal heart rate (NIBP): 77 BPM
4/24/13 3:10:13 AM		Recorder status: On
4/24/13 3:10:56 AM		Recorder status: Off
4/24/13 3:12:15 AM		Maternal blood pressure: 105 / 64 mmHg, Mean value: 76 mmHg
4/24/13 3:12:15 AM		Maternal heart rate (NIBP): 80 BPM
4/24/13 3:12:15 AM		Maternal SpO2: 97%
4/24/13 3:12:15 AM		Maternal heart rate (SpO2): 77 BPM
4/24/13 3:12:16 AM		Recorder status: On
4/24/13 3:12:59 AM		Recorder status: Off
4/24/13 3:14:11 AM		Maternal blood pressure: 105 / 70 mmHg, Mean value: 82 mmHg
4/24/13 3:14:11 AM		Maternal heart rate (NIBP): 86 BPM
4/24/13 3:14:11 AM		Recorder status: On
4/24/13 3:14:55 AM		Recorder status: Off
4/24/13 3:15:00 AM	MAITRET, DENISE	Contractions: every 2 - 4 minutes
4/24/13 3:15:00 AM	MAITRET, DENISE	Contraction duration: 60 - 360 seconds
4/24/13 3:15:00 AM	MAITRET, DENISE	Contraction intensity: moderate; tachysystole
4/24/13 3:15:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 3:15:00 AM	MAITRET, DENISE	Accelerations: present
4/24/13 3:15:00 AM	MAITRET, DENISE	Decelerations: Variable
4/24/13 3:15:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 3:15:00 AM	MAITRET, DENISE	Baseline (DECG): 140 bpm in last 15 minutes
4/24/13 3:16:14 AM		Maternal blood pressure: 104 / 65 mmHg, Mean value: 78 mmHg
4/24/13 3:16:14 AM		Maternal heart rate (NIBP): 81 BPM
4/24/13 3:16:14 AM		Maternal SpO2: 96%
4/24/13 3:16:14 AM		Maternal heart rate (SpO2): 73 BPM
4/24/13 3:16:14 AM		Recorder status: On
4/24/13 3:16:57 AM		Recorder status: Off

Display Time	User	Description
4/24/13 3:18:15 AM		Recorder status: On
4/24/13 3:18:15 AM		Maternal blood pressure: 102 / 62 mmHg, Mean value: 76 mmHg
4/24/13 3:18:15 AM		Maternal heart rate (NIBP): 80 BPM
4/24/13 3:18:58 AM		Recorder status: Off
4/24/13 3:20:13 AM		Maternal blood pressure: 104 / 63 mmHg, Mean value: 77 mmHg
4/24/13 3:20:13 AM		Maternal heart rate (NIBP): 82 BPM
4/24/13 3:20:13 AM		Maternal SpO2: 96%
4/24/13 3:20:13 AM		Maternal heart rate (SpO2): 77 BPM
4/24/13 3:20:14 AM		Recorder status: On
4/24/13 3:20:57 AM		Recorder status: Off
4/24/13 3:22:15 AM		Maternal blood pressure: 100 / 65 mmHg, Mean value: 76 mmHg
4/24/13 3:22:15 AM		Maternal heart rate (NIBP): 78 BPM
4/24/13 3:22:16 AM		Recorder status: On
4/24/13 3:22:59 AM		Recorder status: Off
4/24/13 3:24:18 AM		Maternal blood pressure: 102 / 60 mmHg, Mean value: 75 mmHg
4/24/13 3:24:18 AM		Maternal heart rate (NIBP): 81 BPM
4/24/13 3:24:18 AM		Maternal SpO2: 96%
4/24/13 3:24:18 AM		Maternal heart rate (SpO2): 82 BPM
4/24/13 3:24:18 AM		Recorder status: On
4/24/13 3:25:02 AM		Recorder status: Off
4/24/13 3:26:18 AM		Maternal blood pressure: 103 / 61 mmHg, Mean value: 75 mmHg
4/24/13 3:26:57 AM		Recorder status: On
4/24/13 3:27:29 AM		Maternal SpO2: 96%
4/24/13 3:27:29 AM		Maternal heart rate (SpO2): 85 BPM
4/24/13 3:27:41 AM		Recorder status: Off
4/24/13 3:28:14 AM		Maternal blood pressure: 104 / 64 mmHg, Mean value: 78 mmHg
4/24/13 3:28:14 AM		Maternal heart rate (NIBP): 76 BPM
4/24/13 3:28:15 AM		Recorder status: On
4/24/13 3:28:58 AM		Recorder status: Off
4/24/13 3:30:00 AM	MAITRET, DENISE	Contractions: every 2 - 3 minutes
4/24/13 3:30:00 AM	MAITRET, DENISE	Contraction duration: 50 - 80 seconds
4/24/13 3:30:00 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 3:30:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 3:30:00 AM	MAITRET, DENISE	Accelerations: absent
4/24/13 3:30:00 AM	MAITRET, DENISE	Decelerations: absent
4/24/13 3:30:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 3:30:00 AM	MAITRET, DENISE	Baseline (DECG): 135 bpm in last 15 minutes
4/24/13 3:30:18 AM		Maternal blood pressure: 106 / 61 mmHg, Mean value: 77 mmHg
4/24/13 3:30:18 AM		Maternal heart rate (NIBP): 86 BPM
4/24/13 3:30:18 AM		Recorder status: On
4/24/13 3:30:50 AM		Maternal SpO2: 96%
4/24/13 3:30:50 AM		Maternal heart rate (SpO2): 89 BPM
4/24/13 3:31:02 AM		Recorder status: Off
4/24/13 3:32:39 AM		Maternal blood pressure: 111 / 58 mmHg, Mean value: 75 mmHg
4/24/13 3:32:39 AM		Maternal heart rate (NIBP): 99 BPM
4/24/13 3:32:39 AM		Recorder status: On
4/24/13 3:33:22 AM		Recorder status: Off
4/24/13 3:37:13 AM		Maternal SpO2: 97%
4/24/13 3:37:13 AM		Maternal heart rate (SpO2): 98 BPM

Display Time	User	Description
4/24/13 3:42:21 AM		Maternal SpO2: 95%
4/24/13 3:42:21 AM		Maternal heart rate (SpO2): 89 BPM
4/24/13 3:45:00 AM	MAITRET, DENISE	Contractions: every 2 - 4 minutes
4/24/13 3:45:00 AM	MAITRET, DENISE	Contraction duration: 60 - 80 seconds
4/24/13 3:45:00 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 3:45:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 3:45:00 AM	MAITRET, DENISE	Accelerations: present
4/24/13 3:45:00 AM	MAITRET, DENISE	Decelerations: absent
4/24/13 3:45:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 3:45:00 AM	MAITRET, DENISE	Baseline (DECG): 140 bpm in last 15 minutes
4/24/13 3:45:24 AM		Maternal SpO2: 93%
4/24/13 3:45:24 AM		Maternal heart rate (SpO2): 90 BPM
4/24/13 3:48:41 AM		Maternal SpO2: 93%
4/24/13 3:48:41 AM		Maternal heart rate (SpO2): 79 BPM
4/24/13 3:51:02 AM		Maternal blood pressure: 107 / 51 mmHg, Mean value: 70 mmHg
4/24/13 3:51:02 AM		Maternal heart rate (NIBP): 73 BPM
4/24/13 3:51:02 AM		Recorder status: On
4/24/13 3:51:45 AM		Recorder status: Off
4/24/13 3:53:27 AM		Maternal SpO2: 93%
4/24/13 3:53:27 AM		Maternal heart rate (SpO2): 85 BPM
4/24/13 3:56:55 AM		Maternal SpO2: 97%
4/24/13 3:56:55 AM		Maternal heart rate (SpO2): 79 BPM
4/24/13 4:00:00 AM	MAITRET, DENISE	Fetal station: -2
4/24/13 4:00:00 AM	MAITRET, DENISE	Cervical dilation: 5-6
4/24/13 4:00:00 AM	MAITRET, DENISE	Cervical effacement: 100
4/24/13 4:00:00 AM	MAITRET, DENISE	Penicilin G (IV): 3 munit, 50 mL
4/24/13 4:00:00 AM	MAITRET, DENISE	Contractions: every 2 - 3 minutes
4/24/13 4:00:00 AM	MAITRET, DENISE	Contraction duration: 60 - 100 seconds
4/24/13 4:00:00 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 4:00:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 4:00:00 AM	MAITRET, DENISE	Accelerations: present
4/24/13 4:00:00 AM	MAITRET, DENISE	Decelerations: absent
4/24/13 4:00:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 4:00:00 AM	MAITRET, DENISE	Baseline (DECG): 135 bpm in last 15 minutes
4/24/13 4:02:03 AM		Maternal SpO2: 95%
4/24/13 4:02:03 AM		Maternal heart rate (SpO2): 81 BPM
4/24/13 4:05:45 AM		Maternal SpO2: 95%
4/24/13 4:05:45 AM		Maternal heart rate (SpO2): 80 BPM
4/24/13 4:06:00 AM		Maternal blood pressure: 105 / 55 mmHg, Mean value: 72 mmHg
4/24/13 4:06:00 AM		Maternal heart rate (NIBP): 74 BPM
4/24/13 4:06:01 AM		Recorder status: On
4/24/13 4:06:44 AM		Recorder status: Off
4/24/13 4:11:40 AM		Maternal SpO2: 95%
4/24/13 4:11:40 AM		Maternal heart rate (SpO2): 79 BPM
4/24/13 4:15:00 AM	MAITRET, DENISE	Accelerations: present
4/24/13 4:15:00 AM	MAITRET, DENISE	Decelerations: absent
4/24/13 4:15:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 4:15:00 AM	MAITRET, DENISE	Contractions: every 2 - 4 minutes
4/24/13 4:15:00 AM	MAITRET, DENISE	Contraction duration: 60 - 240 seconds

Display Time	User	Description
4/24/13 4:15:00 AM	MAITRET, DENISE	Contraction intensity: moderate; tachysystole
4/24/13 4:15:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 4:15:00 AM	MAITRET, DENISE	Baseline (DECG): 135 bpm in last 15 minutes
4/24/13 4:16:48 AM		Maternal SpO2: 95%
4/24/13 4:16:48 AM		Maternal heart rate (SpO2): 81 BPM
4/24/13 4:20:46 AM		Maternal SpO2: 95%
4/24/13 4:20:46 AM		Maternal heart rate (SpO2): 73 BPM
4/24/13 4:21:01 AM		Maternal blood pressure: 111 / 52 mmHg, Mean value: 72 mmHg
4/24/13 4:21:01 AM		Maternal heart rate (NIBP): 80 BPM
4/24/13 4:21:01 AM		Recorder status: On
4/24/13 4:21:45 AM		Recorder status: Off
4/24/13 4:26:41 AM		Maternal SpO2: 96%
4/24/13 4:26:41 AM		Maternal heart rate (SpO2): 77 BPM
4/24/13 4:30:00 AM	MAITRET, DENISE	Contractions: every 2 - 3 minutes
4/24/13 4:30:00 AM	MAITRET, DENISE	Contraction duration: 60 - 180 seconds
4/24/13 4:30:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 4:30:00 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 4:30:00 AM	MAITRET, DENISE	Accelerations: present
4/24/13 4:30:00 AM	MAITRET, DENISE	Decelerations: absent
4/24/13 4:30:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 4:30:00 AM	MAITRET, DENISE	Baseline (DECG): 135 bpm in last 15 minutes
4/24/13 4:30:23 AM	MAITRET, DENISE	Event: Anesthesia: anesthesia notified
4/24/13 4:30:23 AM	MAITRET, DENISE	Event: Anesthesia: patient uncomfortable
4/24/13 4:31:49 AM		Maternal SpO2: 97%
4/24/13 4:31:49 AM		Maternal heart rate (SpO2): 79 BPM
4/24/13 4:35:52 AM		Maternal SpO2: 97%
4/24/13 4:35:52 AM		Maternal heart rate (SpO2): 75 BPM
4/24/13 4:36:04 AM		Maternal blood pressure: 108 / 48 mmHg, Mean value: 68 mmHg
4/24/13 4:36:04 AM		Maternal heart rate (NIBP): 76 BPM
4/24/13 4:36:05 AM		Recorder status: On
4/24/13 4:36:48 AM		Recorder status: Off
4/24/13 4:41:44 AM		Maternal SpO2: 98%
4/24/13 4:41:44 AM		Maternal heart rate (SpO2): 79 BPM
4/24/13 4:43:22 AM	MAITRET, DENISE	Remarks: D JONES PRESENT AND EVALUATING PT'S PAIN
4/24/13 4:43:22 AM	MAITRET, DENISE	Event: Anesthesia: anesthesia informing pt of risks & benefits
4/24/13 4:45:00 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 4:45:00 AM	MAITRET, DENISE	Contractions: every 2 - 3 minutes
4/24/13 4:45:00 AM	MAITRET, DENISE	Contraction duration: 60 - 100 seconds
4/24/13 4:45:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 4:45:00 AM	MAITRET, DENISE	Accelerations: present
4/24/13 4:45:00 AM	MAITRET, DENISE	Decelerations: absent
4/24/13 4:45:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 4:45:00 AM	MAITRET, DENISE	Baseline (DECG): 135 bpm in last 15 minutes
4/24/13 4:46:52 AM		Maternal SpO2: 97%
4/24/13 4:46:52 AM		Maternal heart rate (SpO2): 78 BPM
4/24/13 4:50:58 AM		Maternal SpO2: 97%
4/24/13 4:50:58 AM		Maternal heart rate (SpO2): 89 BPM
4/24/13 4:51:25 AM		Maternal blood pressure: 104 / 71 mmHg, Mean value: 83 mmHg
4/24/13 4:52:17 AM	MAITRET, DENISE	Remarks: sitting up for epidural redose,

Display Time	User	Description
4/24/13 4:52:17 AM	MAITRET, DENISE	Event: Anesthesia: positioned for epidural
4/24/13 4:52:20 AM		Recorder status: On
4/24/13 4:53:05 AM		Recorder status: Off
4/24/13 4:57:24 AM	MAITRET, DENISE	Event: Anesthesia: epidural redosed
4/24/13 4:58:00 AM		Maternal SpO2: 97%
4/24/13 4:58:00 AM		Maternal heart rate (SpO2): 73 BPM
4/24/13 4:58:15 AM		Maternal blood pressure: 120 / 68 mmHg, Mean value: 87 mmHg
4/24/13 4:58:15 AM		Maternal heart rate (NIBP): 74 BPM
4/24/13 4:58:15 AM		Recorder status: On
4/24/13 4:58:58 AM		Recorder status: Off
4/24/13 4:59:55 AM		Maternal blood pressure: 124 / 68 mmHg, Mean value: 87 mmHg
4/24/13 4:59:55 AM		Maternal heart rate (NIBP): 89 BPM
4/24/13 4:59:55 AM		Recorder status: On
4/24/13 5:00:00 AM		Contractions: every 2 - 3 minutes
4/24/13 5:00:00 AM		Contraction duration: 60 - 100 seconds
4/24/13 5:00:00 AM		Contraction intensity: moderate
4/24/13 5:00:00 AM		Contraction resting tone: palpates soft between uc
4/24/13 5:00:00 AM		Accelerations: present
4/24/13 5:00:00 AM		Decelerations: absent
4/24/13 5:00:00 AM		Long term variability: moderate 6-25bpm
4/24/13 5:00:00 AM		Baseline (DECG): 140 bpm in last 15 minutes
4/24/13 5:00:39 AM		Recorder status: Off
4/24/13 5:01:04 AM		Maternal SpO2: 98%
4/24/13 5:01:04 AM		Maternal heart rate (SpO2): 98 BPM
4/24/13 5:01:25 AM		Maternal blood pressure: 110 / 86 mmHg, Mean value: 95 mmHg
4/24/13 5:02:14 AM		Recorder status: On
4/24/13 5:02:58 AM		Recorder status: Off
4/24/13 5:03:07 AM		Maternal blood pressure: 119 / 69 mmHg, Mean value: 84 mmHg
4/24/13 5:03:07 AM		Maternal heart rate (NIBP): 79 BPM
4/24/13 5:03:08 AM		Recorder status: On
4/24/13 5:03:51 AM		Recorder status: Off
4/24/13 5:05:00 AM		Maternal SpO2: 98%
4/24/13 5:05:00 AM		Maternal heart rate (SpO2): 75 BPM
4/24/13 5:05:10 AM		Recorder status: On
4/24/13 5:05:10 AM		Maternal blood pressure: 113 / 65 mmHg, Mean value: 81 mmHg
4/24/13 5:05:10 AM		Maternal heart rate (NIBP): 74 BPM
4/24/13 5:05:54 AM		Recorder status: Off
4/24/13 5:07:11 AM		Recorder status: On
4/24/13 5:07:11 AM		Maternal blood pressure: 111 / 69 mmHg, Mean value: 82 mmHg
4/24/13 5:07:11 AM		Maternal heart rate (NIBP): 71 BPM
4/24/13 5:07:54 AM		Recorder status: Off
4/24/13 5:09:10 AM		Maternal blood pressure: 111 / 64 mmHg, Mean value: 78 mmHg
4/24/13 5:09:10 AM		Maternal heart rate (NIBP): 73 BPM
4/24/13 5:09:10 AM		Maternal SpO2: 97%
4/24/13 5:09:10 AM		Maternal heart rate (SpO2): 74 BPM
4/24/13 5:09:10 AM		Recorder status: On
4/24/13 5:09:54 AM		Recorder status: Off
4/24/13 5:10:10 AM		FHR2: BRADYCARDIA Bradycardia detected.

Display Time	User	Description
4/24/13 5:10:24 AM	ALBANESE, LINDSAY	Alarm acknowledged
4/24/13 5:11:00 AM		FHR2: BRADYCARDIA Bradycardia detected.
4/24/13 5:11:17 AM	ALBANESE, LINDSAY	Alarm acknowledged
4/24/13 5:11:18 AM		Maternal blood pressure: 104 / 56 mmHg, Mean value: 73 mmHg
4/24/13 5:11:18 AM		Maternal heart rate (NIBP): 73 BPM
4/24/13 5:11:18 AM		Recorder status: On
4/24/13 5:12:02 AM		Recorder status: Off
4/24/13 5:12:35 AM	MAITRET, DENISE	Event: Alert acknowledgements: RN at bedside
4/24/13 5:12:35 AM	MAITRET, DENISE	Event: Alert acknowledgements: Pt pushing
4/24/13 5:12:49 AM		Coincidence status: On
4/24/13 5:12:50 AM		FHR2: BRADYCARDIA Bradycardia detected.
4/24/13 5:12:55 AM		FHR2: BRADYCARDIA Severe bradycardia detected.
4/24/13 5:13:01 AM	MAITRET, DENISE	Alarm acknowledged
4/24/13 5:13:14 AM		Recorder status: On
4/24/13 5:13:14 AM		Maternal blood pressure: 111 / 60 mmHg, Mean value: 76 mmHg
4/24/13 5:13:14 AM		Maternal heart rate (NIBP): 89 BPM
4/24/13 5:13:14 AM		Maternal SpO2: 98%
4/24/13 5:13:14 AM		Maternal heart rate (SpO2): 88 BPM
4/24/13 5:13:58 AM		Recorder status: Off
4/24/13 5:14:06 AM	MAITRET, DENISE	Cervical dilation: 10
4/24/13 5:14:10 AM	MAITRET, DENISE	Cervical effacement (examined by MAITRET, DENISE): 100
4/24/13 5:14:30 AM	MAITRET, DENISE	Fetal station: 1
4/24/13 5:14:34 AM	MAITRET, DENISE	Remarks: 02 10L VIA FACE MASK
4/24/13 5:14:56 AM		Coincidence status: On
4/24/13 5:15:00 AM	MAITRET, DENISE	Contractions: every 1 - 3 minutes
4/24/13 5:15:00 AM	MAITRET, DENISE	Contraction duration: 60 - 200 seconds
4/24/13 5:15:00 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 5:15:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 5:15:00 AM	MAITRET, DENISE	Accelerations: present
4/24/13 5:15:00 AM	MAITRET, DENISE	Decelerations: Variable
4/24/13 5:15:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 5:15:00 AM	MAITRET, DENISE	Baseline (DECG): 140 bpm in last 15 minutes
4/24/13 5:15:00 AM	MAITRET, DENISE	Remarks: FOLEY DC'D
4/24/13 5:15:13 AM		Maternal blood pressure: 121 / 66 mmHg, Mean value: 87 mmHg
4/24/13 5:15:13 AM		Maternal heart rate (NIBP): 85 BPM
4/24/13 5:15:13 AM		Recorder status: On
4/24/13 5:15:57 AM		Recorder status: Off
4/24/13 5:17:22 AM		Maternal blood pressure: 120 / 62 mmHg, Mean value: 84 mmHg
4/24/13 5:17:22 AM		Maternal heart rate (NIBP): 83 BPM
4/24/13 5:17:22 AM		Maternal SpO2: 96%
4/24/13 5:17:22 AM		Maternal heart rate (SpO2): 98 BPM
4/24/13 5:17:22 AM		Recorder status: On
4/24/13 5:18:07 AM		Recorder status: Off
4/24/13 5:19:19 AM		Maternal blood pressure: 120 / 66 mmHg, Mean value: 86 mmHg
4/24/13 5:19:19 AM		Maternal heart rate (NIBP): 92 BPM
4/24/13 5:19:19 AM		Recorder status: On
4/24/13 5:20:03 AM		Recorder status: Off

Display Time	User	Description
4/24/13 5:20:27 AM		Maternal SpO2: 90%
4/24/13 5:20:27 AM		Maternal heart rate (SpO2): 105 BPM
4/24/13 5:25:09 AM		Maternal SpO2: 90%
4/24/13 5:25:09 AM		Maternal heart rate (SpO2): 150 BPM
4/24/13 5:28:47 AM		Maternal SpO2: 99%
4/24/13 5:28:47 AM		Maternal heart rate (SpO2): 159 BPM
4/24/13 5:30:00 AM	MAITRET, DENISE	Contractions: every 2 - 5 minutes
4/24/13 5:30:00 AM	MAITRET, DENISE	Contraction duration: 60 - 90 seconds
4/24/13 5:30:00 AM	MAITRET, DENISE	Contraction intensity: moderate
4/24/13 5:30:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 5:30:00 AM	MAITRET, DENISE	Accelerations: present
4/24/13 5:30:00 AM	MAITRET, DENISE	Decelerations: Variable
4/24/13 5:30:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 5:30:00 AM	MAITRET, DENISE	Baseline (DECG): 145 bpm in last 15 minutes
4/24/13 5:32:30 AM		Maternal SpO2: 99%
4/24/13 5:32:30 AM		Maternal heart rate (SpO2): 115 BPM
4/24/13 5:33:36 AM	VUJISIC, SUE	Remarks: DR. APONTE CALLED TO COME IN FOR DELIVERY
4/24/13 5:34:45 AM		Maternal blood pressure: 110 / 54 mmHg, Mean value: 74 mmHg
4/24/13 5:34:45 AM		Maternal heart rate (NIBP): 100 BPM
4/24/13 5:34:46 AM		Recorder status: On
4/24/13 5:35:31 AM		Recorder status: Off
4/24/13 5:40:25 AM		Maternal SpO2: 99%
4/24/13 5:40:25 AM		Maternal heart rate (SpO2): 108 BPM
4/24/13 5:42:15 AM	MAITRET, DENISE	Event: MD/CNM at bedside
4/24/13 5:45:00 AM	MAITRET, DENISE	Contractions: every 2 - 3 minutes
4/24/13 5:45:00 AM	MAITRET, DENISE	Contraction duration: 60 - 80 seconds
4/24/13 5:45:00 AM	MAITRET, DENISE	Contraction intensity: moderate; strong
4/24/13 5:45:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 5:45:00 AM	MAITRET, DENISE	Accelerations: present
4/24/13 5:45:00 AM	MAITRET, DENISE	Decelerations: Variable
4/24/13 5:45:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 5:45:00 AM	MAITRET, DENISE	Baseline (DECG): 145 bpm in last 15 minutes
4/24/13 5:45:06 AM		Maternal SpO2: 99%
4/24/13 5:45:06 AM		Maternal heart rate (SpO2): 119 BPM
4/24/13 5:45:35 AM		FHR2: BRADYCARDIA Bradycardia detected.
4/24/13 5:45:53 AM	CAFFREY, SINA	Alarm acknowledged
4/24/13 5:48:15 AM		Maternal SpO2: 99%
4/24/13 5:48:15 AM		Maternal heart rate (SpO2): 147 BPM
4/24/13 5:49:19 AM		Maternal blood pressure: 122 / 55 mmHg, Mean value: 81 mmHg
4/24/13 5:49:19 AM		Maternal heart rate (NIBP): 119 BPM
4/24/13 5:49:20 AM		Recorder status: On
4/24/13 5:50:05 AM		Recorder status: Off
4/24/13 5:50:50 AM		FHR2: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/24/13 5:51:00 AM	MAITRET, DENISE	Contractions: every 2 - 3 minutes
4/24/13 5:51:00 AM	MAITRET, DENISE	Long term variability: moderate 6-25bpm
4/24/13 5:51:00 AM	MAITRET, DENISE	Decelerations: Variable
4/24/13 5:51:00 AM	MAITRET, DENISE	Accelerations: present
4/24/13 5:51:29 AM		FHR2 measurement method: No transducer

Display Time	User	Description
4/24/13 5:51:29 AM		Toco measurement method: No transducer
4/24/13 5:52:16 AM	WOODS, NICOLE	Alarm acknowledged
4/24/13 5:53:00 AM	MAITRET, DENISE	LR: Updated (800 mL)
4/24/13 5:53:00 AM	MAITRET, DENISE	LR: Stopped
4/24/13 5:53:00 AM	MAITRET, DENISE	PITOCIN POST PARTUM (IV): Started (999 mL/h, 20000 mu, 1000 mL)
4/24/13 5:53:33 AM		Maternal SpO2: 99%
4/24/13 5:53:33 AM		Maternal heart rate (SpO2): 127 BPM
4/24/13 5:58:41 AM		Maternal SpO2: 97%
4/24/13 5:58:41 AM		Maternal heart rate (SpO2): 108 BPM
4/24/13 5:59:42 AM		MHR measurement method: No transducer
4/24/13 6:00:00 AM	MAITRET, DENISE	Start of postpartum charting
4/24/13 6:00:00 AM	MAITRET, DENISE	Maternal respiration: 14 / min
4/24/13 6:00:00 AM	MAITRET, DENISE	Postpartum activity: sitting
4/24/13 6:00:00 AM	MAITRET, DENISE	Pain: 0
4/24/13 6:00:00 AM	MAITRET, DENISE	Uterus: Position: midline, Fundal Height: -1, Cramping: none
4/24/13 6:00:00 AM	MAITRET, DENISE	Lochia: Amount: moderate, Type: rubra
4/24/13 6:00:00 AM	MAITRET, DENISE	Perineum Assessment: episiotomy clean and intact; well approximated; Ice pack applied
4/24/13 6:00:00 AM	MAITRET, DENISE	Bladder: not distended
4/24/13 6:00:00 AM	MAITRET, DENISE	Breasts Assessment: Breasts: soft
4/24/13 6:00:00 AM	MAITRET, DENISE	Lung sounds: left: clear and equal bilaterally, right: clear and equal bilaterally
4/24/13 6:00:00 AM	MAITRET, DENISE	Contraction duration: 60 - 80 seconds
4/24/13 6:00:00 AM	MAITRET, DENISE	Contraction intensity: strong
4/24/13 6:00:00 AM	MAITRET, DENISE	Contraction resting tone: palpates soft between uc
4/24/13 6:00:00 AM	MAITRET, DENISE	Baseline (DECG): 135 bpm in last 15 minutes
4/24/13 6:00:31 AM		Maternal blood pressure: 117 / 56 mmHg, Mean value: 77 mmHg
4/24/13 6:00:31 AM		Maternal heart rate (NIBP): 107 BPM
4/24/13 6:00:31 AM		Recorder status: On
4/24/13 6:01:17 AM		Recorder status: Off
4/24/13 6:15:00 AM	MAITRET, DENISE	Postpartum activity: sitting
4/24/13 6:15:00 AM	MAITRET, DENISE	Uterus: Position: midline, Fundal Height: -1, Cramping: none
4/24/13 6:15:00 AM	MAITRET, DENISE	Lochia: Amount: moderate, Type: rubra
4/24/13 6:15:00 AM	MAITRET, DENISE	Perineum Assessment: Ice pack applied
4/24/13 6:15:00 AM	MAITRET, DENISE	Bladder: not distended
4/24/13 6:15:56 AM		Maternal blood pressure: 96 / 74 mmHg, Mean value: 82 mmHg
4/24/13 6:16:30 AM		Recorder status: On
4/24/13 6:17:05 AM		Recorder status: Off
4/24/13 6:30:00 AM	MAITRET, DENISE	Postpartum activity: sitting
4/24/13 6:30:00 AM	MAITRET, DENISE	Uterus: Position: midline, Fundal Height: -1, Cramping: none
4/24/13 6:30:00 AM	MAITRET, DENISE	Lochia: Amount: moderate, Type: rubra
4/24/13 6:30:00 AM	MAITRET, DENISE	Bladder: not distended
4/24/13 6:31:00 AM		Maternal blood pressure: 103 / 79 mmHg, Mean value: 88 mmHg
4/24/13 6:31:00 AM		Maternal heart rate (NIBP): 101 BPM
4/24/13 6:31:01 AM		Recorder status: On
4/24/13 6:31:46 AM		Recorder status: Off
4/24/13 6:45:00 AM	MAITRET, DENISE	Postpartum activity: sitting
4/24/13 6:45:00 AM	MAITRET, DENISE	Uterus: Position: midline, Fundal Height: 0, Cramping: none
4/24/13 6:45:00 AM	MAITRET, DENISE	Lochia: Amount: moderate, Type: rubra
4/24/13 6:45:00 AM	MAITRET, DENISE	Bladder: not distended
4/24/13 6:45:21 AM		Maternal blood pressure: 108 / 63 mmHg, Mean value: 78 mmHg

Display Time	User	Description
4/24/13 6:45:21 AM		Maternal heart rate (NIBP): 94 BPM
4/24/13 6:45:21 AM		Recorder status: On
4/24/13 6:46:05 AM		Recorder status: Off
4/24/13 6:59:14 AM	MAITRET, DENISE	Postpartum activity: sitting
4/24/13 6:59:18 AM	MAITRET, DENISE	Uterus: Position: midline, Fundal Height: 0, Cramping: none
4/24/13 6:59:22 AM	MAITRET, DENISE	Lochia: Amount: moderate, Type: rubra
4/24/13 6:59:25 AM	MAITRET, DENISE	Bladder: not distended
4/24/13 7:00:30 AM		Recorder status: On
4/24/13 7:00:30 AM		Maternal blood pressure: 116 / 64 mmHg, Mean value: 83 mmHg
4/24/13 7:00:30 AM		Maternal heart rate (NIBP): 90 BPM
4/24/13 7:01:14 AM		Recorder status: Off
4/24/13 7:15:35 AM		Maternal blood pressure: 101 / 62 mmHg, Mean value: 74 mmHg
4/24/13 7:15:35 AM		Maternal heart rate (NIBP): 88 BPM
4/24/13 7:15:35 AM		Recorder status: On
4/24/13 7:16:19 AM		Recorder status: Off
4/24/13 7:19:54 AM	MONTEFALCON,RUBY	Maternal respiration: 20 / min
4/24/13 7:19:58 AM	MONTEFALCON,RUBY	Maternal temperature (Oral): 98.6°F
4/24/13 7:20:41 AM	MONTEFALCON,RUBY	Postpartum activity: sitting
4/24/13 7:20:45 AM	MONTEFALCON,RUBY	Pain: 0
4/24/13 7:20:57 AM	MONTEFALCON,RUBY	Uterus: Position: midline, Fundal Height: -1, Cramping: none
4/24/13 7:21:02 AM	MONTEFALCON,RUBY	Lochia: Amount: moderate, Type: rubra
4/24/13 7:21:06 AM	MONTEFALCON,RUBY	Bladder: not distended
4/24/13 7:29:59 AM		Monitor status: Off
4/24/13 7:59:31 AM	MONTEFALCON,RUBY	Remarks: CLE CATH REMOVED WITH BLUE TIP INTACT.
4/24/13 11:59:43 AM		Monitor status: On. Switched off for 6 h.
4/24/13 12:01:36 PM		Maternal blood pressure: 91 / 45 mmHg, Mean value: 62 mmHg
4/24/13 12:01:36 PM		Maternal heart rate (NIBP): 66 BPM
4/24/13 12:01:37 PM		Recorder status: On
4/24/13 12:02:20 PM		Recorder status: Off
4/24/13 12:02:56 PM		Monitor status: Off
4/24/13 4:08:11 PM		Monitor status: On. Switched off for 10 h.
4/24/13 4:09:05 PM		Recorder status: On
4/24/13 4:09:05 PM		Maternal blood pressure: 134 / 70 mmHg, Mean value: 93 mmHg
4/24/13 4:09:05 PM		Maternal heart rate (NIBP): 72 BPM
4/24/13 4:09:48 PM		Recorder status: Off
4/24/13 4:20:44 PM	System	System time change: Old time: 4/24/13 4:20:43 PM New time: 4/24/13 4:27:00 PM
4/24/13 7:50:18 PM		Recorder status: On
4/24/13 7:50:18 PM		Maternal blood pressure: 121 / 74 mmHg, Mean value: 89 mmHg
4/24/13 7:50:18 PM		Maternal heart rate (NIBP): 78 BPM
4/24/13 7:51:01 PM		Recorder status: Off
4/24/13 7:58:47 PM		Monitor status: Off
4/25/13 12:28:03 AM		Monitor status: On. Switched off for 18 h.
4/25/13 12:29:09 AM		Maternal blood pressure: 104 / 65 mmHg, Mean value: 78 mmHg
4/25/13 12:29:09 AM		Maternal heart rate (NIBP): 74 BPM
4/25/13 12:29:10 AM		Recorder status: On
4/25/13 12:29:53 AM		Recorder status: Off
4/25/13 12:30:53 AM		Monitor status: Off
4/25/13 8:25:08 AM		Monitor status: On. Switched off for 1 d.
4/25/13 8:37:50 AM		Maternal blood pressure: 117 / 72 mmHg, Mean value: 86 mmHg

Display Time	User	Description
4/25/13 8:37:50 AM		Maternal heart rate (NIBP): 74 BPM
4/25/13 8:37:51 AM		Recorder status: On
4/25/13 8:38:34 AM		Recorder status: Off
4/25/13 9:16:33 PM	MCCART, PATTI	Acknowledged: Fetal Monitor on
4/25/13 9:18:48 PM	System	Acknowledged: Fetal Monitor on
4/25/13 9:18:48 PM	MCCART, PATTI	Patient discharged to 'DEL'
4/25/13 9:18:48 PM	System	Monitor status: Off
4/25/13 9:18:48 PM	MCCART, PATTI	Episode closed