

Display Time	User	Description
4/13/09 6:07:33 AM	ROWDEN, SHEILA	Patient admitted to '109'
4/13/09 6:07:33 AM	ROWDEN, SHEILA	Remarks: PT TO LDRP 109 FOR SCHEDULED INDUCTION. CHANGED INTO GOWN, EFM APPLIED WITH EXPLANATION. CONSENTS SIGNED.
4/13/09 6:08:51 AM		Monitor status: On
4/13/09 6:08:51 AM		Monitor ID: M1350B, protocol Revision: A20, software revision: C.01.03, serial number: 3650G17153
4/13/09 6:08:51 AM		Recorder status: On
4/13/09 6:08:51 AM		FHR1 measurement method: US
4/13/09 6:08:51 AM		FHR2 measurement method: No transducer
4/13/09 6:08:51 AM		FHR3 measurement method: No transducer
4/13/09 6:08:51 AM		MHR measurement method: No transducer
4/13/09 6:08:51 AM		FMP Status: On
4/13/09 6:08:51 AM		Toco measurement method: external
4/13/09 6:09:13 AM		ALERT SETTINGS Basic Alerting Severe Tachy 180 bpm for 300 sec Tachy 160 bpm for 600 sec Brady 110 bpm for 240 sec Severe Brady 90 bpm for 60 sec Signal Loss 25 % within 3 min NST Off
4/13/09 6:09:41 AM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/13/09 6:10:21 AM		FM: FMP % start
4/13/09 6:10:26 AM	KOBALL, LEASA	Alarm acknowledged
4/13/09 6:11:00 AM	ROWDEN, SHEILA	Maternal temperature: 97.9°F
4/13/09 6:11:00 AM	ROWDEN, SHEILA	Maternal respiration: 18 / min
4/13/09 6:11:00 AM	ROWDEN, SHEILA	Pain: 0
4/13/09 6:11:00 AM	ROWDEN, SHEILA	Maternal activity: bedrest with BRP
4/13/09 6:11:00 AM	ROWDEN, SHEILA	Maternal position: semi-fowlers
4/13/09 6:11:38 AM		Maternal blood pressure: 120 / 89 mmHg, Mean value: 99 mmHg
4/13/09 6:11:38 AM		Maternal heart rate (NIBP): 84 BPM
4/13/09 6:15:00 AM	ROWDEN, SHEILA	Maternal reflexes: left: 2, clonus: absent, right: 2, clonus: absent
4/13/09 6:15:00 AM	ROWDEN, SHEILA	Maternal edema: left: absent, pitting: no, right: absent, pitting: no
4/13/09 6:15:00 AM	ROWDEN, SHEILA	Lung sounds: left: clear and equal bilaterally, right: clear and equal bilaterally
4/13/09 6:19:05 AM		Toco measurement method: No transducer
4/13/09 6:19:06 AM		FHR1 measurement method: No transducer
4/13/09 6:19:13 AM		Toco measurement method: external
4/13/09 6:19:14 AM		FHR1 measurement method: US
4/13/09 6:19:14 AM		FMP Status: On
4/13/09 6:19:39 AM		FM: FMP % start
4/13/09 6:25:00 AM	ROWDEN, SHEILA	LR: Started (--- mL/h, 1000 mL)
4/13/09 6:29:39 AM		FM: FMP 16%,(16%)
4/13/09 6:30:00 AM	ROWDEN, SHEILA	Contractions: every 8 - 10 minutes
4/13/09 6:30:00 AM	ROWDEN, SHEILA	Contraction duration: 40 - 50 seconds
4/13/09 6:30:00 AM	ROWDEN, SHEILA	Contraction intensity: mild
4/13/09 6:30:00 AM	ROWDEN, SHEILA	Contraction resting tone: palpates soft between uc
4/13/09 6:30:00 AM	ROWDEN, SHEILA	Accelerations: present
4/13/09 6:30:00 AM	ROWDEN, SHEILA	Decelerations: absent
4/13/09 6:30:00 AM	ROWDEN, SHEILA	Baseline: 130 bpm in last 15 minutes
4/13/09 6:30:00 AM	ROWDEN, SHEILA	Long term variability: moderate 6-25bpm
4/13/09 6:35:00 AM	ROWDEN, SHEILA	Pitocin Ind/Aug (IV): Started (2 mu/min, 2 mL/h, 30000 mu, 500 mL)

Display Time	User	Description
4/13/09 6:36:00 AM	ROWDEN, SHEILA	Membranes: Intact.
4/13/09 6:36:00 AM	ROWDEN, SHEILA	Fetal station: -2
4/13/09 6:36:00 AM	ROWDEN, SHEILA	Cervical dilation: 4
4/13/09 6:36:00 AM	ROWDEN, SHEILA	Cervical effacement: 80
4/13/09 6:36:00 AM	ROWDEN, SHEILA	Cervical consistency: soft
4/13/09 6:36:00 AM	ROWDEN, SHEILA	Fetal position: anterior
4/13/09 6:37:19 AM		Recorder status: Off
4/13/09 6:38:13 AM		Maternal blood pressure: 116 / 82 mmHg, Mean value: 94 mmHg
4/13/09 6:38:13 AM		Maternal heart rate (NIBP): 79 BPM
4/13/09 6:38:13 AM		Recorder status: On
4/13/09 6:38:56 AM		Recorder status: Off
4/13/09 6:43:11 AM	ROWDEN, SHEILA	Maternal activity: bedrest with BRP
4/13/09 6:43:16 AM	ROWDEN, SHEILA	Maternal position: semi-fowlers
4/13/09 6:43:30 AM	ROWDEN, SHEILA	Contraction intensity: mild
4/13/09 6:43:33 AM	ROWDEN, SHEILA	Contraction resting tone: palpates soft between uc
4/13/09 6:43:36 AM	ROWDEN, SHEILA	Accelerations: present
4/13/09 6:43:41 AM	ROWDEN, SHEILA	Decelerations: absent
4/13/09 6:43:44 AM	ROWDEN, SHEILA	Baseline: 130 bpm in last 13 minutes
4/13/09 6:43:50 AM	ROWDEN, SHEILA	Long term variability: moderate 6-25bpm
4/13/09 6:44:11 AM	ROWDEN, SHEILA	Contraction duration: 50 - 60 seconds
4/13/09 6:44:38 AM	ROWDEN, SHEILA	Contractions: every 9 - 10 minutes
4/13/09 7:00:00 AM	ROWDEN, SHEILA	Contraction intensity: irritability
4/13/09 7:00:00 AM	ROWDEN, SHEILA	Contraction resting tone: palpates soft between uc
4/13/09 7:00:00 AM	ROWDEN, SHEILA	Accelerations: present
4/13/09 7:00:00 AM	ROWDEN, SHEILA	Decelerations: absent
4/13/09 7:00:00 AM	ROWDEN, SHEILA	Baseline: 125 bpm in last 15 minutes
4/13/09 7:00:00 AM	ROWDEN, SHEILA	Long term variability: moderate 6-25bpm
4/13/09 7:00:36 AM	ROWDEN, SHEILA	Pitocin Ind/Aug (IV): New dose (4 mu/min, 4 mL/h)
4/13/09 7:00:48 AM		Maternal blood pressure: 110 / 79 mmHg, Mean value: 89 mmHg
4/13/09 7:00:48 AM		Maternal heart rate (NIBP): 79 BPM
4/13/09 7:00:49 AM		Recorder status: On
4/13/09 7:01:32 AM		Recorder status: Off
4/13/09 7:03:42 AM	ROWDEN, SHEILA	Maternal position: semi-fowlers
4/13/09 7:03:47 AM	ROWDEN, SHEILA	Contraction intensity: irritability
4/13/09 7:03:50 AM	ROWDEN, SHEILA	Contraction resting tone: palpates soft between uc
4/13/09 7:03:53 AM	ROWDEN, SHEILA	Accelerations: present
4/13/09 7:03:57 AM	ROWDEN, SHEILA	Decelerations: absent
4/13/09 7:04:00 AM	ROWDEN, SHEILA	Baseline: 125 bpm in last 4 minutes
4/13/09 7:04:03 AM	ROWDEN, SHEILA	Long term variability: moderate 6-25bpm
4/13/09 7:07:59 AM	MONTEFALCON,RUBY	Remarks: REPORT TO P.STANTON RN
4/13/09 7:08:42 AM	MONTEFALCON,RUBY	Remarks: DR HRADEK GIVEN PHONE REPORT OF SVE, PITOCIN LEVEL, REACTIVE FHT'S
4/13/09 7:15:00 AM	STANTON, PAULA	Pain: 0
4/13/09 7:15:52 AM		Recorder status: On
4/13/09 7:15:52 AM		Maternal blood pressure: 103 / 74 mmHg, Mean value: 84 mmHg
4/13/09 7:15:52 AM		Maternal heart rate (NIBP): 80 BPM
4/13/09 7:16:36 AM		Recorder status: Off
4/13/09 7:30:00 AM	STANTON, PAULA	Urine output: 125 ml
4/13/09 7:30:00 AM	STANTON, PAULA	Contraction intensity: irritability
4/13/09 7:30:00 AM	STANTON, PAULA	Contraction resting tone: palpates soft between uc

Display Time	User	Description
4/13/09 7:30:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 7:30:00 AM	STANTON, PAULA	Decelerations: absent
4/13/09 7:30:00 AM	STANTON, PAULA	Baseline: 135 bpm in last 15 minutes
4/13/09 7:30:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 7:30:00 AM	STANTON, PAULA	Maternal temperature: 98.1°F
4/13/09 7:30:00 AM	STANTON, PAULA	Maternal respiration: 18 / min
4/13/09 7:31:07 AM		Maternal blood pressure: 95 / 55 mmHg, Mean value: 69 mmHg
4/13/09 7:31:07 AM		Maternal heart rate (NIBP): 68 BPM
4/13/09 7:31:07 AM		Recorder status: On
4/13/09 7:31:51 AM		Recorder status: Off
4/13/09 7:32:46 AM		FHR1 measurement method: No transducer
4/13/09 7:32:46 AM		Toco measurement method: No transducer
4/13/09 7:35:00 AM	STANTON, PAULA	Pitocin Ind/Aug (IV): New dose (6 mu/min, 6 mL/h)
4/13/09 7:36:44 AM		FHR1 measurement method: US
4/13/09 7:36:44 AM		FMP Status: On
4/13/09 7:36:47 AM		Toco measurement method: external
4/13/09 7:36:49 AM		ALERT SETTINGS Basic Alerting Severe Tachy 180 bpm for 300 sec Tachy 160 bpm for 600 sec Brady 110 bpm for 240 sec Severe Brady 90 bpm for 60 sec Signal Loss 25 % within 3 min NST Off
4/13/09 7:37:08 AM	STANTON, PAULA	Remarks: UP TO BR- VOID QS, MONITORS READJUSTED
4/13/09 7:45:00 AM	STANTON, PAULA	Baseline: 125 bpm in last 15 minutes
4/13/09 7:45:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 7:45:00 AM	STANTON, PAULA	Decelerations: absent
4/13/09 7:45:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 7:45:00 AM	STANTON, PAULA	Contraction intensity: mild
4/13/09 7:45:00 AM	STANTON, PAULA	Contraction intensity: irregular
4/13/09 7:45:00 AM	STANTON, PAULA	Contraction resting tone: palpates soft between uc
4/13/09 7:50:17 AM		Maternal blood pressure: 95 / 53 mmHg, Mean value: 69 mmHg
4/13/09 7:50:17 AM		Maternal heart rate (NIBP): 69 BPM
4/13/09 7:50:17 AM		Recorder status: On
4/13/09 7:51:01 AM		Recorder status: Off
4/13/09 8:00:00 AM	STANTON, PAULA	Contractions: every 2 - 3 minutes
4/13/09 8:00:00 AM	STANTON, PAULA	Contraction duration: 50 - 120 seconds
4/13/09 8:00:00 AM	STANTON, PAULA	Contraction intensity: mild
4/13/09 8:00:00 AM	STANTON, PAULA	Contraction resting tone: palpates soft between uc
4/13/09 8:00:00 AM	STANTON, PAULA	Baseline: 130 bpm in last 15 minutes
4/13/09 8:00:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 8:00:00 AM	STANTON, PAULA	Decelerations: absent
4/13/09 8:00:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 8:00:00 AM	STANTON, PAULA	Pain: 2
4/13/09 8:05:11 AM		Recorder status: On
4/13/09 8:05:11 AM		Maternal blood pressure: 104 / 58 mmHg, Mean value: 73 mmHg
4/13/09 8:05:11 AM		Maternal heart rate (NIBP): 73 BPM
4/13/09 8:05:54 AM		Recorder status: Off
4/13/09 8:10:00 AM	STANTON, PAULA	Pitocin Ind/Aug (IV): New dose (8 mu/min, 8 mL/h)

Display Time	User	Description
4/13/09 8:15:00 AM	STANTON, PAULA	Contractions: every 2 - 6 minutes
4/13/09 8:15:00 AM	STANTON, PAULA	Contraction duration: 60 - 100 seconds
4/13/09 8:15:00 AM	STANTON, PAULA	Contraction intensity: mild
4/13/09 8:15:00 AM	STANTON, PAULA	Contraction resting tone: palpates soft between uc
4/13/09 8:15:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 8:15:00 AM	STANTON, PAULA	Decelerations: absent
4/13/09 8:15:00 AM	STANTON, PAULA	Baseline: 130 bpm in last 15 minutes
4/13/09 8:15:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 8:15:44 AM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/13/09 8:16:02 AM	STANTON, PAULA	Alarm acknowledged
4/13/09 8:19:49 AM		Maternal blood pressure: 101 / 62 mmHg, Mean value: 75 mmHg
4/13/09 8:19:49 AM		Maternal heart rate (NIBP): 75 BPM
4/13/09 8:19:50 AM		Recorder status: On
4/13/09 8:20:33 AM		Recorder status: Off
4/13/09 8:21:35 AM		Toco measurement method: No transducer
4/13/09 8:21:38 AM		FHR1 measurement method: No transducer
4/13/09 8:27:14 AM		Toco measurement method: external
4/13/09 8:27:20 AM		ALERT SETTINGS Basic Alerting Severe Tachy 180 bpm for 300 sec Tachy 160 bpm for 600 sec Brady 110 bpm for 240 sec Severe Brady 90 bpm for 60 sec Signal Loss 25 % within 3 min NST Off
4/13/09 8:27:27 AM		FHR1 measurement method: US
4/13/09 8:27:27 AM		FMP Status: On
4/13/09 8:30:00 AM	STANTON, PAULA	Baseline: 130 bpm in last 15 minutes
4/13/09 8:30:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 8:30:00 AM	STANTON, PAULA	Decelerations: absent
4/13/09 8:30:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 8:30:00 AM	STANTON, PAULA	Contractions: every 5 - 6 minutes
4/13/09 8:30:00 AM	STANTON, PAULA	Contraction duration: 6 - 100 seconds
4/13/09 8:30:00 AM	STANTON, PAULA	Contraction intensity: mild
4/13/09 8:30:00 AM	STANTON, PAULA	Contraction resting tone: palpates soft between uc
4/13/09 8:34:44 AM		Maternal blood pressure: 119 / 87 mmHg, Mean value: 97 mmHg
4/13/09 8:34:44 AM		Maternal heart rate (NIBP): 67 BPM
4/13/09 8:34:45 AM		Recorder status: On
4/13/09 8:35:28 AM		Recorder status: Off
4/13/09 8:36:59 AM	STANTON, PAULA	Pitocin Ind/Aug (IV): New dose (10 mu/min, 10 mL/h)
4/13/09 8:38:40 AM	STANTON, PAULA	Remarks: DR MUDAFORT AT BS
4/13/09 8:40:00 AM	STANTON, PAULA	Membranes: AROM. Fluid: clear.
4/13/09 8:40:00 AM	STANTON, PAULA	Fetal station: 0
4/13/09 8:40:00 AM	STANTON, PAULA	Cervical dilation: 6
4/13/09 8:40:00 AM	STANTON, PAULA	Cervical effacement: 100
4/13/09 8:40:00 AM	STANTON, PAULA	Fetal position: midposition
4/13/09 8:40:36 AM	STANTON, PAULA	Remarks: SVE 6 CM DR MUDAFORT
4/13/09 8:42:08 AM	STANTON, PAULA	Remarks: IUPC PLACED BY MD
4/13/09 8:42:10 AM		Toco measurement method: No transducer
4/13/09 8:42:11 AM		Toco measurement method: internal

Display Time	User	Description
4/13/09 8:44:03 AM		FHR1 measurement method: No transducer
4/13/09 8:44:05 AM		FHR1 measurement method: DECG
4/13/09 8:44:45 AM	STANTON, PAULA	Remarks: FSE PLACED BY MD
4/13/09 8:44:54 AM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/13/09 8:45:00 AM	STANTON, PAULA	Contractions: every 2 - 3 minutes
4/13/09 8:45:00 AM	STANTON, PAULA	Contraction duration: 70 - 100 seconds
4/13/09 8:45:00 AM	STANTON, PAULA	Contraction intensity: mild
4/13/09 8:45:00 AM	STANTON, PAULA	Contraction intensity: moderate
4/13/09 8:45:00 AM	STANTON, PAULA	Contraction resting tone: palpates soft between uc
4/13/09 8:45:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 8:45:00 AM	STANTON, PAULA	Decelerations: absent
4/13/09 8:45:00 AM	STANTON, PAULA	Baseline: 135 bpm in last 15 minutes
4/13/09 8:45:00 AM	STANTON, PAULA	Long term variability: minimal < or = 5bpm
4/13/09 8:45:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 8:45:02 AM	LOCKE, PATTI	Alarm acknowledged
4/13/09 8:49:49 AM		Maternal blood pressure: 126 / 95 mmHg, Mean value: 107 mmHg
4/13/09 8:49:49 AM		Maternal heart rate (NIBP): 62 BPM
4/13/09 8:49:49 AM		Recorder status: On
4/13/09 8:50:33 AM		Recorder status: Off
4/13/09 9:00:00 AM	STANTON, PAULA	LR: Started (--- mL/h, 1000 mL)
4/13/09 9:00:00 AM	STANTON, PAULA	Baseline: 135 bpm in last 15 minutes
4/13/09 9:00:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 9:00:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 9:00:00 AM	STANTON, PAULA	Contractions: every 2 - 3 minutes
4/13/09 9:00:00 AM	STANTON, PAULA	Contraction duration: 70 - 100 seconds
4/13/09 9:00:00 AM	STANTON, PAULA	Contraction intensity: moderate
4/13/09 9:00:00 AM	STANTON, PAULA	Contraction resting tone: palpates soft between uc
4/13/09 9:00:00 AM	STANTON, PAULA	Baseline (DECG): 130 bpm in last 15 minutes
4/13/09 9:00:00 AM	STANTON, PAULA	Contraction resting tone: 0 mmHg in last 15 minutes
4/13/09 9:00:00 AM	STANTON, PAULA	Contraction intensity: 25 mmHg in last 15 minutes
4/13/09 9:00:00 AM	STANTON, PAULA	Decelerations: early
4/13/09 9:00:00 AM	STANTON, PAULA	Pain: 10
4/13/09 9:00:00 AM	STANTON, PAULA	Urine output: 225 ml
4/13/09 9:04:56 AM		Maternal blood pressure: 139 / 103 mmHg, Mean value: 114 mmHg
4/13/09 9:04:58 AM		Recorder status: On
4/13/09 9:05:39 AM		Recorder status: Off
4/13/09 9:06:13 AM	STANTON, PAULA	LR: Updated (1000 mL)
4/13/09 9:08:54 AM	STANTON, PAULA	Pitocin Ind/Aug (IV): New dose (8 mu/min, 8 mL/h)
4/13/09 9:15:00 AM	STANTON, PAULA	Baseline (DECG): 135 bpm in last 15 minutes
4/13/09 9:15:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 9:15:00 AM	STANTON, PAULA	Decelerations: absent
4/13/09 9:15:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 9:15:00 AM	STANTON, PAULA	Contractions: every 1 - 2 minutes
4/13/09 9:15:00 AM	STANTON, PAULA	Contraction intensity: 25 mmHg in last 15 minutes
4/13/09 9:15:00 AM	STANTON, PAULA	Contraction resting tone: 0 mmHg in last 15 minutes
4/13/09 9:15:00 AM	STANTON, PAULA	Contraction duration: 50 - 70 seconds
4/13/09 9:18:48 AM	STANTON, PAULA	Remarks: DR GEARY AT BS
4/13/09 9:19:05 AM	STANTON, PAULA	Remarks: POSITIONED FOR EPIDURAL

Display Time	User	Description
4/13/09 9:20:09 AM		Maternal blood pressure: 147 / 99 mmHg, Mean value: 116 mmHg
4/13/09 9:20:43 AM		MHR measurement method: SpO2
4/13/09 9:21:03 AM		Recorder status: On
4/13/09 9:21:42 AM		Recorder status: Off
4/13/09 9:21:56 AM		Maternal SpO2: 95%
4/13/09 9:21:56 AM		Maternal heart rate (SpO2): 45 BPM
4/13/09 9:22:52 AM	STANTON, PAULA	Pitocin Ind/Aug (IV): New dose (6 mu/min, 6 mL/h)
4/13/09 9:26:14 AM	STANTON, PAULA	Event: Anesthesia: test dose
4/13/09 9:26:44 AM		Maternal SpO2: 99%
4/13/09 9:26:44 AM		Maternal heart rate (SpO2): 72 BPM
4/13/09 9:26:58 AM		Maternal blood pressure: 125 / 93 mmHg, Mean value: 104 mmHg
4/13/09 9:26:58 AM		Maternal heart rate (NIBP): 68 BPM
4/13/09 9:26:58 AM		Recorder status: On
4/13/09 9:27:00 AM	STANTON, PAULA	Event: Anesthesia: epidural cath placed
4/13/09 9:27:41 AM		Recorder status: Off
4/13/09 9:28:31 AM	STANTON, PAULA	Remarks: EPIDURAL LOADING DOSE- GR GEARY
4/13/09 9:29:04 AM		Maternal blood pressure: 134 / 89 mmHg, Mean value: 104 mmHg
4/13/09 9:29:04 AM		Maternal heart rate (NIBP): 79 BPM
4/13/09 9:29:04 AM		Recorder status: On
4/13/09 9:29:48 AM		Recorder status: Off
4/13/09 9:30:00 AM	STANTON, PAULA	Baseline (DECG): 130 bpm in last 15 minutes
4/13/09 9:30:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 9:30:00 AM	STANTON, PAULA	Decelerations: Variable
4/13/09 9:30:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 9:30:00 AM	STANTON, PAULA	Contractions: every 1 - 3 minutes
4/13/09 9:30:00 AM	STANTON, PAULA	Contraction duration: 40 - 70 seconds
4/13/09 9:30:00 AM	STANTON, PAULA	Contraction intensity: 30 mmHg in last 15 minutes
4/13/09 9:30:00 AM	STANTON, PAULA	Contraction intensity: 40 mmHg in last 15 minutes
4/13/09 9:30:00 AM	STANTON, PAULA	Contraction resting tone: 10 mmHg in last 15 minutes
4/13/09 9:30:35 AM		Maternal SpO2: 83%
4/13/09 9:30:35 AM		Maternal heart rate (SpO2): 77 BPM
4/13/09 9:31:27 AM		Maternal blood pressure: 123 / 84 mmHg, Mean value: 98 mmHg
4/13/09 9:31:27 AM		Maternal heart rate (NIBP): 89 BPM
4/13/09 9:31:28 AM		Recorder status: On
4/13/09 9:32:11 AM		Recorder status: Off
4/13/09 9:32:56 AM		Maternal blood pressure: 134 / 92 mmHg, Mean value: 106 mmHg
4/13/09 9:32:56 AM		Maternal heart rate (NIBP): 71 BPM
4/13/09 9:32:57 AM		Recorder status: On
4/13/09 9:33:22 AM	STANTON, PAULA	Event: Anesthesia: tolerated procedure well
4/13/09 9:33:40 AM		Recorder status: Off
4/13/09 9:34:18 AM		Maternal SpO2: 92%
4/13/09 9:34:18 AM		Maternal heart rate (SpO2): 70 BPM
4/13/09 9:35:03 AM		Maternal blood pressure: 129 / 73 mmHg, Mean value: 92 mmHg
4/13/09 9:35:03 AM		Maternal heart rate (NIBP): 80 BPM
4/13/09 9:35:03 AM		Recorder status: On
4/13/09 9:35:47 AM		Recorder status: Off
4/13/09 9:37:00 AM		Maternal blood pressure: 132 / 88 mmHg, Mean value: 103 mmHg
4/13/09 9:37:00 AM		Maternal heart rate (NIBP): 68 BPM
4/13/09 9:37:00 AM		Recorder status: On

Display Time	User	Description
4/13/09 9:37:32 AM		Maternal SpO2: 93%
4/13/09 9:37:32 AM		Maternal heart rate (SpO2): 75 BPM
4/13/09 9:37:44 AM		Recorder status: Off
4/13/09 9:40:00 AM	STANTON, PAULA	LR: Updated (1000 mL)
4/13/09 9:40:00 AM	STANTON, PAULA	LR: Started (--- mL/h, 1000 mL)
4/13/09 9:40:30 AM		Recorder status: On
4/13/09 9:40:30 AM		Maternal blood pressure: 127 / 84 mmHg, Mean value: 99 mmHg
4/13/09 9:40:30 AM		Maternal heart rate (NIBP): 70 BPM
4/13/09 9:41:02 AM		Maternal SpO2: 93%
4/13/09 9:41:02 AM		Maternal heart rate (SpO2): 72 BPM
4/13/09 9:41:14 AM		Recorder status: Off
4/13/09 9:41:41 AM		Maternal blood pressure: 128 / 75 mmHg, Mean value: 90 mmHg
4/13/09 9:41:41 AM		Maternal heart rate (NIBP): 73 BPM
4/13/09 9:41:41 AM		Recorder status: On
4/13/09 9:42:25 AM		Recorder status: Off
4/13/09 9:43:29 AM		Maternal blood pressure: 124 / 80 mmHg, Mean value: 95 mmHg
4/13/09 9:43:29 AM		Maternal heart rate (NIBP): 72 BPM
4/13/09 9:43:30 AM		Recorder status: On
4/13/09 9:44:13 AM		Recorder status: Off
4/13/09 9:45:00 AM	STANTON, PAULA	Baseline (DECG): 130 bpm in last 15 minutes
4/13/09 9:45:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 9:45:00 AM	STANTON, PAULA	Decelerations: Variable
4/13/09 9:45:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 9:45:00 AM	STANTON, PAULA	Contractions: every 1 - 3 minutes
4/13/09 9:45:00 AM	STANTON, PAULA	Contraction duration: 30 - 60 seconds
4/13/09 9:45:00 AM	STANTON, PAULA	Contraction intensity: 20 mmHg in last 15 minutes
4/13/09 9:45:00 AM	STANTON, PAULA	Contraction intensity: 40 mmHg in last 15 minutes
4/13/09 9:45:00 AM	STANTON, PAULA	Contraction resting tone: 10 mmHg in last 15 minutes
4/13/09 9:45:22 AM		Maternal blood pressure: 125 / 73 mmHg, Mean value: 90 mmHg
4/13/09 9:45:22 AM		Maternal heart rate (NIBP): 81 BPM
4/13/09 9:45:22 AM		Maternal SpO2: 99%
4/13/09 9:45:22 AM		Maternal heart rate (SpO2): 76 BPM
4/13/09 9:45:23 AM		Recorder status: On
4/13/09 9:46:06 AM		Recorder status: Off
4/13/09 9:47:23 AM		Maternal blood pressure: 121 / 77 mmHg, Mean value: 91 mmHg
4/13/09 9:47:23 AM		Maternal heart rate (NIBP): 67 BPM
4/13/09 9:47:23 AM		Recorder status: On
4/13/09 9:48:07 AM		Recorder status: Off
4/13/09 9:49:36 AM		Maternal SpO2: 96%
4/13/09 9:49:36 AM		Maternal heart rate (SpO2): 91 BPM
4/13/09 9:50:00 AM	STANTON, PAULA	Fetal station: 1
4/13/09 9:50:00 AM	STANTON, PAULA	Cervical dilation: 7-8
4/13/09 9:50:00 AM	STANTON, PAULA	Cervical effacement: 100
4/13/09 9:50:00 AM	STANTON, PAULA	Fetal position: midposition
4/13/09 9:51:33 AM		Maternal blood pressure: 130 / 77 mmHg, Mean value: 95 mmHg
4/13/09 9:51:33 AM		Maternal heart rate (NIBP): 68 BPM
4/13/09 9:51:34 AM		Recorder status: On
4/13/09 9:52:10 AM	STANTON, PAULA	Remarks: FOLEY CATH PLACED- SVE 7-8, +1, REPOSITIONED TO RL
4/13/09 9:52:17 AM		Recorder status: Off

Display Time	User	Description
4/13/09 9:53:25 AM		Maternal SpO2: 97%
4/13/09 9:53:25 AM		Maternal heart rate (SpO2): 78 BPM
4/13/09 9:53:35 AM		Maternal blood pressure: 129 / 71 mmHg, Mean value: 92 mmHg
4/13/09 9:53:35 AM		Maternal heart rate (NIBP): 79 BPM
4/13/09 9:53:35 AM		Recorder status: On
4/13/09 9:54:19 AM		Recorder status: Off
4/13/09 9:56:01 AM		Maternal blood pressure: 127 / 74 mmHg, Mean value: 92 mmHg
4/13/09 9:56:01 AM		Maternal heart rate (NIBP): 71 BPM
4/13/09 9:56:01 AM		Recorder status: On
4/13/09 9:56:33 AM		Maternal SpO2: 97%
4/13/09 9:56:33 AM		Maternal heart rate (SpO2): 76 BPM
4/13/09 9:56:45 AM		Recorder status: Off
4/13/09 9:59:43 AM		Maternal SpO2: 96%
4/13/09 9:59:43 AM		Maternal heart rate (SpO2): 87 BPM
4/13/09 10:00:00 AM	STANTON, PAULA	Maternal temperature: 97.8°F
4/13/09 10:00:00 AM	STANTON, PAULA	Baseline (DECG): 120 bpm in last 15 minutes
4/13/09 10:00:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 10:00:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 10:00:00 AM	STANTON, PAULA	Contractions: every 1 - 2 minutes
4/13/09 10:00:00 AM	STANTON, PAULA	Contraction duration: 30 - 80 seconds
4/13/09 10:00:00 AM	STANTON, PAULA	Contraction intensity: 40 mmHg in last 15 minutes
4/13/09 10:00:00 AM	STANTON, PAULA	Contraction resting tone: 10 mmHg in last 15 minutes
4/13/09 10:00:00 AM	STANTON, PAULA	Decelerations: early
4/13/09 10:00:00 AM	STANTON, PAULA	Pain: 1
4/13/09 10:04:56 AM		Maternal SpO2: 91%
4/13/09 10:04:56 AM		Maternal heart rate (SpO2): 79 BPM
4/13/09 10:10:49 AM		Maternal SpO2: 99%
4/13/09 10:10:49 AM		Maternal heart rate (SpO2): 77 BPM
4/13/09 10:11:03 AM		Maternal blood pressure: 125 / 90 mmHg, Mean value: 101 mmHg
4/13/09 10:11:48 AM		Recorder status: On
4/13/09 10:12:31 AM		Recorder status: Off
4/13/09 10:15:00 AM	STANTON, PAULA	Contractions: every 2 minutes
4/13/09 10:15:00 AM	STANTON, PAULA	Contraction intensity: 40 mmHg in last 15 minutes
4/13/09 10:15:00 AM	STANTON, PAULA	Contraction resting tone: 10 mmHg in last 15 minutes
4/13/09 10:15:00 AM	STANTON, PAULA	Accelerations: absent
4/13/09 10:15:00 AM	STANTON, PAULA	Decelerations: early
4/13/09 10:15:00 AM	STANTON, PAULA	Baseline (DECG): 120 bpm in last 15 minutes
4/13/09 10:15:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 10:17:25 AM		Maternal SpO2: 99%
4/13/09 10:17:25 AM		Maternal heart rate (SpO2): 79 BPM
4/13/09 10:21:58 AM		Maternal SpO2: 99%
4/13/09 10:21:58 AM		Maternal heart rate (SpO2): 90 BPM
4/13/09 10:25:04 AM		Maternal SpO2: 97%
4/13/09 10:25:04 AM		Maternal heart rate (SpO2): 102 BPM
4/13/09 10:26:39 AM		Maternal blood pressure: 97 / 66 mmHg, Mean value: 77 mmHg
4/13/09 10:26:39 AM		Maternal heart rate (NIBP): 96 BPM
4/13/09 10:26:39 AM		Recorder status: On
4/13/09 10:27:26 AM		Recorder status: Off
4/13/09 10:30:00 AM	STANTON, PAULA	Contractions: every 2 minutes

Display Time	User	Description
4/13/09 10:30:00 AM	STANTON, PAULA	Contraction intensity: 40 mmHg in last 15 minutes
4/13/09 10:30:00 AM	STANTON, PAULA	Contraction resting tone: 10 mmHg in last 15 minutes
4/13/09 10:30:00 AM	STANTON, PAULA	Baseline (DECG): 125 bpm in last 15 minutes
4/13/09 10:30:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 10:30:00 AM	STANTON, PAULA	Decelerations: Variable
4/13/09 10:30:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 10:31:10 AM		Maternal SpO2: 99%
4/13/09 10:31:10 AM		Maternal heart rate (SpO2): 79 BPM
4/13/09 10:36:17 AM		Maternal SpO2: 99%
4/13/09 10:36:17 AM		Maternal heart rate (SpO2): 83 BPM
4/13/09 10:39:24 AM		Maternal SpO2: 93%
4/13/09 10:39:24 AM		Maternal heart rate (SpO2): 100 BPM
4/13/09 10:41:18 AM		Maternal blood pressure: 126 / 86 mmHg, Mean value: 100 mmHg
4/13/09 10:41:30 AM		Recorder status: On
4/13/09 10:42:16 AM		Recorder status: Off
4/13/09 10:43:18 AM	MONTEFALCON,RUBY	Remarks: RN AT BEDSIDE
4/13/09 10:43:44 AM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/13/09 10:43:49 AM	STANTON, PAULA	Remarks: SVE 8-9/ +1
4/13/09 10:44:02 AM	STANTON, PAULA	Remarks: REPOSITIONED TO LL
4/13/09 10:44:02 AM	MONTEFALCON,RUBY	Alarm acknowledged
4/13/09 10:45:00 AM	STANTON, PAULA	Fetal station: 1
4/13/09 10:45:00 AM	STANTON, PAULA	Cervical dilation: 9
4/13/09 10:45:00 AM	STANTON, PAULA	Contractions: every 1 - 2 minutes
4/13/09 10:45:00 AM	STANTON, PAULA	Contraction duration: 60 - 80 seconds
4/13/09 10:45:00 AM	STANTON, PAULA	Baseline (DECG): 135 bpm in last 15 minutes
4/13/09 10:45:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 10:45:00 AM	STANTON, PAULA	Decelerations: Variable
4/13/09 10:45:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 10:45:00 AM	STANTON, PAULA	Contraction intensity: 50 mmHg in last 15 minutes
4/13/09 10:45:00 AM	STANTON, PAULA	Contraction resting tone: 15 mmHg in last 15 minutes
4/13/09 10:45:20 AM		Maternal SpO2: 82%
4/13/09 10:45:20 AM		Maternal heart rate (SpO2): 104 BPM
4/13/09 10:49:16 AM		Maternal SpO2: 99%
4/13/09 10:49:16 AM		Maternal heart rate (SpO2): 71 BPM
4/13/09 10:49:25 AM	STANTON, PAULA	Pitocin Ind/Aug (IV): New dose (4 mu/min, 4 mL/h)
4/13/09 10:52:44 AM		Maternal SpO2: 99%
4/13/09 10:52:44 AM		Maternal heart rate (SpO2): 73 BPM
4/13/09 10:54:09 AM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/13/09 10:54:27 AM	STANTON, PAULA	Alarm acknowledged
4/13/09 10:55:59 AM		Maternal SpO2: 99%
4/13/09 10:55:59 AM		Maternal heart rate (SpO2): 75 BPM
4/13/09 10:56:18 AM		Maternal blood pressure: 104 / 71 mmHg, Mean value: 84 mmHg
4/13/09 10:56:18 AM		Maternal heart rate (NIBP): 73 BPM
4/13/09 10:56:18 AM		Recorder status: On
4/13/09 10:57:01 AM		Recorder status: Off
4/13/09 10:59:21 AM	STANTON, PAULA	Remarks: REPOSITIONING PT- FSE FELL OUT
4/13/09 11:00:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 11:00:00 AM	STANTON, PAULA	Decelerations: Variable

Display Time	User	Description
4/13/09 11:00:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 11:00:00 AM	STANTON, PAULA	Contraction intensity: 80 mmHg in last 15 minutes
4/13/09 11:00:00 AM	STANTON, PAULA	Contraction resting tone: 25 mmHg in last 15 minutes
4/13/09 11:00:00 AM	STANTON, PAULA	Contractions: every 2 - 3 minutes
4/13/09 11:00:00 AM	STANTON, PAULA	Contraction duration: 50 - 80 seconds
4/13/09 11:00:00 AM	STANTON, PAULA	Baseline: 125 bpm in last 15 minutes
4/13/09 11:00:00 AM	STANTON, PAULA	Pain: 2
4/13/09 11:01:01 AM		FHR1 measurement method: No transducer
4/13/09 11:01:03 AM		FHR1 measurement method: US
4/13/09 11:01:03 AM		FMP Status: On
4/13/09 11:01:08 AM		Maternal SpO2: 99%
4/13/09 11:01:08 AM		Maternal heart rate (SpO2): 79 BPM
4/13/09 11:01:54 AM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/13/09 11:02:08 AM	STANTON, PAULA	Remarks: EFM REAPPLIED
4/13/09 11:03:19 AM	LOCKE, PATTI	Alarm acknowledged
4/13/09 11:04:23 AM		Maternal SpO2: 90%
4/13/09 11:04:23 AM		Maternal heart rate (SpO2): 84 BPM
4/13/09 11:10:14 AM		Maternal SpO2: 78%
4/13/09 11:10:14 AM		Maternal heart rate (SpO2): 76 BPM
4/13/09 11:11:28 AM		Recorder status: On
4/13/09 11:11:28 AM		Maternal blood pressure: 118 / 62 mmHg, Mean value: 82 mmHg
4/13/09 11:11:28 AM		Maternal heart rate (NIBP): 74 BPM
4/13/09 11:12:11 AM		Recorder status: Off
4/13/09 11:13:29 AM		Maternal SpO2: 83%
4/13/09 11:13:29 AM		Maternal heart rate (SpO2): 78 BPM
4/13/09 11:15:00 AM	STANTON, PAULA	Contractions: every 2 minutes
4/13/09 11:15:00 AM	STANTON, PAULA	Contraction intensity: 80 mmHg in last 15 minutes
4/13/09 11:15:00 AM	STANTON, PAULA	Contraction resting tone: 25 mmHg in last 15 minutes
4/13/09 11:15:00 AM	STANTON, PAULA	Contraction duration: 50 - 80 seconds
4/13/09 11:15:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 11:15:00 AM	STANTON, PAULA	Decelerations: Variable
4/13/09 11:15:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 11:15:00 AM	STANTON, PAULA	Baseline: 130 bpm in last 15 minutes
4/13/09 11:16:00 AM	STANTON, PAULA	Pitocin Ind/Aug (IV): New dose (2 mu/min, 2 mL/h)
4/13/09 11:17:54 AM		Maternal SpO2: 89%
4/13/09 11:17:54 AM		Maternal heart rate (SpO2): 82 BPM
4/13/09 11:18:25 AM	STANTON, PAULA	Remarks: CALL REC'D FROM DR MUDAFORT- UPDATE GIVEN - PT 9 CM+1
4/13/09 11:23:00 AM		Maternal SpO2: 99%
4/13/09 11:23:00 AM		Maternal heart rate (SpO2): 90 BPM
4/13/09 11:26:12 AM		Maternal blood pressure: 113 / 71 mmHg, Mean value: 85 mmHg
4/13/09 11:26:12 AM		Maternal heart rate (NIBP): 84 BPM
4/13/09 11:26:12 AM		Recorder status: On
4/13/09 11:26:24 AM		Maternal SpO2: 94%
4/13/09 11:26:24 AM		Maternal heart rate (SpO2): 88 BPM
4/13/09 11:26:56 AM		Recorder status: Off
4/13/09 11:30:00 AM	STANTON, PAULA	Baseline: 135 bpm in last 15 minutes
4/13/09 11:30:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 11:30:00 AM	STANTON, PAULA	Decelerations: Variable

Display Time	User	Description
4/13/09 11:30:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 11:30:00 AM	STANTON, PAULA	Contractions: every 2 minutes
4/13/09 11:30:00 AM	STANTON, PAULA	Contraction intensity: 60 mmHg in last 15 minutes
4/13/09 11:30:00 AM	STANTON, PAULA	Contraction intensity: 70 mmHg in last 15 minutes
4/13/09 11:30:00 AM	STANTON, PAULA	Contraction resting tone: 25 mmHg in last 15 minutes
4/13/09 11:30:00 AM	STANTON, PAULA	Contraction resting tone: 30 mmHg in last 15 minutes
4/13/09 11:30:00 AM	STANTON, PAULA	Contraction duration: 50 - 80 seconds
4/13/09 11:30:00 AM	STANTON, PAULA	Urine output: 1200 ml
4/13/09 11:33:18 AM	STANTON, PAULA	Event: Nursing Interventions: vaginal exam (VE)
4/13/09 11:33:37 AM		Maternal SpO2: 98%
4/13/09 11:33:37 AM		Maternal heart rate (SpO2): 86 BPM
4/13/09 11:34:49 AM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/13/09 11:35:05 AM	STANTON, PAULA	Remarks: DR MUDAFORT PAGED
4/13/09 11:35:25 AM	LOCKE, PATTI	Alarm acknowledged
4/13/09 11:36:39 AM		Maternal SpO2: 99%
4/13/09 11:36:39 AM		Maternal heart rate (SpO2): 112 BPM
4/13/09 11:41:10 AM		Recorder status: On
4/13/09 11:41:10 AM		Maternal blood pressure: 125 / 92 mmHg, Mean value: 102 mmHg
4/13/09 11:41:10 AM		Maternal heart rate (NIBP): 93 BPM
4/13/09 11:41:10 AM		Maternal SpO2: 99%
4/13/09 11:41:10 AM		Maternal heart rate (SpO2): 91 BPM
4/13/09 11:41:53 AM		Recorder status: Off
4/13/09 11:44:19 AM	STANTON, PAULA	Remarks: MD AT BS
4/13/09 11:45:00 AM	STANTON, PAULA	Contractions: every 2 minutes
4/13/09 11:45:00 AM	STANTON, PAULA	Contraction duration: 50 - 90 seconds
4/13/09 11:45:00 AM	STANTON, PAULA	Contraction resting tone: 25 mmHg in last 15 minutes
4/13/09 11:45:00 AM	STANTON, PAULA	Accelerations: present
4/13/09 11:45:00 AM	STANTON, PAULA	Decelerations: early
4/13/09 11:45:00 AM	STANTON, PAULA	Baseline: 135 bpm in last 15 minutes
4/13/09 11:45:00 AM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 11:45:00 AM	STANTON, PAULA	Contraction intensity: 80 mmHg in last 15 minutes
4/13/09 11:45:18 AM		Coincidence status: On
4/13/09 11:45:36 AM		Maternal SpO2: 99%
4/13/09 11:45:36 AM		Maternal heart rate (SpO2): 91 BPM
4/13/09 11:45:44 AM		Coincidence status: On
4/13/09 11:49:11 AM		Maternal SpO2: 95%
4/13/09 11:49:11 AM		Maternal heart rate (SpO2): 102 BPM
4/13/09 11:52:49 AM		Maternal SpO2: 99%
4/13/09 11:52:49 AM		Maternal heart rate (SpO2): 107 BPM
4/13/09 11:56:16 AM		Maternal blood pressure: 135 / 90 mmHg, Mean value: 105 mmHg
4/13/09 11:56:16 AM		Maternal heart rate (NIBP): 98 BPM
4/13/09 11:56:16 AM		Maternal SpO2: 99%
4/13/09 11:56:16 AM		Maternal heart rate (SpO2): 105 BPM
4/13/09 11:56:16 AM		Recorder status: On
4/13/09 11:57:03 AM		Recorder status: Off
4/13/09 11:57:45 AM		Coincidence status: On
4/13/09 11:59:26 AM		Maternal SpO2: 97%
4/13/09 11:59:26 AM		Maternal heart rate (SpO2): 127 BPM

Display Time	User	Description
4/13/09 12:00:00 PM	STANTON, PAULA	Contraction intensity: 55 mmHg in last 15 minutes
4/13/09 12:00:00 PM	STANTON, PAULA	Baseline: 140 bpm in last 15 minutes
4/13/09 12:00:00 PM	STANTON, PAULA	Accelerations: present
4/13/09 12:00:00 PM	STANTON, PAULA	Decelerations: Variable
4/13/09 12:00:00 PM	STANTON, PAULA	Long term variability: moderate 6-25bpm
4/13/09 12:00:00 PM	STANTON, PAULA	Contractions: every 1 - 2 minutes
4/13/09 12:00:00 PM	STANTON, PAULA	Contraction duration: 50 - 70 seconds
4/13/09 12:00:00 PM	STANTON, PAULA	Contraction intensity: 100 mmHg in last 15 minutes
4/13/09 12:00:00 PM	STANTON, PAULA	Contraction resting tone: 20 mmHg in last 15 minutes
4/13/09 12:00:00 PM	STANTON, PAULA	Pain: 2
4/13/09 12:00:00 PM	STANTON, PAULA	Blood output: 200 ml
4/13/09 12:02:51 PM		Maternal SpO2: 99%
4/13/09 12:02:51 PM		Maternal heart rate (SpO2): 136 BPM
4/13/09 12:04:46 PM		Coincidence status: On
4/13/09 12:05:00 PM	STANTON, PAULA	Fetal Tone: 150 bpm
4/13/09 12:05:21 PM		Coincidence status: On
4/13/09 12:05:39 PM		COINCIDENCE Coincidence detected by fetal monitor.
4/13/09 12:06:12 PM	LOCKE, PATTI	Alarm acknowledged
4/13/09 12:06:59 PM		Coincidence status: On
4/13/09 12:07:19 PM		FHR1: SIGNAL LOSS Bad FHR signal. Please adjust FHR sensor.
4/13/09 12:07:35 PM	LOCKE, PATTI	Alarm acknowledged
4/13/09 12:07:51 PM		Maternal SpO2: 98%
4/13/09 12:07:51 PM		Maternal heart rate (SpO2): 170 BPM
4/13/09 12:08:14 PM		Toco measurement method: No transducer
4/13/09 12:09:12 PM		Coincidence status: On
4/13/09 12:09:56 PM		FHR1 measurement method: No transducer
4/13/09 12:10:00 PM	STANTON, PAULA	Pitocin Ind/Aug (IV): Stopped
4/13/09 12:10:59 PM		MHR measurement method: No transducer
4/13/09 12:17:00 PM	STANTON, PAULA	LR: Updated (600 mL)
4/13/09 12:17:00 PM	STANTON, PAULA	LR: Stopped
4/13/09 12:17:00 PM	STANTON, PAULA	PITOCIN POST PARTUM (IV): Started (999 mL/h, 20000 mu, 1000 mL)
4/13/09 12:27:06 PM		Maternal blood pressure: 123 / 83 mmHg, Mean value: 95 mmHg
4/13/09 12:27:06 PM		Maternal heart rate (NIBP): 134 BPM
4/13/09 12:27:06 PM		Recorder status: On
4/13/09 12:27:52 PM		Recorder status: Off
4/13/09 12:30:00 PM	STANTON, PAULA	Pain: 0
4/13/09 12:30:00 PM	STANTON, PAULA	Start of postpartum charting
4/13/09 12:30:00 PM	STANTON, PAULA	Maternal respiration: 20 / min
4/13/09 12:30:00 PM	STANTON, PAULA	Postpartum activity: sitting
4/13/09 12:30:00 PM	STANTON, PAULA	Uterus: Position: midline, Fundal Height: 0, Cramping: none
4/13/09 12:30:00 PM	STANTON, PAULA	Lochia: Amount: light, Type: rubra
4/13/09 12:30:00 PM	STANTON, PAULA	Perineum Assessment: intact
4/13/09 12:30:00 PM	STANTON, PAULA	Bladder: not distended
4/13/09 12:30:00 PM	STANTON, PAULA	Breasts Assessment: Breasts: soft, Nipples: erect
4/13/09 12:30:00 PM	STANTON, PAULA	Maternal edema: left: 1, pitting: no, right: 1, pitting: no
4/13/09 12:30:00 PM	ROWDEN, SHEILA	Fluid balance last 7 hours: Intake: 2846 ml, Output: 1750 ml, Balance: 1096 ml
4/13/09 12:41:23 PM		Maternal blood pressure: 127 / 74 mmHg, Mean value: 92 mmHg
4/13/09 12:41:23 PM		Maternal heart rate (NIBP): 89 BPM

Display Time	User	Description
4/13/09 12:41:23 PM		Recorder status: On
4/13/09 12:42:07 PM		Recorder status: Off
4/13/09 12:45:00 PM	STANTON, PAULA	Postpartum activity: sitting
4/13/09 12:45:00 PM	STANTON, PAULA	Pain: 0
4/13/09 12:45:00 PM	STANTON, PAULA	Uterus: Position: midline, Fundal Height: 0, Cramping: none
4/13/09 12:45:00 PM	STANTON, PAULA	Lochia: Amount: moderate, Type: rubra
4/13/09 12:45:00 PM	STANTON, PAULA	Perineum Assessment: Ice pack applied
4/13/09 12:45:00 PM	STANTON, PAULA	Bladder: not distended
4/13/09 12:56:29 PM		Maternal blood pressure: 118 / 68 mmHg, Mean value: 87 mmHg
4/13/09 12:56:29 PM		Maternal heart rate (NIBP): 87 BPM
4/13/09 12:56:29 PM		Recorder status: On
4/13/09 12:57:13 PM		Recorder status: Off
4/13/09 1:00:00 PM	STANTON, PAULA	Pain: 0
4/13/09 1:00:00 PM	STANTON, PAULA	Uterus: Position: midline, Fundal Height: 0, Cramping: none
4/13/09 1:00:00 PM	STANTON, PAULA	Lochia: Amount: moderate, Type: rubra
4/13/09 1:00:00 PM	STANTON, PAULA	Perineum Assessment: intact
4/13/09 1:00:00 PM	STANTON, PAULA	Bladder: not distended
4/13/09 1:00:00 PM	STANTON, PAULA	Maternal temperature: 97.9°F
4/13/09 1:11:33 PM		Maternal blood pressure: 116 / 68 mmHg, Mean value: 87 mmHg
4/13/09 1:11:33 PM		Maternal heart rate (NIBP): 83 BPM
4/13/09 1:11:33 PM		Recorder status: On
4/13/09 1:12:17 PM		Recorder status: Off
4/13/09 1:15:00 PM	STANTON, PAULA	Pain: 0
4/13/09 1:15:00 PM	STANTON, PAULA	Uterus: Position: midline, Fundal Height: 0, Cramping: none
4/13/09 1:15:00 PM	STANTON, PAULA	Lochia: Amount: moderate, Type: rubra
4/13/09 1:15:00 PM	STANTON, PAULA	Perineum Assessment: intact
4/13/09 1:15:00 PM	STANTON, PAULA	Bladder: not distended
4/13/09 1:15:00 PM	STANTON, PAULA	Event: Pt up to bathroom and able to void
4/13/09 1:15:00 PM	STANTON, PAULA	Event: Epidural catheter removed w/o difficulty. Intact.
4/13/09 1:15:00 PM	STANTON, PAULA	Event: Ice to perineum
4/13/09 1:27:03 PM		Maternal blood pressure: 124 / 60 mmHg, Mean value: 83 mmHg
4/13/09 1:27:03 PM		Maternal heart rate (NIBP): 85 BPM
4/13/09 1:27:04 PM		Recorder status: On
4/13/09 1:27:47 PM		Recorder status: Off
4/13/09 1:30:00 PM	STANTON, PAULA	Pain: 0
4/13/09 1:30:00 PM	STANTON, PAULA	Uterus: Position: midline, Fundal Height: 0, Cramping: none
4/13/09 1:30:00 PM	STANTON, PAULA	Lochia: Amount: moderate, Type: rubra
4/13/09 1:30:00 PM	STANTON, PAULA	Perineum Assessment: intact
4/13/09 1:30:00 PM	STANTON, PAULA	Bladder: palpable
4/13/09 1:41:48 PM		Maternal blood pressure: 123 / 79 mmHg, Mean value: 95 mmHg
4/13/09 1:41:48 PM		Maternal heart rate (NIBP): 104 BPM
4/13/09 1:41:49 PM		Recorder status: On
4/13/09 1:42:35 PM		Recorder status: Off
4/13/09 1:45:00 PM	STANTON, PAULA	Urine output: 550 ml
4/13/09 3:00:00 PM	STANTON, PAULA	Fluid balance last 8 hours: Intake: 3629 ml, Output: 2300 ml, Balance: 1329 ml
4/13/09 4:00:50 PM		Recorder status: On
4/13/09 4:00:50 PM		Maternal blood pressure: 115 / 74 mmHg, Mean value: 88 mmHg
4/13/09 4:00:50 PM		Maternal heart rate (NIBP): 93 BPM
4/13/09 4:01:34 PM		Recorder status: Off

Display Time	User	Description
4/13/09 4:02:08 PM		Monitor status: Off
4/13/09 5:15:00 PM	STANTON, PAULA	Urine output: 650 ml
4/13/09 6:15:00 PM	STANTON, PAULA	Fluid balance last 12 hours: Intake: 3630 ml, Output: 2950 ml, Balance: 680 ml
4/13/09 8:00:38 PM		Monitor status: On. Switched off for 8 h.
4/13/09 8:02:00 PM		Maternal blood pressure: 127 / 87 mmHg, Mean value: 99 mmHg
4/13/09 8:02:00 PM		Maternal heart rate (NIBP): 80 BPM
4/13/09 8:02:00 PM		Recorder status: On
4/13/09 8:02:06 PM		Recorder status: Off
4/13/09 8:02:28 PM		Monitor status: Off
4/13/09 11:55:41 PM		Monitor status: On. Switched off for 12 h.
4/13/09 11:56:52 PM		Maternal blood pressure: 115 / 59 mmHg, Mean value: 79 mmHg
4/13/09 11:56:52 PM		Maternal heart rate (NIBP): 91 BPM
4/13/09 11:56:52 PM		Recorder status: On
4/13/09 11:57:18 PM		Recorder status: Off
4/13/09 11:57:24 PM		Monitor status: Off
4/14/09 12:34:27 AM	ROWDEN, SHEILA	Acknowledged: Fetal Monitor on
4/14/09 4:04:16 AM		Monitor status: On. Switched off for 16 h.
4/14/09 4:05:37 AM		Maternal blood pressure: 92 / 40 mmHg, Mean value: 58 mmHg
4/14/09 4:05:37 AM		Maternal heart rate (NIBP): 72 BPM
4/14/09 4:05:38 AM		Recorder status: On
4/14/09 4:05:42 AM		Recorder status: Off
4/14/09 4:06:14 AM		Monitor status: Off
4/14/09 4:15:20 AM	ESPELAGE, CHRIS	Acknowledged: Fetal Monitor on
4/14/09 7:53:12 AM		Monitor status: On. Switched off for 20 h.
4/14/09 7:54:32 AM		Maternal blood pressure: 109 / 62 mmHg, Mean value: 79 mmHg
4/14/09 7:54:32 AM		Maternal heart rate (NIBP): 67 BPM
4/14/09 7:54:32 AM		Recorder status: On
4/14/09 7:55:15 AM		Recorder status: Off
4/14/09 8:06:22 AM	ESPELAGE, CHRIS	Acknowledged: Fetal Monitor on
4/14/09 2:54:09 PM	System	Acknowledged: Fetal Monitor on
4/14/09 2:54:09 PM	TORRENCE, JENNIFER	Patient discharged to 'DEL'
4/14/09 2:54:09 PM	System	Monitor status: Off
4/14/09 2:54:09 PM	TORRENCE, JENNIFER	Episode closed