Assignment 4

The due date for submitting this assignment has passed. **Due on 2020-02-26, 23:59 IST.**

Assignment submitted on 2020-02-26, 22:44 IST

What does the check_magic() function in the following code do ***1 point***

```
def check_magic():
  num=[1,2,3,4,5,6,7,8,9]
  a00=0
  a01=0
  a10=0
  a11=0
  for i in range(0,9):
    for j in range(0,9):
      for k in range(0,9):
        for l in range(0,9):
          a00=num[i]
          a01=num[j]
          a10=num[k]
          a11=num[l]
          l=[a00,a01,a10,a11]

          print a00,'\t',a01,'\n',a10,'\t',a11
          print '\n'
```

- displays all 2 × 2 matrices where elements are from 1 to 9.
- displays all 2 × 2 matrices where elements are from 1 to 9 but no element is repeated
- displays magic squares of size 2
- none of the above

Yes, the answer is correct.
Score: 1

Accepted Answers:
displays all 2 × 2 matrices where elements are from 1 to 9.

What does the following code do? ***1 point***

```
l1 = ["apple", "banana" , "kiwi" , "orange"]
l2 = ["watermelon", "melon", "kiwi", "banana"]
cmn=[]
for i in range(4):
  if(l1[i]==l2[i]):
    cmn.append(l1[i])
print(cmn)
```

- displays common fruits in both the lists l1 and l2

- displays fruits which are in l1 but not in l2
- displays fruits which are in l2 but not in l1
- none of the above

No, the answer is incorrect.
Score: 0

Accepted Answers:
none of the above

Leap years are the years ***1 point***

1. which divisible by 4 but not divisible by 100, and, those
2. divisible by 400

Which of the following code does not represent a code displaying all the leap years from 1 to 2000.

```
d4=[]
d100=[]
d400=[]
for i in range(1,2001):
    if(i%4==0):
        d4.append(i)
    if(i%100==0):
        d100.append(i)
    if(i%400==0):
        d400.append(i)
ly=[]
for each in d4:
    if each not in d100:
        ly.append(each)
for each in d400:
    ly.append(each)
print(ly)
```

```
ly=[]
for i in range(1,2001):
    if(i%4==0):
        if(i%100!=0):
            ly.append(i)
        else:
            if(i%400==0):
                ly.append(i)
print(ly)
```

```
ly =[]
for i in range(1,2001):
  if(i%400==0):
    ly.append(i)
  else:
    if(i%4==0):
      ly.append(i)
print(ly)
```

```
ly =[]
for i in range(1,2001):
  if(i%400==0 or (i%100!=0 and i%4==0)):
    ly.append(i)
print(ly)
```

No, the answer is incorrect.
Score: 0

Accepted Answers:

```
ly =[]
for i in range(1,2001):
  if(i%400==0):
    ly.append(i)
  else:
    if(i%4==0):
      ly.append(i)
print(ly)
```

What does the following function do **1 point**

```
def leap(year):
  if(year%400==0 or (year%100!=0 and year%4==0)):
    return 1
  else:
    return 0
```

- returns true for century year and false for non century year
- returns true for leap year and false for non leap year
- returns false for century year and true for non century year
- none of the above

Yes, the answer is correct.
Score: 1

Accepted Answers:
returns true for leap year and false for non leap year

Which of the following code correctly represents how one can display the number of dashes equal to that of the letters in the movie name? **1 point**

```
movies =["titanic","chinatown","avengers","3idiots","conjuring","jungl
ebook","matrix"]
        ch =random.choice(movies)
        for i in range(len(ch)):
            print('_'),
```

```
movies =["titanic","chinatown","avengers","3idiots","conjuring","jungl
ebook","matrix"]
        ch =random.choice(movies)
        for i in range (100):
            print('_'),
```

```
movies =["titanic","chinatown","avengers","3idiots","conjuring","jungl
ebook","matrix"]
        ch =random.choice(movies)
        for ch in range(len(ch)):
            print('_'),
```

none of these

Yes, the answer is correct.
Score: 1

Accepted Answers:

```
movies =["titanic","chinatown","avengers","3idiots","conjuring","junglebo
ok","matrix"]
        ch =random.choice(movies)
        for i in range(len(ch)):
            print('_'),
```

Given a list of movies, which of the following represents a code which randonly chooses a movie amongst all? ***1 point***

```
movies =["titanic","chinatown","avengers","3idiots","conjuring","jungl
ebook","matrix"]
        ch = movies[random.randint(0,len(movies))]
```

```
movies =["titanic","chinatown","avengers","3idiots","conjuring","jungl
ebook","matrix"]
        ch = movies[random.uniform(0,len(movies))]
```

```
movies =["titanic","chinatown","avengers","3idiots","conjuring","jungl
ebook","matrix"]
        ch = movies[random.choice(0,len(movies))]
```

none of these

No, the answer is incorrect.
Score: 0

Accepted Answers:
none of these

What does the following code do? ***1 point***

```
s1=input("Enter a string")
s2=input("Enter another string")
for each in list(s2):
  for each2 in list(s1):
    if(each==each2):
      print("yes")
      break
```

- prints yes if both strings are same
- prints yes if both strings have atleast one common character
- prints yes if first string is contained in the second
- none of the above

Yes, the answer is correct.
Score: 1

Accepted Answers:
prints yes if both strings have atleast one common character

Which numbers from 1 to 100 does the following code print? ***1 point***

```
for i in range(1001):
    f=0
    for j in range(2,i):
        if(i%j==0):
            f=1
            break
    if(f==0):
        print(i)
```

- prime numbers
- perfect squares
- numbers which are factorial of some other number
- perfect cubes

No, the answer is incorrect.
Score: 0

Accepted Answers:
prime numbers

Which numbers from 1 to 100 does the following code print? ***1 point***

```
for i in range(1001):
    f=0
    for j in range(2,i):
        if(j*j==i):
            f=1
            break
    if(f==1):
        print(i)
```

- prime numbers
- perfect squares
- numbers which are factorial of some other number
- perfect cubes

Yes, the answer is correct.
Score: 1

Accepted Answers:
perfect squares

Assume a drunkard whose movement is defined on the number line, i.e. he can either move forward or backward. Assume he is standing at a position *p*. He takes 2 steps forward followed by 4 steps backward. He falls into the ***1 point***

pit as soon as he steps
on the position zero. Which of the following codes correctly represents his walk? A.

```
p= i n t ( i n p u t ( ) )
while (p >0):
        p=p+2
         p r i n t ( " Location =" , p )
        p=p−4
         p r i n t ( " Location =" , p )
p r i n t (" Fell in p i t at location " , p )
```

```
p= i n t ( i n p u t ( ) )
while (p >0):
        p=p−2
         p r i n t ( " Location =" , p )
        p=p+4
         p r i n t ( " Location =" , p )
p r i n t (" Fell in p i t at location " , p )
```

```
p= i n t ( i n p u t ( ) )
while (p >0):
        for i in range ( 2 ) :
                p=p+1
                 p r i n t ( " Loc = " , p )
                 i f ( p ==0):
                                break
        for i in range ( 4 ) :
                p=p−1
                 p r i n t ( " Loc = " , p )
                 i f ( p ==0):
                        break
p r i n t (" Fell in p i t at location " , p )
```

none of these

No, the answer is incorrect.
Score: 0

Accepted Answers:

```
p= i n t ( i n p u t ( ) )
while (p >0):
        p=p+2
         p r i n t ( " Location =" , p )
        p=p−4
         p r i n t ( " Location =" , p )
p r i n t (" Fell in p i t at location " , p )
```